Second Revised Page 1 Cancels First Revised Page 1

BELLSOUTH
TELECOMMUNICATIONS, INC.
FLORIDA
ISSUED: February 25, 2002

BY: Joseph P. Lacher, President -FL Miami, Florida EFFECTIVE: March 12, 2002

# **E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE**

### CONTENTS

Ε9	.1 (	General Description	1
	E9.1.1	Provision of Service	1
Ε9	.2 l	Indertaking of the Company	1
	E9.2.1	Number Provision	1
	E9.2.2	Access Locations and Call Transport	1
Ε9	.3 (	Obligations of the IC	5
	E9.3.1	Ordering Requirements	5
	E9.3.2	End User Requirements	5
Ε9	.4 F	Payment Arrangements	5
	E9.4.1	Minimum Periods and Minimum Monthly Charge	5
	E9.4.2	Reserved For Future Use	6
	E9.4.3	Cancellation of a Special Order	6
	E9.4.4	Changes to Special Orders	6
	E9.4.5	Moves	6
	E9.4.6	BellSouth Directory Assistance Access Service Rearrangements	6
	E9.4.7	Credit Allowance for BellSouth Directory Assistance Access Service	6
Ε9	.5 F	Rate Regulations and Charges	7
	E9.5.1	Rate Regulations	7
	E9.5.2	Rate Categories	7
	E9.5.3	Rates and charges	8
Ξ9	.6 E	BellSouth DA Flat Rated Trunks	9 (N
	E9.6.1	General Description	9 (N
	E9.6.2	Rates And Charges	9 (N

ACCESS SERVICES TARIFF Second Revised Page 1 Cancels First Revised Page 1

EFFECTIVE: April 21, 2015

**BELLSOUTH** TELECOMMUNICATIONS **FLORIDA** ISSUED: April 20, 2015 BY: Joe York, President -FL Jacksonville, Florida

### E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

## **E9.1 General Description**

### **E9.1.1 Provision of Service**

- The Company will provide automated BellSouth Directory Assistance Access service to an IC from BellSouth Directory Assistance Access service locations.
- BellSouth Directory Assistance Access service provides: (1) automated BellSouth Directory Assistance Access service to BellSouth Directory Assistance Access service locations; (2) the use of BellSouth Directory Assistance Access service equipment; and (3) BellSouth Directory Assistance Access when required to provide telephone numbers or a report that a number is non-published.

## E9.2 Undertaking of the Company

### **E9.2.1 Number Provision**

- Automated Directory Assistance service, when furnished a city, state and name, will provide or attempt to provide the telephone number listed in the Company Directory Assistance records associated with the name given at the rates and charges as set forth in Section E9.5. The Company's contact with the IC's end user shall be limited to that effort necessary to process an IC's end user's request for a telephone number. The Company will not transfer, forward or redial an IC's end user call to any other location for any purpose other than provision of automated BellSouth Directory Assistance Access service.
- A maximum of three (3) requests for telephone numbers will be accepted per call to the automated BellSouth Directory Assistance Access service.
- A telephone number which is not listed in automated **BellSouth** Directory Assistance **Access** records will not be available to the IC's end user.

#### **E9.2.2** Access Locations and Call Transport

- The Company will specify the BellSouth Directory Assistance Access service location which provides the automated BellSouth Directory Assistance Access service for each Numbering Plan Area Code (NPA). The BellSouth Directory Assistance Access service locations are as shown in National Exchange Carrier Association Tariff FCC No. 4.
  - When it becomes necessary, as determined by the Company, to change a *BellSouth* Directory Assistance *Access* service location, the Company will notify the involved ICs six months prior to the change. For such changes, the regulations as set forth in Section E2.1.7 apply.
- Automated BellSouth Directory Assistance Access service will be provided between the IC terminal location and the BellSouth Directory Assistance Access service location by the Company at rates and charges as set forth in Section E9.5 and as follows:
  - BellSouth Directory Assistance Access service
    - Each *BellSouth* Directory Assistance Access service will consist of the following:
      - (1) An Interface Group equipped with an available Premises Interface Code at the IC terminal location.
      - Directory Transport between the IC terminal location serving wire center and the BellSouth Directory Assistance Access service location.

(C) (C)

(C)

(C)

(C)

(T) (C)

(C)

(C) (C)

> (C) (C)

(T) (C)

(T)

BELLSOUTH
TELECOMMUNICATIONS, INC.
FLORIDA
ISSUED: February 14, 1997
BY: Joseph P. Lacher, President -FL

Miami, Florida

First Revised Page 2 Cancels Original Page 2

EFFECTIVE: March 1, 1997

## E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

## E9.2 Undertaking of the Company (Cont'd)

#### E9.2.2 Access Locations and Call Transport (Cont'd)

- **B.** *BellSouth* Directory Assistance Access service will be provided between the IC terminal location and the *BellSouth* Directory Assistance *Access* service location by the Company at rates and charges as set forth in E9.5 following and as follows: (Cont'd)
  - 1. **BellSouth** Directory Assistance Access service (Cont'd)
    - b. When required by the Company, a separate *BellSouth* Directory Assistance Access service trunk group will be provided for *BellSouth* Directory Assistance Access service for each NPA. Separate trunk groups will be required when the Company notifies the IC that the mechanized search of its data base and its mechanized operator practices require a mechanized identification of the NPA code for which the IC's end user desires Directory Assistance information.
  - 2. Interface Group and Premises Interface Code
    - a. Each *BellSouth* Directory Assistance Access service will consist of a *BellSouth SWA* service equipped with one of the following *BellSouth SWA* service Premises Interface Codes as described in E6.1.3.A. preceding:

4DS9-15 6EA2-E 4RV2-0 2RV3-0 6EA2-M 4DS6-44 4SF3

Except as set forth in E9.4.1.A. following, the Interface Groups and Premises Interface Codes provided under a Special Order for *BellSouth* Directory Assistance Access service are subject to the order conditions as set forth in Section E5. preceding. For purposes of applying the order regulations, a *BellSouth* Directory Assistance *Access* service location is considered to be an IC's end user serving wire center.

- 3. Directory Transport
  - a. Directory Transport provides the transmission facilities and transport termination between the IC terminal location and the *BellSouth* Directory Assistance *Access* service location.
  - b. Directory Transport is a two-way voice frequency transmission path composed of *BellSouth SWA* Transport facilities as set forth in E6.1.3 preceding. The two-way voice frequency path transports calls in the terminating direction (from the IC terminal location to the *BellSouth* Directory Assistance *Access* service location). The voice frequency transmission path may be comprised of any configuration of plant capable of and typically used in the telecommunications industry for the transmission of voice and associated telephone signals within the frequency band width of approximately 300 to 3000 Hz.
  - c. Directory Transport facilities are specified by the IC and include the following rate categories. These rate categories are further defined in Section E6., *BellSouth SWA* service.
    - (1) Switched Local Channel must be specified by the IC. This facility is used in the transport of the *BellSouth Directory Assistance Access* service call from the IC's premises to the Company's Serving Wire Center (SWC). The Switched Local Channel is assessed a monthly rate based on capacity.

(T)

Third Revised Page 3
Cancels Second Revised Page 3

EFFECTIVE: December 20, 2013

BELLSOUTH
TELECOMMUNICATIONS
FLORIDA
ISSUED: December 19, 2013

BY: Marshall M. Criser III, President -FL

Miami, Florida

# **E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE**

## E9.2 Undertaking of the Company (Cont'd)

#### E9.2.2 Access Locations and Call Transport (Cont'd)

- B. BellSouth Directory Assistance Access service will be provided between the IC terminal location and the BellSouth Directory Assistance Access service location by the Company at rates and charges as set forth in E9.5 following and as follows: (Cont'd)
  - 3. Directory Transport (Cont'd)
    - c. Directory Transport facilities are specified by the IC and include the following rate categories. These rate categories are further defined in Section E6. *of this Tariff*, BellSouth SWA service. (Cont'd)
      - (2) Switched Interoffice Channel, either Common or Dedicated must be specified by the IC.

Switched Dedicated Interoffice Channels (SW DIOC) are used for the transport of the BellSouth Directory Assistance Access service call to the BellSouth Directory Assistance Access location without utilizing a Company Access Tandem Switch or for the transport of the call to the Access Tandem where *an* Access Tandem *is utilized*. The SW DIOC is assessed a monthly rate, per mile, based on the capacity ordered by the IC

Where a Company Access Tandem is utilized, Switched Common Interoffice Channels (SW CIOC) are used for the transport of the BellSouth Directory Assistance Access service call from the Company Access Tandem Switch to the BellSouth Directory Assistance Access Location. The SW CIOC charge is assessed on a per call basis

For BellSouth SWA Common Transport, the DS3 to DS1 Multiplexer element is applicable. This element provides for use of DS3 to DS1 multiplexer equipment between the Company Access Tandem switch and the BellSouth Directory Assistance Access Location.

- (3) Access Tandem Switching provides for the function of the Access Tandem when routing the call from the IC's SWC to the BellSouth Directory Assistance Access location through the Access Tandem. A rate per call will be assessed for each BellSouth Directory Assistance Access call that traverses the Access Tandem.
- d. As specified by the IC, BellSouth Directory Assistance Access service is to be routed directly to a BellSouth Directory Assistance Access service location or through an access tandem switch appropriately equipped for BellSouth Directory Assistance Access measurement and served by BellSouth Directory Assistance Access trunks to the BellSouth Directory Assistance Access location when such an access tandem switch is available in combination with BellSouth SWA FGB, BellSouth SWA FGD or BellSouth SWA FGB, BellSouth Directory Assistance Access service Trunk Group. The combination of BellSouth SWA FGB, BellSouth SWA FGD or BellSouth SWA TSBSA service with BellSouth Directory Assistance Access service will only be provided at such available and appropriately equipped access tandem switches. All BellSouth Directory Assistance Access calls routed via this combination to the access tandem will be completed to the BellSouth Directory Assistance Access location and subject to the charges set forth in E9.5 following. If the IC does not want BellSouth Directory Assistance Access calls completed to the BellSouth Directory Assistance Access location via this combination, the IC may block the call.
- e. When Directory Transport is provided, multifrequency address signaling is required with wink start-start pulsing signals provided. The IC shall address each call to the BellSouth Directory Assistance Access service location using NPA+555+1212 or when required by the Company, 555-1212. Only NPA codes handled by the BellSouth Directory Assistance Access service location will be processed.
- f. Directory Transport is provided with one of the BellSouth SWA Transport Interface Groups as set forth in Section E6. preceding.
- 4. Special Facilities Routing

An IC may request that BellSouth Directory Assistance Access service be provided via Special Facilities Routing. The regulations, rates and charges for Special Routing (Avoidance, Diversity and Cable Only) are as set forth in Section E11. *of this Tariff.* 

(D)

(D) (D)

Second Revised Page 4
Cancels First Revised Page 4

BELLSOUTH
TELECOMMUNICATIONS
FLORIDA
ISSUED: December 19, 2013

BY: Marshall M. Criser III, President -FL

Miami, Florida

EFFECTIVE: December 20, 2013

### E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

## E9.2 Undertaking of the Company (Cont'd)

### E9.2.2 Access Locations and Call Transport (Cont'd)

- B. BellSouth Directory Assistance Access service will be provided between the IC terminal location and the BellSouth Directory Assistance Access service location by the Company at rates and charges as set forth in E9.5 following and as follows: (Cont'd)
  - 5. Design Layout Report

The Company will provide to the IC the makeup of the facilities and services provided under this section as *BellSouth* Directory Assistance Access service. This information will be provided in the form of a Design Layout Report similiar to that as set forth in E6.1.5. Design Layout Reports for *BellSouth Directory Assistance* Access service will be provided only when specifically requested by the IC. The Design Layout Report will be provided to the IC at no charge and will be reissued or updated whenever the facilities provided for the IC's use are materially changed.

6. Transmission Specifications

**BellSouth** Directory Assistance Access service is provided with either Type A, B or C Transmission specifications. The specifications associated with these parameters are guaranteed to the **BellSouth Directory Assistance Access** location, whether routed directly or via an access tandem. Type C Transmission Specification is provided with Interface Group 1 when routed directly to a **BellSouth Directory Assistance Access** service location. Type B Transmission Specification is provided with Interface Groups 2, 6 and/or 9 when routed direct to a **BellSouth Directory Assistance Access** service location. Type A Transmission Specification is provided with Interface Groups 2, 6 and/or 9 when routed via an access tandem switch.

When *BellSouth* Directory Assistance Access service is provided with *BellSouth SWA FGD* or *BellSouth SWA* TSBSA 3 service, Type A Transmission Specification is provided. When *BellSouth Directory Assistance* Access service is provided with *BellSouth SWA FGB* or *BellSouth SWA* TSBSA 1 service, Type B Transmission Specification is provided for Interface Groups 2, 6 and 9 and Type C Transmission Specification is provided for Interface Group 1.

Type A, B and C Transmission Specifications are set forth in E6.4.1 preceding.

7. Acceptance Testing and Testing Capabilities

The acceptance testing and testing capabilities for *BellSouth* Directory Assistance Access service traffic routed through an access tandem are the same as those for the associated *BellSouth SWA FGD* or *BellSouth SWA* TSBSA 3 end office switching. The acceptance testing for *BellSouth Directory Assistance* Access service traffic routed directly to or routed in a separate trunk group through an access tandem to the *BellSouth Directory Assistance Access* service location will be as set forth in E6.1.6 preceding. The testing capabilities for *BellSouth Directory Assistance* Access service traffic routed directly to the *BellSouth Directory Assistance Access* service location, or routed in a separate trunk group through an access tandem to the *BellSouth Directory Assistance Access* service location will be as set forth for cooperative scheduled testing or manual scheduled testing in Section E13. following.

C. Trunk-side switching is provided at the *BellSouth* Directory Assistance *Access* service location. The *BellSouth Directory Assistance Access* service location will provide trunk answer and disconnect supervisory signaling.

(D)

(D)

(D)

Third Revised Page 5 Cancels Second Revised Page 5

BELLSOUTH
TELECOMMUNICATIONS
FLORIDA
ISSUED: April 20, 2015
BY: Joe York, President -FL
Jacksonville, Florida

EFFECTIVE: April 21, 2015

(C)

(D)

(C)

(C)

(C)

(E)

(T)

(C)

(C)

(C)

(T)

(C)

(T)

(C)

(C)

(C)

### E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

## E9.2 Undertaking of the Company (Cont'd)

#### E9.2.2 Access Locations and Call Transport (Cont'd)

- D. The Company will distribute the calls received over the automated *BellSouth* Directory Assistance Access services using the *BellSouth Directory Assistance Access* service location equipment.
- E. In the event that the telephone number is unavailable to automated *BellSouth* Directory Assistance *Access*, no credit applies for the charge for the call to automated *BellSouth Directory Assistance Access*. When the *BellSouth Directory Assistance Access* service location or *BellSouth Directory Assistance Access* service equipment or terminals are out of service due to a Company equipment failure, or an incorrect number is provided, a credit as set forth in Section E9.4.7 will apply.
- **F. Automated** *BellSouth* Directory Assistance Access service may be provided, at the option of the IC, for interstate and intrastate communications. When the IC requests such mixed access, the intrastate *BellSouth Directory Assistance Access* service charges will be determined by the Company as set forth in Section E2.3.15.

## E9.3 Obligations of the IC

## **E9.3.1 Ordering Requirements**

- A. The IC shall determine and order the capacity and interface type of *BellSouth* Directory Assistance Access services it needs except when provided over existing *BellSouth SWA FGA*, *BellSouth SWA FGB*, *BellSouth SWA FGD*, *BellSouth SWA* LSBSA or *BellSouth SWA* TSBSA Transport facilities, as specified in Section E9.2.2.B.3. for automated *BellSouth Directory Assistance Access* service.
- **B.** The IC facilities at the IC terminal location shall provide the necessary on-hook and off-hook supervision.
- C. When requested by the Company, the IC shall order a separate trunk group for automated *BellSouth Directory Assistance* Access service for each NPA. The conditions when the IC will be requested to order separate trunk groups for each NPA are set forth in Section E9.2.2.B.

#### **E9.3.2 End User Requirements**

- **A.** When the IC bills its end users, the IC shall be responsible for all contacts and arrangements with its end users concerning the provision and maintenance of, and the billing and collecting of charges for, automated *BellSouth* Directory Assistance Access service furnished to its end users. When the Company bills the IC's end users at the request of the IC, contacts and arrangements with the IC's end users concerning the billing and collecting of charges will be as set forth in Section E8.2.
- **B.** The IC understands that automated *BellSouth* Directory Assistance *Access* service will respond to only three (3) telephone number requests per call and will not transfer, forward or redial the call to another location for any purpose other than the provision of automated *BellSouth* Directory Assistance Access service.

## **E9.4 Payment Arrangements**

#### **E9.4.1 Minimum Periods and Minimum Monthly Charge**

**A.** The minimum period for which automated *BellSouth* Directory Assistance Access service is provided and for which charges apply is one month.

BELLSOUTH
TELECOMMUNICATIONS
FLORIDA
ISSUED: April 20, 2015
BY: Joe York, President -FL

Jacksonville, Florida

Second Revised Page 6 Cancels First Revised Page 6

EFFECTIVE: April 21, 2015

(C)

(C)

(T)

(C)

(D)

(C)

(C)

(C)

(T)

(T)

(T)

(T)

(D)

(C)

(C)

(C)

### E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

## **E9.4 Payment Arrangements (Cont'd)**

### E9.4.1 Minimum Periods and Minimum Monthly Charge (Cont'd)

**B.** Automated *BellSouth* Directory Assistance Access service is subject to a minimum monthly charge if *BellSouth SWA* Dedicated Transport is utilized. If *BellSouth SWA* Common Transport is ordered for automated *BellSouth Directory Assistance* Access service, the minimum monthly charge for *BellSouth Directory Assistance* Access service calls is the charge as set forth in Section E9.5 for the actual usage for the month.

#### E9.4.2 Reserved for Future Use

#### E9.4.3 Cancellation of a Special Order

**A.** When an IC cancels a Special Order for automated *BellSouth* Directory Assistance Access service after the order date but prior to the start of service, the appropriate charges as set forth in Section E5. for *BellSouth SWA* services apply for the automated *BellSouth Directory Assistance* Access service cancelled.

#### **E9.4.4** Changes to Special Orders

When an IC requests changes to a pending order for automated *BellSouth* Directory Assistance Access service, such changes will be undertaken if they can be accommodated by the Company. The appropriate charges as set forth in Section E5 for *BellSouth SWA* services apply for the automated *BellSouth Directory Assistance* Access service changed.

#### **E9.4.5 Moves**

A move involves a change in the physical location of the point of termination at the IC terminal location or the IC terminal location. Moves will be treated as set forth in Section 6 of FCC Tariff No. 1 and all associated nonrecurring charges will apply. Minimum period requirements will be established at the new location as set forth in Section 6 of FCC Tariff No. 1. The IC will also remain responsible for satisfying all outstanding minimum period charges for the discontinued service.

#### E9.4.6 BellSouth Directory Assistance Access Service Rearrangements

Nonrecurring charges apply for service rearrangements are as set forth in Section 6 of Tariff FCC No. 1. The service Rearrangement Charges are as set forth in Section 6 of Tariff FCC No. 1 for the type of change provided by the Company.

#### E9.4.7 Credit Allowance for BellSouth Directory Assistance Access Service

A. When the BellSouth Directory Assistance Access service location or BellSouth Directory Assistance Access equipment or terminals are out of service due to a Company equipment failure or an incorrect number is provided and an IC's end user's automated BellSouth Directory Assistance Access call has been connected to a automated BellSouth Directory Assistance Access service, a credit allowance for a call connected to the automated BellSouth Directory Assistance Access service equal to the rate for a BellSouth Directory Assistance Access service call as set forth in Section E9.5 will be applied to the IC's charges.

**BELLSOUTH** TELECOMMUNICATIONS **FLORIDA** ISSUED: April 20, 2015 BY: Joe York, President -FL

Jacksonville, Florida

Third Revised Page 7 Cancels Second Revised Page 7

EFFECTIVE: April 21, 2015

(C)

(C)

(C)

## E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

## E9.4 Payment Arrangements (Cont'd)

#### E9.4.7 Credit Allowance for BellSouth Directory Assistance Access Service (Cont'd)

In addition to the credit as set forth in A. preceding, when a automated BellSouth Directory Assistance Access service (C) provides an incorrect number for a call and the IC reports such occurrences to the Company, a credit allowance for such (D) automated BellSouth Directory Assistance Access call will apply. When the IC reports such a call and the number requested, (C) the number provided and the reason the number provided is incorrect, the number of calls for which a credit will apply will be developed by the Company in cooperation with the IC. The credit allowance is equal to the amounts charged for BellSouth Directory Assistance Access service call as set forth in Section E9.5. (D)  $\{T\}$ When automated BellSouth Directory Assistance Access call is not completed due to the failure of automated BellSouth Directory Assistance Access service to BellSouth Directory Assistance Access locations, automated BellSouth Directory (C) Assistance Access equipment or BellSouth Directory Assistance Access operator activities, a credit allowance for the BellSouth SWA service portion in the originating LATA of such automated BellSouth Directory Assistance Access call will (C) apply. When the IC reports such a call and number dialed, time of the call and the date of the call, the number of calls for (D) which a credit will apply will be developed by the Company in cooperation with the IC. The credit allowance is equal to the amounts charged for BellSouth Directory Assistance Access service call as set forth in Section E9.5. E9.5 Rate Regulations and Charges **E9.5.1 Rate Regulations** A. The BellSouth Directory Assistance Access service call charge, as set forth in Section E9.5.3, applies for each call to (T) automated BellSouth Directory Assistance Access service. A call is a call which has been connected to automated BellSouth (C) Directory Assistance Access service No charge applies if the automated BellSouth Directory Assistance service is unable to find the requested telephone number. The number of calls will be accumulated by Company measuring equipment. A credit for the provision of an incorrect telephone number will be applied as set forth in Section E9.4.7. (C) **E9.5.2 Rate Categories A.** There are three (3) rate categories which apply to *BellSouth* Directory Assistance Access service: (C) - Directory Transport - BellSouth Directory Assistance Access service Call - BellSouth Directory Assistance Access Interconnection Additionally, nonrecurring charges may be applicable as specified in Section E9.5.3. (T) **Directory Transport** The Directory Transport rate category provides for the transport facilities and termination between the IC's premises and

the BellSouth Directory Assistance Access location. These rate elements are defined in Section E9.2.2.B.3.

The automated **BellSouth** Directory Assistance **Access** service Call rate category provides for the use of the Company

automated BellSouth Directory Assistance Access service and BellSouth Directory Assistance Access equipment.

BellSouth Directory Assistance Access service Call

Fifth Revised Page 8 Cancels Fourth Revised Page 8

**BELLSOUTH** TELECOMMUNICATIONS, INC. **FLORIDA** 

ISSUED: August 5, 2005 BY: Marshall M. Criser III, President -FL

Miami, Florida

EFFECTIVE: September 4, 2005

(N)

### E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

## E9.5 Rate Regulations and Charges (Cont'd)

### E9.5.2 Rate Categories (Cont'd)

- There are three (3) rate categories which apply to BellSouth Directory Assistance Access service: (Cont'd)
  - BellSouth Directory Assistance Access Interconnection

The BellSouth Directory Assistance Access Interconnection rate category provides for switching capability and network functions not assigned to other BellSouth Directory Assistance Access service rate categories. This charge is assessed to all ICs and is applied on a per BellSouth Directory Assistance Access call basis.

Nonrecurring charges will apply for the installation of Directory Transport facilities, service rearrangements or features as defined in E9.2.2 preceding.

### E9.5.3 Rates and Charges

- A. Rates and charges
  - BellSouth Directory Assistance Access

		Rate	USOC	
(a)	Each	\$ .25	NA	
Directory Tran	nsport			
(a)	Switched Local Channel <sup>1</sup>	-	NA	
(b)	BellSouth SWA Dedicated Transport <sup>1</sup>	-	NA	
(c)	BellSouth SWA Common Transport per BellSouth	.000100	NA	(T)
	Directory Assistance Access Service Call <sup>3</sup>			
(d)	BellSouth SWA Common Transport per BellSouth	.000013	NA	(T)
	Directory Assistance Access Service Call Mile <sup>3</sup>			
(e)	Access Tandem Switching per BellSouth Directory	.000183	NA	
	Assistance Access Service Call			
(f)	BellSouth Directory Assistance Access	-	NA	
	Interconnection per BellSouth Directory Assistance			
	Access Service Call			
(g)	DS3 to DS1 Multiplexer per DA Access Service Call	.000060	NA	
(h)	Installation <sup>2</sup>	-	NA	
	Directory Trar  (a) (b) (c) (d) (e) (f)	Directory Transport  (a) Switched Local Channel <sup>1</sup> (b) BellSouth SWA Dedicated Transport <sup>1</sup> (c) BellSouth SWA Common Transport per BellSouth Directory Assistance Access Service Call <sup>3</sup> (d) BellSouth SWA Common Transport per BellSouth Directory Assistance Access Service Call Mile <sup>3</sup> (e) Access Tandem Switching per BellSouth Directory Assistance Access Service Call (f) BellSouth Directory Assistance Access Interconnection per BellSouth Directory Assistance Access Service Call (g) DS3 to DS1 Multiplexer per DA Access Service Call	(a) Each Directory Transport  (a) Switched Local Channel 1 (b) BellSouth SWA Dedicated Transport 1 (c) BellSouth SWA Common Transport per BellSouth Directory Assistance Access Service Call 3 (d) BellSouth SWA Common Transport per BellSouth Directory Assistance Access Service Call Mile 3 (e) Access Tandem Switching per BellSouth Directory Assistance Access Service Call (f) BellSouth Directory Assistance Access Interconnection per BellSouth Directory Assistance Access Service Call (g) DS3 to DS1 Multiplexer per DA Access Service Call  .000060	(a) Each Directory Transport  (a) Switched Local Channel <sup>1</sup>

- Nonrecurring and monthly rates are as specified for BellSouth SWA Transport in E6.8.1 of this Note 1:
- Note 2: Nonrecurring rates are as specified for BellSouth SWA Transport in E6.8.1 of this Tariff.
- These charges also apply to the BellSouth SWA Common Transport IP Option. Note 3:

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

First Revised Page 9 Cancels Original Page 9

(C)

(C)

(C)

(C)

(T) (N)

(N)

(N)

(N)

(T)

EFFECTIVE: January 18, 2003

**BELLSOUTH** TELECOMMUNICATIONS, INC. **FLORIDA** 

ISSUED: January 3, 2003

BY: Joseph P. Lacher, President -FL

Miami, Florida

## E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

### **E9.6 BellSouth Flat Rated DA Trunks**

### **E9.6.1** General Description

BellSouth Flat Rated DA Trunks provide the means to interconnect a customer's high capacity facility or facilities (e.g., DSI, MegaLink®, LightGate®, SmartPath® or SMARTRing®) at a DS1 level to the network location of their directory assistance

- BellSouth Flat Rated DA Trunks have the same transmission specifications as do BellSouth SWA FGD trunks, as described in
- BellSouth Flat Rated DA Trunks are made available in the following types:
  - Type 1: Supports bi-directional transport of customer calls using CCS7 signaling to provide call return,
  - Type 2: Supports unidirectional transport of customer calls using CCS7 signaling, and
  - Type 3: Supports unidirectional transport of customer calls using MF signaling.
- C. Rates and charges for BellSouth Flat Rated DA Trunks are as detailed in *E9.6.3*, following.

#### **E9.6.2** Service Requirements

- A. BellSouth Flat Rated DA Trunks must be interconnected with a customer's high capacity facility or facilities (i.e., DS1, MegaLink®, LightGate®, SmartPath® or SMARTRing®) at a DS1 level in order that BellSouth Flat Rated DA Trunks function properly. Any combination of twenty-four (24) Flat Rated DA Trunk Types 1, 2 and 3 can be ordered to meet this requirement. If the customer requires more that twenty-four (24) Flat Rated DA Trunks, additional trunks must be ordered in increments of twenty-four (24).
- B. The Telephone Company will specify network locations from which BellSouth Flat Rated DA Trunks are made available as shown in NATIONAL EXCHANGE CARRIER ASSOCIATION, INC. TARIFF F.C.C. No.4.
- C. When ordering BellSouth Flat Rated DA Trunks, the customer must submit to the Telephone Company a Connecting Facility Assignment (CFA) identifying which and/or what part of the customer's high capacity facility and/or facilities are to be interconnected to the Telephone Company's BellSouth Flat Rated DA Trunks. Any subsequent change of Connecting Facilities Assignment (CFA) affecting interconnection with BellSouth Flat Rated DA Trunks must also be submitted to the Telephone Company.

#### **E9.6.3** Rates and Charges

A. The following rates apply to BellSouth Flat Rated DA Trunks.

Flat Rated DA Trunks

			Nonrecurring Charges			
		Monthl	y First Trunk	Each Add'l		
		Rate	Installed	Trunk	USOC	
(a)	Type 1	\$ 6.00	\$ 24.00	\$ 20.00	WDAT1	(R)
(b)	Type 2	6.00	24.00	20.00	WDAT2	(R)
(c)	Type 3	6.00	24.00	20.00	WDAT3	(R)

® Registered Service Mark of BellSouth Intellectual Property Corporation