

BELLSOUTH
 TELECOMMUNICATIONS
 KENTUCKY
 ISSUED: November 15, 2017
 BY: Hood Harris, President
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 Tenth Revised Page 1
 Cancels Ninth Revised Page 1
 EFFECTIVE: November 30, 2017

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

CONTENTS

A13.1 through A13.26 (DELETED)	1	(D)(M)
A13.27 Emergency Reporting Services	27	(M)
A13.27.1 Universal Emergency Number Service - 911	27	(M)
A13.27.2 (DELETED)	30	(M)
A13.27.3 Reserved For Future Use	31	(M)
A13.27.4 Reserved For Future Use	31	(M)
A13.27.5 Enhanced Universal Emergency Number Service (E911)	31	(M)
A13.27.6 Wireless E911 Phase 2	38.1	(M)
A13.27.7 Reserved For Future Use	40	(M)
A13.27.8 BellSouth 9-1-1 PinPoint Service	40	(M)
A13.28 through A13.90 (DELETED)	42	(D)(T)(M)

Contents pages 2 through 8 are hereby deleted in their entirety and removed from this Tariff.

(N)

Material appearing on this page previously appeared on Contents page(s) 2 through 8 of this section.

All AT&T and BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariff are owned by AT&T Intellectual Property or AT&T affiliated companies.

BELLSOUTH
 TELECOMMUNICATIONS
 KENTUCKY
 ISSUED: November 15, 2017
 BY: Hood Harris, President
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 Ninth Revised Page 1
 Cancels Eighth Revised Page 1
 EFFECTIVE: November 30, 2017

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

(DELETED)

(D)

The pages listed below represent blank pages that replaced previous revisions. All material has been deleted from the specified page by the revision listed here.

(N)

Page	Revision	Page	Revision	
2	3 (N)	21	7 (M)	
3	9 (N)	22	4 (M)	
3.0.1	12 (N)	23	5 (M)	
3.1	12 (N)	24	4 (M)	
3.2	7 (N)	25	4 (M)	
4	36	26	5	(N)
4.0.1	24			(N)
4.0.2	20			(N)
4.1	6			(N)
5	11			(N)
5.1	6			(N)
5.2	7			(N)
6	6			(N)
7	20			(N)
7.1	5			(N)
8	13			(N)
8.1	2			(N)
9	7			(N)
10	5			(N)
11	7			(N)
11.1	4			(N)
12	6			(N)
13	5			(N)
13.1	4			(N)
13.2	4			(N)
14	6			(N)
14.1	6			(N)
14.1.1	3			(N)
14.2	7			(N)
14.3	12			(N)
14.3.0.1	4			(N)
14.3.1	10			(N)
14.3.2	21			(N)
14.3.2.1	9			(N)
14.3.3	7			(N)
14.4	33			(N)
14.5	22			(N)
14.6	8			(N)
15	9			(N)
16	19			(N)
16.1	1 (M)			
17	9 (M)			
18	3 (M)			
19	3 (M)			
20	4 (M)			

Material appearing on this page previously appeared on page(s) 26 of this section.

All AT&T and BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariff or Guidebook are owned by AT&T Intellectual Property.

BELLSOUTH
 TELECOMMUNICATIONS, INC.
 KENTUCKY
 ISSUED: January 11, 2002
 BY: E.C. Roberts, Jr., President - KY
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 First Revised Page 27
 Cancels Original Page 27
 EFFECTIVE: February 11, 2002

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services

A13.27.1 Universal Emergency Number Service - 911¹

A. General

1. When requested by local government authorities, and subject to the availability of facilities, the Company will provide a universal number "911" for use of Public Safety Answering Points (PSAPs) engaged in assisting local governments in the protection and safety of the general public. Use of the 911 number will provide each caller telephone access to a local PSAP.
2. No charge applies to the calling party for calls place to the 911 emergency number.

B. Rules And Regulations

1. 911 Service is provided by the Company where facility and operating conditions permit.
2. This offering is limited to the use of central office number "911" as the universal emergency number and only one "911" service will be provided within any government agency's locality.
3. The 911 emergency number is not intended to replace the telephone service of the various public safety agencies which may participate in the use of this number.
4. The service is furnished to municipalities and other governmental agencies only for the purpose of voice reporting emergencies by the public.
5. This service is offered solely as an aid in handling assistance calls in connection with fire, police and other emergencies and does not create any relationship or obligation, direct or indirect, to any person other than the customer contracting for 911 Service. In the event of any interruption of the service, the Company shall not be liable for any loss or damage other than a pro rata allowance to the customer at the tariff rate for the time such interruption continues, after notice to the Company. No allowance shall be made if the interruption is due to the negligence or willful act of the customer of the service.
6. In the white pages of the directory, a seven digit non-emergency number must be listed along with the 911 number for *the participating public safety* agencies. (C)
7. Application for 911 Service must be executed in writing by the customer (a municipality, a local government authority or their duly appointed agent). If execution is by an agent, satisfactory evidence of the appointment must be provided in writing to the Company. At least one local law enforcement agency must be included among the participating agencies in any 911 offering.
8. The customer must furnish the Company, in writing, with its agreement to the following terms and conditions:
 - a. That at least one PSAP will be provided and staffed on a 24-hour coverage basis.
 - b. That the customer accepts responsibility for dispatching, or having others dispatch police, fire, ambulance or other emergency services as required, to the extent as such services are reasonably available.
 - c. That the customer will subscribe to a sufficient number of interoffice and 911 exchange lines to adequately handle incoming calls as determined by the Company but in all cases subject to a minimum of two lines required at any point in the 911 network including the 911 exchange lines terminated at the PSAP.

Note 1: This Tariff is applicable to new systems or additions to existing systems ordered on or after June 14, 1979.

BELLSOUTH
 TELECOMMUNICATIONS, INC.
 KENTUCKY
 ISSUED: January 11, 2002
 BY: E.C. Roberts, Jr., President - KY
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 First Revised Page 28
 Cancels Original Page 28
 EFFECTIVE: February 11, 2002

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.1 Universal Emergency Number Service - 911¹ (Cont'd)

B. Rules And Regulations (Cont'd)

8. (Cont'd)

- d. That the customer will subscribe for additional local exchange service at the PSAP location for administration purposes, for placing of outgoing calls and for receiving other emergency calls including any which may be relayed by Company operators.

C. Basic 911

1. Definition Of Service

A Basic 911 (B911) system includes the Company provision of the 911 code or the opening of this code to the exchange network in those central offices that fall within the boundaries of the municipalities or other governmental bodies (township, county, etc.) that subscribe for B911 Service. The other components of a B911 system include the *PSAP's* station equipment and the one way incoming 911 Exchange Lines. ***Basic 911 cannot be provisioned with any Caller ID service arrangements.*** (C)

2. (DELETED)

(D)

3. Rates And Charges

a. Messages

No charge applies to the calling party for calls placed to the 911 emergency number.

Note 1: This Tariff is applicable to new systems or additions to existing systems ordered on or after June 14, 1979.

BELLSOUTH
 TELECOMMUNICATIONS, INC.
 KENTUCKY
 ISSUED: January 11, 2002
 BY: E.C. Roberts, Jr., President - KY
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 Second Revised Page 29
 Cancels First Revised Page 29
 EFFECTIVE: February 11, 2002

A13. MISCELLANEOUS SERVICE ARRANGEMENTS**A13.27 Emergency Reporting Services (Cont'd)****A13.27.1 Universal Emergency Number Service - 911¹ (Cont'd)****C. Basic 911 (Cont'd)****3. Rates And Charges (Cont'd)****b. 911 Exchange Lines**

Filed rates as found elsewhere in this Tariff, for PBX trunks or individual business lines as appropriate will apply for 911 Exchange Lines (answering) that terminate at PSAPs. The monthly rate for the Exchange Line is the rate applicable for the exchange in which the central office originating the 911 Exchange Line is located. (T)

c. Dedicated Facilities

When dedicated direct arrangements are provided from exchanges other than that in which the PSAP is located due to the customer's request or when dedicated-direct arrangements are provided from exchanges that do not have local calling to the exchange in which the PSAP is located, charges for Foreign Exchange or Foreign Central Office Service will apply as specified in Section A9. of this Tariff. (T)

d. Inter-Office Lines

Non-dedicated lines required between central offices are provided at no charge when the central offices involved are located in exchanges which have local calling to the exchange in which the PSAP is located. (T)

e. (DELETED)

(D)

f. PSAP Terminal Equipment

Customer-provided equipment furnished to terminate 911 Exchange Lines at any PSAP will be required to conform to the general provisions set forth in Section A15. of this Tariff.

Note 1: This Tariff is applicable to new systems or additions to existing systems ordered on or after June 14, 1979.

BELLSOUTH
TELECOMMUNICATIONS, INC.
KENTUCKY
ISSUED: April 5, 2002
BY: E.C. Roberts, Jr., President - KY
Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
Second Revised Page 30
Cancels First Revised Page 30
EFFECTIVE: May 6, 2002

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.1 Universal Emergency Number Service - 911¹ (Cont'd)

C. Basic 911 (Cont'd)

3. Rates And Charges (Cont'd)

- g. Tie lines, private lines, extension lines and other such channels connecting a PSAP to various agencies such as police, fire or ambulance service, are provided at filed tariff rates for such channels and facilities as specified in this and other appropriate Tariffs.

A13.27.2 (DELETED)

Note 1: This Tariff is applicable to new systems or additions to existing systems ordered on or after June 14, 1979.

(D)

BELLSOUTH
TELECOMMUNICATIONS, INC.
KENTUCKY
ISSUED: April 5, 2002
BY: E.C. Roberts, Jr., President - KY
Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
Third Revised Page 31
Cancels Second Revised Page 31
EFFECTIVE: May 6, 2002

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.2 (DELETED) (Cont'd)

(D)

A13.27.3 Reserved For Future Use

A13.27.4 Reserved For Future Use

A13.27.5 Enhanced Universal Emergency Number Service (E911)

A. General

1. Enhanced Universal Emergency Number Service, also referred to as Enhanced 911 Service or E911, is a telephone exchange communication service whereby a Public Safety Answering Point (PSAP) designated by the customer may receive telephone calls dialed to the telephone number 911.
2. Enhanced 911 Service is offered subject to availability of facilities.

BELLSOUTH
TELECOMMUNICATIONS, INC.
KENTUCKY
ISSUED: April 25, 2007
BY: Joan A. Coleman, President - KY
Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
Fifth Revised Page 32
Cancels Fourth Revised Page 32
EFFECTIVE: May 10, 2007

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.5 Enhanced Universal Emergency Number Service (E911) (Cont'd)

A. General (Cont'd)

3. The E911 customer may be a municipality or other state or local governmental unit, or an authorized agent of one or more municipalities or other state or local governmental units to whom authority has been lawfully delegated. The customer must be legally authorized to subscribe to the service and have public safety responsibility by law to respond to telephone calls from the public for emergency police, fire or other emergency services within the telephone central office areas arranged for 911 calling.
4. The Company may provide, upon request and where technically and economically feasible, E911 service to an E911 customer whose PSAP location is physically located outside of the Company's authorized serving territory but within the territory of an Independent Company. Such service will only be provided where agreement has been reached among the Company, the E911 customer, and the Independent Company and upon approval of the Kentucky Public Service Commission. Such service shall be provided at the rates, terms and conditions as stated herein. This tariff specifically grants the Company the authority, but not the obligation, to provide E911 service to the requesting E911 customer and does not impose on the Company the responsibilities and obligations of an Essential Telecommunications Carrier within the serving territory of the Independent Company. (N)

B. Definition Of Terms

ADDITIONAL E911 EXCHANGE LINE

Additional terminating line at a PSAP (over and above those engineered) that may be ordered by the customer as an optional feature.

ALTERNATE ROUTING (AR)

A feature provided to allow E911 calls to be routed to a designated alternate location if:

1. all E911 exchange lines to the primary PSAP are busy, or
2. the primary PSAP closes down for a period.

This is a standard feature of E911 Service.

AUTOMATIC LOCATION IDENTIFICATION (ALI)

A feature by which the name and the address associated with the calling party's telephone number (identified by ANI as defined following) is forwarded to the PSAP for display. Multiple station lines with the same ANI will be identified with the address associated with that ANI. No ALI data is provided when a call is sent to Default Routing (DR). In the case of 911 calls from subscribers of wireless carriers that are interconnected to BellSouth's 911 Control Office and primary and/or secondary PSAPs equipped with data communications links to BellSouth's ALI database, these wireless 911 calls will be delivered with a version of the ALI feature that includes certain carrier identification, cell tower or antenna array descriptive data as agreed to by the customer and the wireless carrier, and the wireless subscriber's call-back number. This information is consistent with the requirements of FCC Order 94-102 for Phase I Wireless 911 interconnection. The customer is required to make any changes in the MSAG needed to accommodate the wireless carriers' loading of their respective Pseudo-ANI (P-ANI) records into BellSouth's 911 database management system when P-ANI records are associated with towers and/or antennas located in the customer's jurisdiction.

AUTOMATIC NUMBER IDENTIFICATION (ANI)

A feature by which the calling party's ANI telephone number is forwarded to the E911 Control Office and to the PSAP's ANI/ALI controller.

CENTRALIZED AUTOMATED MESSAGE ACCOUNTING (CAMA) MF SIGNALING

A signaling protocol for sending 8 digits of ANI from the 911 tandem to the PSAP.

DATA MANAGEMENT SYSTEM (DMS)

A system of manual procedures and computer programs used to create, store and update the data required to provide the Selective Routing (SR) and ALI features.

DEFAULT ROUTING (DR)

A feature activated when an incoming E911 call cannot be selectively routed due to an ANI failure, garbled digits or other causes. Such incoming calls are routed from the E911 Control Office to a default PSAP. Each incoming E911 facility group to the Control Office is assigned to a designated default PSAP. This is a standard feature of E911 Service when the service is equipped for Selective Routing.

EMERGENCY SERVICE NUMBER (ESN)

A number that defines the set of emergency services (e.g., police, fire, emergency medical) within a particular district or zone. An ESN is associated with the primary PSAP and possibly one or more secondary PSAPs.

END OFFICE

The central office(s) in the E911 System from which E911 calls are originated.

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.5 Enhanced Universal Emergency Number Service (E911) (Cont'd)

B. Definition Of Terms (Cont'd)

ENHANCED 911 (E911) CONTROL OFFICE

The office providing tandem switching capability for E911 calls. It controls switching of ANI information to the PSAP and also provides the SR feature, standard ESS Speed Calling features, call transfer capability and certain maintenance functions for each PSAP.

ENHANCED 911 SERVICE AREA

The geographic area in which the customer will respond to all E911 calls and dispatch appropriate emergency assistance.

ENHANCED MF SIGNALING (EMFS)

A signaling protocol for sending 10 or 20 digits of ANI from the 911 tandem to the PSAP. EMF Signaling is required when five or more area codes are served by a single 911 tandem. (N)

FIXED TRANSFER

A feature which enables a PSAP attendant to transfer E911 incoming calls to secondary PSAPs by use of a single button.

FORCED DISCONNECT

A function of the E911 central office trunk circuit which enables the PSAP attendant to release a connection even though the calling party has not hung up. This feature prevents the jamming of the E911 exchange lines and is a standard feature of E911 Service. (N)

MANUAL TRANSFER

A feature that enables the PSAP attendant to transfer an incoming E911 call by dialing either a 7-digit or 10-digit telephone number or a 2-digit Speed Calling Code. Manual Transfer is associated with the E911 trunk and is a standard feature of E911 Service.

MASTER STREET ADDRESS GUIDE (MSAG)

A listing of all streets and house number ranges within a 911 service area. The streets and address ranges are assigned selective routing codes, or emergency service numbers (ESNs), to enable proper routing of 911 calls. (M)

PUBLIC SAFETY ANSWERING POINT (PSAP)

An answering location for 911 calls originating in a given area. A PSAP may be designated as primary or secondary, which refers to the order in which calls are directed for answering. Primary PSAP's respond first; secondary PSAP's receive calls on a transfer basis only and generally serve as a centralized answering location for a particular type of emergency call. PSAP's are staffed by employees of public service agencies such as police, fire or emergency medical or by employees of a common bureau serving a group of such entities.

SELECTIVE ROUTING (SR)

A feature that routes an E911 call from a central office to the designated primary PSAP based upon the identified number of the calling party and associated ESN.

SERVING CENTRAL OFFICE

The central office from which a PSAP, either primary or secondary, is served.

UNIVERSAL EMERGENCY NUMBER SERVICE

A telephone exchange communication service for receiving telephone calls placed by persons in need of assistance who dial the number 911. Such calls are answered at PSAP's established and operated by the customer. The lines and equipment associated with the service arrangement for the answering, transferring and dispatching of public emergency telephone calls are included.

WIRELESS CARRIER

A person or entity who provides Commercial Mobile Radio Service (CMRS). The term wireless carrier includes service provided by any wireless real-time, two-way voice communication device, including radio-telephone communications used in cellular telephone service, personal communication service (PCS), or the functional or competitive equivalent. The term does not include service providers whose customers do not have access to 911 or a 911-like service.

C. Rules And Regulations

1. This service is limited to the use of central office telephone number 911 as the universal emergency telephone number. Only one E911 service will be provided within any government agency's locality.

Material previously appearing on this page now appears on page(s) 39 of this section.

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

BELLSOUTH
TELECOMMUNICATIONS, INC.
KENTUCKY
ISSUED: April 15, 1988
BY: M. H. Greene, President - KY
Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
First Revised Page 34
Cancels Original Page 34
EFFECTIVE: January 1, 1988

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.5 Enhanced Universal Emergency Number Service (E911) (Cont'd)

C. Rules And Regulations (Cont'd)

2. The 911 emergency telephone number is not intended as a total replacement for the telephone service of the various public safety agencies which participate in the use of this number. The public safety agencies will subscribe to other exchange telephone service as provided in other sections of this Tariff.
3. The service is furnished to the customer only for the purpose of receiving reports of emergencies by the public.
4. E911 Service is classified as Business Exchange Service and is arranged for one-way incoming service to the appropriate PSAP. Outgoing calls can only be made on a transfer basis.
5. E911 Service is provided solely for the benefit of the customer operating the PSAP. The provision of E911 Service by the Company shall not be interpreted, construed, or regarded, either expressly or implied, as being for the benefit of or creating any Company obligation toward any third person or legal entity other than the customer.
6. The Company does not undertake to answer and forward E911 calls, but furnishes the use of its facilities to enable the customer's personnel to respond to such calls on the customer's premises.
7. Temporary suspension of service is not provided for any part of the E911 Service.
8. Central offices that are not currently equipped to transmit ANI will not be modified to provide ANI just for E911 Service. When the Selective Routing feature is provided, in such circumstances, Default Routing and Central Office Identification will be provided in lieu of Selective Routing and ANI Display.
9. ANI and/or ALI will not be *provided for* calls placed over four-party or rural lines. Central Office Identification is provided in lieu of ANI/ALI. (T)
10. The Company's entire liability to any person for interruption or failure of E911 Service shall be limited to the terms set forth in this section and other sections of this Tariff.
11. The rates charged for E911 Service do not contemplate the inspection or constant monitoring of facilities to discover errors, defects and malfunctions in the service, nor does the Company undertake such responsibility. The customer shall make such operational tests as, in the judgment of the customer, are required to determine whether the system is functioning properly for its use. The customer shall promptly notify the Company in the event the system is not functioning properly.
12. Each customer agrees to release, indemnify, defend and hold harmless the Company from any and all loss, claims, demands, suits or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by the customer or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by the customer or others.
13. The customer also agrees to release, indemnify and hold harmless the Company for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, occasion or use of E911 Service features and the equipment associated therewith, or by any services furnished by the Company in connection therewith, including, but not limited to, the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing E911 Service hereunder, and which arise out of the negligence or other wrongful act of the Company, the customer, its user, agencies or municipalities, or the employees or agents of any one of them.

BELLSOUTH
 TELECOMMUNICATIONS, INC.
 KENTUCKY
 ISSUED: August 5, 2003
 BY: E.C. Roberts, Jr., President - KY
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 Second Revised Page 35
 Cancels First Revised Page 35
 EFFECTIVE: September 5, 2003

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.5 Enhanced Universal Emergency Number Service (E911) (Cont'd)

C. Rules And Regulations (Cont'd)

14. *It will be the intent of the Company to provide facilities designed to provide a call blocking probability of one call per hundred during normal busy hours for E911 Service.* (C)
15. Because the Company serving boundaries and political subdivision boundaries may not coincide, it is the obligation of the customer to make arrangements to handle all E911 calls that originate from telephones served by central offices in the local service area whether or not the calling telephone is situated on property within the geographical boundaries of the customer's public safety jurisdiction.
16. Application for E911 Service must be executed in writing by each customer. If application for service is made by an agent, the Company must be provided in writing with satisfactory proof of appointment of the agent by the customer. A negotiated date will be agreed upon with the customer. Should the customer choose to delay the original cut date by more than three months and the system is available for cut, installation charges may be charged effective with the originally scheduled date. Further, the cut date will be renegotiated so as not to interrupt other scheduled cutovers. When an order for E911 Service or requests for additions, rearrangements, relocations or modifications of service are cancelled in whole or in part, the customer is required to reimburse the Company for all expenses incurred in handling the request before notice of cancellation is received. Such charges, however, are not to exceed all charges *that* would apply if the work involved in complying with the request had been completed. At least one local law enforcement agency must be included among the participating agencies in any E911 Offering. (T)
17. Any terminal equipment used in connection with E911 Service, whether such equipment is provided by the Company or the customer, shall be configured so that it is unable to extract any information from the Data Management System other than information relating to a number identified through the ANI feature as the source of an in-progress E911 call.
18. The customer must furnish the Company its agreement to the following terms and conditions:
 - a. That all E911 calls will be answered on a 24-hour day, seven-day week basis.
 - b. That the customer has responsibility for dispatching the appropriate emergency service vehicles within the E911 service area, or will under-take to transfer all E911 calls received to the governmental agency with responsibility for dispatching such services, to the extent that such services are reasonably available.
 - c. That the customer will develop an appropriate method for responding to calls for nonparticipating agencies which may be directed to the E911 PSAP by calling parties.
 - d. That the customer will subscribe to local exchange service at the PSAP location for administrative purposes, for placing outgoing calls, and for receiving other calls.
 - e. That the customer will subscribe to, or provide, telephone equipment with a capacity adequate to handle the number of incoming E911 lines recommended by the Company to be installed.
19. When the Selective Routing feature is provided, the customer is responsible for identifying primary and secondary PSAP locations as well as the unique combinations of police, fire and emergency medical agencies or any other appropriate agencies responsible for providing emergency service in the E911 serving area. An Emergency Service Number (ESN) will be provided for each unique combination by the Company. The customer will associate these ESNs with street address ranges or other mutually agreed upon routing criteria in the E911 serving area. These ESNs will be carried in the Data Management System (DMS) to permit routing of E911 calls to the primary and secondary PSAPs responsible for handling of calls from each telephone in the E911 serving area. The following terms define the customer's responsibility in providing this information.
 - a. Initial and subsequent ESN assignments by street name, address range and area or other mutually agreed upon routing criteria shall be furnished by the customer to the Company six months prior to the effective date of service.

BELLSOUTH
TELECOMMUNICATIONS, INC.
KENTUCKY
ISSUED: January 11, 2002
BY: E.C. Roberts, Jr., President - KY
Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
Second Revised Page 36
Cancels First Revised Page 36
EFFECTIVE: February 11, 2002

A13. MISCELLANEOUS SERVICE ARRANGEMENTS**A13.27 Emergency Reporting Services (Cont'd)****A13.27.5 Enhanced Universal Emergency Number Service (E911) (Cont'd)****C. Rules And Regulations (Cont'd)**

19. (Cont'd)

- b. After establishment of service, it is the customer's responsibility to continue to verify the accuracy of the routing information contained in the master address file, and to advise the Company of any changes in street names, establishment of new streets, changes in address numbers used on existing streets, closing and abandonment of streets, changes in police, fire, emergency medical or other appropriate agencies' jurisdiction over any address, annexations and other changes in municipal and county boundaries, incorporation of new cities or any other matter that will affect the routing of E911 calls to the proper PSAP.
- c. The Company will provide to the customer, on request, a complete written copy of the master address file to permit the customer to verify the accuracy of the police, fire, and emergency medical PSAP routing designations.
- d. Changes, deletions and additions which the customer desires to have made in the master address file should be submitted on an "as occurred" basis.
- e. The Company will furnish a written copy of the transaction to the customer for verification showing each change, deletion and addition to the master address file.

20. E911 Service is not eligible for concession service as specified in Section A2. of this Tariff.

21. The following terms define the customer's responsibilities with respect to any information provided by the Company to the customer concerning the Company's subscribers and/or with respect to geographical information or maps: (N)

- a. Such information shall be used by the customer solely for the purpose of aiding the customer in more accurately identifying, updating and/or verifying the addresses of subscribers within the customer's E911 serving areas in connection with the customer's provision of E911 services. (N)
- b. Customer shall strictly limit access to the information to those authorized employees of the customer with a need to know and those employees actually engaged in the provision of emergency assistance services. (N)
- c. Customer shall use due care in providing for the security and confidentiality of the information. (N)
- d. Customer shall make no copies of the information except as may be essential for the verification of emergency assistance services. (N)
- e. As soon as customer has completed using the information for the purposes authorized in the Tariff or upon the request of the Company, customer shall return all information and all copies of information to the Company or certify that the information has been destroyed. (N)

22. Emergency Service Numbers (ESNs) are only available as part of the Selective Routing feature. Single and Multi-PSAP customers who desire to use ESNs for administrative purposes may do so as long as they subscribe to Selective Routing. Administrative ESNs can only be used to identify a unique set of responding agencies. For the purposes of this tariff, a responding agency is defined as a municipality's police, fire, emergency medical service or other appropriate agency. ESNs will not be used to route calls to specific police precincts, fire stations, emergency medical zones, etc.

D. Service Features

1. E911 Service is available in *five* service feature offerings. (T)

a. Automatic Number Identification (ANI)

Charges are based on the total number of access lines served by the local switching offices equipped for ANI only.

b. Selective Routing (SR)

Charges are based on the total number of access lines served by the local switching offices equipped for SR only.

c. Automatic Number Identification and Selective Routing (ANI/SR)

Charges are based on the total number of access lines to which both ANI and SR applies.

d. Automatic Number Identification and Automatic Location Identification (ANI/ALI)

Charges are based on the total number of access lines served by the local switching office equipped for ANI and ALI but not SR.

e. Automatic Number Identification, Automatic Location Identification and Selective Routing (ANI/ALI/SR)

Charges are based upon the total number of access lines to which ANI, ALI, and SR apply.

BELLSOUTH
 TELECOMMUNICATIONS, INC.
 KENTUCKY
 ISSUED: January 11, 2002
 BY: E.C. Roberts, Jr., President - KY
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 Fourth Revised Page 37
 Cancels Third Revised Page 37
 EFFECTIVE: February 11, 2002

A13. MISCELLANEOUS SERVICE ARRANGEMENTS**A13.27 Emergency Reporting Services (Cont'd)****A13.27.5 Enhanced Universal Emergency Number Service (E911) (Cont'd)****D. Service Features (Cont'd)**

1. E911 Service is available in *five* service feature offerings. (Cont'd) (C)
 When SR is introduced, different features may be applied to the SR subsets without being applied to the total access lines served by the local switching office. Thus, where two jurisdictions are served by a local switching office each jurisdiction may select a different feature combination as long as SR is one of the features.
2. **(DELETED)** (D)
3. The service feature offerings include provision of E911 Exchange Lines to all primary PSAPs and to secondary PSAPs that are equipped to display ANI information. The number of lines to a PSAP will be determined by the Company based upon anticipated call volumes. Secondary PSAPs that do not meet these specifications will receive calls on a transfer basis over the exchange network.
4. The following standard features are included with each of the service offerings: (T)
 - Forced Disconnect (T)
 - Alternate Routing (Night Service)¹
 - Speed Calling
 - Central Office Transfer Arrangements
 - Default Routing
5. **(DELETED)** (D)
6. **(DELETED)** (D)

E. Rates And Charges

1. A Secondary Service Charge from Section A4. of this Tariff is applicable. (T)
2. Messages
 - a. The calling party is not charged for calls placed to the 911 number.
 - b. Charges for toll messages transferred over exchange facilities from a PSAP are billed according to rates applicable from the central office serving the PSAP initiating the transfer to the point of termination of the transfer.

Note 1: Night service is implemented by employing a private line circuit between the E911 control office and the PSAP. This circuit will be billed at rates specified in the Private Line Service Tariff.

BELLSOUTH
 TELECOMMUNICATIONS
 KENTUCKY
 ISSUED: December 17, 2015
 BY: Hood Harris, President
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 Tenth Revised Page 38
 Cancels Ninth Revised Page 38
 EFFECTIVE: January 1, 2016

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.5 Enhanced Universal Emergency Number Service (E911) (Cont'd)

E. Rates And Charges (Cont'd)

3. Service Features

a. Rounded to the nearest 1000 access lines per service feature per Company (excluding all types of WATS terminations). This count is based upon the number of access lines in service at the time service is established. In instances where an exchange in an E911 system overlaps into an adjacent county or municipality without E911 service, charges for total exchange access lines will apply. When the adjacent county or municipality implements E911 service, charges for only access lines located in their respective serving areas will apply. This count will be adjusted annually to update customer billing.¹

(1) Per 1000 access lines served

	Nonrecurring Charge	Monthly Rate	USOC
(a) Automatic Number Identification	\$ 595.00	\$ 24.25	E8X
(b) Selective Routing	2,427.00	115.00	E8R
(c) Combined Automatic Number Identification and Selective Routing	2,427.00	115.00	E8T
(d) Combined Automatic Number and Location Identification	2,432.00	155.00	E8V
(e) Combined Automatic Number and Location Identification and Selective Routing	2,432.00	155.00	E8Z

b. Optional additional E911 Exchange Line terminating at PSAP

(1) Per each line

(a) Group 1	47.00	120.00	E8K	(1)
(b) Group 2	47.00	120.00	E8K	(1)
(c) Group 3	47.00	120.00	E8K	(1)
(d) Group 4	47.00	120.00	E8K	(1)
(e) Group 5	47.00	120.00	E8K	(1)

Note 1: The annual customer billing update due to access line count adjustment applies only to monthly recurring rates.

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.5 Enhanced Universal Emergency Number Service (E911) (Cont'd)

E. Rates And Charges (Cont'd)

4. Service Features for Access Lines in a Jointly Provided System.

- a. Where the Independent Company, other Local Exchange Company, or Wireless Carrier chooses to directly bill the E911 subscriber for its services, the following rates apply. These rates include the provision of the E911 control office and the control office to PSAP trunks.

(1) Per 1000 access lines served¹

	Nonrecurring Charge	Monthly Rate	USOC	
(a) Combined Automatic Location Identification and Selective Routing ²	\$2,319.00	\$145.00	ER1	
(b) Selective Routing ³	2,314.00	105.00	E16	(N)
5. Enhanced Multi-Frequency Signaling (EMFS) ⁴				
(a) Per PSAP	-	-	XTAMF	(N)

A13.27.6 Wireless E911 Phase 2

A. Description of Service

Wireless E911 Phase 2 is only available in combination with Enhanced Universal Emergency Number Service – E911 as specified in A13.27.5 and is subject to the regulations specified therein.

In accordance with the FCC's Report and Order 94-102, Wireless E911 Phase 2 provides PSAPs with the wireless E911 caller's location and callback number (CBN) information, as specified by the FCC. The FCC has adopted specific handset-based and network-based location accuracy and reliability solutions' standards for the Wireless Service Providers (WSPs).

B. General Regulations

- The Company is not responsible for the location determination technology, the accuracy of the location determination technology, or the investigation or maintenance of said technologies. Only the data required and specified by the FCC in its Report and Order 94-102 will be delivered by the Company to the PSAP. This required data includes the cell site or sector location, the callback number, and the longitude/latitude of the caller. Each customer agrees that delivery, or lack of delivery, of additional data elements which may be provided by the WSP will not be the responsibility of the Company and the Company assumes no responsibility or liability for such information.
- PSAPs must have all required elements of Wireless E911 Phase 1, utilizing p-ANI routing and cell site/sector location based information, in place before implementing Phase 2. In addition, the following requirements must be met prior to Phase 2 implementation:
 - PSAPs must order both the Bellsouth Extended ALI Display Format and the ALI Database Upgrade for Wireless Phase 2 to accommodate the x/y data provided by Wireless E911 Phase 2 Service. See rates in F. following.
 - WSPs must have Position Determining Entity (PDE) and a Mobile Position Center (MPC) in their network.
 - WSPs must have obtained an E2 interface to BellSouth's ALI database that complies with the latest issue of BellSouth Technical Reference 73610. This interface will be used by the WSP to provide the Phase 2 data.

Note 1: See A13.27.5.E.3.a. preceding for access line count and rounding procedures. All non-Bell lines, including wireless pseudo-ANI (P-ANIs), will be grouped together and rounded to the nearest 1,000 access lines for billing purposes. For each Service Feature, where the count of access lines has been adjusted upward, for each 1000 access lines so adjusted (after rounding), only the monthly rate will apply. For the purpose of counting access lines for Wireless Carriers, the quantity of pseudo-ANI records will be used in lieu of access lines.

Note 2: This rate applies to Independent Company, other Local Exchange Company, or Wireless Carrier access lines located within the E911 subscriber's jurisdiction where the subscriber selects a full featured system (E8Z).

Note 3: This rate applies to Independent Company, other Local Exchange Company, or Wireless Carrier access lines located outside the subscriber's jurisdiction where the subscriber selects a full featured system (E8Z).

Note 4: Enhanced Multi-Frequency Signaling (EMFS) is required per PSAP on all tandem-to-PSAP trunk groups when five or more NPAs (area codes) are resident in one of the 911 tandems serving the PSAP. EMFS delivers ten digits of ANI that includes the 3-digit NPA and the 7-digit telephone number. (N)

BELLSOUTH
TELECOMMUNICATIONS, INC.
KENTUCKY
ISSUED: February 23, 2004
BY: E.C. Roberts, Jr., President - KY
Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
Fourth Revised Page 39
Cancels Third Revised Page 39
EFFECTIVE: March 23, 2004

A13. MISCELLANEOUS SERVICE ARRANGEMENTS**A13.27 Emergency Reporting Services (Cont'd)****A13.27.6 Wireless E911 Phase 2 (Cont'd)****C. Definition of Terms**

1. **Callback Number (CBN)**
The wireless caller's 10-digit handset telephone number. The CBN is used by the PSAP to reestablish a call in the event the call was prematurely disconnected.
2. **E2 Interface**
A reference point for a data path that exists between an MPC and an ESME (the ALI database). The data that traverses the E2 interface is made up of an Emergency Services Position Request and the response. The E2 interface is not provided by and is not the responsibility of the Company.
3. **Emergency Services Message Entity (ESME)**
An entity in the emergency services network which serves as the point of interface to an MSC for common channel emergency services messaging. ESME is another term for the ALI database.
4. **Enhanced MF Signaling (EMFS)** (N)
A signaling protocol for sending 10 or 20 digits of ANI from the 911 tandem to the PSAP. EMFS is required when an interconnecting wireless service provider selects Phase 2 NCAS mode without WLS911. (N)
5. **Mobile Position Center (MPC)** (T)
The interface between the wireless network and the BellSouth ALI databases. The MPC serves as the wireless network entity which retrieves, forwards, stores, and controls position data within the wireless location network. The MPC is not provided by and is not the responsibility of the Company. Global System for Mobile (GSM) communication Gateway Mobile Location Centers (GMLCs) will be treated as MPCs by the Company.
6. **Mobile Switching Center (MSC)** (T)
The wireless equivalent of a Central Office, which provides switching functions for wireless calls. The MSC is not provided by and is not the responsibility of the Company.
7. **Phase 2 NCAS** (T)
In this mode the p-ANI and the CBN are both sent to the Selective Router. The trunk between the Selective Router and the PSAP must support transport of at least two 10-digit numbers.
8. **Position Determining Entity (PDE)** (T)
The PDE determines the geographic location of a wireless handset when the wireless caller places a 911 call or while the call is in process. The PDE is not provided by and is not the responsibility of the Company.
9. **Pseudo-ANI (P-ANI)** (M)(T)
A pseudo, non-dialable telephone number assigned to a cell site or to a sector of a cell site to provide location identification for wireless E911 calls. (M)
10. **WLS911** (T)
The BellSouth solution that sends either eight or ten digits of ANI to the PSAP and dynamically updates the static cell site or sector information with the CBN as provided by the WSP. This solution when used in conjunction with a WSP's E2 interface allows WSPs to comply with the FCC's order without requiring PSAPs to upgrade their PSAP equipment to utilize Enhanced MF signaling.
11. **Wireless Service Provider (WSP)** (T)
A person or entity that provides Commercial Mobile Radio Service (CMRS). The term wireless includes service provided by any wireless real-time, two-way voice communication device, including radio-telephone communications used in cellular telephone service, personal communication service (PCS), or functional or competitive equivalent. The term does not include service providers whose customers do not have access to 911 or 911-like services.
12. **Wireline Compatibility Mode** (T)
Occurs when the WSP sends only p-ANI to the BellSouth E911 tandem and the PSAP receives eight or ten digits of ANI.
13. **X,Y Coordinates** (T)
The longitude and latitude of the 911 wireless caller's location. (M)

Material appearing on this page previously appeared on page(s) 33 of this section.

Material previously appearing on this page now appears on page(s) 39.1 of this section.

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

BELLSOUTH
 TELECOMMUNICATIONS, INC.
 KENTUCKY
 ISSUED: February 23, 2004
 BY: E.C. Roberts, Jr., President - KY
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 First Revised Page 39.1
 Cancels Original Page 39.1
 EFFECTIVE: March 23, 2004

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.6 Wireless E911 Phase 2 (Cont'd)

D. Enhanced MF

Enhanced MF (EMF) is a signaling protocol from the 911 Tandem to the PSAP. Enhanced MF accommodates either ten or 20 digits of ANI. Enhanced MF is not a requirement of Wireless Phase 2 implementation but EMF must be used by PSAPs when an interconnecting Wireless Service Provider chooses the Phase 2 NCAS Mode (as defined in J-STD-036 Annex D, Table D.1.2. and/or D.2.), without WLS911. If an interconnecting WSP chooses a Phase 2 NCAS solution without WLS911, the PSAP's equipment must be 20-digit Enhanced MF capable as described in BellSouth's Technical Reference # 73528. The PSAP must request the Company convert them to EMF signaling when preparing to accept Phase 2 calls from a WSP utilizing Phase 2 NCAS without WLS911. Once a PSAP has been converted to 20 digit EMF Signaling the functionality of WLS911 is disabled for all WSPs serving that PSAP.

(M)
 (M)(T)

E. Wireless E911 Phase 2 Service

This service is comprised of two components, Extended ALI Display Format and ALI Database Upgrade for Wireless Phase 2. Both components are required for implementation of this service.

1. Extended ALI Display Format

The PSAP's Automatic Location Identification (ALI) display format must be changed to the BellSouth Extended ALI Display Format to accommodate the longitude and latitude, or x,y coordinates. The provision and delivery of the x,y information to the PSAP requires an E2 interface between the ALI database and the WSP's Mobile Position Center (MPC)/Gateway Mobile Location Center (GMLC). The provisioning of the E2 interface is the responsibility of the WSP.

2. ALI Database Upgrade For Wireless Phase 2

The ALI Database Upgrade For Wireless Phase 2 enables the PSAP to query and retrieve wireless caller location information from the Company's Automatic Location Identification (ALI) database. Location information may include cell site sector location, longitude and latitude of the wireless caller's location, and the wireless caller's callback number (CBN). This upgrade will enable the necessary interfaces, software, and databases to permit the wireless caller's location information to be populated in the Company's ALI database and/or retrieved when queried by the customer's PSAP equipment.

F. Rates and Charges

1. Per PSAP

	Nonrecurring Charge	Monthly Rate	USOC
(a) Enhanced MF signaling, per PSAP	\$-	\$-	<i>XTAMF</i>
(b) Extended ALI Display Format, per PSAP	2,200.00	-	<i>XTAL2</i>
(c) ALI Database Upgrade For Wireless Phase 2, per PSAP	-	190.00	<i>XTAP2</i>

(C)

Material appearing on this page previously appeared on page(s) 39 of this section.

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

BELLSOUTH
TELECOMMUNICATIONS
KENTUCKY
ISSUED: May 16, 2014
BY: Hood Harris, President
Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
Eighth Revised Page 40
Cancels Seventh Revised Page 40
EFFECTIVE: June 1, 2014

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.7 Reserved For Future Use

A13.27.8 BellSouth 9-1-1 PinPoint Service

A. General

1. 9-1-1 PinPoint service allows a Private Branch Exchange (PBX) switch located on a customer's premises to be trunked directly into an E911 tandem office, delivering the telephone number and location of the PBX end user to the appropriate Public Safety Answering Point (PSAP).
2. 9-1-1 PinPoint service is available with BellSouth Primary Rate ISDN (PRI) or 9-1-1 Pinpoint Service Local Channels. Pinpoint Local channels are not required if using BellSouth PRI service.
3. 9-1-1 PinPoint Service is only available in jurisdictions where the Company is the 9-1-1 System Service Provider. (N)

B. Regulations

1. 9-1-1 PinPoint service is furnished subject to the availability of facilities.
2. Automatic Number Identification (ANI) which is passed to the Company's E911 tandem office by the PBX switch is read, processed and utilized in the manner as if it is provided by any other serving end office in the Company's E911 system.
3. The emergency agency serving the area may also be involved to update the Master Street Address Guide (MSAG) and to determine the method in which emergency calls from 9-1-1 PinPoint service locations will be handled.
4. The following specifications must be met when provisioning this service:
 - a. Subscribers to 9-1-1 PinPoint service must meet all BellSouth technical specifications.
 - b. The PBX switch must be able to transmit ANI using multi-frequency signals. This may require the retro-fitting of existing PBX switches with interfaces which will work with the Company's E911 system.
 - c. The PBX switch owner/operator must supply the Company with the initial telephone number-to-address data as well as periodic updates.
 - d. 9-1-1 PinPoint service is configured on a "per account" basis for BellSouth Direct Inward Dialing (DID) and grandfathered Primary Rate ISDN (PRI) accounts. All telephone numbers on these accounts must be provisioned with 9-1-1 PinPoint service. The Customer cannot randomly select which telephone numbers on an account will have the service. This regulation is not applicable for PRI subscribers billed for 9-1-1 PinPoint service on a per PRI station number (per TN) basis.
 - e. Users of 9-1-1 PinPoint service are prohibited from provisioning PBX station numbers outside the boundary of the E9-1-1 tandem serving the physical address of the main PBX location. 9-1-1 calls from any telephone numbers provisioned outside the boundary of the serving E9-1-1 tandem would be routed to an incorrect PSAP with no location information. An alternative arrangement could involve PRI terminations from multiple central offices to accommodate a wider geographic area. In that configuration, no PBX station numbers can be provisioned at addresses outside the boundary of the tandem serving the PRI host. The subscribing 9-1-1 PinPoint service customer is responsible for ensuring that 9-1-1 PinPoint service is provisioned in a compliant configuration that will ensure that 9-1-1 calls are routed correctly with the correct location information.
 - f. ***9-1-1 PinPoint Service is only available on local exchange services provided by the Company, specifically BellSouth PRI and BellSouth DID services.*** The PBX switch must employ BellSouth Direct Inward Dialing (DID) or BellSouth PRI station numbers. If the PBX is serving subscribers with multiple NPAs, a unique PBX trunk group will be needed for each NPA (whether it be 9-1-1 PinPoint Service Local Channels or PRI). 9-1-1 PinPoint Service is not available on Centrex or "Centrex-like" station numbers. ***9-1-1 PinPoint Service is not available on telephone numbers obtained from CLECs or on any IP-enabled services.*** (T)
 - g. It will be the responsibility of the vendor or PBX operator to maintain the data pertaining to each extension operating under such system.

BELLSOUTH
 TELECOMMUNICATIONS, INC.
 KENTUCKY
 ISSUED: May 4, 2010
 BY: Mary Pat Regan, President - KY
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 First Revised Page 40.1
 Cancels Original Page 40.1
 EFFECTIVE: May 19, 2010

A13. MISCELLANEOUS SERVICE ARRANGEMENTS**A13.27 Emergency Reporting Services (Cont'd)****A13.27.8 BellSouth 9-1-1 PinPoint Service (Cont'd)****B. Regulations (Cont'd)**

5. The PBX switch owner/operator must install a minimum of two private E911 local channels¹ with the following specifications: (T)
 - a. This voice grade local channel provides for a communications path between the demarcation point at the customer premises and the serving E911 tandem.
 - b. The PBX switch owner/operator is responsible for determining that their terminal equipment is compatible with this local channel.
 - c. Supervision on this 9-1-1 PinPoint Service Local Channel will be loop reverse battery. The battery source is located in the Company's network and will be a nominal -48V (-42.75V to -56.5V dc).
 - d. The PBX will signal an off hook (or seizure) by providing a loop closure across tip and ring with a maximum resistance of 670 ohms. The Company's serving E911 tandem office will instruct the PBX to forward the called digits "911" or "11" with a momentary battery reversal (wink). The E911 tandem will instruct the PBX to send the calling station's number (ANI) information with a battery reversal (off hook).
 - e. Additional regulations may be applicable as described in Section B3. (T)
 - f. Required network interfaces are located in Section A14. (T)

Note 1: 9-1-1 PinPoint Service Local Channels are not required with BellSouth PRI. (N)

BELLSOUTH
TELECOMMUNICATIONS, INC.
KENTUCKY
ISSUED: May 4, 2010
BY: Mary Pat Regan, President - KY
Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
Fifth Revised Page 41
Cancels Fourth Revised Page 41
EFFECTIVE: May 19, 2010

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.8 BellSouth 9-1-1 PinPoint Service (Cont'd)

6. Service charges, as specified in Section A4. are applicable. (T)
7. General Regulations located in Section A2. will also apply to this service offering. (T)
8. This service is offered solely as an aid in handling assistance calls in connection with fire, police and other emergencies and does not create any relationship or obligation, direct or indirect, to any person other than the customer contracting for 9-1-1 PinPoint service. The provision of 9-1-1 PinPoint service by the Company shall not be interpreted, construed, or regarded, either expressly or implied, as being for the benefit of or creating any Company obligation toward any third person or legal entity other than the customer.
9. The rates charged for 9-1-1 PinPoint service do not contemplate the constant monitoring or inspection of facilities to discover errors, defects and malfunctions in the service, nor does the Company undertake such responsibility. The customer shall make such operational tests as, in the judgment of the customer, are required to determine whether the service is functioning properly for its use. The customer shall promptly notify the Company in the event the service is not functioning properly.
10. The Company's entire liability to any person for the interruption or failure of 9-1-1 PinPoint service shall be limited to the terms set forth in this Section and other Sections. The Company shall neither be liable for damages resulting from or in connection with its provision of 9-1-1 PinPoint service to any customer subscribing to 9-1-1 PinPoint service or any person accessing or using 9-1-1 PinPoint service and nor shall the Company be liable for its provision of any telephone number, address, or name to any entity providing 911 service or to a public safety answering point, unless the Company acted with malicious purpose or in the manner exhibiting wanton and willful disregard of safety or property in providing such services. (T)
11. Each customer agrees to release, indemnify, defend and hold harmless the Company from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by the Customer or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by the Customer or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of 9-1-1 PinPoint service features and the equipment associated therewith, or by any services which are or may be furnished by the Company in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 9-1-1 PinPoint services hereunder, and which arise out of the negligence or other wrongful act of the Company, the Customer, its user agencies or municipalities or employees or agents of any one of them.
12. Each Customer is responsible for assuring that its authorized users comply with the provisions of these terms and the tariffs and that unauthorized persons do not gain access to or use the Services through user names, passwords, or other identifiers assigned to the Customer pursuant to these terms. Specifically, each Customer must keep user IDs, passwords, and any security token(s) that may be provided secure from use by any unauthorized individual. The Customer shall also not use the Services in any way that would be or would assist any third party to be in violation of any law or these terms. Each Customer shall comply with all applicable laws, rules, and regulations in connection with the Services. Finally, the Customer shall provide such information and assistance as are reasonably requested by BellSouth for purposes of facilitating BellSouth's provision of Services to the Customer.
13. When an order for 9-1-1 PinPoint service and facilities or requests for additions, rearrangements, relocations or modifications or service and equipment are canceled in whole or in part, the customer may be required to reimburse the Company for all expenses incurred in handling the requests before notice of cancellation is received. Such charges, however, are not to exceed all charges which would apply if the work involved in complying with the request had been completed.
14. When the use of service or facilities furnished by the Company is interrupted due to any cause other than the negligence or willful act of the subscriber or the failure of the facilities provided by the subscriber, a pro rata adjustment of the fixed monthly charges involved will be allowed as covered by Section A2. (T)
15. In the event of any interruption of the service, the Company shall not be liable to any person, corporation or other entity for any loss or damage in an amount greater than an amount equal to the pro rata allowance of the rate for the service or facilities provided to the customer for the time such interruption continues, after notice to the Company. No allowance shall be made if the interruption is due to the negligence or willful act of the customer of the service. (T)
16. Other Rules and Regulations located in A13.27.5. preceding will also apply to this service offering as appropriate.

BELLSOUTH
 TELECOMMUNICATIONS, INC.
 KENTUCKY
 ISSUED: May 4, 2010
 BY: Mary Pat Regan, President - KY
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 Second Revised Page 41.1
 Cancels First Revised Page 41.1
 EFFECTIVE: May 19, 2010

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.8 BellSouth 9-1-1 PinPoint Service (Cont'd)

C. Payment Schedules

1. **(DELETED)** (D)
2. Transfer of Contract (T)
 Service may be transferred to a new subscriber at the same location upon prior written concurrence by the new subscriber as specified in Section A2.
3. Deferred Payment (T)
 Nonrecurring charges may be deferred or installment billed as specified in Section A2.
4. Prepayment (T)
 Recurring charges may be prepaid as specified in Section A2.
5. Cancellation Charges (*Early Termination Fees*) (T)
 Cancellation charges, *otherwise referred to as Early Termination Fees*, will be applied where service is removed prior to the expiration of the 60 month contract period¹. (C)
6. Moves of Service
 - a. When the PBX owner/operator moves 9-1-1 PinPoint Service:
 - (1) Cancellation charges do not apply.
 - (2) Rates in effect will continue uninterrupted. (C)
 - (3) 9-1-1 PinPoint service nonrecurring charges do not apply *as long as the move is within the existing service area boundaries*. (C)
 - (4) 9-1-1 PinPoint service local channel charges apply as appropriate.

D. Rates and Charges

1. 9-1-1 PinPoint Service
 - a. Installation Charge *for BellSouth Direct Inward Dialing (DID) Service*² (C)
 - (1) Per Customer

	Nonrecurring Charge	Monthly Rate	USOC
(a) Up to 1,000 station records, per customer	\$3,600.00	-	E8YN1
(b) 1,001 to 4,000 station records, per customer	4,800.00	-	E8YN2
(c) 4,001 or more station records, per customer	5,900.00	-	E8YN3

- b. Monthly Charges *for BellSouth Direct Inward Dialing (DID) Service*^{1,3} (C)
 - (1) Per 1,000 records
 - (a) Up to 1,000 station records, per 1,000 records - **\$178.00** **E8Y61**
 - (b) 1,001 to 4,000 station records, per 1,000 records - **155.00** **E8Y62**
 - (c) 4,001 or more station records, per 1,000 records - **130.00** **E8Y63**

Note 1: As of May 19, 2010, 60 Month Contract Period rates and charges are not applicable for new subscribers and Cancellation Charges (Early Termination Fees) normally applicable for BellSouth 9-1-1 PinPoint Service will not apply for grandfathered PRI subscribers who retain their existing service arrangement and who agree to convert to the new "per TN" PRI pricing structure. (N)

Note 2: As of May 19, 2010, the per 1,000 station records pricing structure and associated Installation Charges will only be available for new DID service. (N)

Note 3: As of May 19, 2010, monthly charges based on the per 1,000 station records pricing structure will only be available for DID service. Existing PRI subscribers will be grandfathered as of May 19, 2010 and may retain the 1,000 station records pricing structure as long as they continue the same service at their current location. (N)

Material previously appearing on this page now appears on page(s) 41.2 of this section.

All AT&T and BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariff are owned by AT&T Intellectual Property or AT&T affiliated companies.

BELLSOUTH
 TELECOMMUNICATIONS
 KENTUCKY
 ISSUED: May 16, 2014
 BY: Hood Harris, President
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 First Revised Page 41.2
 Cancels Original Page 41.2
 EFFECTIVE: June 1, 2014

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.8 BellSouth 9-1-1 PinPoint Service (Cont'd)

D. Rates and Charges (Cont'd)

1. 9-1-1 PinPoint Service (Cont'd)

c. For PRI service per 9-1-1 PinPoint service customer¹

(1) Per PRI *telephone* number equipped (per TN)

	Nonrecurring Charge	Monthly Rate	USOC	
(a) 1st <i>telephone</i> number	\$3,100.00	\$95.00	E8YSE	(T)
(b) each additional <i>telephone</i> number	-	.05	E8YTN	(T)
2. 9-1-1 PinPoint service Local Channels, per channel				
(a) First channel, each	475.00	-	E8YCT	
(b) Additional channels, each	105.00	-	E8YCU	
(c) Each channel	-	55.00	E8YCV	
3. Cancellation Charges (Early Termination Fees)				
The following charge is incurred when a total disconnect of 9-1-1 PinPoint service occurs during the 60 month contract period. ²				
(a) Per system disconnect	2,500.00	-	E8YDX	

Note 1: Nonrecurring charges will not apply for grandfathered PRI subscribers who retain their existing service arrangement and who agree to convert to the new "per TN" PRI pricing structure.

Note 2: As of May 19, 2010, 60 Month Contract Period rates and charges are not applicable for new subscribers and Cancellation Charges (Early Termination Fees) normally applicable for BellSouth 9-1-1 PinPoint Service will not apply for grandfathered PRI subscribers who retain their existing service arrangement and who agree to convert to the new "per TN" PRI pricing structure.

BELLSOUTH
 TELECOMMUNICATIONS
 KENTUCKY
 ISSUED: November 15, 2017
 BY: Hood Harris, President
 Louisville, Kentucky

GENERAL SUBSCRIBER SERVICES TARIFF

PSC KY. TARIFF 2A
 Fifth Revised Page 42
 Cancels Fourth Revised Page 42
 EFFECTIVE: November 30, 2017

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

(DELETED)

(D)

The pages listed below represent blank pages that replaced previous revisions. All material has been deleted from the specified page by the revision listed here.

(N)

Page	Revision	Page	Revision	
43	8			(N)
43.1	9			(N)
43.2	6			(N)
43.3	4			(N)
43.4	4			(N)
44	21			(N)
44.1	4			(N)
45	7			(M)
46	3			(M)
47	2			(M)
48	2			(M)
49	3			(M)
50	5			(M)
50.0.1	11			(M)
50.0.1.1	5			(N)
50.0.2	4			(M)
50.1	1			(M)
50.2	1			(M)
50.3	4			(M)
50.3.1	3			(M)
50.4	1			(M)
51	2			(M)
52	3			(M)
53	4			(M)
54	4			(M)
55	7			(M)
56	5			(N)
56.1	15			(N)
57	5			(N)
57.1	2			(N)
58	8			(N)
59	2			(M)
60	6			(M)
60.1	1			(M)
60.2	1			(M)
60.3	1			(M)
61	1			(M)
62	1			(M)
63	2			(M)
64	1			(M)
65	1			(M)
66	2			(M)
67	1			(M)
68	1			(M)
69	2			(M)
70	2			(N)

Material appearing on this page previously appeared on page(s) 50.0.1, 56 and 70 of this section.

All BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariffs are owned by BellSouth Intellectual Property Corporation.