TARIFF DISTRIBUTION

FILE PACKAGE NO.: AL-16-0013

DATE: January 4, 2016

STATE: ALABAMA

EFFECTIVE DATE: 01/04/2016

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase business Analog Private Line (APL) monthly charges

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
H003	13.1	0014
H003	17	0011

AL-16-0013 EFFECTIVE: January 4, 2016

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.2 Non-Wire Center Connected Channels (Obsoleted, See B103)

B3.4.3 Interoffice Channels¹

			Fixed Monthly		Nonrecurring Charge		
			Charge	Per Mile	Per Channel	USOC	
A.	Fixed and Mileage	Charges applicable					
	1. Sub Voice Gra	ade - Series 1000 ²					
	(a)	1 thru 8 Miles	\$121.00	\$12.00	-	3LBAS	
	(b)	9 thru 25 Miles	121.00	12.00	-	3LBAS	
	(c)	Over 25 Miles	121.00	12.00	-	3LBAS	
	2. Voice Grade S	Service - Series 2000					
	(a)	1 thru 8 Miles	378.00	30.00	\$115.20	3LBBS	(I)
	(b)	9 thru 25 Miles	378.00	30.00	115.20	3LBBS	(I)
	(c)	Over 25 Miles	378.00	30.00	115.20	3LBBS	(I)

Note 1: For method of determining mileage, see B3.3.3.A.

Note 2: Metallic interoffice channels are no longer available for new installations, moves or transfers. Metallic interoffice facilities are in continually decreasing supply due to modernization programs that replace existing metallic interoffice with non-metallic facilities such as fiber optics.

AL-16-0013 EFFECTIVE: January 4, 2016

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

- C. Conditioning (Voice Grade Services) (Cont'd)
 - 2. The types and description of the available conditioning options are as follows:

Type Conditioning	Frequency Response Specification	Envelope Delay Specification	y Distortion
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz,	less
	-2dB to $+6dB$.	than 1000 micro	oseconds
	1000-2400 Hz,		
	-1dB to $+3$ dB.		
	300-3000 Hz,		
	-3dB to $+12dB$.		
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz,	less
	-2dB to $+6dB$.	than 500 micro	seconds
	500-2800 Hz,	600-2600 Hz, le	ess
	-1dB to $+3$ dB.	than 1500 micro	oseconds
		500-2800 Hz, le	ess
		than 3000 micro	oseconds
		Non-Linear	Distortion
	C-Notched Noise	2nd Order	3rd Order
		Distortion	Distortion
D1 (two-point)	Noise level 28dB	35dB below	40dB below
	below signal level	signal level	signal level

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

		Nonrecurring				
		Monthly	Cha	Charge		
		Rate	Initial	Subsequent	USOC	
4.	C-Type Conditioning			-		
	a. C-Type Conditioning is available for Types 2463 and 2464.					
	(1) C-Types of Conditioning per local channel					
	(a) C1-Type	\$17.00	\$12.00	\$78.00	P2W	(I)
	(b) C2-Type	17.00	26.40	88.80	P3W	(I)
5.	D-Type Conditioning					
	a. D-Type Conditioning is available for Types 2463 and 2464.					
	(1) D-Type Conditioning per local channel					
	(a) D1-Type	17.00	19.20	82.80	QHA	(I)