TARIFF DISTRIBUTION

FILE PACKAGE NO.: AL-20-0014

DATE: February 28, 2020

STATE: ALABAMA

EFFECTIVE DATE: 03/01/2020

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase business Analog Private Line (Channels) monthly charges

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
H003	12	0018
H003	13	0018
H003	13.1	0020
H003	14	0018
H003	14.1	0017
H003	15	0014
H003	16	0015
H003	17	0017

B3. CHANNELS

B3.3 Rate Terms and Conditions (Cont'd)

B3.3.3 Mileage Measurements (Cont'd)

A. (Cont'd)

6. Obtain the square root of the result obtained in 5. This is the rate distance in miles. (Fractional miles being considered as full miles.)

EXAMPLE: The rate distance is required between City One and City Two.

	V	н
City One	7260	2083
City Two	7364	1865
Difference	104	218
Squared	10.816 + 47.524 =	58,340

58,340 divided by 10 = 5834

Square root of 5834 = 76.38 = 77 Airline miles

- **B.** When a private line is furnished over facilities which the Company elects to provide on a direct basis and is not routed through a central office, one two-point channel charge from B3.4.2 will apply. The arrangement is limited to channels not more than one airline mile in length.
- **C.** For the purpose of applying multipoint charges, the bridging or hubbing locations are determined by that combination of airline distances connecting the serving wire center which will produce the lowest interoffice mileage charges. Bridging charges apply when three or more channels connect at the same location.
- **D.** For Series 1000, 2000 and 6000 channels the customer may specify the sequence in which the service points are to be connected in which case the rate mileage is the shortest airline mileage determined in accordance with C., which will connect the wire centers of the service points in the specified sequence.

B3.4 Rates And Charges

B3.4.1 Local Channels

			Nonrecurring Monthly Charge		U		
			Rate	First	Additional	USOC	
A.	Sub Voice Grade						
	1. Per point of to	ermination					
	(a)	Type 1204	\$270.00	\$498.00	\$210.00	P1JAX	(I)
	(b)	Type 1205	246.00	378.00	150.00	P1JHX	(I)
В.	Voice Grade	31					
	Per point of termin	ation					
	1. Voice						
	(a)	Type 2230	741.00	354.00	138.00	P2JUX	(I)
	(b)	Type 2231	741.00	360.00	138.00	P2JHX	(I)
	(c)	Type 2432	1,112.00	414.00	174.00	P2JQX	(I)
	(d)	Type 2434	231.00	168.00	93.60	P2JGX	(I)
	(e)	Type 2435	1,112.00	378.00	156.00	P2JWX	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.1 Local Channels (Cont'd)

				Monthly		recurring Charge		
				Rate	First	Additional	USOC	
В.	Vo	oice Grade						
	Pe	r point of termina	ation (Cont'd)					
	1.	Voice (Cont'd	1)					
		(f)	Type 2261	\$862.00	\$588.00	\$276.00	P2JLX	(I)
		(g)	Type 2462	1,026.00	582.00	270.00	P2JRX	(I)
	2.	Data	71					
		(a)	Type 2463	1,175.00	432.00	192.00	P2JMX	(I)
		(b)	Type 2464	1,175.00	432.00	192.00	P2JNX	(I)
C.	Wi	red Music						
	1.	Per point of te	rmination					
		(a)	Type 6211	447.00	552.00	246.00	P6JAX	(I)
		(b)	Type 6212	558.00	642.00	324.00	P6JBX	(I)
		(c)	Type 6213	627.00	654.00	342.00	P6JCX	(I)
		(d)	Type 6215	437.00	552.00	246.00	P6JEX	(I)
		(e)	Type 6216	558.00	642.00	324.00	P6JNX	(I)
		(f)	Type 6217	627.00	654.00	342.00	P6JGX	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.2 Non-Wire Center Connected Channels (Obsoleted, See B103)

B3.4.3 Interoffice Channels¹

Α.	Fixed and Mileage	Charges applicable	Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurring Charge Per Channel	USOC	
	Č	ade - Series 1000 ²					
	(a) (b) (c)	1 thru 8 Miles 9 thru 25 Miles Over 25 Miles	\$338.00 338.00 338.00	\$31.00 31.00 31.00	- -	3LBAS 3LBAS 3LBAS	(I) (I) (I)
	()	Service - Series 2000					()
	(a) (b) (c)	1 thru 8 Miles 9 thru 25 Miles Over 25 Miles	1,070.00 1,070.00 1,070.00	81.00 81.00 81.00	\$115.20 115.20 115.20	3LBBS 3LBBS 3LBBS	(I) (I) (I)

Note 1: For method of determining mileage, see B3.3.3.A.

Note 2: Metallic interoffice channels are no longer available for new installations, moves or transfers. Metallic interoffice facilities are in continually decreasing supply due to modernization programs that replace existing metallic interoffice with non-metallic facilities such as fiber optics.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.3 Interoffice Channels¹ (Cont'd)

Α.	Fixe	ed and Mileage Charges applicable (Cont'd)	Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurring Charge Per Channel	USOC	
	3.	Wired Music - Series 6000 3.0 kHz Types 6211 and 6215					
		(a) 1 thru 8 Miles	\$618.00	\$22.00	\$92.40	3LBCS	(I)
		(b) 9 thru 25 Miles	618.00	22.00	92.40	3LBCS	(I)
		(c) Over 25 Miles	618.00	22.00	92.40	3LBCS	(I)
	4.	Wired Music - Series 6000 5 kHz Types 6212 and 6216					
		(a) 1 thru 8 Miles	640.00	43.00	81.60	3LBDS	(I)
		(b) 9 thru 25 Miles	640.00	43.00	81.60	3LBDS	(I)
		(c) Over 25 Miles	640.00	43.00	81.60	3LBDS	(I)
	5.	Wired Music - Series 6000 8 kHz Types 6213 and 6217					
		(a) 1 thru 8 Miles	863.00	71.00	81.60	3LBES	(I)
		(b) 9 thru 25 Miles	863.00	71.00	81.60	3LBES	(I)
		(c) Over 25 Miles	863.00	71.00	81.60	3LBES	(I)
	6.	(Obsoleted, See B103)					

Note 1: For method of determining mileage, see B3.3.3.A.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions

A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

1. Voice Grade Bridges (Series 2000)

a.	Voice Bridging (1) Per Port	Monthly Rate	Nonrecurring Charge	USOC	
b.	(a) Two-Wire (Type 2230) (b) Four-Wire (Type 2435) Data Bridging	\$283.00 368.00	\$38.40 38.40	BQ9 BQ9	(I) (I)
	(1) Per Port (a) Four-Wire (Types 2463 and 2464)	532.00	40.80	BQ9	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

- A. Bridging (Cont'd)
 - 1. Voice Grade Bridges (Series 2000) (Cont'd)
 - c. (DELETED)
 - d. (DELETED)
 - e. Telemetry and Alarm Bridging Split Band, Active Bridging

~		Monthly Rate	Nonrecurring Charge	USOC	
Com	mon Equipment, per central office				
(a)	First bridging shelf, capacity of 48 two-wire connections	\$1,063.00	\$385.00	XW1	(I)
(b)	Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf	1,063.00	350.00	XW2	(I)
(c)	Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf	538.00	215.00	XW8	(I)
Chan	nel connections, per channel connected				
(a) (b)	Remote station channel connection Mid-link channel connection, first channel	43.00 106.00	33.00 43.00	XW3 XW4	(I) (I) (I)
	(a) (b) (c) Chan (a)	connections (b) Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf Channel connections, per channel connected (a) Remote station channel connection (b) Mid-link channel connection, first channel	Common Equipment, per central office (a) First bridging shelf, capacity of 48 two-wire connections (b) Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf Channel connections, per channel connected (a) Remote station channel connection 43.00 Mid-link channel connection, first channel	Common Equipment, per central office (a) First bridging shelf, capacity of 48 two-wire connections (b) Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire some connections installed at the same time as the first bridging shelf (a) Remote station channel connected (b) Mid-link channel connection, first channel	Common Equipment, per central office (a) First bridging shelf, capacity of 48 two-wire connections (b) Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf (a) Remote station channel connection (b) Mid-link channel connection, first channel (c) Additional bridging shelf, capacity of 56 two-wire shelf she

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

- A. Bridging (Cont'd)
 - 2. Wired Music Bridges (Series 6000)
 - a. Distribution Amplifiers
 - (1) Per Port

		Monthly	Nonrecurring	
		Rate	Charge	USOC
(a)	Each	\$2.40	\$32.40	6LE

B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

			Nonrec	urring			
			Monthly	Charge			
			Rate	Initial	Subsequent	USOC	
1.	Per local chan	nel					
	(a)	Ringdown-Manual	\$172.00	\$40.80	\$216.00	SL3	(I)
	(b)	Ringdown-Automatic	158.00	18.00	68.40	SL5	(I)
	(c)	E & M Type	158.00	52.80	198.00	SLM	(I)
	(d)	Type A (0-199 ohms)	93.00	48.00	138.00	SAL	(I)
	(e)	Type B (200-899 ohms)	93.00	44.40	138.00	SAU	(I)
	(f)	Type C (900 or more ohms)	43.00	14.40	138.00	SAY	(I)

- C. Conditioning (Voice Grade Services)
 - Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning
 and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation
 distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and
 intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multipoint service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

- C. Conditioning (Voice Grade Services) (Cont'd)
 - 2. The types and description of the available conditioning options are as follows:

Type Conditioning	Frequency Response Specification	Envelope Delay Specification	y Distortion
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz,	less
	-2dB to $+6dB$.	than 1000 micro	seconds
	1000-2400 Hz,		
	-1dB to $+3$ dB.		
	300-3000 Hz,		
	-3dB to $+12dB$.		
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz,	less
	-2dB to $+6dB$.	than 500 micro	seconds
	500-2800 Hz,	600-2600 Hz, le	ess
	-1dB to $+3$ dB.	than 1500 micro	oseconds
		500-2800 Hz, le	ess
		than 3000 micro	oseconds
		Non-Linear	Distortion
	C-Notched Noise	2nd Order	3rd Order
		Distortion	Distortion
D1 (two-point)	Noise level 28dB	35dB below	40dB below
	below signal level	signal level	signal level

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

			Nonrec	curring		
		Monthly	Cha	arge		
		Rate	Initial	Subsequent	USOC	
4.	C-Type Conditioning			_		
	a. C-Type Conditioning is available for Types 2463 and 2464.					
	(1) C-Types of Conditioning per local channel					
	(a) C1-Type	\$43.00	\$12.00	\$78.00	P2W	(I)
	(b) C2-Type	43.00	26.40	88.80	P3W	(I)
5.	D-Type Conditioning					
	a. D-Type Conditioning is available for Types 2463 and 2464.					
	(1) D-Type Conditioning per local channel					
	(a) D1-Type	43.00	19.20	82.80	QHA	(I)