1. VIDEO SERVICE

Additional terms and conditions applicable to Special Access Services may be found in Part 2, Section 2.

1.1 BASIC CHANNEL DESCRIPTION

A Video channel is a channel with one-way transmission capability for a standard 525 line/60 field monochrome, or National Television Systems Committee color, video signal and one or more associated audio signal(s)as described below. The provision and the bandwidth of the associated audio signal(s) is a function of the channel interface selected by the customer. Video channels are provided between customer designated premises via a Company Video Hub.

The technical specifications and compatible channel interfaces are set forth in Technical Reference PUB 62504, GR-338-CORE and L-720026 PB/NB. The Company will conform to the transmission specification standards contained in the Technical References for each service. A customer may accept a Video Service that does not conform to transmission specification standards but will not be eligible to receive a Credit Allowance for Service Interruptions as described in Part 2, Section 2 (see 2.3.5.4).

A. ANALOG VIDEO SERVICE

The bandwidth for analog video service is either 30 Hz to 4.5Mhz or 30 Hz to 6.6 MHz. The associated audio signal(s) may be either diplexed or provided as one to four separate channels.

ATT TN CF-09-0005 Effective: September 26, 2009

(C)

(C)

(C)

1. VIDEO SERVICE

Additional terms and conditions applicable to Special Access Services may be found in Part 2, Section 2.

1.1 BASIC CHANNEL DESCRIPTION

A Video channel is a channel with one-way transmission capability for a standard 525 line/60 field monochrome, or National Television Systems Committee color, video signal and one or more associated audio signal(s)as described below. The provision and the bandwidth of the associated audio signal(s) is a function of the channel interface selected by the customer. Video channels are provided between customer designated premises via a Company Video Hub.

The technical specifications and compatible channel interfaces are set forth in Technical Reference GR-338-CORE. The Company will conform to the transmission specification standards contained in the Technical References for each service. A customer may accept a Video Service that does not conform to transmission specification standards but will not be eligible to receive a Credit Allowance for Service Interruptions as described in Part 2, Section 2 (see 2.3.5.4).

A. ANALOG VIDEO SERVICE

Analog Video Service provides one-way transmission of video signals between two customer-designated premises or between a customer-designated premises and a Company Hub, where available, using fiber optic facilities. An NTSC video channel provides a standard 525 line/60 field monochrome, or NTSC color video signal, with up to four (4) associated 20 kHz audio signals. The bandwidth for Analog Video Service is 30 Hz to 6.6 MHz.

Analog Video Service is provided where facilities are available. Where facilities are not available, Special Construction (see Part 2, Section 5) may apply. (N)

ATT TN CF-09-0025 Effective: November 9, 2009

1. VIDEO SERVICE (cont'd)

1.4 RATES AND CHARGES

A. CHANNEL TERMINATION/1/

- Per point of termination

	USOC	Monthly <u>Rates</u>	Daily <u>Rates</u>
a. Analog			
- TV-1 or 2	TMEV1	\$531.18	\$88.53
- 4TV-5	TMEV4	531.18	88.53
- 6TV-5	TMEV6	531.18	88.53
- TV-15	TMEV5	531.18	88.53

B. CHANNEL MILEAGE

		Monthly Rates		Daily Rates	
	<u>USOC</u>	<u>Fixed</u>	Per Mile	Fixed	Per Mile
a. Analog Video					
Mileage Bands					
0	1L5XX	None	None	None	None
Over 0 to 4	1L5XX	\$115.77	\$88.53	\$19.30	\$14.76
Over 4 to 8	1L5XX	115.77	\$88.53	\$19.30	\$14.76
Over 8 to 25	1L5XX	115.77	\$88.53	\$19.30	\$14.76
Over 25 to 50	1L5XX	115.77	\$88.53	\$19.30	\$14.76
Over 50	1L5XX	115.77	\$88.53	\$19.30	\$14.76

ATT TN CF-09-0005 Effective: September 26, 2009

^{/1/} Additional Engineering applies to service installation. Special Construction will apply where appropriate.