

**TARIFF DISTRIBUTION**

FILE PACKAGE NO.: 1811

DATE: July 31, 2014

STATE: AIT-FCC

EFFECTIVE DATE: 07/30/2014

TYPE OF DISTRIBUTION: Approved

PURPOSE: ASE Cross Connects - AIT

<b><u>TARIFF SECTION</u></b>	<b><u>PAGE NUMBER</u></b>	<b><u>PAGE REVISION</u></b>
2000	1	1637
2000	1.15	0064
2016	605.2	0007
2016	614	0014
2016	623.1	0015

Title pages 1 and 2 and pages 1 to 846 inclusive of this tariff are effective as of the date shown. Original and revised pages as named below and Supplement No. 341 contain all changes from the original tariff that are in effect on the date hereof.

Page	Number of Revision Except as Indicated	Page	Number of Revision Except as Indicated	Page	Number of Revision Except as Indicated
Title 1	4th	7	6th	19.3	8th
Title 2	11th	7.1	4th	19.4	1st
1	1637th*	8	15th	20	10th
1.1	362nd	8.1	5th	20.1	5th
1.2	331st	9	24th	20.2	4th
1.3	291st	9.1	1st	21	4th
1.4	247th	10	27th	22	1st
1.5	236th	10.1	12th	23	3rd
1.6	204th	10.2	9th	24	1st
1.7	146th	11	4th	25	3rd
1.8	125th	12	10th	25.1	1st
1.9	156th	13	6th	25.2	1st
1.10	49th	13.1	6th	26	3rd
1.11	62nd	13.2	10th	27	9th
1.12	37th	13.3	13th	28	11th
1.13	15th	13.4	21st	28.1	5th
1.14	27th	13.5	37th	29	1st
1.15	64th*	13.6	39th	30	Original
1.15.1	5th	13.7	44th	31	Original
1.16	82nd	13.8	46th	32	Original
1.17	24th	13.8.1	21st	33	Original
1.18	33rd	13.9	5th	34	4th
1.19	45th	14	3rd	34.1	1st
1.20	44th	15	16th	35	5th
1.21	45th	15.1	11th	35.1	1st
1.22	47th	15.2	1st	36	9th
1.23	41st	16	12th	36.1	7th
1.24	37th	16.1	11th	37	14th
1.25	17th	16.1.1	Original	37.1	4th
2	6th	16.2	9th	37.2	7th
3	9th	16.3	2nd	37.3	6th
3.1	15th	16.4	3rd	37.4	1st
4	17th	16.5	Original	37.5	2nd
4.1	10th	16.6	3rd	38	9th
5	18th	16.7	3rd	38.1	11th
5.1	20th	17	1st	38.2	6th
5.2	5th	18	6th	38.2.1	3rd
6	5th	19	27th	38.3	4th
6.1	6th	19.1	13th	38.4	4th
6.2	6th	19.2	15th		

\* New or Revised Page

(This page filed under Transmittal No. 1811 )

Page	Number of Revision Except as Indicated	Page	Number of Revision Except as Indicated	Page	Number of Revision Except as Indicated
605	6th	646	4th	681	Original
605.1	2nd	647	4th	682	Original
605.2	7th*	648	4th	683	Original
606	7th	649	2nd	684	Original
606.1	5th	650	2nd	685	Original
606.2	5th	651	2nd	686	Original
606.3	4th	652	6th	687	Original
607	5th	653	4th	688	1st
608	8th	654	5th	689	5th
609	5th	655	2nd	689.1	4th
609.1	2nd	655.1	Original	690	7th
610	3rd	655.2	Original	691	Original
611	4th	655.3	2nd	692	Original
611.1	3rd	655.4	2nd	693	Original
612	5th	655.5	3rd	694	Original
613	6th	655.6	1st	694.1	5th
614	14th*	656	Original	694.1.1	Original
615	9th	657	Original	694.2	Original
615.1	4th	658	Original	694.3	Original
616	9th	659	11th	694.4	1st
616.1	Original	659.1	1st	694.5	1st
617	9th	660	4th	694.6	1st
617.1	5th	661	1st	694.7	1st
617.2	3rd	662	4th	694.8	1st
618	2nd	663	4th	694.9	1st
619	9th	664	9th	694.10	1st
619.1	Original	665	4th	694.11	1st
620	8th	666	4th	694.12	1st
621	8th	667	2nd	694.13	1st
622	5th	668	6th	694.14	1st
623	10th	669	4th	694.15	1st
623.1	15th*	670	6th	694.16	1st
624	2nd	670.1	3rd	694.17	1st
625	7th	671	6th	694.18	1st
626	8th	671.1	2nd	694.19	1st
627	8th	672	5th	694.20	1st
628	5th	672.1	2nd	694.21	1st
629	5th	673	5th	694.22	1st
630	4th	674	4th	694.23	1st
631	5th	675	5th	694.24	1st
632	5th	676	5th	694.25	1st
633	4th	677	4th	694.26	1st
634	5th	678	3rd	694.27	4th
635	4th	678.1	4th	694.28	1st
636	4th	679	6th	695	3rd
637	5th	679.1	5th	696	3rd
638	5th	679.2	3rd	697	2nd
639	8th	679.2.1	1st	698	2nd
640	5th	679.3	2nd	699	2nd
641	7th	679.4	3rd	700	5th
642	5th	679.5	2nd	701	5th
643	5th	679.6	1st	702	5th
644	5th	679.7	1st	703	4th
644.1	1st	679.8	1st	704	4th
645	4th	680	Original	705	4th

\* New or Revised Page

(This page filed under Transmittal No. 1811 )

## ACCESS SERVICE

## 16. Ameritech Interconnection Services (Cont'd)

## 16.1 Ameritech Central Office Interconnection (Cont'd)

## 16.1.3 Rate Categories (Cont'd)

## (M) Digital Cross-Connection Panel

The Digital Cross-Connection Panel (DSX) provides a termination field for DS1, DS3, LT1 or LT3 derived channels from which Ameritech Cross-Connection Service for Interconnection (ACCSI) connections may be made. For each DS3 channel requested in the OLTM System configuration, one DSX-3 termination is required. For DS1 channels requested in the OLTM System configuration, one DSX-1 panel is required for each 56 DS1 channels.

## (N) Optical Cross-Connection Panel

The Optical Cross-Connection Panel (OCX) provides a termination field for OC3, OC12, OC48, GigaMAN<sup>®</sup> 1 Gigabit Ethernet, OPT-E-MAN<sup>SM</sup> 1 Gigabit Ethernet, AT&T Switched Ethernet Service<sup>SM</sup> 1 Gigabit Ethernet, AT&T Switched Ethernet Service<sup>SM</sup> 10 Gigabit Ethernet, DecaMAN<sup>®</sup> 10 Gigabit Ethernet or WaveMAN<sup>SM</sup> (OC48 and OC192) derived channels from which Ameritech Cross-Connection Service for Interconnection (ACCSI) connections may be made. For each OC-n channel requested in the OLTM System configuration, one OC-n termination is required of the same type. The OCX panel is configured in 3 segments with each segment providing a maximum of 24 terminations. The rate element is applicable per OCX panel segment. All optical interconnections within an Ameritech central office will only support single mode fiber termination. (N)

## (O) Optional Features and Functions

- (1) Transmission Node Enclosure - This rate category provides for a lockable 8' high wire mesh perimeter security fence to be placed around the customer's Transmission Node. The Transmission Node Enclosure rate category is composed of two nonrecurring rate elements; the initial Transmission Node Enclosure charge and the additional Transmission Node Enclosure charge. The initial Transmission Node Enclosure charge applies for the first 100 sq. ft. of Central Office Floor Space enclosed. The additional Transmission Node Enclosure applies for enclosing each additional 100 sq. ft. of Central Office Floor Space that is contiguous with the initial 100 sq. ft. of floor space and is ordered at the same time as the initial 100 sq. ft. of Central Office Floor Space, otherwise the initial Transmission Node Enclosure charge applies.

(This page filed under Transmittal No. 1811 )

## ACCESS SERVICE

## 16. Ameritech Interconnection Services (Cont'd)

## 16.3. Ameritech Virtual Optical Interconnection Service (AVOIS) (Cont'd)

## 16.3.6 Rate Categories (Cont'd)

## (G) 200 Conductor Electrical Cross-Connection Block

The 200 Conductor Cross-Connection Block provides a termination field for Telegraph Grade, Voice Grade, Direct Analog or Ameritech Base Rate (2.4, 4.8, 9.6, 56.0 and 64 Kbps) digital derived channels from which Cross-Connection Service for Interconnection connections may be made. Each 200 Conductor Electrical Cross-Connection Block provides a 200 conductor capacity for terminations.

## (H) Digital Cross-Connection Panel

The Digital Cross-Connection Panel (DSX) provides a termination field for DS1, DS3, LT1 or LT3 derived channels from which Cross-Connection Service for Interconnection (ACCSI) connections may be made. For each DS3 channel requested in the OLTM System configuration, one DSX-3 termination is required. For DS1 channels requested in the OLTM System configuration, one DSX-1 panel is required for each 56 DS1 channels.

## (I) Optical Cross-Connection Panel

The Optical Cross-Connection Panel (OCX) provides a termination field for OC3, OC12, OC48, GigaMAN® 1 Gigabit Ethernet, OPT-E-MAN® 1 Gigabit Ethernet, AT&T Switched Ethernet Service<sup>SM</sup> 1 Gigabit Ethernet, AT&T Switched Ethernet Service<sup>SM</sup> 10 Gigabit Ethernet, CSME 1 Gigabit Ethernet, DecaMAN® 10 Gigabit Ethernet or WaveMAN<sup>SM</sup> (OC48 and OC192) derived channels from which Cross-Connection Service for Interconnection (ACCSI) connections may be made. For each OC-n channel requested in the OLTM System configuration, one OC-n termination is required of the same type. The OCX panel is configured in 3 segments with each segment providing a maximum of 24 terminations. The rate element is applicable per OCX panel segment. All optical interconnections within a Central Office will only support single mode fiber termination.

(N)  
(N)

## (J) Digital Timing Source

The optional Digital Timing Source rate category provides for the digital timing, traceable to a stratum one clock, that is required by customers to synchronize their digital services with the Telephone Company services with which they interconnect. The Digital Timing Source charge is a monthly recurring charge.

(This page filed under Transmittal No. 1811 )

ACCESS SERVICE

16. Ameritech Interconnection Services (Cont'd)

16.5 Rates and Charges (Cont'd)

(4) Ameritech Cross-Connection Service for Interconnection  
 (ACCSI) - for all AIS Services (Cont'd)

	USOC	Monthly	Nonrecurring Charge	
(B) Special Access Connections: (Cont'd)				
DS1				
Wisconsin Only	CXCDX	\$0.52	N/A	
All Other States	CXCDX	\$6.89	N/A	
DS3				
Wisconsin Only	CXCEX	\$0.96	N/A	
All Other States	CXCEX	\$1.01	N/A	
OC-3	CXCMX/OCCCX	\$104.00	N/A	
OC-12	CXCNX/OCCDX	\$550.00	N/A	
OC-48	CXCZX/OCCFX	\$1,100.00	N/A	
OC-192	CZCAX/OCCGX	\$8,250.00	N/A	
WaveMAN <sup>SM</sup>				
OC-48	CXCZX	\$1,880.00	\$400.00	
OC-192	C2CAX	\$3,760.00	\$400.00	
Ethernet Optical Collocation Cross-Connect				
	CCCA2	\$750.00	\$400.00	
GigaMAN <sup>®</sup>				
1 Gigabit Ethernet	OCLGX	\$1,500.00	\$400.00	
AT&T Switched Ethernet Service <sup>SM</sup>				
1 Gigabit Ethernet	OCLGX	\$0.45	\$97.98	(N)
OPT-E-MAN <sup>®</sup>				
1 Gigabit Ethernet	OCLGX	\$100.00	\$200.00	(N)
CSME				
1 Gigabit Ethernet	OCLGX	\$100.00	\$200.00	(N)
AT&T Switched Ethernet Service <sup>SM</sup>				
10 Gigabit Ethernet	OCLHX	\$0.45	\$97.98	(N)
DecaMAN <sup>®</sup>				
10 Gigabit Ethernet	OCLHX	\$3,500.00	\$400.00	
(C) Digital Network Access Line Connections:				
- LT-1 (1.544 Mbps)	CXCHX	Apply rates, charges as CXCDX		

(This page filed under Transmittal No. 1811 )