					Page
14.	Packe	Packet Service			
	14.1	MicroLi	nk II	14-4	
		14.1.1	Gene	eral Description	14-4
		14.1.2	Acce	ess Termination Descriptions	14-7
			(A)	Public Dial (1)	14-7
			(B)	Private Dial <sup>(1)</sup>	14-8
			(C)	Dedicated Access	14-9
		14.1.3	Misc	cellaneous Service Elements	14-11
			(C)	Rearrangement of User Facilities Call Establishment Character Transmission User Identification <sup>(1)</sup>	14-11 14-12 14-12 14-13
		14.1.4	Feat	ures and Basic Service Elements	14-14
	14.1.5 H		Prin	Primary Market Areas	
		14.1.6	Rate	e Regulations	14-26
			(A)	Description and Application of Rates and Charges	14-26
				<ul><li>(1) Monthly Rates</li><li>(2) Usage Rates</li><li>(3) Nonrecurring Charges</li></ul>	14-26 14-27 14-28
			(B)	Minimum Period Charges	14-36

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6 , 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

Page

14. Packet Service (Cont'd)

14.2 Reserved for Future Use

14-36.1

				<u>Page</u>
Packe	t Servic	<u>e</u> (Co	nt'd)	
14.3	Reserve	d for	Future Use	14-5
14.4	Rates and Charges			14-5
	14.4.1	Mic	roLink II Service(1)(2)	14-5
		(A)	Arkansas (1) Access Termination Charge (2) Miscellaneous Service Elements (3) Features and BSEs	14-5 14-5 14-6 14-6
		(B)	<ul><li>Kansas</li><li>(1) Access Termination Charge</li><li>(2) Miscellaneous Service Elements</li><li>(3) Features and BSEs</li></ul>	14-6 14-6 14-7 14-7
		(C)	Missouri (1) Access Termination Charge (2) Miscellaneous Service Elements (3) Features and BSEs	14-8 14-8 14-8
		(D)	Oklahoma (1) Access Termination Charge (2) Miscellaneous Service Elements (3) Features and BSEs	14-9 14-9 14-1 14-1
		(E)	Texas (1) Access Termination Charge (2) Miscellaneous Service Elements (3) Features and BSEs	14-1 14-1 14-1 14-1

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

Page

14. Packet Service (Cont'd)

14. <a href="Packet Services">Packet Services</a> (Cont'd)

# 14. Packet Service

The following list matches the Telephone Company's Packet Switched Basic Service Element (BSE) names to the industry standard names for each BSE.

Telephone Company Names

Generic Name of ONA Service

Customer Alerting(1)

Message Waiting Indicator -

Packet Access

Fast Select (1)

Fast Select Acceptance -

Packet and Fast Select

Request - Packet

Menu Server(1)

Menu Server - Packet

Packet Call Redirection(1)

Call Redirection - Packet

Packet Hunt Group (1)

Hunt Groups - Packet

Reports(1)

Call Detail Recording

Reports (Packet)

Restricted User Group (1)

Closed User Groups - Packet

Reverse Charge Acceptance (1)

Reverse Charge Acceptance -

Packet

# 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service(1)(2)

# 14.1.1 General Description

MicroLink II Service utilizes a switched data network which is commonly known as the packet switching network. The network is shared by all users. However, no physical circuit is established for a customer's data call as it is in the switched voice network.

MicroLink II Service is available to all customers and is provisioned from suitably equipped end offices located within a Primary Market Area (PMA). A PMA is a specified area, within a LATA, established by the Telephone Company for the administration and provision of MicroLink II Service. A description and listing of the PMAs are contained in 14.1.5 (Primary Market Areas).

All customers will be served from the nearest suitably equipped end office within the PMA, whether the customer is located inside or outside of the PMA. Information pertaining to end offices equipped with MicroLink II Service capabilities is set forth in the National Exchange Carrier Association, Inc. Tariff F.C.C. No. 4.

<sup>(1)</sup> As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

<sup>(2)</sup> As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (2) (3) (Cont'd)

# 14.1.1 General Description (Cont'd)

The MicroLink II packet switching service data network utilizes packet switching technology for the transmission of packets of data over digital data facilities using a switched facility for bursty type traffic. MicroLink II Service provides asynchronous (1) and synchronous network transport of data through the packet switching network. The data is separated into discrete segments called packets for high speed transmission through the packet switching network. All packets are interleaved (statistically multiplexed) on the facilities as they are transmitted. These packets may contain up to 256 characters of data. Routing and control information (packet header) is automatically inserted at the beginning of each packet, and error detection information (packet trailer) is automatically inserted at the end of each packet. Complete with this information, the entire packet is routed through the packet switching network to its intended destination.

Error checking is performed on each packet as it is transmitted through the network. If a packet and/or format error is detected, the sending equipment is automatically instructed to retransmit the message.

The major components of the packet switching network are:
1) the Packet Nodes, which perform all of the routing,
assembly and disassembly of packets and the conversion of
terminal communications into the proper network protocol;
and 2) the Communications Links, which are the interoffice
facilities which connect the Packet Nodes.

- (1) This type of equipment is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

# 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (2)(3) (Cont'd)

# 14.1.1 General Description (Cont'd)

Customers may access the packet switching network through either a dial up  $^{(1)}$  or a dedicated access termination. Customers requiring occasional or infrequent access to the packet switching network may use the Public Dial  $^{(1)}$  access termination. Customers requiring moderate to frequent access to the packet switching network may use the Private Dial  $^{(1)}$  access termination. Customers requiring frequent to constant access to the packet switching network may use the Dedicated access termination.

Customers must provide Data Terminal Equipment in conformance with the interface specifications as described in Technical Reference TP 76800 (X.25 and X.75 Protocol).

- (1) This element or function is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
  - (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (2) (3) (Cont'd)

# 14.1.2 Access Termination Descriptions

The Access Termination provides access for the customer to the MicroLink II network. There are three types of Access Terminations: Public Dial<sup>(1)</sup>, Private Dial<sup>(1)</sup> and Dedicated Access. These Access Terminations and their available protocols are described below.

# (A) Public Dial(1)

The Public Dial Access provides the capability to dial into the packet switching network through the use of the end user's local asynchronous exchange line.

Public Dial Access allows the customer access into the packet switching network by dialing a unique telephone number designated for the packet switching network within a given geographic area within the customer's LATA.

Public Dial Access asynchronous termination provides for data transmission speeds up to 9.6 kbps and is available with non-polled asynchronous protocol or X.PC protocol.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

# 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (2)(3) (Cont'd)

# 14.1.2 Access Termination Descriptions (Cont'd)

# (B) Private Dial<sup>(1)</sup>

Private Dial Access provides the capability for the customer to dial a unique telephone number designated for the customer's exclusive use for the packet switching network within a given geographic area within a customer's LATA. Private Dial Access provides for data transmission speeds up to 9.6 kbps. The Private Dial Access asynchronous termination is available with non-polled asynchronous protocol or X.PC protocol; and synchronous termination is available with 3270 bisynchronous protocol, 3270 SDLC protocol or X.25 protocol.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

- 14. Packet Service (Cont'd)
  - 14.1 MicroLink II Service (1) (2) (Cont'd)

- (1)As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.1 MicroLink II Service (1) (2) (Cont'd)

- (1)As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

#### 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (2) (3) (Cont'd)

# 14.1.2 Access Termination Descriptions (Cont'd)

### (C) Dedicated Access

Dedicated Access is provided through a dedicated channel from the customer's premises to a port on the packet switching network at  $1.2^{(1)}$ ,  $2,4^{(1)}$ ,  $4.8^{(1)}$ , 9.6 and

56.0 kbps data transmission speeds. The Dedicated Access asynchronous termination is available with either the polled protocol or the non-polled asynchronous protocol and the synchronous termination is available with 3270 bisynchronous protocol  $^{(1)}$ , 3270 SDLC protocol  $^{(1)}$ , X.25 protocol  $^{(2)}$ , or X.75 protocol in suitably equipped end offices.

The dedicated channel provides the connection between the customer's premises and the Telephone Company's packet switching network for the Dedicated Access Termination. For analog transmissions (1), the dedicated channel is provided as a Special Access Voice Grade circuit as specified in Section 7 (Special Access Service). For digital transmissions, the dedicated channel is provided as a Special Access MegaLink Data or DovLink<sup>sm(1)</sup> channel also as specified in Section 7. The applicable rate elements are a Channel Termination charge, MegaLink Data or DovLink  $^{\text{sm}\,(1)}$  , between the customer premises and its serving wire center and Optional Features and Functions charges, where applicable. When a customer's end office is not equipped with MicroLink II Service capabilities, the customer will be served from the nearest suitably equipped end office within the PMA. When a customer is located outside of the PMA, the Channel Mileage rate element will be charged for transport to the nearest end office within the PMA. This charge is in addition to the Channel Termination and Optional Feature and Function rate elements. Rates and Regulations for Voice Grade, MegaLink Data and DovLink<sup>sm(1)</sup> channels are contained in Section 7 (Special Access Service).

- (1) This element or function is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (1) (2) (Cont'd)

# 14.1.2 Access Termination Descriptions (Cont'd)

#### (C) Dedicated Access (Cont'd)

X.75 Protocol is available only on Synchronous Dedicated Access Terminations. Also known as an X.75 Gateway, Synchronous Dedicated Access Terminations with X.75 Protocol provide for interconnection of packet switched data sessions between MicroLink II Service and another packet switching network. When ordering an X.75 Gateway, the customer must specify the Interexchange Carrier to which the X.75 Gateway is connected or, in the alternative, specify the means by which the packet switched data is transported to another state.

The access code for all X.75 Gateways is the Data Network Identification Code (DNIC). These access codes will be the assigned access numbers for all X.75 Gateways provided to the customer by the Telephone Company. The customer is responsible for all charges associated with sessions which traverse the X.75 Gateway.

Packet switching traffic, in the originating direction, may be used to access any DNIC connected to the MicroLink II packet switched network via an X.75 Gateway. In the terminating direction, sessions may not be completed to interstate or intrastate/interLATA X.75 Gateways.

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

#### 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (1) (2) (Cont'd)

# 14.1.3 Miscellaneous Service Elements

The following are descriptions of MicroLink II miscellaneous service elements.

# (A) Rearrangement of User Facilities

User Facilities establish the Protocol parameters of an Access Termination and must be agreed upon by both the customer and the Telephone Company at the time service is ordered as set forth in 5.2. Rearrangement of User Facilities are those changes or rearrangements made to these facilities subsequent to the installation of the Access Termination and Protocol. The application of nonrecurring charges for Rearrangement of User Facilities is described in 14.1.6(A)(3)(c) (Service Rearrangement) and specified in 14.4 (Rates and Charges). Nonrecurring charges for any other rearrangement of the customer's services or features are specific to the service or feature being rearranged and are described in 14.1.6(A)(3)(c) (Service Rearrangement) and specified in 14.4 (Rates and Charges). User facilities are described in Technical Reference TP 76800, TP 76810 and TP 76820 and Technical Publication TR-TSY-000885 and TR-TSY-000301.

<sup>(1)</sup> As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

<sup>(2)</sup> As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (2)(3) (Cont'd)

# 14.1.3 <u>Miscellane</u>ous Service Elements (Cont'd)

# (B) Call Establishment

Call Establishment provides for the Network Control Center to establish routing of a call through the packet switching network. Call Establishment is applicable to all MicroLink II access customers. Private Dial<sup>(1)</sup> and Dedicated Access customers who order the Permanent Virtual Circuit Feature will not incur a Call Establishment charge.

# (C) Character Transmission

Character Transmission provides for the transport of data through the packet switching network. The Character Transmission charge is applicable to all MicroLink II usage and will be measured on a per kilosegment basis.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

# MicroLink II Service (2) (3) (Cont'd) 14.1.3 Miscellaneous Service Elements (Cont'd)

#### (D) User Identification(1)

Provides for user identification and validation for system security. User Identification is required at log-on to verify user access to the common control network facilities. There are two types of User Identification:

#### (1) Network Terminating Number (NTN)

A station number used to identify the private dial and dedicated access users' access stations connected to the packet switching network.

# (2) Network User Identification (NUI)

NUI is an alphanumeric code used by the Public Packet Switched Network (PPSN) to identify customers for billing of originating calls. It is entered as a string of alphanumeric characters for validation. Validation of the NUI authorizes usage of the PPSN and usage of services and features that the customer has subscribed to in association with the NUI. The customer is responsible for all charges applied to his NUI. Customers can have one or multiple NUIs.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

# 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (2) (3) (Cont'd)

# 14.1.4 Features and Basic Service Elements

The following are descriptions of various features and Basic Service Elements (BSEs) that are available in addition to the standard features provided with MicroLink II Service.

#### (A) Customer Alerting(1)

This BSE provides a customer the capability of activating and deactivating an alerting tone on subscriber lines served from suitably equipped end offices within a PMA. The alerting tone is provided in the form of an intermittent dial tone (Message Waiting Indicator) and notifies the subscriber that some type of action is warranted, i.e., a message is waiting for retrieval.

Customers ordering this BSE will have their User Identification(s) entered into a restricted user group within the MicroLink II packet switching network. Only those customers with User Identification(s) residing in the restricted user group will be able to activate or deactivate the Message Waiting Indicator on end user lines. The Customer Alerting BSE shall be used to activate and deactivate an alerting tone on the customer's subscribers' line only.

This BSE is available only with asynchronous and X.25 protocols.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004 MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (2)(3) (Cont'd)

# 14.1.4 <u>Features and Basic Service Elements (Cont'd)</u>

# (B) Fast Select

This BSE allows limited amounts of customer specific data to be sent and received during the call set-up and tear down phase and is supported only on X.25 and X.75 protocols.

#### (C) Menu Server(1)

This BSE provides the option of accessing destinations predetermined by the customer in the packet switching network via a menu.

#### (D) Packet Call Redirection

This BSE provides redirection of incoming calls to a secondary station on the network under conditions predetermined by the customer.

# (E) Packet Direct Call(1)

Automatically establishes a virtual circuit to an address in the network predetermined by the customer for calls placed without an address. This feature is available only with private dial and dedicated access.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (2)(3) (Cont'd)

# 14.1.4 <u>Features and Basic Service Elements (Cont'd)</u>

# (F) Packet Hunt Group (1)

This BSE provides a grouping of direct access interfaces that can be called by indicating a single called address or one of several called addresses that apply to the entire group of interfaces. The network hunts for an available logical channel on the group of interfaces.

#### (G) Permanent Virtual Circuit

Allows a customer to establish a dedicated virtual circuit between his location and a specified location. This eliminates the need to build a virtual circuit prior to each transmission. The Permanent Virtual Circuit simulates a dedicated two-point circuit. This feature is available only with private dial<sup>(1)</sup> and dedicated access.

# (H) Polled Protocol (1)

Provides systematic contact between a master computer and a terminal or another computer in the appropriate syntax (i.e., header structure), semantics (i.e., actions and reactions) and timing (i.e., relative ordering and timing of events) where the master computer systematically polls a terminal or another computer to transmit data. Polling is available with dedicated access only. Protocols that require this feature are polled asynchronous, 3270 bisynchronous and 3270 SDLC.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

#### 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (2) (3) (Cont'd)

# 14.1.4 <u>Features and Basic Service Elements</u> (Cont'd)

(I) Recognized Private Operating Agency (RPOA)

Preselection(1)

RPOA Preselection provides the customer with the ability to designate to the Telephone Company one primary packet internetwork provider for internetwork calls. The primary packet internetwork provider may be overridden, and an alternate packet internetwork provider selected, by the customer for any call. If RPOA Preselection is not subscribed to, the customer must choose a packet internetwork provider for each internetwork call.

(J) Extended RPOA Selection(1)

Extended RPOA Selection provides the customer with the ability to select one or more packet internetwork providers for each internetwork call, thereby establishing the routing for a particular call. Selection of packet internetwork provider(s) via Extended RPOA Selection will be made on a per call basis and is supported only on X.25 interfaces.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

#### 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (2)(3) (Cont'd)

# 14.1.4 <u>Features and Basic Service Elements (Cont'd)</u>

#### (K) Reports

Provided on a monthly basis, reports are sent via first class U.S. Mail Service unless otherwise agreed upon by the customer and the Telephone Company. There are three types of reports available.

#### (1) Detailed Report

This BSE provides information such as call setups, connect time and kilosegments transmitted and received for every session per customer account. Available only on paper.

# (2) Magnetic Tape Report (1)

This BSE provides information such as call setups, holding time and kilosegments transmitted and received for every session per customer account. Available only on magnetic tape.

# (3) Summary Report

This BSE provides a monthly total of information such as call set-ups, holding time and kilosegments transmitted and received by either User identification or originating city. Available only on paper.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (2) (3) (Cont'd)

# 14.1.4 Features and Basic Service Elements (Cont'd)

# (L) Restricted User Group (1)

This BSE allows a customer to preselect a specific set of other customers with whom to communicate privately. Customer access lines in a restricted user group can only communicate with other access lines in that user group.

### (M) Reverse Charge Acceptance (1)

This BSE allows acceptance of MicroLink II Service charges by the terminating customer. The terminating customer agrees to pay all applicable MicroLink II usage charges incurred by the originator of the call.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

# 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (1) (2) (Cont'd)

# 14.1.5 Primary Market Areas

MicroLink II Service is provisioned from suitably equipped end offices located within a Primary Market Area (PMA). A PMA is a specified area, within a LATA, established by the Telephone Company for the administration and provision of MicroLink II Service. The specified areas consist of one or more exchanges and/or zones containing end offices suitably equipped for the provision of MicroLink II Service capabilities. One or more PMAs can be located within a LATA. Following is a listing of PMAs and the LATAs in which they are located. A listing of the inclusive exchanges and/or zones is located in the Telephone Company's local and/or general exchange service tariffs. These tariffs are on file with the respective state commissions. Upon request, the Telephone Company will provide the customer with the appropriate sections of the local and/or general exchange service tariffs which contain the exchanges and/or zones which comprise the Primary Market Areas.

State Area	LATA Name	LATA Code	Primary Market
Arkansas	Little Rock	528	Little Rock Jonesboro Hot Springs Batesville Walnut Ridge Nashville Forrest City
	Fort Smith	526	Fort Smith Fayetteville
	Pine Bluff	530	Pine Bluff Monticello

(This page filed under Transmittal No. 1)

<sup>(1)</sup> As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

<sup>(2)</sup> As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations for existing customers.

# 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (1) (2) (Cont'd)

# 14.1.5 Primary Market Areas (Cont'd)

<u>State</u>	LATA Name	LATA Code	Primary Market Area
Kansas	Wichita	532	Wichita Dodge City Hutchinson Parsons
	Topeka	534	Topeka Hays Lawrence Manhattan Salina
	Kansas City	524	Kansas City Mission

<sup>(1)</sup> As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

<sup>(2)</sup> As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (1) (2) (Cont'd)

# 14.1.5 Primary Market Areas (Cont'd)

<u>State</u>	LATA Name	LATA Code	Primary Market Area
Missouri	Kansas City	524	Kansas City Boonville Chillicothe Kirksville Moberly Sedalia St. Joseph
	St. Louis	520	St. Louis Cape Girardeau DeSoto Festus Flat River Fredericktown Fulton Hannibal Kennett Mexico Poplar Bluff Sikeston Washington
	Springfield	522	Springfield Nevada Joplin

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (1) (2) (Cont'd)

# 14.1.5 Primary Market Areas (Cont'd)

<u>State</u>	LATA Name	LATA Code	Primary Market Area
Oklahoma	Oklahoma City	536	Oklahoma City Ada Altus Alva Ardmore Chickasha Clinton Duncan Durant Enid Idabel Lawton Ponca City Shawnee Stillwater Woodward
	Tulsa	538	Tulsa Bartlesville McAlester Miami Muskogee Okmulgee Sallisaw Tahlequah

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

# 14.1 MicroLink II Service (1) (2) (Cont'd)

# 14.1.5 Primary Market Areas (Cont'd)

State	LATA Name	LATA Code	Primary Market Area
Texas	Abiline	550	Abiline
	Amarillo	546	Amarillo
	Austin	558	Austin
	Beaumont	562	Beaumont
	Brownsville	568	Brownsville Harlingen McAllen
	Corpus Christi	564	Corpus Christi Victoria
	Dallas	552	Dallas Ft. Worth
	El Paso	540	El Paso
	Houston	560	Houston Galveston

<sup>(1)</sup> As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

<sup>(2)</sup> As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

# 14.1 $\underline{\text{MicroLink II Service}}^{(1)(2)}$ (Cont'd)

# 14.1.5 Primary Market Areas (Cont'd)

State	LATA Name	LATA Code	Primary Market Area
Texas	Longview	554	Longview Tyler
	Lubbock	544	Lubbock
	Midland	542	Midland Odessa
	San Antonio	566	San Antonio Laredo
	Waco	556	Waco Temple
	Wichita Falls	548	Wichita Falls

<sup>(1)</sup> As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

<sup>(2)</sup> As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

#### 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (2) (3) (Cont'd)

# 14.1.6 Rate Regulations

Specific rates and charges are set forth in 14.4 (Rates and Charges).

The rates and charges for MicroLink II Service are in addition to the established monthly recurring and nonrecurring charges applicable to services terminated to or used in conjunction with MicroLink II Service.

Jurisdictional reporting requirements are set forth in 2.4 (Jurisdictional Reports). Ordering provisions are contained in Section 5 (Ordering for Access Services).

# (A) Description and Application of Rates and Charges

There are three types of rates and charges that apply to MicroLink II Service. These are monthly recurring rates, usage rates and nonrecurring charges. These rates and charges are applied differently to the various rate elements as set forth in 14.4 (Rates and Charges). For billing purposes, each month is considered to have 30 days. Usage charges associated with the Public Dial<sup>(1)</sup> and Private Dial<sup>(1)</sup> access terminations may be billed on a reverse charge or a sent-paid basis.

# (1) Monthly Rates

Monthly rates are flat recurring rates that apply each month or fraction thereof that a specific rate element is provided.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

# 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (2) (3) (Cont'd)

# 14.1.6 Rate Regulations (Cont'd)

(A) Description and Application of Rates and Charges (Cont'd)

# (2) Usage Rates

Usage rates are rates that apply on a per minute of use<sup>(1)</sup>, per kilosegment, or per call set-up basis when a specific rate element is used.

Minutes of use  $^{(1)}$ , kilosegments, and call set-ups are accumulated over the billing period. For purposes of billing, all fractional minutes of use  $^{(1)}$  will be rounded to the nearest minute  $^{(1)}$ , and all fractional kilosegment usage will be rounded to the nearest kilosegment.

Measurement of connect time for Public Dial Access minutes of use is a function of the packet switching network. (1) Measurement begins when the host destination provides acknowledgment by returning a call set-up packet to the end user's node. Measurement ends when the network receives a clear confirmation acknowledgment from the host's or end user's node, whichever is recognized first.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.1 MicroLink II Service (1) (2) (Cont'd)
    - 14.1.6 Rate Regulations (Cont'd)
      - (A) Description and Application of Rates and Charges (Cont'd)
        - (3) Nonrecurring Charges

Nonrecurring charges are one-time charges that apply for a specific work activity (i.e., installation or change to an existing service). Assessment of nonrecurring charges for MicroLink II Services are based upon whether the specific work activity was requested on an Initial Order or on a Subsequent Order.

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.1 MicroLink II Service (1) (2) (Cont'd)
    - 14.1.6 Rate Regulations (Cont'd)
      - (A) Description and Application of Rates and Charges (Cont'd)
        - (3) Nonrecurring Charges (Cont'd)

An Initial Order is an access order that establishes a specific Access Termination and Protocol within a LATA for a particular customer account. All work activity associated with the initial establishment and installation of a specific Access Termination and Protocol will be considered part of the Initial Order. Any request to change or rearrange an existing Access Termination and Protocol or its associated features, BSEs and functions or to add another Access Termination and Protocol of the same type within the LATA will be treated as a Subsequent Order.

The nonrecurring charges that apply for installation of MicroLink II Service are described in (a) and (b) following. Application of nonrecurring charges for service rearrangements is described in (c) following.

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

#### 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (2) (3) (Cont'd)

#### 14.1.6 Rate Regulations (Cont'd)

- (A) Description and Application of Rates and Charges (Cont'd)
  - (3) Nonrecurring Charges (Cont'd)

Certain features, BSEs and functions also have separate installation nonrecurring charges as described in (b) following.

#### (a) Installation of Service

The installation charge for the MicroLink II Dedicated Channel are those installation charges which apply to a Voice Grade Channel<sup>(1)</sup>, for analog transmissions<sup>(1)</sup>, and the MegaLink Data channel, for digital transmissions, as specified in Section 7 (Special Access Services).

For all other Access Terminations, an installation charge is applicable on a first and additional basis.

If a customer orders multiple Access Terminations of the same type on the same Order, the first Access Termination for a specific Protocol is assessed the "first" installation charge. Each additional Access Termination for the same Protocol is assessed an "additional" installation charge.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

#### 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (2) (3) (Cont'd)

# 14.1.6 Rate Regulations (Cont'd)

- (A) Description and Application of Rates and Charges (Cont'd)
  - (3) Nonrecurring Charges (Cont'd)
    - (a) Installation of Service (Cont'd)

The installation charge for the User Identification<sup>(1)</sup> is applicable for each Initial and Subsequent Order.

If a customer orders multiple User Identifications (1) on the same Access Order, the first User Identification (1) is assessed the "first" installation charge and each additional User Identification (1) is assessed the "additional" charge.

In addition, when a customer places a Subsequent Order to reissue, change or add additional User Identification(s) $^{(1)}$ , a subsequent nonrecurring charge is assessed. This subsequent nonrecurring charge is applicable on a first and additional basis, as described above.

#### (b) Installation of Features and BSEs

Application of nonrecurring charges for features and BSEs is dependent upon the feature or BSE ordered.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.1 MicroLink II Service (2) (3) (Cont'd)
    - 14.1.6 Rate Regulations (Cont'd)
      - (A) Description and Application of Rates and Charges (Cont'd)
        - (3) Nonrecurring Charges (Cont'd)
          - (b) Installation of Features and BSEs (Cont'd)

A nonrecurring charge applies each time the following BSEs are provided:

- -Detailed Report
- -Magnetic Tape Report (1)
- -Summary Report

For all other features and BSEs, nonrecurring charges are assessed on a first and additional basis. When multiple features and BSEs are requested for a like Access Termination and Protocol on the same Access Order, nonrecurring charges are assessed as follows:

For each of the following features and BSEs, the "first" nonrecurring charge is assessed per feature or BSE ordered. For each additional request of the same feature or BSE, the "additional" nonrecurring charge applies.

- -Menu Server(1)
- -Packet Hunt Group (1)
- -Polled Protocol (1)
- -RPOA Preselection(1)
- -Restricted User Group (1)
- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

- 14. Packet Service (Cont'd)
  - 14.1 MicroLink II Service (2) (3) (Cont'd)
    - 14.1.6 Rate Regulations (Cont'd)
      - (A) Description and Application of Rates and Charges (Cont'd)
        - (3) Nonrecurring Charges (Cont'd)
          - (b) Installation of Features and BSEs (Cont'd)

For the following features and BSEs, nonrecurring charges apply only when they are installed for existing Access
Terminations and Protocols. The feature or BSE with the highest nonrecurring charge is assessed the "first" charge and the remaining features are assessed the "additional" charge associated with the specific feature(s) or BSE(s) being ordered.

- -Fast Select
- -Packet Call Redirection
- -Packet Direct Call (1)
- -Permanent Virtual Circuit
- -Extended RPOA Selection(1)
- -Reverse Charge Acceptance (1)

For the Customer Alerting  $BSE^{(1)}$ , a nonrecurring charge applies when the BSE is installed within a PMA.

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.1 MicroLink II Service (1) (2) (Cont'd)
    - 14.1.6 Rate Regulations (Cont'd)
      - (A) Description and Application of Rates and Charges (Cont'd)
        - (3) Nonrecurring Charges (Cont'd)
          - (c) Service Rearrangement

A service rearrangement is a change to the existing MicroLink II Service. Nonrecurring charges for service rearrangements apply to those additions, changes or rearrangements made to the service subsequent to the installation of the service. Nonrecurring charges for additions, changes or rearrangements of the features or BSEs for an existing service are specific to the feature or BSE being added, changed or rearranged. Nonrecurring charges for service or feature or BSE rearrangements are applied on a first and additional basis as described in 14.1.6(A)(3)(a) (Installation of Service) and 14.1.6(A)(3)(b) (Installation of Features and BSEs) and are specified in 14.4 (Rates and Charges). Administrative changes will be made without charge(s) to the customer. These administrative changes are specified in 6.7.2(D)(1) (Nonrecurring Charges for Service Rearrangements) and where noted in 7.2.4(D) (Service Rearrangements).

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

- 14. Packet Service (Cont'd)
  - 14.1 MicroLink II Service (1) (2) (Cont'd)
    - 14.1.6 Rate Regulations (Cont'd)
      - (A) Description and Application of Rates and Charges (Cont'd)
        - (3) Nonrecurring Charges (Cont'd)
          - (c) Service Rearrangement (Cont'd)

Nonrecurring charges apply for Rearrangement of User Facilities on a first and additional basis as follows: the first User Facility being rearranged is assessed the "first" charge and each additional User Facility being rearranged on the same Access Order is assessed the "additional" charge. When Rearrangement of User Facilities is requested on the same Access Order as a rearrangement to the associated Access Termination, only the nonrecurring charges for the Access Termination will apply. Rearrangement of User Facilities is described in 14.1.3(A) (Rearrangement of User Facilities).

A change in the physical location of the point of termination at either the customer's premises or the end user's premises will incur nonrecurring charges as specified in 14.4 (Rates and Charges).

All other changes to existing services will be treated as a discontinuance of the existing service and an installation of a new service. The nonrecurring charges described in (a) preceding will apply for this work activity.

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

#### 14. Packet Service (Cont'd)

#### 14.1 MicroLink II Service (2) (3) (Cont'd)

#### 14.1.6 Rate Regulations (Cont'd)

#### (B) Minimum Period Charges

MicroLink II Service features, BSEs and functions are provided for a minimum period of one month. When a feature, BSE or function is disconnected prior to the expiration of the minimum period, monthly charges are applicable for the balance of the minimum period. If a feature, BSE or function is disconnected after the minimum period, monthly charges will be based on the actual number of days the feature, BSE or function was furnished, as set forth following. For the purpose of administering this regulation, with respect to the determination of charges for a fractional part of a month, every month is considered to have 30 days.

The minimum period charge for usage rated services applies for the total usage provided for the following elements: Call Establishment, Character Transmission and Public Dial Access $^{(1)}$ , when applicable, and is the sum of the charges as set forth in 14.4 (Rates and Charges).

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. <a href="Packet Service">Packet Service</a> (Cont'd)
  - 14.2 Reserved for Future Use

14. Packet Service (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. Packet Service (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. Packet Service (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. Packet Service (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. Packet Service (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. Packet Service (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

- 14. Packet Service (Cont'd)
  - 14.3 Reserved for Future Use

14. Packet Service (Cont'd)

14.3 Reserved for Future Use

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges
    - 14.4.1 MicroLink II Service (2) (3)
- (A) Arkansas
  - (1) Access Termination Charge
    - (a) Public Dial(1)

Rate Per Minute of Use

Asynchronous, per session

.3/1.2/2.4 Kbps Application ..... \$ 0.015

4.8 Kbps Application ..... \$ 0.030

9.6 Kbps Application ...... \$ 0.030

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (A) Arkansas (Cont'd)
  - (1) Access Termination Charge (Cont'd)
    - (b) Private Dial(1)

Rate Per Month

Asynchronous		
.3/1.2/2.4 Kbps Application (LF9AJ)	\$	20.50
4.8 Kbps Application (LL548)		
9.6 Kbps Application (LL596)	-	
Synchronous		
.3/1.2/2.4 Kbps Application (L7SVX)	\$	37.50
4.8 Kbps Application (LF9SD)		
9.6 Kbps Application (L7S96)		

### Nonrecurring Charge

Per Access Termination, per protocol

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

- 14. <a href="Packet Service">Packet Service</a> (Cont'd)
  - 14.4 Rates and Charges (Cont'd)

- 14. <a href="Packet Service">Packet Service</a> (Cont'd)
  - 14.4 Rates and Charges (Cont'd)

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (A) Arkansas (Cont'd)
  - (1) Access Termination Charge (Cont'd)

Rate Per Month

### (c) Dedicated Access Termination

### Asvnchronous (1)

As:	ynchronous(1)			
- 2	Analog			
:	1.2 Kbps Application	(LJTAB)		\$ 24.00
	2.4 Kbps Application	(LJTAC)		\$ 24.00
	4.8 Kbps Application	(LPP48)		\$ 42.00
	9.6 Kbps Application	(LPP96)	• • • • • • • • • • • • • • • • • • • •	\$ 42.00
- ]	Digital			
:	2.4 Kbps Application	(LKP24)		\$ 33.00
	4.8 Kbps Application	(LKP48)		\$ 33.00
	9.6 Kbps Application	(LKP96)		
- ]	Digital Data Over Voi	ce (DOV)	)	
:	2.4 Kbps Application	(L7D24)		\$ 24.00
	4.8 Kbps Application	(L7D48)		\$ 24.00
	9.6 Kbps Application	(L7D96)	• • • • • • • • • • • • • • • • • • • •	\$ 24.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (A) Arkansas (Cont'd)
  - (1)Access Termination Charge (Cont'd)

Rate Per Month

(c) Dedicated Access Termination (Cont'd)

S	ynchronous
-	Analog <sup>(1)</sup>
	2.4 Kbps Application (LJTSC) \$ 45.00
	4.8 Kbps Application (LJTSD) \$ 65.00
	9.6 Kbps Application (LJTSE) \$ 65.00
_	Digital
	2.4 Kbps Application (LJ9SC) (1) \$ 51.00
	4.8 Kbps Application (LJ9SD) (1) \$ 51.00
	9.6 Kbps Application (LJ9SE)\$ 51.00
	56.0 Kbps Application (LJ9PG) \$120.00
_	Digital Data Over Voice (DOV) (1)
	2.4 Kbps Application (L9S24) \$ 46.00
	4.8 Kbps Application (L9S48) \$ 46.00
	9.6 Kbps Application (L9S96) \$ 46.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

Nonrecurring Charge

#### ACCESS SERVICE

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (A) Arkansas (Cont'd)
  - (1) Access Termination Charge (Cont'd)
    - (c) Dedicated Access Termination (Cont'd)

Per Access Termination, per protocol	
Analog <sup>(1)</sup> Initial Order (NR9B1) First access termination	
Subsequent Order (NR9BS) First access termination Additional access termination	
Digital Tnitial Order (NR9C1) First access termination Additional access termination	
Subsequent Order (NR9CS) First access termination Additional access termination	
Digital Data Over Voice (DOV) (1) Initial Order (NR9V1) First access termination Additional access termination	
Subsequent Order (NR9VS) First access termination Additional access termination	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14. Packet Service	(Cont'd)
--------------------	----------

14.4 Rates and Charges (Cont'd)

14.4.1 MicroLink II Service (1) (2) (Cont'd)

# (A) Arkansas (Cont'd)

(2) Miscellaneous Service Elements

### Nonrecurring Charge

(a) Rearrangement of User Facilities (NR9RF)

### Rate Per Call Set Up

(b) Call Establishment ..... \$ 0.005

Rate

(c) Character Transmission

Per Kilosegment ..... \$ 0.200

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (3) (4) (Cont'd)
- (A) Arkansas (Cont'd)
  - (2) Miscellaneous Service Elements (Cont'd)
    - (d) User Identification(1)

(1)	Rate Per Month
(1)	Network Terminating Number (NTN)
	Per NTN (NO2) \$ 0.50
	Nonrecurring Charge
	Initial Order (NR9Q1)         First NTN
	Subsequent Order (NR9QS) First NTN \$ 25.00 Additional NTN \$ 3.00
	Rate Per Month
(2)	Network User Identification (NUI)
	Per NUI (NU2) \$ 0.50
	Nonrecurring Charge Initial Order (NR9R1)
	First NUI
	Subsequent Order (NR9RS) First NUI\$ 25.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) This charge also applies to change or identify a password for the customer.
- (3) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (4) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (A) Arkansas (Cont'd)
  - (3) Features and BSEs

	Per Minute of Use
(a)	<u>Customer Alerting</u> (1)\$ 0.15
	Nonrecurring Charge
	Per Primary Market Area (ACW) \$550.00
	Rate Per Month
(b)	Fast Select
	Per Access Termination, per protocol (LD5FS) \$ 0.00
	Nonrecurring Charge
	Initial Order (NR9D1)         First
	Subsequent Order (NR9DS) First \$ 65.00

Additional ..... \$ 6.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (A) Arkansas (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate	Per	Month
------	-----	-------

(c) Menu Server(1)

Per line (MUZ) ..... \$ 0.02

### Nonrecurring Charge

Initial Order (NR9E1)

Subsequent Order (NR9ES)

### Rate Per Month

(d) Packet Call Redirection

Per Access Termination, per protocol (LRD) .... \$ 0.00

# Nonrecurring Charge

Initial Order (NR9F1)

First ..... \$ 0.00 Additional .... \$ 0.00

Subsequent Order (NR9FS)

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (A) Arkansas (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate	Per	Month
------	-----	-------

(e) Packet Direct Call(1)

Per Access Termination, per protocol (LJD) ..... \$ 0.00

# Nonrecurring Charge

Initial Order (NR9G1) First	\$ 0.00
Subsequent Order (NR9GS) First	\$ 65.00 6.00

#### Rate Per Month

(f) Packet Hunt Group (1)

Per group (LDMPG) ..... \$ 0.00

# Nonrecurring Charge

Initial Order (NR9H1)	
First	
Additional	\$ 0.00
Subsequent Order (NR9HS)	
First	\$ 25.00
Additional	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (A) Arkansas (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate	Per	Month
------	-----	-------

(a)	Permanent	77i2+112]	Circuit
(a)	Permanent	virtuai	CITCUIL

Per Access Termination, per protocol (VCK) ..... \$ 2.00

# Nonrecurring Charge

Initial Order (NR9J1) First \$ 0.00 Additional \$ 0.00	
Subsequent Order (NR9JS)  First	

### Rate Per Month

# (h) Polled Protocol(1)

Per Protocol, per terminal device (PP6) ...... \$ 1.00

# Nonrecurring Charge

Initial Order (NR9K1)		
First		
Additional	\$	5.00
Subsequent Order (NR9KS)		
First	\$	25.00
Additional	Ė	5.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
  - (A) Arkansas (Cont'd)
    - (3) Features and BSEs (Cont'd)

Rate Per Month

(i) Recognized Private Operating Agency (RPOA) Preselection (1)

Per User Identification (LRJXX) ...... \$ 0.00

Nonrecurring Charge

Additional ..... \$ 3.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

will no longer be available after April 1, 1999.

(3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for exiting customers.

14.	Packet	Service	(Cont'd

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (A) Arkansas (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate	Per	Month
------	-----	-------

(j) Extended RPOA Selection (1)
Per Access Termination, per protocol (LRK) ..... \$ 0.00

### Nonrecurring Charge

Initial Order (NR9ML) First	
Subsequent Order (NR9MS) First	

(k) Reports

# Nonrecurring Charge

### Per Report

- (1) Detailed Printed Report (BDT) ..... \$ 75.00
- (2) Magnetic Tape Report (MBT) (1) ...... \$120.00
- (3) Summary Printed Report (SU2) ..... \$ 70.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Rate Per Month

### ACCESS SERVICE

14.4 Rates and Charges (Cont'd)

14.4.1 MicroLink II Service (2) (3) (Cont'd)

(A) Arkansas (Cont'd)

(1

(3) Features and BSEs (Cont'd)

L)	Restricted User Group (1)			
	Per group (LCG)		\$	5.00
		Nonrecur	riı	ng Charge
	Initial Order (NR9N1) First			
	Subsequent Order (NR9NS) First			
		Rate	Pe	r Month

(m) Reverse Charge Acceptance(1)

Per Access Termination, per protocol (LD4) ..... \$ 0.00

# Nonrecurring Charge

Initial Order (NR9P1) First \$ Additional \$	
Subsequent Order (NR9PS)  First	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (B) Kansas
  - (1) Access Termination Charge
    - (a) Public Dial(1)

Rate Per Minute of Use

Asynchronous, per session

.3/1.2/2.4 Kbps Application	\$ 0.015
4.8 Kbps Application	\$ 0.030
9.6 Kbps Application	\$ 0.030

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (B) Kansas (Cont'd)
  - (1) Access Termination Charge (Cont'd)
    - (b) Private Dial(1)

Rate Per Month

Asynchronous	
.3/1.2/2.4 Kbps Application (LF9AJ)	\$ 20.50
4.8 Kbps Application (LL548)	\$ 42.00
9.6 Kbps Application (LL596)	\$ 42.00
Synchronous	
.3/1.2/2.4 Kbps Application (L7SVX)	\$ 37.50
4.8 Kbps Application (LF9SD)	\$ 60.00
9.6 Kbps Application (L7S96)	\$ 60.00

### Nonrecurring Charge

Per Access Termination, per protocol

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

- 14. <a href="Packet Service">Packet Service</a> (Cont'd)
  - 14.4 Rates and Charges (Cont'd)

- 14. <a href="Packet Service">Packet Service</a> (Cont'd)
  - 14.4 Rates and Charges (Cont'd)

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- Kansas (Cont'd)
  - (1)Access Termination Charge (Cont'd)

Rate Per Month

(c) Dedicated Access Termination

Asynchronous (1)	
- Analog 1.2 Kbps Application (LJT) 2.4 Kbps Application (LJT) 4.8 Kbps Application (LPP) 9.6 Kbps Application (LPP)	AC)\$ 24.00 48)\$ 42.00
- Digital 2.4 Kbps Application (LKP: 4.8 Kbps Application (LKP: 9.6 Kbps Application (LKP:	48) \$ 33.00
- Digital Data Over Voice (1 2.4 Kbps Application (L7D 4.8 Kbps Application (L7D 9.6 Kbps Application (L7D	24) \$ 24.00 48) \$ 24.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (B) Kansas (Cont'd)
  - (1) Access Termination Charge (Cont'd)

Rate Per Month

(c) Dedicated Access Termination (Cont'd)

### Synchronous

_	Anal	Log (1)										
			Application									
	4.8	Kbps	Application	(LJTSD)		 	 	 	 	\$ 6	5.0	0 C
	9.6	Kbps	Application	(LJTSE)		 	 	 	 	\$ 6	5.0	0 C
-	Digi	ital										
	2.4	Kbps	Application	(LJ9SC)	1)	 	 	 	 	\$	51	.00
			Application									
	9.6	Kbps	Application	(LJ9SE)		 	 	 	 	\$	51	.00
	56.0	) Kbps	s Application	(LJ9PG)		 	 	 	 	\$1	20	.00
		_										

- Digital Data Over Voice (DOV) (1) 2.4 Kbps Application (L9S24) . . . . . . . \$ 46.00 4.8 Kbps Application (L9S48) . . . . . \$ 46.00 9.6 Kbps Application (L9S96) . . . . . \$ 46.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for exiting customers.

Nonrecurring Charge

#### ACCESS SERVICE

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (B) Kansas (Cont'd)
  - (1) Access Termination Charge (Cont'd)
    - (c) Dedicated Access Termination (Cont'd)

Per Access Termination, per protocol		
Analog <sup>(1)</sup> Initial Order (NR9B1) First access termination		
Subsequent Order (NR9BS) First access termination		
Digital Initial Order (NR9C1) First access termination		
Subsequent Order (NR9CS) First access termination		
Digital Data Over Voice (DOV) Initial Order (NR9V1) First access termination		
Subsequent Order (NR9VS) First access termination		

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

14.	Packet	Service	(Cont'd

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2) (3) (Cont'd)

(a) Rearrangement of User Facilities (NR9RF)

- (B) Kansas (Cont'd)
  - (2) Miscellaneous Service Elements

#### Nonrecurring Charge

Per Access	Termination,	per order	
First user	facility		\$ 70.00

Additional user facility ..... \$ 6.00

(b) Call Establishment ..... \$ 0.005

Rate

Rate Per Call Set Up

(c) Character Transmission

Per Kilosegment ..... \$ 0.200

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (3) (4) (Cont'd)
- (B) Kansas (Cont'd)
  - (2) Miscellaneous Service Elements (Cont'd)
    - (d) User Identification(1)

	Rate Per Month
(1)	Network Terminating Number (NTN)
	Per NTN (NO2) \$ 0.50
	Nonrecurring Charge
	Initial Order (NR9Q1)
	First NTN       \$ 35.00         Additional NTN       \$ 3.00
	Subsequent Order (NR9QS)
	First NTN
	Rate Per Month
(2)	Network User Identification (NUI)
	Per NUI (NU2) \$ 0.50
	Nonrecurring Charge
	Initial Order (NR9R1)
	First NUI       \$ 35.00         Additional NUI       \$ 3.00
	Subsequent Order(2) (NR9RS)
	First NUI \$ 25.00
	Additional NUI\$ 3.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) This charge also applies to change or identify a password for the customer.
- (3) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (4) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14.4 Rates and Charges (Cont'd)

14.4.1 MicroLink II Service (2) (3) (Cont'd)

- (B) Kansas (Cont'd)
  - (3) Features and BSEs

	Per Minute of Use
(a)	<u>Customer Alerting</u> (1)\$ 0.15
	Nonrecurring Charge
	Per Primary Market Area (ACW) \$545.00
	Rate Per Month
(b)	Fast Select
	Per Access Termination, per protocol (LD5FS) \$ 0.00
	Nonrecurring Charge
	Initial Order (NR9D1) First \$ 0.00 Additional \$ 0.00
	Subsequent Order (NR9DS) First \$ 70.00

Additional ..... \$ 6.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14. Packet Service (Cont'd	14.	Packet	Service	(Cont'c
----------------------------	-----	--------	---------	---------

14.4 Rates and Charges (Cont'd)

14.4.1 MicroLink II Service(2)(3) (Cont'd)

- (B) Kansas (Cont'd)
  - (3) Features and BSEs (Cont'd)

		Rate	Per	Month
(c)	Menu Server (1)			
	Per line (MUZ)		\$	0.02
	Non	recur	ring	Charge
	Initial Order (NR9E1) First			
	Subsequent Order (NR9ES) First		-	
		Rate	Per	Month
(d)	Packet Call Redirection			

Per Access Termination, per protocol (LRD) ..... \$ 0.00

# Nonrecurring Charge

Initial Order (NR9F1) First	
Subsequent Order (NR9FS)	
First Additional	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

Rate Per Month

#### ACCESS SERVICE

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (B) Kansas (Cont'd)
  - (3) Features and BSEs (Cont'd)

(e)	Packet Direct Call (1)					
	Per Access Termination,	per protocol	(LJD)	 \$	0.00	

Initial Order (NR9G1)	
First Additional	
Subsequent Order (NR9GS)	

### Rate Per Month

Nonrecurring Charge

(f) Packet Hunt Group (1)

Per group (LDMPG) ..... \$ 0.00

1	Nonrecurri	ng	Charge
_			

Initial Order (NR9H1) First	\$	0.00
Subsequent Order (NR9HS)		
First Additional	\$ \$	25.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

<ol><li>Packet Service (Cont'd)</li></ol>
---

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (B) Kansas (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate Per Month

(g) Permanent Virtual Circuit

Per Access Termination, per protocol (VCK) ..... \$ 2.00

Nonrecurring Charge

Initial Order (NR9J1) First \$ Additional \$	0.00
Subsequent Order (NR9JS)  First	

Rate Per Month

(h) Polled Protocol (1)

Per Protocol, per terminal device (PP6) ...... \$ 1.00

# Nonrecurring Charge

Initial Order (NR9K1) First \$ Additional \$	
Subsequent Order (NR9KS)  First	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, for existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (B) Kansas (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate Per Month

(i) Recognized Private Operating Agency (RPOA) Preselection $^{(1)}$ 

Per User Identification (LRJXX) ..... \$ 0.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14.	Packet	Service	(Cont'd

14.4 Rates and Charges (Cont'd)

14.4.1 MicroLink II Service (2)(3) (Cont'd)

- (B) Kansas (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate Per Mo	nth
-------------	-----

(j) Extended RPOA Selection (1)
Per Access Termination, per protocol (LRK) ..... \$ 0.00

#### Nonrecurring Charge

Initial Order (NR9ML) First		
Subsequent Order (NR9MS) First	Ġ	70 00
Additional		

(k) Reports

# Nonrecurring Charge

#### Per Report

- (1) Detailed Printed Report (BDT) ..... \$ 75.00
- (2) Magnetic Tape Report (MBT) (1) ...... \$120.00
- (3) Summary Printed Report (SU2) ..... \$ 70.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

14.	Packet	Service	(Cont'	d)
-----	--------	---------	--------	----

14.4 Rates and Charges (Cont'd)

14.4.1 MicroLink II Service (2) (3) (Cont'd)

- (B) Kansas (Cont'd)
  - (3) Features and BSEs (Cont'd)

(1)	Restricted User Group (1)
	Per group (LCG) \$ 5.00
	Nonrecurring Charge
	Initial Order (NR9N1) First \$ 50.00 Additional \$ 16.00
	Subsequent Order (NR9NS) First \$ 70.00

### Rate Per Month

Rate Per Month

(m) Reverse Charge Acceptance(1)

Per Access Termination, per protocol (LD4) ..... \$ 0.00

Additional ..... \$ 16.00

Initial Order (NR9P1) First	0.00 0.00
Subsequent Order (NR9PS)	
First 9	70.00
Additional	6.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, Microlink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges
    - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (C) Missouri
  - (1) Access Termination Charge
    - (a) Public Dial(1)

Rate Per Minute of Use

Asynchronous, per session

.3/1.2/2.4 Kbps Application	\$ 0.015
4.8 Kbps Application	\$ 0.030
9.6 Kbps Application	\$ 0.030

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
  - (C) Missouri (Cont'd)
    - (1) Access Termination Charge (Cont'd)
      - (b) Private Dial(1)

Rate Per Month

Asynchronous	
.3/1.2/2.4 Kbps Application (LF9AJ)	\$ 20.50
4.8 Kbps Application (LL548)	\$ 42.00
9.6 Kbps Application (LL596)	\$ 42.00
Synchronous	
.3/1.2/2.4 Kbps Application (L7SVX)	\$ 37.50
4.8 Kbps Application (LF9SD)	\$ 60.00
9.6 Kbps Application (L7S96)	\$ 60.00

#### Nonrecurring Charge

Per Access Termination, per protocol

Initial Order (NR9A1)
First access termination ... \$302.00
Additional access termination ... \$43.00

Subsequent Order (NR9AS)
First access termination ... \$176.00
Additional access termination ... \$43.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)

- 14. <a href="Packet Service">Packet Service</a> (Cont'd)
  - 14.4 Rates and Charges (Cont'd)

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (C) Missouri (Cont'd)
  - (1)Access Termination Charge (Cont'd)

Rate Per Month

(c) Dedicated Access Termination

Asynchronous (1)	
- Analog 1.2 Kbps Application (LJT) 2.4 Kbps Application (LJT) 4.8 Kbps Application (LPP) 9.6 Kbps Application (LPP)	AC)\$ 24.00 48)\$ 42.00
- Digital 2.4 Kbps Application (LKP) 4.8 Kbps Application (LKP) 9.6 Kbps Application (LKP)	48) \$ 33.00
- Digital Data Over Voice (I 2.4 Kbps Application (L7D2 4.8 Kbps Application (L7D4 9.6 Kbps Application (L7D4	24) \$ 24.00 48) \$ 24.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (C) Missouri (Cont'd)
  - (1) Access Termination Charge (Cont'd)

Rate Per Month

(c) Dedicated Access Termination (Cont'd)

# Synchronous

2)	/IICIII	LOHOUS	5							
-	Anal	log (1)								
	2.4	Kbps	Application	(LJTSC)		 	 	 	\$	45.00
	4.8	Kbps	Application	(LJTSD)		 	 	 	\$	65.00
	9.6	Kbps	Application	(LJTSE)						65.00
		_ T-	LL	,						
_	Diq	ital								
	_		Application	(LJ9SC)	(1)	 	 	 	Ś	51.00
			Application							51.00
		_	Application							51.00
			s Application	. ,						120.00
	50.0	o kopi	s Applicacion	(шоэго	,	 • •	 	 • •	ųμ	120.00
_	Dia	ital I	Data Over Voi	ce (DOV	) (1)					
			Application						Ċ	46.00
			Application							46.00
		_								
	9.6	kpps	Application	(L9S96)		 • •	 	 	Ş	46.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

Nonrecurring Charge

#### ACCESS SERVICE

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (C) Missouri (Cont'd)
  - (1) Access Termination Charge (Cont'd)
    - (c) Dedicated Access Termination (Cont'd)

Per Access Termination, per protocol	
Analog <sup>(1)</sup> Initial Order (NR9B1) First access termination	0 0
Subsequent Order (NR9BS) First access termination	
Digital Initial Order (NR9C1) First access termination	0 0
Subsequent Order (NR9CS) First access termination	
Digital Data Over Voice (DOV) (1) Initial Order (NR9V1) First access termination	

(1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.

Subsequent Order (NR9VS)

- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004 MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14.	Packet	Service	(Cont'd

14.4 Rates and Charges (Cont'd)

14.4.1 MicroLink II Service (1) (2) (Cont'd)

(a) Rearrangement of User Facilities (NR9RF)

- (C) Missouri (Cont'd)
  - (2) Miscellaneous Service Elements

# Nonrecurring Charge

Per Access Termination, per order		
First user facility	. \$	70.00
Additional user facility	. \$	6.00

#### Rate Per Call Set Up

(b) Call Establishment ..... \$ 0.005

Rate

(c) Character Transmission

Per Kilosegment ..... \$ 0.200

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations. For existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (3) (4) (Cont'd)
- (C) Missouri (Cont'd)
  - (2) Miscellaneous Service Elements (Cont'd)
    - (d) User Identification(1)

(-)	Rate Per Month
(1)	Network Terminating Number (NTN)
	Per NTN (NO2) \$ 0.50
	Nonrecurring Charge Initial Order (NR901)
	First NTN
	Subsequent Order (NR9QS) First NTN
(2)	Network User Identification (NUI)
, ,	· · · · · · · · · · · · · · · · · · ·
	Per NUI (NU2) \$ 0.50
	Nonrecurring Charge Initial Order (NR9R1)
	First NUI \$ 35.00
	Additional NUI \$ 3.00
	Subsequent Order <sup>(2)</sup> (NR9RS) First NUI \$ 25.00
	Additional NUI \$ 3.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) This charge also applies to change or identify a password for the customer.
- (3) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers
- (4) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service(2)(3) (Cont'd)
- (C) Missouri (Cont'd)
  - (3) Features and BSEs

Feat	ures and BSEs
	Per Minute of Use
(a)	<u>Customer Alerting</u> (1) \$ 0.15
	Nonrecurring Charge
	Per Primary Market Area (ACW) \$224.00
	Rate Per Month
(b)	Fast Select
	Per Access Termination, per protocol (LD5FS) \$ 0.00
	Nonrecurring Charge
	Initial Order (NR9D1)         First
	Subsequent Order (NR9DS) First \$ 70.00

Additional ..... \$ 6.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

Rate Per Month

#### ACCESS SERVICE

14.	Packet	Service	(Cont'	d)
-----	--------	---------	--------	----

#### 14.4 Rates and Charges (Cont'd)

#### 14.4.1 MicroLink II Service (2) (3) (Cont'd)

- (C) Missouri (Cont'd)
  - (3) Features and BSEs (Cont'd)

(c)	Menu Server (1)			
	Per line (MUZ)	 \$	0.02	

# Nonrecurring Charge

Initial Order (NR9E1) First	
Subsequent Order (NR9ES) First	
Rate	Per Month

# (d) Packet Call Redirection

Per Access Termination, per protocol (LRD) ..... \$ 0.00

# Nonrecurring Charge

Initial Order (NR9F1) First\$	
Additional\$	0.00
Subsequent Order (NR9FS)	
First\$ Additional\$	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (C) Missouri (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate	Per	Month
· ·		

(e) Packet Direct Call(1)

Per Access Termination, per protocol (LJD) ..... \$ 0.00

# Nonrecurring Charge

Initial Order (NR9G1) First	\$ 0.00	
Subsequent Order (NR9GS) First	\$ 70.00	

### Rate Per Month

(f) Packet Hunt Group (1)

Per group (LDMPG) ..... \$ 0.00

# Nonrecurring Charge

Initial Order (NR9H1)		
First		
Additional	\$	0.00
Subsequent Order (NR9HS)		
First	\$	25.00
Additional	Ś	3.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (C) Missouri (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate	Per	Month
------	-----	-------

(a)	Permanent	Wirtual	Circuit
(9)	Permanent	VIILUAI	CIICUIL

Per Access Termination, per protocol (VCK) ..... \$ 2.00

# Nonrecurring Charge

Initial Order (NR9J1)         First	
Subsequent Order (NR9JS) First	

# Rate Per Month

# (h) Polled Protocol(1)

Per Protocol, per terminal device (PP6) ...... \$ 1.00

# Nonrecurring Charge

Initial Order (NR9K1) First		
Subsequent Order (NR9KS)	4	25 22
First Additional		

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (C) Missouri (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate Per Month

(i) Recognized Private Operating Agency (RPOA) Preselection (RPOA)

Per User Identification (LRJXX) ..... \$ 0.00

# Nonrecurring Charge

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14. Pac	ket Se	ervice	(Cont'd	l
---------	--------	--------	---------	---

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (C) Missouri (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate	Per	Month
------	-----	-------

(j) Extended RPOA Selection (1)
Per Access Termination, per protocol (LRK) ..... \$ 0.00

#### Nonrecurring Charge

Initial Order (NR9ML) First	
Subsequent Order (NR9MS) First	

(k) Reports

# Nonrecurring Charge

#### Per Report

- (1) Detailed Printed Report (BDT) ..... \$ 75.00
- (2) Magnetic Tape Report (MBT) (1) ...... \$120.00
- (3) Summary Printed Report (SU2) ..... \$ 65.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 <u>MicroLi</u>nk II Service (2) (3) (Cont'd)
- (C) Missouri (Cont'd)
  - (3) Features and BSEs (Cont'd)

Feat	ures and BSES (Cont'd)
	Rate Per Month
(1)	Restricted User Group (1)
	Per group (LCG) \$ 5.00
	Nonrecurring Charge
	Initial Order (NR9N1) First
	Subsequent Order (NR9NS) First \$ 65.00 Additional \$ 15.00
	Rate Per Month
(m)	Reverse Charge Acceptance (1)
	Per Access Termination, per protocol (LD4) \$ 0.00
	Nonrecurring Charge
	Initial Order (NR9P1)         First

(1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.

Subsequent Order (NR9PS)

- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installstions, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges
    - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (D) Oklahoma
  - (1) Access Termination Charge
    - (a) Public Dial(1)

Rate Per Minute of Use

Asynchronous, per session

.3/1.2/2.4 Kbps Application	\$ 0.018
4.8 Kbps Application	\$ 0.030
9.6 Kbps Application	\$ 0.030

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (D) Oklahoma (Cont'd)
  - (1) Access Termination Charge (Cont'd)
    - (b) Private Dial(1)

Rate Per Month

Asynchronous	
.3/1.2/2.4 Kbps Application (LF9AJ)	\$ 20.50
4.8 Kbps Application (LL548)	
9.6 Kbps Application (LL596)	
Synchronous	
2	
.3/1.2/2.4 Kbps Application (L7SVX)	\$ 37.50
4.8 Kbps Application (LF9SD)	\$ 60.00
9.6 Kbps Application (L7S96)	\$ 60.00

# Nonrecurring Charge

Per Access Termination, per protocol

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. <a href="Packet Service">Packet Service</a> (Cont'd)
  - 14.4 Rates and Charges (Cont'd)

- 14. <a href="Packet Service">Packet Service</a> (Cont'd)
  - 14.4 Rates and Charges (Cont'd)

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (D) Oklahoma (Cont'd)
  - (1)Access Termination Charge (Cont'd)

Rate Per Month

(c) Dedicated Access Termination

A۶	synchronous (1)	
-	Analog	
	1.2 Kbps Application (LJT)	AB) \$ 24.00
	2.4 Kbps Application (LJT)	AC) \$ 24.00
	4.8 Kbps Application (LPP	
	9.6 Kbps Application (LPP)	96) \$ 42.00
_	Digital	
	2.4 Kbps Application (LKP)	24) \$ 33.00
	4.8 Kbps Application (LKP-	48) \$ 33.00
	9.6 Kbps Application (LKP)	96) \$ 33.00
_	Digital Data Over Voice (	DOV)
	2.4 Kbps Application (L7D)	24) \$ 24.00
	4.8 Kbps Application (L7D-	48) \$ 24.00
	9.6 Kbps Application (L7D)	96) \$ 24.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (D) Oklahoma (Cont'd)
  - (1) Access Termination Charge (Cont'd)

Rate Per Month

(c) Dedicated Access Termination (Cont'd)

Synchronous (1) - Analog 2.4 Kbps Application (LJTSC) \$45.0 4.8 Kbps Application (LJTSD) \$65.0 9.6 Kbps Application (LJTSE) \$65.0
- Digital 2.4 Kbps Application (LJ9SC) (1)
- Digital Data Over Voice (DOV) (1) 2.4 Kbps Application (L9S24) \$ 46.0 4.8 Kbps Application (L9S48) \$ 46.0 9.6 Kbps Application (L9S96) \$ 46.0

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

Nonrecurring Charge

#### ACCESS SERVICE

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (D) Oklahoma (Cont'd)
  - (1) Access Termination Charge (Cont'd)
    - (c) Dedicated Access Termination (Cont'd)

Per Access Termination, per protocol		
Analog <sup>(1)</sup> Initial Order (NR9B1) First access termination		
Subsequent Order (NR9BS) First access termination		
Digital Initial Order (NR9C1) First access termination		
Subsequent Order (NR9CS) First access termination		
Digital Data Over Voice (DOV) Initial Order (NR9V1) First access termination		
Subsequent Order (NR9VS) First access termination		

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

	14.	Packet	Service	(Cont'	d
--	-----	--------	---------	--------	---

14.4 Rates and Charges (Cont'd)

14.4.1 MicroLink II Service (1) (2) (Cont'd)

- (D) Oklahoma (Cont'd)
  - (2) Miscellaneous Service Elements

Rate Per Call Set Up

- (b) Call Establishment ..... \$ 0.005
- (c) Character Transmission
  - Per Kilosegment ..... \$ 0.200

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
  - (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (3) (4) (Cont'd)
- (D) Oklahoma (Cont'd)
  - (2) Miscellaneous Service Elements (Cont'd)
    - (d) User Identification(1)

(1)	Network Terminating Number (NTN)	Rate Per Month
, ,	Per NTN (NO2)	\$ 0.50
	Initial Order (NR9Q1)	Nonrecurring Charge
	First NTN	•
	Subsequent Order (NR9QS) First NTN	
(2)	Natural Harm Talantification (NHT)	Rate Per Month
(2)	Network User Identification (NUI)	
	Per NUI (NU2)	\$ 0.50
	Twiting Ouder (NDODA)	Nonrecurring Charge
	Initial Order (NR9R1) First NUI	
	Subsequent Order <sup>(2)</sup> (NR9RS) First NUI	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) This charge also applies to change or identify a password for the customer.
- (3) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (4) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14.	Packet	Service	(Cont'c	(£

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (D) Oklahoma (Cont'd)
  - (3)

Feat	ures and BSEs
	Per Minute of Use
(a)	Customer Alerting <sup>(1)</sup> \$ 0.15
	Nonrecurring Charge
	Per Primary Market Area (ACW)\$250.00
	Rate Per Month
(b)	Fast Select
	Per Access Termination, per protocol (LD5FS) \$ 0.00
	Nonrecurring Charge
	Initial Order (NR9D1) First \$ 0.00 Additional \$ 0.00
	Subsequent Order (NR9DS) First \$ 70.00 Additional \$ 6.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14.	Packet	Service	(Cont'd)

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (D) Oklahoma (Cont'd)
  - (3) Features and BSEs (Cont'd)

(c) Menu Server (1)

Per line (MUZ) ..... \$ 0.02

### Nonrecurring Charge

Initial Order (NR9E1)
First ... \$125.00
Additional \$10.00

Subsequent Order (NR9ES)
First ... \$135.00
Additional \$10.00

### Rate Per Month

(d) Packet Call Redirection

Per Access Termination, per protocol (LRD) ..... \$ 0.00

# Nonrecurring Charge

Initial Order (NR9F1) First	\$ 0.00
Subsequent Order (NR9FS) First	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

Nonrecurring Charge

### ACCESS SERVICE

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (D) Oklahoma (Cont'd)

(e)

(3) Features and BSEs (Cont'd)

	Rate	Per	Month
Packet Direct Call (1)			
Per Access Termination, per protocol (LJD)		\$	0.00

	Nonrecurring Charge
Initial Order (NR9G1) First	\$ 0.00 \$ 0.00
Subsequent Order (NR9GS) First	\$ 70.00 \$ 6.00
	Rate Per Month

(f) Packet Hunt Group (1)

Per group (LDMPG) ..... \$ 0.00

Initial Order (NR9H1) First	\$ 0.00
Subsequent Order (NR9HS) First	\$ 25.00

- ((1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (D) Oklahoma (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate Per Mon	th
--------------	----

(g) Permanent Virtual Circuit

Per Access Termination, per protocol (VCK) ..... \$ 2.00

# Nonrecurring Charge

Initial Order (NR9J1) First Additional	\$ 0.00
Subsequent Order (NR9JS) First	

## Rate Per Month

(h) Polled Protocol(1)

Per Protocol, per terminal device (PP6) ...... \$ 1.00

# Nonrecurring Charge

Initial Order (NR9K1) First Additional	
Subsequent Order (NR9KS) First	\$ 30.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004 MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (D) Oklahoma (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate Per Month

(i) Recognized Private Operating Agency

(RPOA) Preselection (1)

Per User Identification (LRJXX) ..... \$ 0.00

Nonrecurring Charge

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14.4 Rates and Charges (Cont'd)

14.4.1 MicroLink II Service (2) (3) (Cont'd)

- (D) Oklahoma (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate	Per	Month
------	-----	-------

(j) Extended RPOA Selection(1)

Per Access Termination, per protocol (LRK) ..... \$ 0.00

## Nonrecurring Charge

Initial Order (NR9ML) First Additional	
Subsequent Order (NR9MS) First	

(k) Reports

# Nonrecurring Charge

### Per Report

(1) Detailed Printed Report (BDT) ...... \$ 80.00 (2) Magnetic Tape Report (MBT) (1) ..... \$125.00

(3) Summary Printed Report (SU2) ..... \$ 75.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004 MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (D) Oklahoma (Cont'd)
  - (3) Features and BSEs (Cont'd)

Feat	cures and BSEs (Cont'd)
	Rate Per Month
(1)	Restricted User Group (1)
	Per group (LCG) \$ 5.00
	Nonrecurring Charge
	Initial Order (NR9N1) First \$ 50.00 Additional \$ 17.00
	Subsequent Order (NR9NS) First
	Rate Per Month
(m)	Reverse Charge Acceptance (1)
	Per Access Termination, per protocol (LD4) \$ 0.00
	Nonrecurring Charge
	Initial Order (NR9P1)         First
	Subsequent Order (NR9PS)         First

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004 MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges
    - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (E) Texas
  - (1) Access Termination Charge
    - (a) Public Dial(1)

Rate Per Minute of Use

Asynchronous, per session

.3/1.2/2.4 Kbps Application	\$ 0.016
4.8 Kbps Application	\$ 0.030
9.6 Kbps Application	\$ 0.030

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limted to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (E) Texas (Cont'd)
  - (1) Access Termination Charge (Cont'd)
    - (b) Private Dial(1)

Rate Per Month

Asynchronous		
.3/1.2/2.4 Kbps Application (LF9AJ)	\$	20.50
4.8 Kbps Application (LL548)		
9.6 Kbps Application (LL596)		
3.0 Topo Tippilodelon (22330)	٣	12.00
Synchronous		
.3/1.2/2.4 Kbps Application (L7SVX)	Ś	37 50
4.8 Kbps Application (LF9SD)		

# Nonrecurring Charge

Per Access Termination, per protocol

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. <a href="Packet Service">Packet Service</a> (Cont'd)
  - 14.4 Rates and Charges (Cont'd)

- 14. <a href="Packet Service">Packet Service</a> (Cont'd)
  - 14.4 Rates and Charges (Cont'd)

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (E) Texas (Cont'd)
  - (1) Access Termination Charge (Cont'd)

Rate Per Month

(c) Dedicated Access Termination

## Asvnchronous (1)

A۶	synci	nronoi	18 <sup>(1)</sup>			
-	Ana	Log				
	1.2	Kbps	Application	(LJTAB)	\$	24.00
	2.4	Kbps	Application	(LJTAC)	\$ 2	24.00
	4.8	Kbps	Application	(LPP48)	\$	42.00
	9.6	Kbps	Application	(LPP96)	\$	42.00
_	Dig:	ital				
	2.4	Kbps	Application	(LKP24)	\$ 3	33.00
	4.8	Kbps	Application	(LKP48)	\$ 3	33.00
	9.6	Kbps	Application	(LKP96)	\$	33.00
_	Dia	ital I	Data Over Voi	ce (DOV)	1	
	_		Application		\$	24 00
			Application	. ,		
		_	Application			
				(= : = > 0 )	· · · · · · · · · · · · · · · · · · ·	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 1)

Issued: April 16, 2024 Effective: May 1, 2024

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2) (3) (Cont'd)
- (E) Texas (Cont'd)
  - (1) Access Termination Charge (Cont'd)

Rate Per Month

(c) Dedicated Access Termination (Cont'd)

# Synchronous

- Analog <sup>(1)</sup>	
2.4 Kbps Application (LJTSC) \$ 45	00
4.8 Kbps Application (LJTSD) \$ 65	00
9.6 Kbps Application (LJTSE) \$ 65	
- Digital	
2.4 Kbps Application (LJ9SC) (1)\$ 51.	00
4.8 Kbps Application (LJ9SD) (1)\$ 51.	
9.6 Kbps Application (LJ9SE)\$ 51.	
56.0 Kbps Application (LJ9PG)\$120	
- Digital Data Over Voice (DOV) (1)	
2.4 Kbps Application (L9S24) \$ 46	00
4.8 Kbps Application (L9S48) \$ 46	
9.6 Kbps Application (L9S96) \$ 46	00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (E) Texas (Cont'd)
  - (1) Access Termination Charge (Cont'd)
    - (c) Dedicated Access Termination (Cont'd)

	Nonrecurring Charge
Per Access Termination, per protocol	
Analog <sup>(1)</sup> Initial Order (NR9B1) First access termination	\$302.00 \$ 43.00
Subsequent Order (NR9BS) First access termination	
Digital Initial Order (NR9C1) First access termination	\$302.00 \$ 43.00
Subsequent Order (NR9CS) First access termination	
Digital Data Over Voice (DOV) Initial Order (NR9V1) First access termination	
Subsequent Order (NR9VS) First access termination Additional access termination	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14.	Packet	Service	(Cont'd)
-----	--------	---------	----------

14.4 Rates and Charges (Cont'd)

14.4.1 MicroLink II Service (1) (2) (Cont'd)

(a) Rearrangement of User Facilities (NR9RF)

- (E) Texas (Cont'd)
  - (2) Miscellaneous Service Elements

## Nonrecurring Charge

Per Access	Termination,	per order	
First user	facility		\$ 75.00

Additional user facility ......\$ 7.00

Rate Per Call Set Up

(b) Call Establishment ..... \$ 0.005

Rate

(c) Character Transmission

Per Kilosegment ..... \$ 0.200

- (1) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (2) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (3) (4) (Cont'd)
- (E) Texas (Cont'd)
  - (2) Miscellaneous Service Elements (Cont'd)
    - (d) User Identification(1)

(1)	Network Terminating Number (NTN) Rate Per Month
	Per NTN (NO2) \$ 0.50
	Initial Order (NR9Q1) First NTN \$ 35.00 Additional NTN \$ 3.00
	Subsequent Order (NR9QS)  First NTN
(2)	Network User Identification (NUI)
	Per NUI (NU2) \$ 0.50
	Initial Order (NR9R1) First NUI . \$ 35.00 Additional NUI . \$ 3.00
	Subsequent Order <sup>(2)</sup> (NR9RS) First NUI

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) This charge also applies to change or identify a password for the customer.
- (3) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (4) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14.	Packet	Service	(Cont'd

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (E) Texas
  - (3)

3	(Con	t'd)	
	Feat	ures and BSEs	
		Per Minute of Us	e
	(a)	Customer Alerting (1) \$ 0.15	
		Nonrecurring Charge	e
		Per Primary Market Area (ACW) \$350.00	
		Rate Per Month	
	(b)	Fast Select	
		Per Access Termination, per protocol (LD5FS) \$ 0.00	
		Nonrecurring Charge	e
		Initial Order (NR9D1) First \$ 0.00 Additional \$ 0.00	
		Subsequent Order (NR9DS) First	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14.	. Packet Service (Cont'd)					
	14.4	Rates an	d Charges	(Co	nt'd)	
		14.4.1	MicroLink	II	Service (2) (3)	(Cont'd)
(E)	Texas	(Cont'd)				
	(3)	Features	and BSEs	(Co	nt'd)	

## Rate Per Month

(c) Menu Server	(C)	Menu	Server (1)
-----------------	-----	------	------------

Per line (MUZ) ..... \$ 0.02

## Nonrecurring Charge

Initial Order (NR9E1) First ...... \$150.00 Additional ..... \$ 12.00 Subsequent Order (NR9ES) Additional ..... \$ 12.00 Rate Per Month

## (d) Packet Call Redirection

Per Access Termination, per protocol (LRD) ..... \$ 0.00

# Nonrecurring Charge

Initial Order (NR9F1)		
First		
Additional	\$	0.00
Subsequent Order (NR9FS)		
First	\$	75.00
Additional	Ś	7.00

- ((1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14.	Packet	Service	(Cont'c	(£

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (E) Texas (Cont'd)
  - (3) Features and BSEs (Cont'd)

Data	Dar	Month

(e) Packet Direct Call (1)

Per Access Termination, per protocol (LJD) ..... \$ 0.00

Nonrecurring Charge

Initial Order (NR9G1) First \$ 0.00 Additional \$ 0.00	
Subsequent Order (NR9GS)         First	

### Rate Per Month

(f) Packet Hunt Group (1)

Per group (LDMPG) ..... \$ 0.00

Nonrecurring Charg	ge
--------------------	----

Initial Order (NR9H1) First	\$ 0.00
Subsequent Order (NR9HS) First	\$ 25.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (E) Texas (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate I	er 1	Month
--------	------	-------

(g) Permanent Virtual Circuit

Per Access Termination, per protocol (VCK) ..... \$ 2.00

Nonrecurring Charge

Initial Order (NR9J1) First	\$ 0.00
Subsequent Order (NR9JS) First	\$ 80.00

### Rate Per Month

(h) Polled Protocol (1)

Per Protocol, per terminal device (PP6) ...... \$ 1.00

# Nonrecurring Charge

Initial Order (NR9K1) First	\$ 6.00
Subsequent Order (NR9KS) First	\$ 25.00 6.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (E) Texas (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate Per Month

(i) Recognized Private Operating Agency (RPOA) Preselection<sup>(1)</sup>

Per User Identification (LRJXX) ..... \$ 0.00

### Nonrecurring Charge

Initial Order (NR9L1) First	\$ 0.00
Subsequent Order (NR9LS) First	\$ 25.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14.	Packet	Service	(Cont'd)

- 14.4 Rates and Charges (Cont'd)
  - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (E) Texas (Cont'd)
  - (3) Features and BSEs (Cont'd)

	_	
Rate	Per	Month

(j) Extended RPOA Selection(1)

Per Access Termination, per protocol (LRK) ..... \$ 0.00

### Nonrecurring Charge

Initial Order (NR9ML) First	\$ 0.00
Subsequent Order (NR9MS) First	\$ 75.00 7.00

(k) Reports

## Nonrecurring Charge

## Per Report

- (1) Detailed Printed Report (BDT) ..... \$ 80.00
- (2) Magnetic Tape Report (MBT) (1) ...... \$125.00
- (3) Summary Printed Report (SU2) ...... \$ 70.00

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

- 14. Packet Service (Cont'd)
  - 14.4 Rates and Charges (Cont'd)
    - 14.4.1 MicroLink II Service (2)(3) (Cont'd)
- (E) Texas (Cont'd)
  - (3) Features and BSEs (Cont'd)

Rate Per	Montr
----------	-------

(1) Restricted User Group (1)

Per group (LCG) ..... \$ 5.00

### Nonrecurring Charge

Rate Per Month

(m) Reverse Charge Acceptance (1)

Per Access Termination, per protocol (LD4) ..... \$ 0.00

# Nonrecurring Charge

Initial Order (NR9P1) First	\$ 0.00
Subsequent Order (NR9PS) First	

- (1) This element is obsolete and limited to existing installations at existing locations, for existing customers, as of September 30, 1997 and will no longer be available after April 1, 1999.
- (2) As of March 9, 2002 MicroLink II service utilizing the X.25 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.
- (3) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

14. Packet Service (Cont'd)

14. Packet Service (Cont'd)

14. Packet Service (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. Packet Service (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. Packet Service (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. Packet Services (Cont'd)

- 14. Packet Service (Cont'd)
  - 14.7 Reserved for Future Use

14. <a href="Packet Service">Packet Service</a> (Cont'd)

14. Packet Services (Cont'd)

14. Packet Service (Cont'd)