ACCESS SERVICE CHECK SHEET (Cont'd)

Page	Number of Revision Except as Indicated	Page	Number of Revision Except as Indicated	<u>Page</u>	Number of Revision Except as Indicated
5-34.2	8th	6-33	6th	6-54	2nd
5-34.3	9th	6-34	2nd	6-55	3rd
5-35	29th*	6-35	6th	6-56	6th
5-36	3rd	6-36	4th	6-57	6th
6-1	5th*	6-37	2nd	6-58	6th
6-2	3rd	6-38	4th	6-58.1	2nd
6-2.1	2nd	6-39	2nd	6-59	5th
6 - 3	7th	6-40	Original	6-60	4th
6-4	10th	6-41	3rd	6-61	8th
6-5	4th	6-42	4th	6-62	5th
6 - 6	12th	6-42.1	Original	6-63	6th
6-6.1	Original	6-43	3rd	6-64	4th
6 - 7	2nd	6-43.1	5th	6-65	6th
6-7.1	1st	6-44	3rd	6-66	4th
6-7.2	Original	6-45	1st	6-67	7th
6 - 8	1st	6-45.1	4th	6-68	4th
6 - 9	Original	6-45.2	2nd	6-69	6th
6-10	3rd	6-45.3	1st	6-69.1	1st
6-11	Original	6-45.4	3rd	6-70	6th
6-12	1st	6-45.5	2nd	6-71	10th
6-13	5th	6-45.6	2nd	6-72	8th
6-14	6th	6-45.7	3rd	6-72.1	8th
6-15	1st	6-45.8	Original	6-72.2	7th
6-16	4th	6-45.9	1st	6-72.3	7th
6-17	6th	6-46	1st	6-73	1st
6-18	2nd	6-47	5th*	6-74	1st
6-19	7th	6-48	2nd	6-75	2nd*
6-20	2nd	6-49	2nd	6-76	1st
6-21	6th	6-50	2nd	6-77	1st
6-22	1st	6-50.1	4th	6-78	2nd
6-23	Original	6-50.2	1st	6-79	1st
6-24	2nd	6-50.3	1st	6-80	2nd
6-25	Original	6-50.4	2nd	6-81	1st
6-26	1st	6-50.5	3rd	6-82	1st
6-27	4th	6-50.6	1st	6-83	5th*
6-28	2nd	6-51	11th*	6-84	1st
6-29	4th	6-52	9th*	6-85	2nd
6-30	2nd*	6-53	12th*	6-86	4th
6-31	2nd				
6-32	3rd				

^{*} New or Revised Page

(This page filed under Transmittal No. 3387)

CHECK SHEET (Cont'd)

Page	Number of Revision Except as Indicated	Page	Number of Revision Except as Indicated	Page	Number of Revision Except as Indicated
<u> 1 4 9 0</u>	IIIdidddd	<u>1 4 9 0</u>	IIIdIddddd	1490	1114164644
6-87	5th	6-124	3rd	6-147	1st
6-87.1	2nd	6-124.1	2nd	6-148	4th
6-88	4th	6-124.2	Original	6-149	3rd
6-89	4th	6-124.3	Original	6-149.1	3rd
6-90	4th	6-124.4	Original	6-149.2	2nd
6-91	3rd	6-124.5	Original	6-149.3	7th
6-92	4th	6-124.6	Original	6-149.4	4th
6-93	4th	6-124.7	Original	6-149.5	5th
6-94	3rd	6-124.8	Original	6-149.6	5th
6-94.1	3rd	6-125	7th	6-150	7th
6-94.2	1st	6-126	3rd	6-150.1	5th
6-95	5th	6-126.1	3rd	6-150.2	7th
6-96	1st	6-126.2	3rd	6-151	2nd
6-97	3rd	6-126.3	3rd	6-152	1st
6-98	2nd	6-127	4th	6-153	2nd
6-98.1	4th	6-128	3rd	6-154	2nd
6-99	2nd	6-129	3rd	6-155	2nd
6-100	1st	6-130	4th	6-155.1	1st
6-101	1st	6-130.1	2nd	6-156	2nd
6-102	2nd	6-130.2	3rd	6-157	2nd
6-103	1st	6-131	5th	6-158	2nd
6-104	1st	6-132	3rd	6-159	3rd
6-105	3rd	6-133	6th	6-160	1st
6-106	2nd	6-133.1	2nd	6-161	1st
6-107	2nd	6-134	4th	6-162	1st
6-108	3rd*	6-135	5th	6-163	2nd
6-109	4th*	6-136	5th	6-163.1	1st
6-110	3rd*	6-137	5th	6-163.2	4th
6-111	1st	6-138	2nd	6-163.3	1st
6-112	3rd	6-139	5th	6-163.4	3rd
6-113	1st	6-140	8th	6-164	3rd
6-114	1st	6-140.1	11th	6-165	5th
6-115	2nd	6-140.2	12th	6-165.1	8th
6-116	1st	6-140.3	9th	6-166	1st
6-117	1st	6-141	6th	6-167	1st
6-118	2nd	6-141.1	3rd	6-168	1st
6-118.1	1st	6-142	7th	6-169	3rd
6-119	2nd	6-142.1	1st	6-169.1	1st
6-120	4th	6-143	8th	6-170	6th
6-121	3rd	6-144	3rd	6-171	2nd
6-122	1st	6-145	2nd	6-171.1	2nd
6-123	1st	6-146	1st		

(This page filed under Transmittal No. 3387)

^{*} New or Revised Page.

		CHECK SHEET	(Cont'd)		
	Number of		Number of		Number of
	Revision		Revision		Revision
	Except as		Except as		Except as
Page	Indicated	Page	Indicated	Page	Indicated
7-126.8	7th	7-134.1	10th	7-169.4	4th
7-126.9	6th	7-134.2	3rd	7-169.5	4th
7-126.10	6th	7-134.3	1st	7-169.6	4th
7-126.11	7th	7-135	1st	7-169.7	5th
7-126.12	6th	7-136	7th	7-169.8	5th
7-126.13	5th	7-137	9th	7-169.9	4th
7-126.14	6th	7-138	19th	7-169.10	5th
7-126.15	5th	7-138.1	5th	7-169.11	5th
7-126.16	5th	7-138.2	6th	7-169.12	5th
7-126.17	6th	7-139	10th	7-169.13	6th
7-126.18	5th	7-139.1	6th	7-169.14	6th
7-126.19	4th	7-139.2	6th	7-169.15	6th
7-126.20	5th	7-139.3	2nd	7-169.16	6th
7-126.21	4th	7-140	Original	7-169.17	6th
7-126.22	4th	7-141	Original	7-169.18	6th
7-126.23	5th	7-142	Original	7-169.19	7th
7-126.24	4th	7-143	Original	7-169.20	5th
7-126.25	8th	7-144	Original	7-169.21	5th
7-126.26	5th	7-145	Original	7-169.22	6th
7-126.27	5th*	7-146	Original	7-169.23	6th
7-126.28	3rd	7-147	Original	7-169.24	6th
7-126.29	5th	7-148	Original	7-169.25	4th
7-126.30	5th	7-149	10th	7-169.26	4th
7-126.31	4th	7-149.1	2nd	7-169.27	2nd
7-126.32	4th	7-150	3rd	7-169.28	2nd
7-126.33	4th	7-151	1st	7-169.29	4th
7-126.34	4th	7-152	31st	7-169.30	4th
7-126.35	6th	7-152.1	11th	7-169.31	4th
7-126.36	2nd	7-153	20th	7-169.32	4th
7-126.37	4th	7-153.1	11th	7-169.33	6th
7-126.38	4th	7-153.2	11th	7-169.34	4th
7-126.39	4th	7-153.3	2nd	7-169.35	4th
7-126.40	4th*	7-154	15th	7-169.36	6th
7-126.41	2nd	7-154.1	6th	7-169.37	6th
7-126.42	4th	7-155	4th	7-169.38	4th 4th
7-126.43	4th 4th	7-156	4th	7-169.39 7-169.40	4th
7-126.44 7-126.45	4th	7-157	4th	7-169.41	2nd
7-126.46	4th	7-158	4th	7-169.42	2nd
7-126.47	4th	7-159	4th	7-169.43	4th
7-126.48	4th	7-160	4th	7-169.44	4th
7-126.49	2nd	7-161	4th	7-169.45	4th
7-126.50	4th	7-162	4th	7-169.46	4th
7-127	Original	7-163	4th	7-170	9th
7-128	Original	7-164	4th	7-171	4th
7-129	Original	7-165	4th	7-172	5th
7-130	12th	7-166	4th	7-173	3rd
7-131	14th	7-167	4th	7-174	Original
7-132	7th	7-168	4th	7-175	1st
7-133	6th	7-169	4th	7-176	6th
7-134	3rd	7-169.1	5th	7-177	3rd
		7-169.2	5th		
		7-169.3	5th		

(This page filed under Transmittal No. 3387)

2. General Regulations (Cont'd)

2.3 Obligations of the Customer (Cont'd)

2.3.9 Customer Provided Reports

Customers may be required to provide the following reports in connection with the provision of access service. The specific report requirements are provided in other sections of this tariff as set forth following.

Tariff Section No.	
2.4.1 2.4.3	(T)
3.3.4(F)	
2.4.1(A)(6) 6.7.12	(T) (T)
6.7.16 23.3.5	` ,
6.7.17 6.7.18	
	2.4.1 2.4.3 3.3.2(B)(3) 3.3.4(F) 2.4.1(A)(6) 6.7.12 6.7.16 23.3.5 6.7.17

2.3.10 VoIP - PSTN Traffic

This Section applies to Toll VoIP-PSTN Traffic exchanged between the Telephone Company and the Customer in time division multiplexing ("TDM") format that originates and/or terminates in Internet protocol ("IP") format. VoIP-PSTN traffic originates and/or terminates in IP format if it originates from and/or terminates to an end-user Customer of a service that requires Internet protocol-compatible Customer premises equipment. The Switched Access rate elements in this tariff for both usage and facilities apply to any Toll VoIP-PSTN traffic.

(D)

ACCESS SERVICE

- 2. General Regulations (Cont'd)
 - 2.4 Jurisdictional Reports (Cont'd)
 - 2.4.1 Percentage of Interstate Use (PIU) for Arkansas, Kansas, Missouri and Oklahoma (Cont'd)
 - (A) Report Requirements (Cont'd)
 - (5) Miscellaneous Access Services

Upon ordering the specific Access Services listed below for which call details are insufficient to determine jurisdiction, the customer will provide an interstate percentage of such miscellaneous access service traffic for each end office or LATA from which the customer may originate or terminate such traffic. The following services are to be included in the Miscellaneous Access Services PIU Report:

- Answer Supervision-Line Side
- Directory Assistance Service
- MicroLink II Service (1)
- Selective Class of Call Screening

If a LATA-level Miscellaneous PIU factor is provided by the customer, the specified percentage will be applied to all end offices from which the customer may originate or terminate such access traffic within the LATA or to those end offices for which an end office-level PIU is not provided.

For Directory Transport Services, a Miscellaneous PIU factor must be provided for Entrance Facilities, Direct-Trunked Transport and Tandem-Switched Transport as set forth in 2.4.1(A)(11) (Switched Transport Services) following.

(1) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers.

(This page filed under Transmittal No. 3387)

- 2. General Regulations (Cont'd)
 - 2.4 Jurisdictional Reports (Cont'd)
 - 2.4.1 Percentage of Interstate Use (PIU) for Arkansas, Kansas, Missouri and Oklahoma (Cont'd)
 - (A) Report Requirements (Cont'd)
 - (16) 700 Access Service

Upon ordering FGD or BSA-D, the customer must provide the Telephone Company with an originating PIU for 700 Access Service. The 700 Access Service PIU report shall reflect an interstate percentage, by feature group or basic serving arrangement, of originating 700 Access Service access minutes for each end office or LATA from which the customer may originate 700 traffic. If a LATA-level PIU factor is provided by the customer, the specified percentage will be applied to all end offices to which the customer may originate traffic within the LATA or to those end offices for which an end office-level PIU is not provided.

If a customer does not provide the Telephone Company with an originating 700 PIU report, the Telephone Company will designate a PIU factor of 17% for 700 Access Service.

(17)

(D)

(18) Incidental InterLATA SS7 Transport (SS7 Transport)

For SS7 Transport, where jurisdiction can be determined from the records, the Telephone Company will bill according to such jurisdiction by developing a projected interstate percentage. The projected interstate percentage will be developed on a monthly basis, by Originating Point Code (OPC).

When the Telephone Company receives insufficient records to determine the jurisdiction of the customer's use of the STP and the SS7 Transport Service is available in the intrastate jurisdiction, the Telephone Company will designate a PIU factor of 50% for the use of the STP octets of information.

2. General Regulations (Cont'd)

2.5 Billing Regulations (Cont'd)

2.5.4 Minimum Periods

- (A) The minimum period for which service is provided and for which rates and charges are applicable is set forth in each section of this tariff, where appropriate.
- (B) When a service is discontinued prior to the expiration of the minimum period, charges are applicable whether the service is used or not, as follows:
 - (1) When a service with a one month minimum period is discontinued prior to the expiration of the minimum period, a one month charge will apply at the rate level in effect at the time service is discontinued.
 - (2) When a service with a minimum period greater than one month is discontinued prior to the expiration of the minimum period, with the exception of Specialized Services or Arrangements, MegaLink Custom Services, STN or SBNS Services, the applicable charge will be the lesser of:
 - a. The Telephone Company's total nonrecoverable costs, less the net salvage value, for the discontinued service, or
 - b. The total monthly charges, at the rate level in effect at the time service is discontinued, for the remainder of the minimum period.
- (C) For Specialized Services and associated multiplexing in Section 12, MegaLink Custom Services and associated optional features and functions in Section 20, STN Service and associated optional features and functions in Section 22, and SBNS Services in Section 31, the applicable charges(D) are set forth in each respective section.
- (D) For Specialized Services or Arrangements provided on an individual case basis in Section 12, the minimum period is one month unless a different minimum period is established with the individual case filing.

(This page filed under Transmittal No. 3387)

- 2. General Regulations (Cont'd)
 - 2.5 Billing Regulations (Cont'd)
 - 2.5.6 Credit Allowance for Service Interruptions (Cont'd)
 - (B) When a Credit Allowance Applies (Cont'd)
 - (3) Switched Access Service, Directory Assistance Service, and Telecommunications Relay Interconnection Service (D) (TRIS)

A credit allowance for service interruptions will be applied to Switched Access Service and Directory (T)
Assistance Service depending upon whether or not the (D) interruption is associated with a service that is usage rated or monthly recurring rated as set forth in (a) and (b), following: (T)

(a) Credit Allowance for Usage Rated Services

If the service experiencing an interruption is billed assumed minutes of use, credit shall be allowed for an interruption of greater than 24 hours. Such credit will be at the rate of 1/30th of the assumed minutes of use charge for each period of 24 hours or fraction thereof that the interruption continues.

If the service experiencing an interruption is billed on a measured, usage sensitive basis, a credit allowance does not apply.

If the service experiencing an interruption includes optional features or BSEs being billed monthly recurring rates, credit for an interruption of greater than 24 hours for the associated features or BSEs will be at the rate of 1/30th of the applicable monthly rate for each period of 24 hours or fraction thereof that the interruption occurs.

(This page filed under Transmittal No. 3387)

- 2. General Regulations (Cont'd)
 - 2.5 Billing Regulations (Cont'd)
 - 2.5.6 Credit Allowance for Service Interruptions (Cont'd)
 - When a Credit Allowance Applies (Cont'd)
 - Switched Access Service, Directory Assistance Service, and Telecommunications Relay Interconnection Service (TRIS) (Cont'd)
 - Credit Allowance for Monthly Recurring Rated
 - (1) For the following Switched Access, Directory Assistance and Telecommunications Relay Interconnection Services with monthly recurring rates as defined in 6.8.3 (Monthly Recurring and Usage Rates), 9.4.3 (Monthly Recurring and Usage Rates) and 26.5.3 (Monthly Rates):

 - Switched Transport
 Directory Transport
 Switched Access DNAL BSA
 Telecommunications Relay Interconnection Service (TRIS)

the charges for which a credit will apply due to service interruptions will be the total of all monthly rate elements associated with the transport facility or BSA (i.e., per channel, per point of DNAL termination, DNAL mileage, per DS1 or DS3, fixed per month and per mile per month, per point of TRIS termination and TRIS Mileage) including any monthly rated features and BSEs associated with either the transport facility or the DNAL BSA.

- 2. General Regulations (Cont'd)
 - 2.5 Billing Regulations (Cont'd)
 - 2.5.6 Credit Allowance for Service Interruptions (Cont'd)
 - (B) When a Credit Allowance Applies (Cont'd)
 - (3) Switched Access Service, Directory Assistance Service, and Telecommunications Relay Interconnection Service (D) (TRIS) (Cont'd)
 - (b) Credit Allowance for Monthly Recurring Rated Services (Cont'd)
 - (1) (Cont'd)

No credit allowance shall be allowed for an interruption period of less than 30 minutes. The customer shall be credited for an interruption of 30 minutes or more up to, and including, 2 hours at the rate of 1/1440 of the monthly charges for the facility for each period of 30 minutes or fraction thereof that the interruption continues after the initial 30 minute outage. When the total service interruptions on the same service exceeds 2 hours within a 12 hour time period, the customer shall receive an additional credit per the Service Assurance Warranty Schedule (SAWS) specified in 2.5.7.

In any month, as a result of the interruption, the total credit per rate element of the interrupted service may not exceed 100 percent of the monthly charge for that particular rate element.

(a) When Switched Transport is provided in a multiplexing arrangement and the multiplexer becomes inoperative, the monthly charge being credited will be the total of all monthly charges associated with the facilities being interconnected by the multiplexer. Such credit will include all monthly rated features or BSEs associated with the interconnected facilities.

(This page filed under Transmittal No. 3387)

- 2. General Regulations (Cont'd)
 - 2.5 Billing Regulations (Cont'd)
 - 2.5.6 Credit Allowance for Service Interruptions (Cont'd)
 - (B) When a Credit Allowance Applies (Cont'd)
 - (3) Switched Access Service, Directory Assistance Service, and Telecommunications Relay Interconnection Service (D) (TRIS) (Cont'd)
 - (b) Credit Allowance for Monthly Recurring Rated Services (Cont'd)
 - (1) (Cont'd)
 - (b) When a Switched Transport facility being provided in a multiplexing arrangement becomes inoperative, the monthly charge being credited will be the total of all monthly charges associated with the inoperative transport facility as well as that portion of all interconnected transport facilities which also becomes inoperative. Such credit will include all monthly rated features or BSEs associated with the inoperative facility or that portion of the interconnected facilities which also becomes inoperative.
 - (c) When the service riding the channel of the multiplexed facility is inoperative, the monthly charge to be credited for the multiplexed facility shall be the total of all monthly rate element charges associated with the inoperative portion of the facility. The credit will include all monthly rated features or BSEs associated with the inoperative transport facility.

- 2. General Regulations (Cont'd)
 - 2.5 Billing Regulations (Cont'd)
 - 2.5.6 Credit Allowance for Service Interruptions (Cont'd)
 - (B) When a Credit Allowance Applies (Cont'd)
 - (3) Switched Access Service, Directory Assistance Service, and Telecommunications Relay Interconnection Service (D) (TRIS) (Cont'd)
 - (b) Credit Allowance for Monthly Recurring Rated Services (Cont'd)
 - (2) When a service outage occurs on a Direct-Trunked Transport facility and traffic is alternately routed to a Tandem-Switched Transport facility to avoid the service outage, the Telephone Company may allow additional out-of-service credits as follows:

For Switched Access Service and DA Access Service, the Telephone Company will first determine the length of time for which the customer is entitled to an adjustment on the Direct-Trunked Transport facility as set forth in (1), preceding. Because actual (T) alternate tandem traffic cannot be captured during the service outage period, surrogate tandem usage factors have been developed based on an assumed 9,000 minutes of use per channel per month and a DA holding time of .633962 minutes.

(This page filed under Transmittal No. 3387)

- 2. General Regulations (Cont'd)
 - 2.5 Billing Regulations (Cont'd)
 - 2.5.6 Credit Allowance for Service Interruptions (Cont'd)
 - (B) When a Credit Allowance Applies (Cont'd)
 - (3) Switched Access Service, Directory Assistance Service, and Telecommunications Relay Interconnection Service (D) (TRIS) (Cont'd)
 - (b) Credit Allowance for Monthly Recurring Rated Services (Cont'd)
 - (2) (Cont'd)

Based on a 30 day month and a 24 hour day, each half hour increment of service outage will result in an assumed alternate tandem usage level of 6.25 minutes of use per channel for Switched Access and 9.86 calls per channel for DA Access Service (i.e., 150 minutes or 237 calls per DS1 and 4,200 or 6,626 calls per DS3). This surrogate alternate traffic usage will be rated based on the airline distance between the customer's serving wire center and the end office where the Direct-Trunked Transport facility that experienced the service outage terminated. The appropriate Tandem Switched Transmission and Tandem Switching or Tandem-Switched Directory Transmission and Directory Tandem Switching) will be used to determine the total Alternate Traffic Credit.

- 2. General Regulations (Cont'd)
 - 2.5 Billing Regulations (Cont'd)
 - 2.5.6 Credit Allowance for Service Interruptions (Cont'd)
 - (B) When a Credit Allowance Applies (Cont'd)
 - (3) Switched Access Service, Directory Assistance Service, and Telecommunications Relay Interconnection Service (D) (TRIS) (Cont'd)
 - (b) Credit Allowance for Monthly Recurring Rated Services (Cont'd)
 - (2) (Cont'd)

If the Direct-Trunked Transport facility that experienced the service outage provided transport only for Switched Access Service, an Alternate Traffic Credit will only be calculated for Switched Access. If the facility provided transport only for DA Access Service, an Alternate Traffic Credit will only be calculated for DA Access Service. If the facility provided transport for both Switched Access Service and DA Access Service, the total Alternate Traffic Credit will be the sum for the credits calculated for both Switched Access and DA Access Service.

If the amount of the Alternate Traffic Credit is greater than the amount of credit that would have been allowed as set forth in (1), (T) preceding, the Telephone Company will credit the customer the Alternate Traffic Credit instead of the lesser credit for the inoperative facility. If the Alternate Traffic Credit is less than or equal to the amount that would otherwise be credited to the customer (as set forth in (1) preceding), the Alternate Traffic Credit will not be allowed.

- 2. General Regulations (Cont'd)
 - 2.5 Billing Regulations (Cont'd)
 - 2.5.6 Credit Allowance for Service Interruptions (Cont'd)
 - (C) When a Credit Allowance Does Not Apply (Cont'd)
 - (7) Interruption of service caused by a customer's failure to provide notification to the Telephone Company of media stimulated mass calling events as specified in 6.7.12 (Media Stimulated Mass Calling Events). (T)
 - (8) An interruption or a group of interruptions, resulting from a common cause, for amounts less than one dollar.
 - (9) Credit Allowance for Service Interruptions also apply when service is interrupted due to labor difficulties, governmental orders, civil commotions, criminal actions taken against the Telephone Company, acts of God and other circumstances beyond the Telephone Company's reasonable control. No credit shall be allowed for an interruption period of less than 30 minutes. The customer shall be credited for an interruption of 30 minutes or more at the rate of 1/1440 of the monthly charges for the facility or service for each period of 30 minutes or fraction thereof that the interruption continues after the initial 30 minute interruption. However, the Service Assurance Warranty Schedule (SAWS) as specified in 2.5.7 will not apply.
 - (D) Use of An Alternative Service Provided by the Telephone Company

Should the customer elect to use an alternative service provided by the Telephone Company during the period that a service is interrupted, the customer must pay the tariffed rates and charges for the alternative service used.

(E) Temporary Surrender of a Service

In certain instances, the customer may be requested to surrender a service for purposes other than maintenance, testing or activity relating to a service order. If the customer consents, a credit allowance will be granted. The credit allowance will be determined in the same manner as a credit for service interruptions as set forth in (A) preceding.

(This page filed under Transmittal No. 3387)

				Page	
5.	Order	ing for	Access Service	5-1	
	5.1	Genera	1	5-3	
	5.2	5.2.1	Ordering Conditions Ordering Requirements (A) Feature Group A (FGA) or Circuit Switched-Line Side BSA (BSA-A) Switched Access Service (B) Feature Group B (FGB), Feature Group D (FGD) or Circuit Switched-Trunk Side BSA Alternatives B or D (BSA-B or BSA-D) Switched Access Service (C) Switched Transport and Directory Transport Services (D) Dedicated Network Access Link (DNAL) (E) 800 Number Portability Access Service (NPAS) (F) 900 Access Service (G) Directory Assistance (DA) Access Service (H) Special Access Service (I) WATS Access Line Service (J) Self-Healing Transport Networks (K) MegaLink Custom Services (L) MicroLink II Service (M) Operator Call Processing (N) Carrier Identification Code Parameter (CIP) (O) Common Channel Signaling/Signaling System 7 (CCS/SS7) (P) Line Information Data Base (LIDB) Service (Q) Signaling System 7 (SS7) Signaling (R) Expanded Interconnection (S) TIPTOP Service (T) Telecommunications Relay Interconnection Service (TRIS) (U) Multiple 64 Clear Channel Capability (64 CCC) (V) Advanced Carrier Identification Service (ACIS) (W) (X) ReliaNet Service (Y) Service Provider Number Portability	5-4 5-4 5-5 5-6 5-7.1 5-8.1 5-10 5-10 5-11 5-12 5-12.1 5-13 5-13 5-14 5-15 5-16 5-16 5-17 5-17.1 5-17.5 5-17.6 5-17.11 5-17.12	(D)
			(Z) Shared Network Arrangement Service Provisioning Intervals Selection of Facilities for Access Orders Shared Use	5-17.12 5-18 5-19 5-20 5-21 5-21 5-22 5-22	

(This page filed under Transmittal No. 3387)

(T)

ACCESS SERVICE

5. Ordering for Access Service (Cont'd)

5.2 Access Order (Cont'd)

5.2.2 Ordering Requirements (Cont'd)

(U) Multiple 64 Clear Channel Capability (64 CCC)

In addition, the customer must specify one of three trunk allocation schemes: fixed, floating or flexible. In the fixed allocation scheme, the FGD or BSA-D trunks selected for a Multiple 64 CCC call are contiguous and the first FGD or BSA-D trunk is constrained to certain fixed starting points. In the floating allocation scheme, the FGD or BSA-D trunks selected for a Multiple 64 CCC call are contiguous, but the position of the first trunk can float. For the flexible allocation scheme, the FGD or BSA-D trunks selected for a Multiple 64 CCC call may occupy non-contiguous positions within a group of 24 FGD or BSA-D trunks.

Customers may segregate their originating and terminating Multiple 64 CCC traffic by specifying dedicated Multiple 64 CCC trunk group(s) on the order. A Multiple 64 CCC trunk group(s) represents access capacity for carrying only Multiple 64 CCC traffic.

(V) Advanced Carrier Identification Service (ACIS)

The customer must have LATA-wide Switched Access in order to receive originating ACIS routed traffic. The customer must specify the:

- LATAs from which they wish to receive originating ACIS calls,
- the ACIS Access Code(s) to be activated in a given LATA,
- the Carrier Identification Code (CIC) of each ACIS Code in a given LATA, and
- the desired due date of the order.

Originating ACIS routed calls from LATAs in which the customer has not ordered ACIS will be blocked.

Originating traffic that is to be routed using ACIS may be combined with FGB, FGD, BSA-B, or BSA-D Switched Access Service. The customer shall designate which FGB, FGD, BSA-B, or BSA-D Switched Access Service trunk groups are to be associated with ACIS. However, when FGD or BSA-D Switched Access Service becomes available in an end office, ACIS traffic originating from that end office must be provided with FGD or BSA-D Switched Access Service.

(This page filed under Transmittal No. 3387)

- 5. Ordering for Access Service (Cont'd)
 - 5.2 Access Order (Cont'd)
 - 5.2.2 Ordering Requirements (Cont'd)
 - (V) Advanced Carrier Identification Service (ACIS) (Cont'd)

Direct-Trunked Transport will be available from end offices equipped to provide the ACIS functionality. All originating traffic to be routed using ACIS from end offices not equipped to provide the ACIS functionality will require routing to an access tandem where the function is available. When the ACIS functionality is located at an access tandem, the customer must utilize a Tandem-Switched Transport Facility. Information regarding the availability of ACIS will be provided to customers who contact their Telephone Company Account Manager, Access Service Center (ASC) or Business Service Center (BSC).

(M) (D)

(This page filed under Transmittal No. 3387)

- 5. Ordering for Access Service (Cont'd)
 - 5.2 Access Order (Cont'd)
 - 5.2.2 Ordering Requirements (Cont'd)
 (W)

(D)

(Ď)

(D)

ACCESS SERVICE

5. Ordering for Access Service (Cont'd)

5.3 Rate Regulations

5.3.1 Access Order Charges

- (A) An Access Order Charge applies, per access order, for the installation, addition, change, rearrangement or move of Access Services provided in this tariff (in addition to other applicable Access Service tariff charges) with the following exceptions:
 - Nonchargeable administrative changes where so specified in this tariff;
 - Access order modifications as specified in 5.3.2
 (Access Order Modification Charges);
 - Initial or subsequent activation of NXX's for 900 Access Service;
 - Establishment of 0+900 Access Service;
 - Complete or partial disconnection of Access Services and/or features (except when a Carrier Identification Code (CIC) is deleted);
 - Upgrades from FGA or FGB service to FGD service and upgrades from BSA-A or BSA-B service to BSA-D service;
 - Revocation or discontinuance of Telecommunications Service Priority System;
 - Installation, modification or rearrangement of MicroLink II⁽¹⁾ Service or features;
 - Conversions during the transition period of FGA to BSA-A, FGB to BSA-B, and FGD to BSA-D;
 - Change of Access Services Bill Period;
 - As specified in 6.8.2(D)(7), following; and $\frac{(2)}{2}$
 - When additional Access Orders are required as set forth in Section 5.2.1(A) preceding, for establishment of, removal of, or changes to multiple Carrier Identification Codes and are submitted at the same time, with the same due date, for the same central office and the same trunk group. In such cases only one Access Order Charge shall apply for the group of orders.
- (B) An Access Order Charge applies per access order for the addition, change, or rearrangement of the WATS Access Line features, specified in 6.9 (Rates and Charges), when such features are requested subsequent to the installation of the WATS Access Line.
- (1) As of October 6, 2004, MicroLink II service utilizing the X.75 protocol is obsolete and limited to existing installations, at existing locations, for existing customers
- (2) Material in this Section has been de-tariffed as required by the Commission upon use of the forbearance relief pursuant to FCC Memorandum Opinion and Order No. 07-180, released October 12, 2007. Terms and Conditions associated with de-tariffed services are available at www.att.com/quidebook.

(This page filed under Transmittal No. 3387)

- 5. Ordering for Access Service (Cont'd)
 - 5.3 Rate Regulations (Cont'd)
 - 5.3.2 Access Order Modification Charges (Cont'd)
 - (B) Service Date Change Charge/Dispatch Charge (Cont'd)
 - (4) (Cont'd)

A Service Date Change Charge is applicable on a per order per occurrence basis for each service date changed. A Service Date Change Dispatch Charge will apply per occurrence when a technician is dispatched to the Customer's premises and the Customer is not ready for service. Service Date Change Charges and Service Date Change Dispatch Charges are specified in Section 5.4 (Rates and Charges).

Credit for Missed Installation on Confirmed Due Date, as described in Section 2.5.5 (Missed Installation on Confirmed Due Date), does not apply to Service Date Change Charge.

(C) Expedite Charges

Analog (Metallic, Telegraph, Wideband Analog), DS0 (Wideband Data, Megalink Data (2.4, 4.8, 9.6, 19.2, 56, 64 Kbps)), Entrance Facilities (Voice Grade, DS1, DS3), High Capacity DS1 (Megalink Data (128, 256, 384, 512, 768 Kbps)) Access Services and MegaLink Custom Services

If a Customer desires that service be provided on a due date earlier than the standard interval, the Customer may request that service be provided on an expedited service interval. To qualify for an expedited interval the Customer must provide End User premises access, where needed, until 11PM (CT), Monday-Friday.

When the Customer requests a 0-2 day expedite interval, on DS3, Analog (Metallic, Telegraph, Direct Analog, Wideband Analog), DS0 (Wideband Data, Base Rate), DS1 128, 256, 384, 512, 768 Kbps, Entrance Facilities (Voice Grade, DS1, DS3) and DS1/DS3 Access Service, the request must be received by the Telephone Company by 8:30AM (CT), Monday-Friday. All 0-2 day expedite interval requests received after 8:30AM (CT) will reflect an application date of the next business day and the due date will also be changed to the next business day. Expedite charges will be determined by the interval between the application date and the expedite due date. APP day 0 does not begin until SBC verifies facilities or determines facilities are not in place.

If, upon reviewing availability of equipment, facilities and scheduled workload, the Telephone Company agrees to provide service on an expedited basis and the Customer accepts this proposal, an Expedite Order Charge (in case of Analog, DSO, Voice Grade/DS1 Entrance Facilities and High Capacity DS1 Access Services) or Expedite Circuit Charge (in case of DS3 Entrance Facilities and MegaLink Custom Services) will apply.

(T)

5. Ord	dering	for	Access	Service	(Cont'd)
--------	--------	-----	--------	---------	----------

5.4 Rates and Charges

All rates and charges contained in this section are applicable to Arkansas, Kansas, Missouri, Oklahoma and Texas. The applicable FIDs or USOCs are included when appropriate.

(A) Access Order Charges (NRB1X)

(1) The following access order charge applies to Switched Access Service (with the exception of the DNAL BSA), CCS/SS7 Interconnection Service, DirectLine Custom Service, (D) Directory Assistance Service, Operator Call Processing Service, Service Provider Number Portabilty and TRIS.

Charge per Access Order

Switched Access Order Charge \$17.00

(2) The following access order charge applies to the DNAL BSA, Special Access Service, MegaLink Custom Services, STN and Expanded Interconnection. (1)

> Charge per Access Order

Special Access Order Charge \$14.00

(3) The following access order charge applies to LIDB Service, per order form.

> Charge per Access Order

LIDB Service Order Charge \$19.00

(1) This charge does not apply to OC-192 Dedicated SONET Ring Service.

(This page filed under Transmittal No. 3387)

			Page	
6.	Switc	hed Access Service	6-1	
	6.1	General Description	6 - 6	
	6.2	Feature Group Descriptions	6-8	
		6.2.1 Feature Group A (FGA) 6.2.2 Feature Group B (FGB) 6.2.3	6-9 6-12	
		6.2.3 6.2.4 Feature Group D (FGD)	6-18	
	6.3	Basic Serving Arrangement Descriptions	6-22	
		6.3.1 Circuit Switched - Line side BSA (BSA-A) 6.3.2 Circuit Switched - Trunk Side Alternative B (BSA-B)	6-23 6-26	<i>(</i> -)
		6.3.3 6.3.4 Circuit Switched - Trunk Side Alternative D (BSA-D) 6.3.5 Dedicated Network Access Link (DNAL) BSA	6-34 6-39	(D)
	6.4	Miscellaneous Services Descriptions	6-41	
		6.4.2 800 Number Portability Access Service (NPAS)	6-44	
	6.5	Switched Transport	6-45.3	
		6.5.1 Switched Transport Facilities 6.5.2 Switched Transport Connections 6.5.3 Hubbing	6-45.4 6-45.5 6-45.9	
	6.6	Switched Access Features and Basic Service Elements	6-46	
		6.6.1 Switched Transport Features 6.6.2 Local Switching - Common Switching Features 6.6.3 Local Switching - Transport Termination Features 6.6.4 Local Switching - Line Termination Features 6.6.5 Basic Service Elements	6-47 6-51 6-73 6-81 6-83	

(This page filed under Transmittal No. 3387)

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 <u>Basic Serving Arrangement Descriptions</u> (Cont'd)

6.3.3 (D)

(D)

(This page filed under Transmittal No. 3387)

6. Switched Access Service (Cont'd)

6.6 Switched Access Features and Basic Service Elements (Cont'd)

6.6.1 <u>Switched Transport Features</u>

(A)	Line Side and Trunk Side Feature Matrix	Availa A	ble Feature B	Groups D	(D)
	 Customer Specified Entry Switch Receive Level Customer Specification of 	X	X	X	(D)
	Switched Transport Termination 3) Supervisory Signaling		X		
	DX Supervisory SignalingSF Supervisory Signaling	Х	X X	X X	(D)
	- E&M Type I Supervisory Signaling		X	X	(D)
	- E&M Type II Supervisory Signaling		X	X	(D)
	- E&M Type III Supervisory Signaling 4) Multiplexing 5) Tandem Signaling	X	Х	X X X	(D)
	L:		ble Basic Se Arrangements e Trunk Si B	5	(D)
	1) Customer Specified Entry Switch Receive Level	X	X	V	(5)
	2) Customer Specification of			X	(D)
	Switched Transport Termination (3) Supervisory Signaling	on	X		
	- DX Supervisory Signaling - SF Supervisory Signaling	Х	X X	X X	(D)
	- E&M Type I Supervisory Signaling		X	Х	(D)
	- E&M Type II Supervisory				, ,
	Signaling - E&M Type III Supervisory		X	X	(D)
	Signaling 4) Multiplexing 5) Tandem Signaling	X	X	X X X	(D)

(This page filed under Transmittal No. 3387)

6. Switched Access Service (Cont'd)

6.6 Switched Access Features and Basic Service Elements (Cont'd)

6.6.2 Local Switching - Common Switching Features

(A) Feature Matrix

	(A) Feature Matrix				
			ble Feature	Groups	
		A	В	<u> </u>	(D)
	Alternate Billing Indicator	X			
2)	Alternate Traffic Routing		77	77	
	-Multiple Customer Switching System		X	X	(D)
21	-End Office Alternate Routing		X X	X	
3) 4)	Automatic Number Identification (ANI) Automatic Number Identification (ANI)/		Λ		(D)
4)	Charge Number Parameter			Х	
5)	Band Advance Arrangement for use			Λ	
3)	with WATS Access Line Service	X	X	X	(D)
6)	Call Denial on Line or Hunt Group	X	21	21	(D)
7)			X	X	
	Carrier Identification Code Parameter (CI)	P)		X	
	Carrier Selection Parameter	,		X	
	64 Clear Channel Capability (64 CCC)			X	
11)	Cut-Through			X	
12)	Delay Dial Start-Pulsing Signaling				(D)
	Dial Pulse Address Signaling				(D)
14)	End Office End User Line Service				
	Screening for use with WATS Access			77	
1 - \	Line Service			X	(D)
	FGD or BSA-D with 950 Access			X	
16)	Flexible Automatic Number			X	
17)	Identification (Flex-ANI) Hunt Group Arrangement	Х		Λ	
18)	Hunt Group Arrangement for use	27			
10)	with WATS Access Line Service	Х	X	Х	(D)
	WICH WILD HOODS BING DOLVICE		**		(D)

(This page filed under Transmittal No. 3387)

6. Switched Access Service (Cont'd)

6.6 Switched Access Features and Basic Service Elements (Cont'd)

6.6.2 Local Switching - Common Switching Features (Cont'd)

(A) Feature Matrix (Cont'd)

	(A) reactive matrix (cont d)	Availa	ble Fea	ture Groups	
		A	В	<u>D</u>	(D)
19) 20)			X	X	(D)
21) 22) 23)	MicroLink I Access Capability Multifrequency Address Signaling Multiple 64 Clear Channel Capability		X	X X	(D)
23)	(64 CCC)			X	
24) 25)	Nonhunting Number Arrangement Nonhunting Number for use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for use	X			
26)	with WATS Access Line Service Overlap Outpulsing	X	X	X X	(D)
	Service Class Routing Service Code Denial on Line or			X	(D)
29)	Hunt Group Signaling System 7 (SS7) Signaling	X		X	
30)				X	(D)
32)	Arrangement Uniform Call Distribution Arrangement for use with WATS	X			
221	Access Line Service	X	X X	X	(D)
34)	Up to 7 Digits Outpulsing Wink Start Address Signaling		X	Х	(D)

(This page filed under Transmittal No. 3387)

6. Switched Access Service (Cont'd)

6.6 Switched Access Features and Basic Service Elements (Cont'd)

6.6.2 Local Switching - Common Switching Features (Cont'd)

(A) Feature Matrix (Cont'd)

	(A) <u>reactife matrix</u> (cone d)		able Bas Arrange Trunk B	ments	(D)
1)	Alternate Billing Indicator	Х			
2) 3)	Automatic Number identification (ANI) Band Advance Arrangement for use with WATS		X		(D)
4)	Access Line Service Call Denial on Line or Hunt Group	X X	X	X	(D)
5)	Carrier Identification Code (CIC)	Λ		X	
6) 7)	Carrier Identification Code Parameter (CIP) Carrier Selection Parameter			X X	
8) 9)	64 Clear Channel Capability (64 CCC) Cut-Through			X X	
10)	Delay Dial Start-Pulsing Signaling			Λ	(D)
11) 12)	Dial Pulse Address Signaling End Office End User Line Service Screening				(D)
13)	for use with WATS Access Line Service FGD or BSA-D with 950 Access			X X	(D)
14)	Hunt Group Arrangement for use with WATS				
15)	Access Line Service Immediate Dial Pulse Address Signaling	X	X	X X	(D) (D)
16) 17)	International Carrier Feature MicroLink I Access Capability			X X	(2)
18)	Multifrequency Address Signaling		X	X	(D)
19) 20)	Multiple 64 Clear Channel Capability (64 CCC Nonhunting Number for use with Hunt Group	2)		X	
,	Arrangement or Uniform Call Distribution Arrangement for use with WATS Access Line				
\	Service	X	X	X	(D)
21) 22)	Overlap Outpulsing Service Class Routing			X X	(D)
23) 24)	Service Code Denial on Line or Hunt Group Signaling System 7 (SS7) Signaling	X		Х	(2)
25)	Trunk Access Limitation			X	(D)
26)	Uniform Call Distribution Arrangement for use with WATS Access Line Service	Х	X	X	(D)
27) 28)	Up to 7 Digit Outpulsing Wink Start Address Signaling		X X	Х	(D)
20,	200.20 11001200 01911011119				(D)

(This page filed under Transmittal No. 3387)

6. Switched Access Service (Cont'd)

- 6.6 Switched Access Features and Basic Service Elements (Cont'd)
 - 6.6.3 Local Switching Transport Termination Features (Cont'd)

	(A) <u>Feature Matrix</u> (Cont'd)	
		Available Feature Groups A B D (D)
	Trunk Side Terminations	<u>A</u> B D (D)
1) 2)	Dial Pulse Station Signaling X Operator Trunk - Coin, Non-Coin,	
3)	or Combined Coin and Non-Coin Operator Trunk - Full Feature	X (D)
4)	Standard Trunk for Originating, Terminating or Two-Way Operation	X X (D)
	Trunk Side Terminations	
		Available Basic Serving Arrangements
		Line Side Trunk Side A B D (D)
1) 2)	Dial Pulse Station Signaling Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin	X
3) 4)	Operator Trunk - Full Feature Standard Trunk for Originating,	X (D)
	Terminating, or Two-way Operation	X X X

6. Switched Access Service (Cont'd)

6.6 Switched Access Features and Basic Service Elements (Cont'd)

6.6.5 Basic Service Elements

(A) Basic Service Element Matrix

		Available Basic Serving Arrangements			
		Line Side		Side	
		A	В	D	DNAL (D)
	Basic Service Elements				, ,
(1)	Alternate Traffic Routing				
	-End Office Alternate Routing		X	X	
>	-Multiple Customer Switching System		X	X	(D)
(2)	Automatic Number Identification (ANI)/				
(2)	Charge Number Parameter			X X	
(3)	Direct Inward Dialing (DID)			X	
(4)	Flexible Automatic Number Identification (Flex-ANI)			Х	
(5)	Multiline Hunt Group			Λ	
(3)	-Circular Hunting	X			
	-Preferential Hunting	X			
	-Regular Line Hunting	X			
(6)	Nonhunting Number Arrangement	X			
(7)	Queuing	X			
(8)	Recorded Announcements	X	X	X	
(9)	Remote Make Busy	X	77		X
(10)	Remote Make Busy - Trunk Side	X X	X		(D)
(11)	Simplified Message Desk Interface (SMDI) Simplified Message Desk Interface -	Λ			
(12)	Expanded (SMDI-E)	X			
(13)		X			
(= 0)					

6. Switched Access Service (Cont'd)

6.7 <u>Service Provisioning</u> (Cont'd)

6.7.6 Interface Groups (Cont'd)

(B) <u>Matrix</u> (Cont'd)

(1) Matrix (Cont'd)

Interface Group	Telephone Company Switch Supervisory Signaling	Premises Interface Code	Basic Se Arrange or Feature A B	ement	(D)
2	LO, GO LO GO LO, GO	4SF2 4LS2 4GS2 6EX2-B	X X X X		
	RV, EA, EB, EC EA, EB, EC RV RV CCS	4SF2 4DX2 6EA2-E 6EA2-M 8EB2-E 8EB2-M 8EC2-M 4RV2-O 4RV2-T 4NO2	X X X X X X X	x x x x x x x x x	(D)
3	LO, GO RV, EA, EB, EC CCS	4AH5-B 4AH5-B 4AH5-B	X X	X X	(D)
4	LO, GO RV, EA, EB, EC CCS	4AH6-C 4AH6-C 4AH6-C	X	X X	(D)

(This page filed under Transmittal No. 3387)

- 6. Switched Access Service (Cont'd)
 - 6.7 <u>Service Provisioning</u> (Cont'd)
 - 6.7.6 Interface Groups (Cont'd)
 - (B) Matrix (Cont'd)
 - (1) Matrix (Cont'd)

Interface Group	Telephone Company Switch Supervisory Signaling	Premises Interface Code	Basic Se Arrange or Feature A B	ement	(D)
6	LO, GO LO, GO RV, EA, EB, EC RV, EA, EB, EC CCS CCS CCS CCS CCS CCS	4DS9-15 4DS9-15L 4DS9-15 4DS9-15L 4DS9-15 4DS9.1S 4DS9.1SN 4DS9.1BN 4DS9.15B	X X X	X X X X X X X	(D)

- 6. Switched Access Service (Cont'd)
 - 6.7 Service Provisioning (Cont'd)
 - 6.7.6 Interface Groups (Cont'd)
 - (B) Matrix (Cont'd)
 - (1) Matrix (Cont'd)

			Basic Serving Arrangement or			
Interface	Telephone Company	Premises	Feature G	roup		
Group	Switch Supervisory Signaling	Interface Code	А В	D	(D)	
9	LO, GO	4DS6-44	X			
	LO, GO	4DS6-44L	X			
	RV, EA, EB, EC	4DS6-44	X	X	(D)	
	RV, EA, EB, EC	4DS6-44L	X	X	(D)	
	CCS	4DS6-44		X	` ,	

- 7. Special Access Service (Cont'd)
 - 7.3 Service Descriptions, Rates and Charges (Cont'd)
 - 7.3.4 Voice Grade Service (Cont'd)
 - (G) Rates and Charges (Cont'd)
 - (29) Optional Payment Plan (Cont'd)

(D) (D)

(e)

(D)

(D)

- 7. Special Access Service (Cont'd)
 - 7.3 Service Descriptions, Rates and Charges (Cont'd)
 - 7.3.4 <u>Voice Grade Service</u> (Cont'd)
 - (G) Rates and Charges (Cont'd)
 - (30) Optional Payment Plan (D)

(D) (D)

(D)

(D)