

**TARIFF DISTRIBUTION**

FILE PACKAGE NO.: FL-18-0061

DATE: November 1, 2018

STATE: FLORIDA

EFFECTIVE DATE: 11/01/2018

TYPE OF DISTRIBUTION: Approved

PURPOSE: Withdraw Obsolete Analog Private Line (Channels) Miscellaneous  
USOCs

<b><u>TARIFF SECTION</u></b>	<b><u>PAGE NUMBER</u></b>	<b><u>PAGE REVISION</u></b>
H103	2	0002
H103	4	0001
H103	7	0002
H103	8	0002
H103	12	0002
H103	15	0001
H103	16	0001
H103	17	0001
H103	18	0002
H103	31	0003
H103	32	0003
H103	33	0002
H103	34	0002

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

**B103.1 Classification and Rates - Intraexchange - IntraLATA (Cont'd)**

**B103.1.2 Series 1100 Channels (Cont'd)**

**B.** Types and Descriptions (Cont'd)

- 2. Local Channels for use with terminal equipment are described following (Types 1101 and 1102): (Cont'd)
  - b. Type 1102 Furnished for teletypewriter, data, supervisory control, and miscellaneous signaling use, binary signals at rates up to 150 baud.

EIA Standard RS232C type interface engineered for binary signals at rates up to 150 baud and the terminal equipment with a transmitted output of no more than 5 percent telegraph distortion and capable of processing received data signals with up to 40 percent telegraph distortion.

- 3. Interoffice Channels will be similar for Types 1101 and 1102.

Customers must have at least one Interoffice Channel for connecting wire center serving areas in multioffice exchanges when there are station locations in different wire center serving areas.

- a. A channel suitable for transmitting binary signals at rates up to 150 baud for use with Types 1101 and 1102 Local Channels.

**C.** Rates - Monthly Service (Types 1101 and 1102)

- 1. For use with terminal equipment

- a. For Local Channels

- (1) Per Local Channel

	<b>Nonrecurring Charge</b>	<b>Monthly Charge</b>	<b>USOC</b>	
(a) Type 1101, Half Duplex <sup>1</sup>	<b>\$96.53</b>	<b>\$-</b>	<b>25W++</b>	
(b) <b>(DELETED)</b>				(D)
(c) Type 1102, Half Duplex <sup>1</sup>	<b>96.53</b>	-	<b>25W++</b>	
(d) <b>(DELETED)</b>				(D)

- (2) Per Rate Group, rates per local channel

<b>Rate Group</b>	<b>Monthly Rate</b>	<b>Rate Group</b>	<b>Monthly Rate</b>
1	\$17.74	3	\$19.47
2	18.56	4	20.30
5	21.12	9	24.01
6	21.95	10	24.59
7	22.77	11	25.00
8	23.43	12	25.41

- b. **(DELETED)**

**Note 1:** Monthly rates, as contained in this 1.a.(2), for the serving exchange Rate Group are applicable.

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

**B103.1 Classification and Rates - Intraexchange - IntraLATA (Cont'd)**

**B103.1.2 Series 1100 Channels (Cont'd)**

**D. Rates - Monthly Service - Types 1109 (1204) and 1110 (1205)**

1. For use with terminal equipment

a. Channels wholly within the same building

- (1) To connect a station location in a building to another station location, per channel<sup>1</sup>

(Obsoleted 1-16-91, Type 4; customers may add channels only to the extent that they are available within facilities in place as of 12-31-86.)

	<b>Nonrecurring Charge</b>	<b>Monthly Charge</b>	<b>USOC</b>	
(a) Type 1109 (1204)	<b>\$70.13</b>	<b>\$3.43</b>	<b>24A9+</b>	
(b) <b>(DELETED)</b>				(D)

- (2) To connect additional station locations in a building to a Local Channel, to a channel between different buildings on the same continuous property or to a channel wholly within the same building, each termination.<sup>1</sup>

(Obsoleted 1-16-91, Type 4; not available for new installations, moves or transfers.)

(a) Type 1109 (1204)	<b>42.48</b>	<b>3.43</b>	<b>2679+</b>	
(b) <b>(DELETED)</b>				(D)

b. For a channel between different buildings on same continuous property<sup>1,2</sup>

(Obsoleted 1-16-91, Type 4; customers may add channels only to the extent that they are available within facilities in place as of 12-31-86.)

- (1) Per 1/10 mile

(a) Type 1109 (1204)	<b>154.69</b>	<b>3.43</b>	<b>1L3+E</b>	
(b) Type 1110 (1205)	<b>154.69</b>	<b>3.43</b>	<b>1L3+E</b>	

**Note 1:** Charges are applicable only for those facilities in place as of December 31, 1986.

**Note 2:** When a channel between buildings on the same continuous property or within the same building requires a connection to the serving wire center, then a charge for each Local Channel required will apply. The nonrecurring charge is per Channel.

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

**B103.1 Classification and Rates - Intraexchange - IntraLATA (Cont'd)**

**B103.1.3 Series 2000 Channels (Cont'd)**

C. Rates - Monthly Service

1. For use with Terminal Equipment

a. For Local Channels

(1) Per Local Channel

	<b>Nonrecurring Charge</b>	<b>Monthly Charge</b>	<b>USOC</b>	
(a) <b>(DELETED)</b>				
(b) Type 2181	<b>\$198.00</b>	<b>\$94.31</b>	<b>DUX++</b>	(D)

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

**B103.1 Classification and Rates - Intraexchange - IntraLATA (Cont'd)**

**B103.1.3 Series 2000 Channels (Cont'd)**

**C. Rates - Monthly Service (Cont'd)**

1. For use with Terminal Equipment (Cont'd)

b. For a Channel not routed via the Central office (limited to channels not more than one air mile in length)

(1) Per quarter mile

	<b>Nonrecurring Charge</b>	<b>Monthly Charge</b>	<b>USOC</b>
(a) Type 2180	<b>\$249.56</b>	<b>\$12.79</b>	<b>1L6+M</b>
(b) Type 2181	<b>323.81</b>	<b>25.69</b>	<b>1L6FM</b>

c. Channels wholly within the same building

(1) To connect a station location in a building to another station location, per channel

(Obsoleted 1-16-91, Type 4; customers may add channels only to the extent that they are available within facilities in place as of 12-31-86.)

(a) Type 2101 (2230)	<b>70.13</b>	<b>6.53</b>	<b>2SE++</b>
(b) Type 2120 (2463)	<b>70.13</b>	<b>13.07</b>	<b>2SE++</b>
(c) Type 2121 (2260)	<b>70.13</b>	<b>6.53</b>	<b>2SE++</b>
(d) Type 2122 (2464)	<b>70.13</b>	<b>13.07</b>	<b>2SE++</b>
(e) Type 2140 (2261) <sup>1</sup>	<b>70.13</b>	<b>6.53</b>	<b>1L6BB</b>
(f) <b>(DELETED)</b>			
(g) Type 2180	<b>224.81</b>	<b>5.21</b>	<b>1L6GB</b>
(h) Type 2181	<b>288.75</b>	<b>10.41</b>	<b>1L6GB</b>

(D)

(2) To connect additional station locations in a building to a Local Channel, to a channel between different buildings on the same continuous property or to a channel wholly within the same building, each termination

(Obsoleted 1-16-91, Type 4; not available for new installations, moves or transfers.)

(a) Type 2101 (2230)	<b>45.38</b>	<b>3.43</b>	<b>4SE++</b>
(b) Type 2120 (2463)	<b>45.38</b>	<b>6.68</b>	<b>4SE++</b>
(c) Type 2121 (2260)	<b>45.38</b>	<b>3.43</b>	<b>4SE++</b>
(d) Type 2122 (2464)	<b>45.38</b>	<b>6.68</b>	<b>4SE++</b>
(e) Type 2140 (2261) <sup>1</sup>	<b>45.38</b>	<b>3.43</b>	<b>4SE++</b>
(f) Type 2141 (2462) <sup>1</sup>	<b>45.38</b>	<b>6.68</b>	<b>4SE++</b>

**Note 1:** Effective February 7, 2015, Dataphone Select-A-Station Service is withdrawn.

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

**B103.1 Classification and Rates - Intraexchange - IntraLATA (Cont'd)**

**B103.1.4 Wired Music Service, Series 6000 (Cont'd)**

**E. Rates - Monthly Service**

1. For use with Terminal Equipment

a. **(DELETED)**

(D)

b. For a Channel between different buildings on same continuous property or different premises in the same building<sup>1</sup>  
 (Obsoleted 1-16-91, Type 4; customers may add channels only to the extent that they are available within facilities in place as of 12-31-86.)

(1) Per 1/10 mile

	<b>Nonrecurring Charge</b>	<b>Monthly Charge</b>	<b>USOC</b>
(a) Type 6105	<b>\$12.38</b>	<b>\$3.43</b>	<b>1LG+E</b>

**Note 1:** When a channel between different buildings on the same continuous property requires a connection to the serving wire center, then a charge for each Local Channel required will apply. The nonrecurring charge is per Channel.

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

**B103.2 Classification and Rates - Interexchange - IntraLATA (Cont'd)**

**B103.2.1 Series 1000 Channels (Cont'd)**

**B.** Types And Descriptions (Cont'd)

2. Station Terminals for use with terminal equipment are described following (Types 1001 and 1002): (Cont'd)

a. Type 1001<sup>1</sup> (Cont'd)

A two or four-wire interface engineered for binary signals at rates up to 75 baud, 20 or 62.5 milliamperes dc neutral signals. The terminal equipment with a transmitted output of no more than 8 percent telegraph distortion and capable of processing received data signals with up to 35 percent telegraph distortion.

b. Type 1002

Furnished for teletypewriter, data, supervisory control, and miscellaneous signaling use. Binary signals at rates up to 150 baud.

EIA Standard RS232C type interface engineered for binary signals at rates up to 150 baud and the terminal equipment with a transmitted output of no more than 5 percent telegraph distortion and capable of processing received data signals with up to 40 percent telegraph distortion.

3. Interexchange Channels will fall into various types depending on uses.

a. A channel suitable for transmitting binary signals at rates up to 75 baud for use with Type 1001 Station Terminals.

b. A channel suitable for transmitting binary signals at rates up to 150 baud for use with Type 1002 Station Terminals.

**C.** Rates - Monthly Service (For Types 1001 and 1002)

1. For use with Terminal Equipment

a. For Station Terminals, per Station Terminal

(1) Band 1, First Station Terminal

	<b>Nonrecurring Charge</b>	<b>Monthly Charge</b>	<b>USOC</b>	
(a) <b>(DELETED)</b>				(D)
(b) Type 1001, Duplex	\$129.11	\$127.71	WB1++	
(c) <b>(DELETED)</b>				(D)

**Note 1:** The Company has the option of providing 20 or 62.5 milliamperes and will notify the customer of the current level to be supplied. The Company will supply the line voltage and provide for the current adjustment. The maximum open circuit voltage across the send data leads at the interface will not exceed 270 volts.

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

**B103.2 Classification and Rates - Interexchange - IntraLATA (Cont'd)**

**B103.2.1 Series 1000 Channels (Cont'd)**

C. Rates - Monthly Service (For Types 1001 and 1002) (Cont'd)

- 1. For use with Terminal Equipment (Cont'd)
  - a. For Station Terminals, per Station Terminal (Cont'd)
    - (2) Band 1, Each Additional Station Terminal<sup>1</sup>

	<b>Nonrecurring Charge</b>	<b>Monthly Charge</b>	<b>USOC</b>	
(a) Type 1001, Half Duplex	<b>\$64.35</b>	<b>\$34.91</b>	<b>HE1++</b>	
(b) Type 1002, Half Duplex	<b>64.35</b>	<b>127.71</b>	<b>HE1++</b>	
(3) Band 2, First Station Terminal				
(a) <b>(DELETED)</b>				(D)
(b) Type 1001, Duplex	<b>129.11</b>	<b>245.64</b>	<b>WB2++</b>	
(c) <b>(DELETED)</b>				(D)
<b>(DELETED)</b>				(D)

**Note 1:** Each additional Station Terminal in the same Exchange as the first Station Terminal.

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

**B103.2 Classification and Rates - Interexchange - IntraLATA (Cont'd)**

**B103.2.1 Series 1000 Channels (Cont'd)**

**C. Rates - Monthly Service (For Types 1001 and 1002) (Cont'd)**

1. **(DELETED)**

(D)

2. For use with Station Terminals

a. Interexchange Channel (measured airline distance, per channel, per mile)

(1) For use up to 75 baud

- (a) First 100 miles, each
- (b) Next 150 miles, each
- (c) Next 250 miles, each

**Nonrecurring  
Charge**

**Monthly  
Charge**

**USOC**

-	<b>\$3.71</b>	<b>1L++4</b>
-	<b>3.43</b>	<b>1L++4</b>
-	<b>2.97</b>	<b>1L++4</b>

**(DELETED)**

(D)

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

**B103.2 Classification and Rates - Interexchange - IntraLATA (Cont'd)**

**B103.2.1 Series 1000 Channels (Cont'd)**

**(DELETED)**

(D)

**D. Rates - Monthly Service (Types 1204 and 1205)**

1. For use with Terminal Equipment

(Obsoleted 1-16-91, Type 4; not available for new installations, moves or transfers.)

a. Channel extensions within the same building

(1) To connect additional station locations within a building to a Station Terminal, each termination

	<b>Nonrecurring Charge</b>	<b>Monthly Charge</b>	<b>USOC</b>
(a) Type 1009 (1204)	<b>\$43.31</b>	<b>\$9.65</b>	<b>2679+</b>
(b) <b>(DELETED)</b>			

(D)

b. For a channel extension between different buildings on same continuous property<sup>1</sup>

(1) Per 1/10 mile

(a) Type 1009 (1204)	<b>103.13</b>	<b>3.43</b>	<b>1L3+E</b>
(b) Type 1010 (1205)	<b>103.13</b>	<b>3.43</b>	<b>1L3+E</b>

**B103.2.2 (DELETED)**

**Note 1:** When a channel between different buildings on the same continuous property or within the same building requires a connection to the serving wire center, then a charge for each Station Terminal required will apply. The nonrecurring charge is per channel.

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

**B103.4 (DELETED)**

(D)

---

## B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

### B103.4 (DELETED) (Cont'd)

(D)

### B103.5 Reserved For Future Use

### B103.6 Series 10000 Channels (Entrance Facilities)

(Obsoleted 1-16-91, Type 4; not available for new installations, moves or transfers. Existing customers may add channels only to the extent that they are available.)

#### A. Terms and Conditions

1. In addition to the terms and conditions set forth in Section B2., the following terms and conditions apply to Series 10000 channels as specified following:
2. Type 10001 - The customer's or authorized user's premises must be located 25 airline miles or less from the point at which the customer-provided communication channel is connected to the Company entrance facility.

#### B. Types and Descriptions

1. Series 10000 channels are furnished to the customer by the Company for the purpose of extending customer-provided communications systems to a premises of the customer or authorized user or to Centrex Control Switching Equipment serving the premises of the customer or authorized user for use at such premises. Channels are furnished for half-duplex or duplex operation on a two-point basis for service 7 days per week, 24 hours per day for a minimum period of one month, except as otherwise specified.
2. Type 10001 - Approximate bandwidth of 300 - 3000 Hertz per second. Furnished, to the extent permitted by the normal transmission characteristics of this grade of channel, for types of transmission similar to those set forth for Series 1000 and 2000 channels.

#### C. Rates - Monthly Service

1. Type 10001

(Rates for entrance facilities will be based on the costs incurred on a case-by-case basis.)

(M)

(M)

(M)

---

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

(M)

**B103.7 Classification and Rates - Multipoint Service and Multistation Arrangements****B103.7.1 General**

(Obsoleted 1-16-91, Type 4; not available for new installations, moves or transfers.)

- A.** A Multistation charge is applicable for each Local Channel, Station Terminal, or Service Configuration.
  - 1. Multistation Services which are connected to a Local Channel or a Station Terminal are offered for Types 2101, 2001, 2120, 2020, 2122 and 2022 (2230, 2463 and 2464) only.
  - 2. A maximum of four bridged stations per premises per Local Channel, Station Terminal, or for channels not routed via the central office is allowed for Types 2120, 2020, 2122 and 2022 (2463 and 2464) type use.
  - 3. Data equipment must be within 1500 feet of the termination of the Local Channel or Station Terminal.
  - 4. Conferencing capability on a premises is provided for Type 2101 and 2001 (2230) channels with Multistation Service.
- B.** Rates
  - 1. **(DELETED)**

(D)

**B103. OBSOLETE SERVICE OFFERINGS - CHANNELS**

**B103.7 Classification and Rates - Multipoint Service and Multistation Arrangements (Cont'd)**

**B103.7.1 General (Cont'd)**

**B. Rates (Cont'd)**

2. Multistation Charges are applicable where more than one station location on the same premises is connected to a Local Channel or a Station Terminal

a. Series 2000

(1) For Non-Key System termination, per Local Channel or Station Terminal

	<b>Nonrecurring Charge</b>	<b>Monthly Charge</b>	<b>USOC MPG1X</b>
(a) Type 2101, 2001 (2230)	<b>\$25.99</b>	<b>\$12.03</b>	
(b) <b>(DELETED)</b>			(D)
(c) <b>(DELETED)</b>			(D)

(2) For Key System termination, per Local Channel or Station Terminal

(a) Type 2101, 2001 (2230)	<b>25.99</b>	<b>12.03</b>	<b>MPH1X</b>
----------------------------	--------------	--------------	--------------

3. Multistation Charges are applicable where there are more than two station locations forming one service configuration and the service configuration is wholly within the same building on the same continuous property, or for channels not routed via the central office.

a. **(DELETED)**

b. Series 2100

(1) Per Service Configuration

(a) Type 2101 (2230)	<b>38.78</b>	<b>48.26</b>	<b>MPJ1X</b>
(b) Type 2120 (2463)	<b>38.78</b>	<b>48.26</b>	<b>MPJ3X</b>
(c) Type 2122 (2464)	<b>38.78</b>	<b>48.26</b>	<b>MPJ3X</b>