TARIFF DISTRIBUTION

FILE PACKAGE NO.: FL-23-0008

DATE: March 1, 2023

STATE: FLORIDA

EFFECTIVE DATE: 03/01/2023

TYPE OF DISTRIBUTION: Approved

PURPOSE: This project increase rates for Analog Private Line (APL)

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
H103	47	0004
H103	48	0004
H103	49	0004
H103	50	0004
H103	51	0004

B103. OBSOLETE SERVICE OFFERINGS – CHANNELS

B103.13 Rates and Charges

B103.13.1 Local Channels

- A. Sub Voice Grade
- **B.** Voice Grade Per point of termination
 - 1. Voice

				Nonrecurring		
			Monthly	Ch	Charge	
			Rate	First	Additional	USOC
	(a)	Type 2230	\$5,869.00 (I)	\$448.80	\$145.20	P2JUX
	(b)	Type 2231	5,869.00 (I)	448.80	145.20	P2JHX
	(c)	Type 2432	8,812.00 (I)	521.40	184.80	P2JQX
	(d)	Type 2434	1,823.00 (I)	204.60	99.00	P2JGX
	(e)	Type 2435	8,812.00 (I)	481.80	165.00	P2JWX
	(f)	Type 2261	6,824.00 (I)	745.80	303.60	P2JLX
	(g)	Type 2462	8,128.00 (I)	732.60	290.40	P2JRX
2. Data						
	(a)	Type 2260	6,824.00 (I)	534.60	198.00	P2JKX
	(b)	Type 2463	9,308.00 (I)	534.60	198.00	P2JMX
	©	Type 2464	9,308.00 (I)	534.60	198.00	P2JNX

B103. OBSOLETE SERVICE OFFERINGS – CHANNELS

B103.13 Rates and Charges (Cont'd)

B103.13.2 Non-Wire Center Connected Channels

- A. Served Direct
 - 1. Not routed via the central office, limited to one airline mile or less

		Monthly	Nonrecurring Charge			
		Rate	First	Additional	USOC	
(a)	Series 1000 (Obsoleted, See B103.)	-	-	-	SDD1X	
(b)	Series 2000	\$1,356,00 (I)	\$627.00	\$217.80	SDD2X	

B103.13.3 Interoffice Channels^{1,2}

- **A.** Fixed and Mileage Charges applicable
 - 1. Reserved for future use
 - 2. Voice Grade Service Series 2000

		Fixed	Monthly	Nonrecurring	
		Monthly	Charge	Charge	
		Charge	Per Mile	Per Channel	USOC
(a)	1 thru 8 Miles	\$8,476. 00 (I)	\$635.00 (I)	\$117.48	3LBBS
(b)	9 thru 25 Miles	\$8,476. 00 (I)	635.00 (I)	117.48	3LBBS
(c)	Over 25 Miles	\$8,476. 00 (I)	635.00 (I)	117.48	3LBBS

Note 1: Nonrecurring charges are described in B103.12.1.A.

Note 2: For method of determining mileage, see B103.11.3.A.

B103. OBSOLETE SERVICE OFFERINGS – CHANNELS

B103.13 Rates and Charges (Cont'd)

B103.13.4 Optional Features and Functions¹

A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

1. Voice Grade Bridges (Series 2000)

				Monthly	Nonrecurring	HGOG
	1 7 - :	D	1-:	Rate	Charge	USOC
a.	V 01	ce Bric				
	1)	Per F	Port			
		(a)	Two-Wire (Type 2230)	\$2,239.00 (I)	\$40.92	BQ9
		(b)	Four-Wire (Type 2435)	2,909.00 (I)	40.92	BQ9
b.	Data	a Bridg	ging			
	(1)	Per F	Port			
		(a)	Four-Wire (Types 2463 and 2464)	4,212.00 (I)	44.88	BQ9
c.	Tele	emetry	and Alarm Bridging - Split Band, Active Bridging			
	(1)	Com	mon Equipment, per central office			
		(a)	First bridging shelf, capacity of 48 two-wire connections	8,421.00 (I)	375.00	XW1
		(b)	Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf	8,421.00 (I)	340.00	XW2
		(c)	Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf	4,264.00 (I)	210.00	XW8
	(2)	Char	nnel connections, per channel connected			
		(a)	Remote station channel connection	336.00 (I)	33.00	XW3
		(b)	Mid-link channel connection, first channel	831.00 (I)	46.00	XW4
		(c)	Mid-link channel connection, subsequent channels	831.00(I)	46.00	XW5

Note 1: Nonrecurring charges are described in B103.12.1.A.

B103. OBSOLETE SERVICE OFFERINGS – CHANNELS

B103.13 Rates and Charges (Cont'd)

B103.13.4 Optional Features and Functions¹ (Cont'd)

B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

Per local channel

			Nonr			
		Monthly Rate	Charge			
			Initial	Subsequent	USOC	
(a)	Ringdown-Manual ²	\$1,356.00 (I)	\$55.44	\$277.20	SL3	
(b)	Ringdown-Automatic ²	1,247.00 (I)	21.12	91.08	SL5	
(c)	E & M Type ³	1,247.00 (I)	60.72	250.80	SLM	
(d)	Type A (0-199 ohms) ⁴	730.00 (I)	58.08	184.80	SAL	
(e)	Type B (200-899 ohms) ⁴	730.00 (I)	56.76	184.80	SAU	
(f)	Type C (900 or more ohms) ⁴	336.00 (I)	14.52	184.80	SAY	

C. Conditioning (Voice Grade Services)

Conditioning provides more specific transmission characteristics for data services. There are two types of
C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning
controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise
ratio and inter-modulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multi-point service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

2. The types and description of the available conditioning options are as follows:

	Frequency Response	Envelope Delay Distortion
Type Conditioning	Specifications	Specification
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz, less
	-2dB to $+6dB$.	than 1000 microseconds
	1000-2400 Hz,	
	-1dB to $+3$ dB.	
	300-3000 Hz,	
	-3dB to $+12dB$.	

Note 1: Nonrecurring charges are described in B103.12.1.A.

Note 2: For use with Type 2230 and 2435 services. Note 3: For use with Type 2432 and 2434 services.

Note 4: For use with Type 2231 service.

B103. OBSOLETE SERVICE OFFERINGS – CHANNELS

B103.13 Rates and Charges (Cont'd)

B103.13.4 Optional Features and Functions¹ (Cont'd)

- C. Conditioning (Voice Grade Services) (Cont'd)
 - 2. The types and description of the available conditioning options are as follows: (Cont'd)

	Frequency Response	Envelope Del	ay Distortion
Type Conditioning	Specifications	Specification	
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz,	less
	-2dB to $+6dB$.	than 500 micro	seconds
	500-2800 Hz,	600-2600 Hz, le	ess
	-1dB to $+3$ dB.	than 1500 micro	oseconds
		500-2800 Hz, le	ess
		than 3000 micro	oseconds
		Non-Line	ar Distortion
		2nd Order	3rd Order
	C-Notched Noise	Distortion	Distortion
D1 (two-point)	Noise level 28dB	35dB below	40dB below
	below signal level	signal level	signal level

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

		Nonrecurring			
		Monthly	Charge		
		Rate	Initial	Subsequent	USOC
4.	C-Type Conditioning			_	
	a. C-Type Conditioning is available for Types 2463 and 246	4.			
	(1) C-Types of Conditioning per local channel				
	(a) C1-Type	\$336.00 (I)	\$13.20	\$113.52	P2W
	(b) C2-Type	336.00 (I)	29.04	125.40	P3W
5.	D-Type Conditioning				
	a. D-Type Conditioning is available for Types 2463 and 246	4.			
	(1) D-Type Conditioning per local channel				
	(a) D1-Type	336.00 (I)	21.12	118.80	QHA

Note 1: Nonrecurring charges are described in B103.12.1.A.