Eighth Revised Page 1 Cancels Seventh Revised Page 1

EFFECTIVE: April 27, 2006

(D)

BELLSOUTH TELECOMMUNICATIONS, INC. GEORGIA ISSUED: March 28, 2006 BY: President - Georgia Atlanta, Georgia

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

CONTENTS

E9.1	В	ellSouth Directory Assistance Access Service	1
E9	0.1.1	General Description	1
E9	0.1.2	Undertaking of the Company	1
E9	0.1.3	Obligations of the IC	4
E9	0.1.4	Payment Arrangements	4
E9	0.1.5	Rate Regulations	6
E9	0.1.6	Rate Categories	6.1
E9	0.1.7	Rates and Charges	6.1
E9.2	(C	DELETED)	7
E9.3	В	ellSouth DA Flat Rated Trunks	9
E9	9.3.1	General Description	9
E9	0.3.2	Service Requirements	9
E9	0.3.3	Rates And Charges	9
E9.4	R	eserved for Future Use	9
E9.5	R	eserved for Future Use	9
E9.6	В	ellSouth Alternate DA Service Capability	10

Sixth Revised Page 1 Cancels Fifth Revised Page 1

EFFECTIVE: May 15, 2015

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

	The	Company will provide Automated <i>BellSouth</i> Directory Assistance Access service as described in Section E9.1.	C)		
E9.1 I	Bell	South Directory Assistance Access Service			
E9.1	.1 Ge	neral Description			
A. Provision of Service					
	1.		C)		
	2.	to <i>BellSouth Directory Assistance Access</i> service locations; (2) the use of automated <i>BellSouth Directory Assistance</i> (4) <i>Access</i> service equipment; and (3) <i>BellSouth Directory Assistance Access</i> , when required, to provide telephone numbers	C) C) C) C)		
E9.1	.2 Ur	lertaking of the Company			
А.	Nu	ber Provision			
	1.	provide the telephone number listed in the Company automated <i>Directory Assistance</i> records associated with the name given at the rates and charges as set forth in Section E9.1.7. The Company's contact with the IC's end user shall be limited to that effort necessary to process an IC's end user's request for a telephone number; and the Company will not	C) C) T) C)		
	2.	A maximum of three (3) requests for telephone numbers will be accepted per automated <i>BellSouth Directory Assistance</i> (6) Access call.	C)		
	3.		C)		
B.	Aco	ess Locations and Call Transport			
	1.		C) C)		
		location, the Company will notify the ICs involved six months prior to the change. For such changes, the regulations as	C) T)		
	2.	When automated <i>BellSouth Directory Assistance Access</i> service is ordered, automated <i>BellSouth Directory Assistance</i> (6) Access service will be provided between the IC terminal location and the <i>BellSouth Directory Assistance Access</i> service (6)	C) C) T)		
		a. BellSouth Directory Assistance Access service			
		6	C)		
		(1) A <i>BellSouth SWA</i> service equipped with one of the following <i>BellSouth SWA</i> service <i>BellSouth SWA Transport</i> Premises Interface codes:			
		4DS9-156EA2-E4RV2-04DS6-446EA2-M2RV3-04SF34SF34SF3			
		(2) Directory Transport between the IC terminal location serving wire center and the <i>BellSouth Directory</i> <i>Assistance Access</i> service location.	C)		

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.1 BellSouth Directory Assistance Access Service (Cont'd)

E9.1.2 Undertaking of the Company (Cont'd)

- B. Access Locations and Call Transport (Cont'd)
 - 2. (Cont'd)
 - a. BellSouth Directory Assistance Access service (Cont'd)

When required by the Company, a separate trunk group will be provided for *BellSouth Directory Assistance Access* service for each NPA. Separate trunk groups will be required when the Company notifies the IC that the mechanized search of its data base and its mechanized operator practices require a mechanized identification of the NPA code for which the IC's end user desires *BellSouth Directory Assistance Access* information.

(T)

(T)

BELLSOUTH TELECOMMUNICATIONS GEORGIA ISSUED: October 15, 2013 BY: President - Georgia Atlanta, Georgia

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.1 BellSouth Directory Assistance Access Service (Cont'd)

E9.1.2 Undertaking of the Company (Cont'd)

- B. Access Locations and Call Transport (Cont'd)
 - 2. (Cont'd)
 - b. BellSouth SWA Transport Premises Interface Codes

The BellSouth SWA service BellSouth SWA Transport Premises Interface Codes are provided as set forth in Section E6. preceding. Further, when an access tandem is utilized, the BellSouth Directory Assistance Access service will be provided, either as a separate trunk group or in association with FGD or BellSouth SWA TSBSA 3 service.

- c. Directory Transport
 - (1) Directory Transport provides the transmission facilities and transport termination between the IC terminal location and the BellSouth Directory Assistance Access location. For purposes of determining Directory Transport mileage, distance will be measured from the wire center that normally serves the IC terminal location to the BellSouth Directory Assistance Access location(s).
 - (2) Directory Transport is a two-way voice frequency transmission path composed of BellSouth SWA Transport facilities as set forth in E6.1.3 *of this Tariff.* The two-way voice frequency path transports calls in the terminating direction (from the IC terminal location to the BellSouth Directory Assistance Access location). The voice frequency transmission path may be comprised of any form or configuration of plant capable of and typically used in the telecommunications industry for the transmission of voice and associated telephone signals within the frequency band width of approximately 300 to 3000 Hz.
 - (3) Directory Transport facilities are specified by the IC and include the following rate categories. These rate categories are further defined in Section E6. *of this Tariff*, BellSouth SWA service.
 - Switched Local Channel must be specified by the IC. This facility is used in the transport of the BellSouth Directory Assistance Access service call from the IC's premises to the Company's Serving Wire Center (SWC). The Switched Local Channel is assessed a monthly rate based on capacity.
 - Switched Interoffice Channel, either Common or Dedicated must be specified by the IC.
 - Switched Dedicated Interoffice Channels (SW DIOC) are used for the transport of the BellSouth Directory Assistance Access service call to the BellSouth Directory Assistance Access location without utilizing a Company Access Tandem Switch or for the transport of the call to the Access Tandem Switch where *an* Access Tandem *is utilized*. The SW DIOC is assessed a monthly rate, per mile, based on the capacity ordered by the IC.
 - Where a Company Access Tandem is utilized, Switched Common Interoffice Channels (SW CIOC) are used for the transport of the BellSouth Directory Assistance Access service call from the Company's Access Tandem to the BellSouth Directory Assistance Access location. The SW CIOC charge is assessed on a per call and a per mile basis.
 - For BellSouth SWA Common Transport, the DS3 to DS1 Multiplexer element is applicable. This element provides for use of DS3 to DS1 multiplexer equipment between the Company Access Tandem switch and the BellSouth Directory Assistance Access Location.
 - Access Tandem Switching provides for the function of the Access Tandem when routing the call from the IC's SWC to the BellSouth Directory Assistance Access location through the Access Tandem. A rate per call will be assessed for each BellSouth Directory Assistance Access call that traverses the Access Tandem.

BELLSOUTH TELECOMMUNICATIONS GEORGIA ISSUED: October 15, 2013 BY: President - Georgia Atlanta, Georgia

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE E9.1 BellSouth Directory Assistance Access Service (Cont'd)

E9.1.2 Undertaking of the Company (Cont'd)

- B. Access Locations and Call Transport (Cont'd)
 - 2. (Cont'd)
 - c. Directory Transport (Cont'd)
 - (3) As specified by the IC, BellSouth Directory Assistance Access service is to be routed directly to BellSouth Directory Assistance Access location or through an access tandem switch appropriately equipped for BellSouth Directory Assistance Access measurement and served by BellSouth Directory Assistance Access trunks to the BellSouth Directory Assistance Access location when such an access tandem switch is available in combination with BellSouth SWA FGB, BellSouth SWA FGD or BellSouth SWA TSBSA as a separate BellSouth Directory Assistance Access service Trunk Group. The combination of BellSouth SWA FGB, BellSouth SWA FGB, BellSouth Directory Assistance Access service with BellSouth SWA FGD or BellSouth SWA FGB, BellSouth SWA FGB, BellSouth Directory Assistance Access service with BellSouth Directory Assistance Access service with BellSouth Directory Assistance Access service with BellSouth Directory Assistance Access calls routed via this combination to the access tandem will be completed to the BellSouth Directory Assistance Access location and subject to the charges set forth in E9.1.7 following. If the IC does not want BellSouth Directory Assistance Access calls completed to the BellSouth Directory Assistance Access location, the IC may block the call.
 - (4) When Directory Transport is provided multifrequency address signaling is required with wink start-start pulsing signals provided. The IC shall address each call to the *BellSouth Directory Assistance Access* location using NPA+555+1212. Only NPA codes handled by the *BellSouth Directory Assistance Access* location will be processed.
 - (5) Directory Transport is provided with one of the Switched Transport Interface Groups as set forth in Section E6. preceding.

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.1 BellSouth Directory Assistance Access Service (Cont'd)

E9.1.2 Undertaking of the Company (Cont'd)

- B. Access Locations and Call Transport (Cont'd)
 - 2. (Cont'd)
 - d. Special Facilities Routing

An IC may request that *BellSouth Directory Assistance Access* service be provided via Special Facilities Routing. The regulations, rates and charges for Special Routing (Avoidance, Diversity and Cable Only) are as set forth in Section E11. following.

e. Design Layout Report

The Company will provide to the IC the makeup of the facilities and services provided under this section as **BellSouth Directory Assistance Access** service. This information will be provided in the form of a Design Layout Report.

f. Transmission Specifications

BellSouth Directory Assistance Access service is provided with either Type A, B or C Transmission Specifications. The specifications associated with the parameters are guaranteed to the **BellSouth Directory Assistance Access** location whether routed directly or via an access tandem. Type C Transmission Specifications are provided with Interface Group 1 when routed direct to a **BellSouth Directory Assistance Access** location. Type B Transmission Specifications are provided with Interface Groups 2, 6 and/or 9 when routed direct to a **BellSouth Directory Assistance Access** location. Type A Transmission Specifications are provided with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed with Interface Groups 2, 6 and/or 9 when routed via an access tandem.

When **BellSouth Directory Assistance** Access service is provided with **BellSouth SWA FGD** or **BellSouth SWA** TSBSA 3 service, Type A Transmission Specification is provided. When **BellSouth Directory Assistance** Access service is provided with **BellSouth SWA FGB** or **BellSouth SWA** TSBSA 1 service, Type B Transmission Specification is provided for Interface Groups 2, 6 and 9 and Type C Transmission Specification is provided for Interface Group 1.

Type A, B and C Transmission Specifications Capabilities are set forth in E6.4.1 preceding.

g. Acceptance Testing and Testing Capabilities

The acceptance testing and testing capabilities for *BellSouth Directory Assistance Access* service traffic routed through an access tandem are the same as those for the associated *BellSouth SWA FGD* or *BellSouth SWA TSBSA* 3 end office switching. The acceptance testing for *BellSouth Directory Assistance Access* service traffic routed directly to or routed in a separate trunk group through an access tandem to the *BellSouth Directory Assistance Access* service traffic routed directly to or routed directly to or routed in E6.1.6 preceding. The testing capabilities for *BellSouth Directory Assistance Access* service traffic routed directly to or routed directly to or routed in a separate trunk group through an access tandem to the *BellSouth Directory Assistance Access* service traffic routed directly to or routed in a separate trunk group through an access tandem to the *BellSouth Directory Assistance Access* location will be as set forth in E6.1.6 preceding. The testing capabilities for *BellSouth Directory Assistance Access* service traffic routed directly to or routed in a separate trunk group through an access tandem to the *BellSouth Directory Assistance Access* location will be as set forth for cooperative scheduled testing or manual scheduled testing in Section E13. following.

- 3. Trunk-side switching is provided at the *BellSouth Directory Assistance Access* location. The *BellSouth Directory Assistance Access* location will provide trunk answer and disconnect supervisory signaling.
- 4. The Company will distribute the calls received over the *BellSouth Directory Assistance Access* service to the *BellSouth Directory Assistance Access* system using the *BellSouth Directory Assistance Access* location equipment.

(D) (D)

(D)

(D)

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.1 BellSouth Directory Assistance Access Service (Cont'd)

(T) (T)

E9.1.2 Undertaking of the Company (Cont'd)

- **B.** Access Locations and Call Transport (Cont'd)
 - In the event that the telephone number is unavailable, no credit applies for the call charged. When the *BellSouth* (T) *Directory Assistance Access* location or *BellSouth Directory Assistance Access* System is out of service due to a Company equipment failure, or an incorrect number is provided, a credit as set forth in E9.1.4 following will apply.
 - BellSouth Directory Assistance Access service may, at the option of the IC, be provided for interstate and intrastate communications. When the IC requests such mixed access, the intrastate BellSouth Directory Assistance Access service charges will be determined by the Company as set forth in E2.3.14 preceding.

(D)

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.1 BellSouth Directory Assistance Access Service (Cont'd)

E9.1.3 Obligations of the IC

- A. Ordering Requirements
 - 1. The IC shall determine and order the capacity and interface type of *BellSouth Directory Assistance Access* service it needs except when provided over existing *BellSouth SWA FGA*, *BellSouth SWA FGB* or *BellSouth SWA FGD*, *BellSouth SWA* LSBSA or *BellSouth SWA* TSBSA Transport facilities, as specified in E9.1.2.B. preceding.
 - 2. The IC facilities at the IC terminal location shall provide the necessary on-hook and off-hook supervision.
 - 3. When requested by the Company, the IC shall order a separate trunk group for *BellSouth Directory Assistance Access* service for each NPA. The conditions when the IC will be requested to order separate trunk groups for each NPA are set forth in E9.1.2 preceding.
- **B.** End User Requirements
 - 1. When the IC bills its end users, the IC shall be responsible for all contacts and arrangements with its end users concerning the provision and maintenance of, and the billing and collecting of charges for, *BellSouth Directory Assistance Access* service furnished to its end users. When the Company bills the IC end users at the request of the IC, contacts and arrangements with IC end users concerning the billing and collecting of charges will be as set forth in E8.2 preceding.
 - 2. The IC shall notify its end users through its tariff or other appropriate means that the Company will respond to two (2) requests per call only and will not transfer, forward or redial the call to another location for any purpose other than the provision of *BellSouth Directory Assistance Access* service.

E9.1.4 Payment Arrangements

- A. Credit Allowance for *BellSouth Directory Assistance Access* Service
 - 1. When the *BellSouth Directory Assistance Access* location or *BellSouth Directory Assistance Access* System is out of service due to a Company equipment failure or when an incorrect number has been provided following customer connection to the *BellSouth Directory Assistance Access* System, a credit allowance for a call connected to the *BellSouth Directory Assistance Access* System equal to the amounts charged for a *BellSouth Directory Assistance Access* System equal to the *BellSouth Directory Assistance Access* System equal to the amounts charged for a *BellSouth Directory Assistance Access* System equal to the IC's charges.
 - 2. In addition to the credit as set forth in A. preceding, when the Company provides an incorrect number for a call and the IC reports such occurrences to the Company, a credit allowance for such *BellSouth Directory Assistance Access* call will apply. When the IC reports such a call and the number requested, the number provided and the reason the number provided is incorrect, the number of calls for which a credit will apply will be developed by the Company in cooperation with the IC. The credit applied is equal to the amounts charged for a *BellSouth Directory Assistance Access* service call as set forth in E9.1.7 following.
 - 3. When a *BellSouth Directory Assistance Access* call is not completed due to the failure of *BellSouth Directory Assistance Access* service to *BellSouth Directory Assistance Access* locations, *BellSouth Directory Assistance* Access equipment or the *BellSouth Directory Assistance Access* System, a credit allowance for the *BellSouth SWA* service portion in the originating LATA of such *BellSouth Directory Assistance Access* call will apply. When the IC reports such a call and *BellSouth Directory Assistance Access* number dialed, time of the call and the date of the call, the number of calls for which a credit will apply will be developed by the Company in cooperation with the IC. The credit applied is equal to the amounts charged for a *BellSouth Directory Assistance Access* service call as set forth in E9.1.7 following.

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.1 BellSouth Directory Assistance Access Service (Cont'd)

(T) (T)

E9.1.4 Payment Arrangements (Cont'd)

- A. Payments
 - Payment of any charges under this tariff in no way gives the IC any interest in or ownership of the telephone numbers or *BellSouth Directory Assistance Access* records or *BellSouth Directory Assistance Access* service systems established by the Company to provide *BellSouth Directory Assistance Access* service. Such records and systems are proprietary to the Company.
 - 2. Payment regulations as set forth in E2.4 and Section E3. preceding apply.

BELLSOUTH TELECOMMUNICATIONS, INC. GEORGIA ISSUED: December 20, 1996 BY: President - Georgia Atlanta, Georgia

		E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE	(T)
E9.1 B	ellS	South Directory Assistance Access Service (Cont'd)	(T)
E9.1.4	4 Pay	ment Arrangements (Cont'd)	
C.	Min	imum Periods and Minimum Monthly Charge	
	1.	The minimum period for which <i>BellSouth Directory Assistance Access</i> service is provided and for which charges apply is six months.	(T)
	2.	A minimum period of six months applies for each additional period of service ordered or extended.	
	3.	If <i>BellSouth Directory Assistance Access</i> service is discontinued prior to the end of each six month period, the charges that apply for the remaining months are the non-recoverable costs. Such costs include the non-recoverable cost of equipment and material ordered, provided or used, plus the non-recoverable cost of installation and removal including the costs of engineering, labor, supervision, transportation, rights-of-way, and other associated costs less estimated net salvage.	(T)
	4.	BellSouth Directory Assistance Access service is subject to a minimum monthly charge if BellSouth SWA Dedicated Transport is utilized. If BellSouth SWA Common Transport is ordered for BellSouth Directory Assistance Access service, the minimum monthly charge for BellSouth Directory Assistance Access service calls is the charge as set forth in E9.1.7 following for the actual usage for the month.	(T)
D.	Can	cellation of a Special Order	
	1.	An IC may cancel a Special Order for <i>BellSouth Directory Assistance Access</i> service on any date prior to the service date. The cancellation date is the date the Company receives written or verbal notice from the IC that the Special Order is to be cancelled. The verbal notice must be followed by written confirmation within 10 days.	(T)

(T)

(T)

(T)

(T)

(T)

(C)

(C)

(C)

(T)

(C)

(C)

(C)

(T)

(C)

TELECOMMUNICATIONS GEORGIA ISSUED: April 15, 2015 BY: President - Georgia Atlanta, Georgia

BELLSOUTH

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.1 BellSouth Directory Assistance Access Service (Cont'd)

E9.1.4 Payment Arrangements (Cont'd)

- D. Cancellation of a Special Order (Cont'd)
 - When an IC cancels a Special Order for automated *BellSouth Directory Assistance Access* service after the order date (C) but prior to the start of service, the appropriate charges as set forth in Section E5 for *BellSouth SWA* service ordered (T) apply. In addition, a charge equal to any unrecoverable capital costs incurred by the Company will apply to the IC.
- **E.** Changes to Special Orders

When an IC requests changes to a pending order for automated *BellSouth Directory Assistance Access* service, such changes (C) will be undertaken if they can be accommodated by the Company. The appropriate charges as set forth in Section E5 for (T) *BellSouth SWA* service apply. In addition, a charge equal to any other costs incurred by the Company because of the change will apply.

F. Moves

A move involves a change in the physical location of the point of interface at the IC terminal location or the IC terminal location. Moves will be treated as set forth in Section 6 of Tariff FCC No. 1 and all associated nonrecurring charges will apply. Minimum period requirements will be established at the new location as set forth in Section 6 of Tariff FCC No. 1. The IC will also remain responsible for satisfying all outstanding minimum period charges for the discontinued service.

G. BellSouth Directory Assistance Access Service Rearrangements

Nonrecurring charges apply for service rearrangements are as set forth Section 6 of Tariff FCC No. 1. The service Rearrangement Charges are as set forth in Section 6 of Tariff FCC No. 1 for the type of change provided by the Company.

E9.1.5 Rate Regulations

- A. The *BellSouth Directory Assistance Access* service call charge, as set forth in Section E9.1.7, applies for each call to automated *BellSouth Directory Assistance Access* service. A call is a call which has been connected to automated *BellSouth Directory Assistance Access* service. No charge applies if the automated *BellSouth Directory Assistance Access* System is unable to find the requested telephone number. The number of calls will be accumulated by Company measuring equipment. A credit for the provision of an incorrect telephone number will be applied as set forth in Section E9.1.4.
- **B.** The mileage for Directory Transport is measured from the serving wire center of the IC terminal location to the *BellSouth Directory Assistance Access* location. Title Page notwithstanding, these two wire centers may be in different LATAs. In addition the IC's terminal location must be in the LATA where the *BellSouth Directory Assistance Access* service is requested or in the LATA where the automated *BellSouth Directory Assistance Access* location is located. The measurement will be performed as set forth in Section 6 of Tariff FCC No. 1.
- C. The charge per call for Directory Transport, as set forth in Section E9.1.7, applies for each call to automated *BellSouth Directory Assistance Access* service. A call is as set forth in A. preceding. The number of calls will be accumulated as set forth in A. preceding.

EFFECTIVE: May 15, 2015

(T)

(C)

(T)

BELLSOUTH TELECOMMUNICATIONS GEORGIA ISSUED: April 15, 2015 BY: President - Georgia Atlanta, Georgia

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.1 BellSouth Directory Assistance Access Service (Cont'd)

E9.1.6 Rate Categories

- A. There are three (3) rate categories which apply to BellSouth Directory Assistance Access service:
 - Directory Transport
 - BellSouth Directory Assistance Access Service Call
 - BellSouth Directory Assistance Access Interconnection

Additionally, nonrecurring charges may be applicable as specified in Section E9.1.7

1. Directory Transport

The Directory Transport rate category provides for the transport facilities and termination between the IC's premises and the automated BellSouth Directory Assistance Access location. These rate elements are defined in Section E9.1.2

2. BellSouth Directory Assistance Access Service Call

The automated BellSouth Directory Assistance Access service Call rate category provides for the use of the Company(C)automated Directory Assistance service and BellSouth Directory Assistance Access equipment.(C)

3. BellSouth Directory Assistance Access Interconnection

The BellSouth Directory Assistance Access Interconnection rate category provides for switching capability and network(C)functions not assigned to other BellSouth Directory Assistance Access service rate categories. This charge is assessed to(C)all ICs and is applied on a per BellSouth Directory Assistance Access call basis.(C)

B. Nonrecurring charges will apply for the installation of Directory Transport facilities, service rearrangements or features as defined in Section E9.1.2

E9.1.7 Rates and Charges

A. Rates and charges

2.

1. BellSouth Directory Assistance Access Service Call

		Rate	USOC
(a)	Per call	\$.271744	NA
Directory Tran	nsport		
(a)	Switched Local Channel ¹	-	NA
(b)	BellSouth SWA Dedicated Transport ¹	-	NA
(c)	BellSouth SWA Common Transport per BellSouth	.000059	NA
	Directory Assistance Access service Call ²		
(d)	BellSouth SWA Common Transport per BellSouth	.000008	NA
	Directory Assistance Access service Call Mile ²		
(e)	Access Tandem Switching per BellSouth Directory	.000392	NA
	Assistance Access service Call		
(f)	BellSouth Directory Assistance Access Interconnection	.00000	NA
	per BellSouth Directory Assistance Access service Call		
(g)	DS3 to DS1 Multiplexer per DA Access Service Call	.000129	NA
(h)	Installation ¹	-	NA
	Note 1: Nonrecurring and monthly rates are as specified for BellSouth	n SWA Transport in E6.8	.1 of this
	Tariff.		

Note 2: These charges also apply to BellSouth SWA Common Transport IP Option.

BELLSOUTH TELECOMMUNICATIONS, INC. GEORGIA ISSUED: March 28, 2006 BY: President - Georgia Atlanta, Georgia Sixth Revised Page 7 Cancels Fifth Revised Page 7

EFFECTIVE: April 27, 2006

(D)

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.2 (DELETED)

All BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariffs are owned by BellSouth Intellectual Property Corporation.

BELLSOUTH TELECOMMUNICATIONS, INC. GEORGIA ISSUED: March 28, 2006 BY: President - Georgia Atlanta, Georgia Fifth Revised Page 8 Cancels Fourth Revised Page 8

EFFECTIVE: April 27, 2006

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.2 (DELETED) (Cont'd)

All BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariffs are owned by BellSouth Intellectual Property Corporation.

Original Page 9

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.3 BellSouth Flat Rated DA Trunks

E9.3.1 General Description

(M)

(M)(T)

(M)

(M)

(M)

Me		ted DA Trunks provide the means to <i>interconnect a customer's high capacity facility or facilities (e.g., DS1, tGate[®], SmartPath[®] or SMARTRing[®]) at a DS1 level to the network location of their directory assistance</i>	(M)(C)
A.	BellSouth Fla E6.2.4 of this	t Rated DA Trunks have the same transmission specifications as do BellSouth SWA FGD trunks, as described in tariff.	(M)
В.	BellSouth Fla	t Rated DA Trunks are made available in the following types:	(M)
	Type 1:	Supports bi-directional transport of customer calls using CCS7 signaling to provide call return,	(M)(C)
	Type 2:	Supports unidirectional transport of customer calls using CCS7 signaling, and	(M)(C)
	Type 3:	Supports unidirectional transport of customer calls using MF signaling.	(M)(C)
C.	Rates and cha	rges for BellSouth Flat Rated DA Trunks are as detailed in <i>E9.3.3</i> , following.	(M)(T)
E9.3	.2 Service Re	quirements	(N)
A.	MegaLink [®] , L properly. An	t Rated DA Trunks must be interconnected with a customer's high capacity facility or facilities (i.e., DS1, ightGate [®] , SmartPath [®] or SMARTRing [®]) at a DS1 level in order that BellSouth Flat Rated DA Trunks function y combination of twenty-four (24) Flat Rated DA Trunk Types 1, 2 and 3 can be ordered to meet this if the customer requires more that twenty-four (24) Flat Rated DA Trunks, additional trunks must be ordered in	(N)

- increments of twenty-four (24).
 B. The Telephone Company will specify network locations from which BellSouth Flat Rated DA Trunks are made available as (N) shown in NATIONAL EXCHANGE CARRIER ASSOCIATION, INC. TARIFF F.C.C. No.4.
- C. When ordering BellSouth Flat Rated DA Trunks, the customer must submit to the Telephone Company a Connecting Facility Assignment (CFA) identifying which and/or what part of the customer's high capacity facility and/or facilities are to be interconnected to the Telephone Company's BellSouth Flat Rated DA Trunks. Any subsequent change of Connecting Facilities Assignment (CFA) affecting interconnection with BellSouth Flat Rated DA Trunks must also be submitted to the Telephone Company.

E9.3.3 Rates and Charges

- A. The following rates apply to BellSouth Flat Rated DA Trunks.
 - 1. Flat Rated DA Trunks

	Nonrecurring Charges				
	Monthly	First Trunk	Each Add'l		
	Rate	Installed	Trunk	USOC	
(a) Type 1	\$ 6.00	\$ 24.00	\$ 20.00	WDAT1	(M)(R)
(b) Type 2	6.00	24.00	20.00	WDAT2	(M)(R)
(c) Type 3	6.00	24.00	20.00	WDAT3	(M)(R)
E9.4 Reserved for Future Use					(M)
E9.5 Reserved for Future Use					(M)

E9. BELLSOUTH DIRECTORY ASSISTANCE ACCESS SERVICE

E9.6 BellSouth Alternate DA Service Capability

E9.6.1 General Description

BellSouth Alternate DA Service Capability makes available Telephone Company network resources required to provision directory assistance service to end users of a customer who chooses to route DA calls to a Telephone Company assigned, customer and service specific 10-digit telephone number.

E9.6.2 Rate Regulations

- BellSouth Alternate DA Service Capability is offered subject to the regulations specified in Section E2. of this Tariff. A.
- В. To utilize this arrangement, the ordering customer must select one or more of the service options detailed in E9.6.3 following.
- C. The service options set forth in E9.6.3 following are sized based on the Telephone Company's estimate of network resources required to handle blocks of 250,000 calls per month based on average per call holding time.
- The Telephone Company will work cooperatively with the customer to help them determine what quantity of the service D. options will be needed to serve all calls the customer projects will be delivered per month at per call holding times estimated by the customer.
- When a customer ordering BellSouth Alternate DA Service Capability anticipates both interstate and intrastate usage, the E. customer must report to the Telephone Company the percent interstate usage to be applied to their BellSouth Alternate DA Service Capability charges.

E9.6.3 Rates and Charges

- A. Rates for BellSouth Alternate DA Service Capability are applied based on the customer's order of one or more of the service options following based on the customer's projection of calls to be delivered to the Telephone Company each month.
 - Service Options 1.

		Nonrecurring	Monthly		
		Charge	Rate	USOC	
(a)	Initial network resource increment designed to	\$ 1,294.00	\$ 260.00	ADC1N	(R)
	handle up to 250,000 calls per month				
(b)	Each additional network resource increment	\$ 1,100.00	\$ 260.00	ADCAN	(R)
	designed to handle up to 250,000 calls per month				