

TARIFF DISTRIBUTION

FILE PACKAGE NO.: GA-13-0086

DATE: May 1, 2014

STATE: GEORGIA

EFFECTIVE DATE: 05/01/2014

TYPE OF DISTRIBUTION: Approved

PURPOSE: With this project, we will be obsoleting the Digital Data Only Option associated with BellSouth Primary Rate ISDN Service

<u>TARIFF SECTION</u>	<u>PAGE NUMBER</u>	<u>PAGE REVISION</u>
G042	24	0002
G042	25	0001
G042	26.1	0002
G042	27	0002
G042	28	0002
G042	29	0002
G042	30.1	0002
G042	31	0003
G042	32	0001

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN

A42.3.1 General

- A. BellSouth Primary Rate ISDN is an intraLATA offering supported by the Integrated Services Digital Network (ISDN) architecture.
- B. BellSouth Primary Rate ISDN provides an ISDN based, DS1 access to the telecommunications network and includes the flexibility of integration of multiple voice and/or data transmission channels on the same line. The service will provide connectivity between ISDN compatible CPE and a serving central office. The Service may not be installed at a carrier hotel, a collocation cage, or any similar location. The basic channel structure for BellSouth Primary Rate ISDN is twenty-three 64 Kbps B-Channels and one 64 Kbps D-Channel. The customer has the option to activate up to 23 B-Channels on the first BellSouth Primary Rate ISDN arrangement and up to 24 channels on additional BellSouth Primary Rate ISDN arrangements. A Digital Data Only option¹ and an Inward Data Option are also available. The 23 B-Channels can be used to connect the customer's CPE to the Public Circuit Switched Network, e.g., outward, inward and 2-way network access. Calling Number Delivery, Called Number Delivery, Outgoing Calling Name Delivery and Hunting functionality are inherent to this service. Incoming Calling Name Delivery, an optional feature offered at rates listed in A42.3.4.D.5., is available in switch types where equipped. Redirecting Number, an optional feature described in A42.3.3, is offered at no charge to the customer in switch types where equipped. Telephone numbers for use on BellSouth Primary Rate ISDN are available in this Section. One Directory Listing will be furnished at no charge for each BellSouth Primary Rate ISDN B-Channel. Additional listings can be obtained as specified in Section A6. (C)
- C. BellSouth Primary Rate ISDN provides capability for the transmission of digital signals only. Clear Channel Capability and Extended Superframe Format are inherent to the service.
- D. BellSouth Primary Rate ISDN is provided within a LATA from wire centers where appropriate ISDN facilities are available as determined by the Company. Special Construction charges may apply as specified in Section A5.
- E. BellSouth Primary Rate ISDN Access Lines furnished between a serving wire center and a customer's premises will be offered at a non-distance sensitive rate per BellSouth Primary Rate ISDN Access Line. If a customer wishes to utilize another Company provided transport facility, e.g., SMARTRing service, that can meet the required standards to carry the BellSouth Primary Rate ISDN Access (DS1) Line, the customer will incur no charge for the BellSouth Primary Rate ISDN Access (DS1) Line. MegaLink service cannot be utilized to provide transport for BellSouth Primary Rate ISDN except where the BellSouth Primary Rate ISDN is terminated in FlexServ service. Asynchronous Transfer Mode (ATM) Service can be utilized to transport BellSouth Primary Rate ISDN Voice/Data – Flat Rate under the regulations stated in A42.3.2.EE.
- F. Interoffice Channels furnished between central offices will be charged at rates based on airline distance between the central offices, except as provided in A42.3.2.R. following.
- G. Airline distance between Company central offices shall be developed using the methodology found in B3.3.3. Fractional mileage shall be rounded up to the next full mile.
- H. The required components for BellSouth Primary Rate ISDN are as follows:
- BellSouth Primary Rate ISDN Access Line where applicable
 - Interoffice Channels where applicable
 - BellSouth Primary Rate ISDN Interface
 - BellSouth Primary Rate ISDN B-Channels
 - BellSouth Primary Rate ISDN D-Channel
 - Telephone Numbers
 - Call Types

Note 1: Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed. (N)

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.1 General (Cont'd)

- I. Incoming Call Extension (ICE) is an optional offering allowing customers to retain their phone numbers. ICE-SRC (Incoming Call Extension – Same Rate Center) and ICE-DRC (Incoming Call Extension – Different Rate Center) may be used in any ANSA arrangement. ICE-SRC and ICE-DRC may be used if an ANSA customer's non-equipped, serving wire center switch is replaced by a PRI capable switch. ICE is only available within the Local Calling Area.
 - 1. ICE-SRC applies if the Customer's Serving Central Office and the ANSA office are in the same Toll Message Rate Center (TMRC). Rates and charges are applicable per telephone number.
 - 2. ICE-DRC applies if the customer's Serving Central Office and the ANSA office are in different Toll Message Rate Centers. Hunting between ICE telephone numbers is not allowed. Rates and charges are applicable per telephone number or per path. Customers may be required to make CPE software modifications to translate dialed telephone numbers to terminated telephone numbers.
- J. BellSouth Primary Rate ISDN B-Channel rates for the Voice/Data (Standard) option are listed in A42.3.4.C. Exchange access is included as a part of the B-Channel rate on a flat rate basis only.
- K. BellSouth Primary Rate ISDN B-Channel rates for the Digital Data Only option^l are listed in A42.3.4.C. Exchange access is included as a part of the B-Channel rate on a flat rate basis only. (C)
- L. BellSouth Primary Rate ISDN B-Channel rates for the Inward Data option are listed in A42.3.4.C. Exchange access is included as a part of the B-Channel on a flat rate basis only.
- M. The BellSouth Primary Rate ISDN Inward Data option is characterized by the following:
 - 1. It is arranged for inward service only. Originating Calls will be denied.
 - 2. It is arranged to terminate analog and digital data calls only.
 - 3. The number of telephone numbers associated with a BellSouth Primary Rate ISDN Inward Data Option arrangement must be equal to, or less than, the number of BellSouth Primary Rate ISDN Inward Data Interfaces comprising the arrangement and all numbers must use the same routing unless the customer subscribes to additional numbers as stated in A42.3.4.C.7. This restriction does not apply to Inward Data Extended Reach Service.
 - 4. Calling Number Delivery, Called Number Delivery, and Hunting are inherent to the service.
- N. Voice calls on the B-Channel may be completed to both ISDN and non-ISDN lines.
- O. Digital Data Transmission on the B-Channel will be circuit switched at 64 Kbps within the switch and between ISDN compatible central offices. ISDN interconnection to non-ISDN equipped central offices may be subjected to analog transmission or sub-rated to 56 Kbps.
- P. BellSouth Primary Rate ISDN Extended Reach Service (ERS) is available only for the Inward Data Option. ERS is designed to "extend the reach" of the Inward Data Option customer from a centrally located metropolitan local calling area into the areas of the LATA which are available on a foreign exchange basis. The ERS customer purchases telephone numbers within each desired foreign exchange area to allow their clients to call them at no charge.
 - 1. ERS is offered under two configurations: (1) A Dedicated Route Arrangement, and (2) A Final Route Arrangement. The ERS Dedicated Route Arrangement is only available where the target local calling area(s) have an ISDN equipped central office. It is intended for use where the volume of traffic is sufficient to warrant one or more dedicated DS1 interoffice facilities. The ERS Final Route Arrangement will be utilized where the target local calling area(s) do not have an ISDN equipped central office and/or the volume of traffic is insufficient to justify a dedicated DS1 interoffice facility.
 - 2. For ERS Dedicated Route Arrangements the customer must purchase ERS Remote Telephone Numbers (RTNs), ERS Primary Rate Interfaces, and ERS B-Channels in the target local calling area(s). The ERS Primary Rate Interfaces and ERS B-Channels are extended to the customer's premises (typically in a centrally located metropolitan area, but in the same LATA as the target local calling area) via ERS Interoffice Channels and a BellSouth Primary Rate ISDN Access Line or other Company provided transport facility.
 - 3. For ERS Final Route Arrangements the customer must purchase ERS RTNs in the target local calling area(s). Calls that terminate to these RTNs are switched over interoffice trunk groups to the customer's local serving central office where they terminate on ERS Final Route Primary Rate Interfaces and ERS Final Route B-Channels, via an ERS Final Telephone Number (FTN). A BellSouth Primary Rate ISDN Access Line or other Company provided transport facility is required for connection to the customer's local serving central office.

Note 1: Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed. (N)

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.2 Regulations (Cont'd)

- K. Suspension of service is not allowed.
- L. Regulations for Allowance of Interruptions apply as specified in Section B2. of the Private Line Guidebook.
- M. Service Charges in Section A4. do not apply.
- N. Hunting rates, Direct Inward Dialing (DID) rates, Customized Code Restriction rates, Selective Class of Call Screening, and Foreign Exchange Rates do not apply.
- O. Verification and Emergency Interrupt service is not available.
- P. Calling telephone numbers transmitted via the BellSouth Primary Rate ISDN are intended solely for the use of the BellSouth Primary Rate ISDN subscriber. Resale of this information is prohibited except the caller's telephone numbers may be provided to the subscriber's client for those calls sponsored or provided by that client where the client's identity is disclosed to the caller and the client agrees not to distribute such information to others.
- Q. Non-facility Associated Signaling (NFAS) provides the capability to control multiple DS1s with a single D-Channel. This feature can be ordered where switch capabilities exist as stipulated in the vendor technical documentation and where switch capacity exists. When NFAS is selected, the customer will order one BellSouth Primary Rate ISDN arrangement with one D-Channel and up to 23 B-Channels. Additional BellSouth Primary Rate ISDN arrangements are ordered with up to 24 B-Channels at rates and charges provided in A42.3.4. The D-Channel activated on the initial arrangement serves the additional BellSouth Primary Rate ISDN arrangements. If the customer desires, he may also request a back-up D-Channel with the NFAS option. The Voice/Data (Standard) BellSouth Primary Rate ISDN and Digital Data Only option¹ BellSouth Primary Rate ISDN arrangements may not be mixed in the same NFAS group. (C)
- R. When a customer's normal serving central office is not equipped to provide BellSouth Primary Rate ISDN, the customer may be served, at the Company's option, from an equipped central office without incurring interoffice channel charges. BellSouth Primary Rate ISDN customers to be served under this arrangement must sign an agreement that the service may be moved back at the Company's discretion to the normal serving central office and to a probable number change when/if that office is equipped with ISDN. This is referred to as the Alternate Network Serving Arrangement (ANSA). If a customer, under ANSA, requests BellSouth Primary Rate ISDN from an ISDN equipped central office other than that determined by the Company, interoffice channel charges as specified in A42.3.4.B. will apply. Also, if a customer requests BellSouth Primary Rate ISDN from a central office other than their normal serving office and ANSA does not apply, interoffice channel charges will apply as specified in A42.3.4.B. ANSA does not apply for Inward Data Extended Reach Service.
- S. The BellSouth Primary Rate ISDN - Digital Data Only option¹ provides for the transmission of data mode calls only. The BellSouth Primary Rate ISDN - Digital Data Only arrangement will be provisioned with the customer's requested number of Digital Data Only B-channels with no B-channels capable of transmitting voice mode calls in the same arrangement. (C)
- T. The BellSouth Primary Rate ISDN Inward Data option provides for the transmission of inward analog and digital data calls only.
- U. Regulations in Section A2. prohibiting the mixing of flat and message or flat and measured service do not apply for BellSouth Primary Rate ISDN.
- V. No usage charges apply for BellSouth Primary Rate ISDN calls within the local calling area. Long Distance Message Telecommunications Service rates as specified in Section A18. apply for intraLATA calls terminated beyond the local calling area.
- W. The Next Route Index Feature allows a BellSouth Primary Rate ISDN Digital Data Only¹ customer to arrange analog calls to overflow to a Voice/Data arrangement in the same switch or allows the customer to overflow analog and digital calls to a Voice/Data arrangement in the same switch. These same capabilities are available to a BellSouth Primary Rate ISDN Inward Data customer to overflow calls to a Voice/Data arrangement in the same switch. It does not allow Voice/Data or Inward Data calls to overflow to a Digital Data Only arrangement nor does it allow Voice/Data or Digital Data Only calls to overflow to an Inward Data arrangement. (C)

Note 1: Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed. (N)

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.2 Regulations (Cont'd)

- X.** BellSouth Primary Rate ISDN Digital Data Only¹ Signaling Groups may be configured in one of the following four standard arrangements of call types: (C)
1. Inward Calls: The number of Inward calls accommodated by the Signaling Group will be equal to the number of activated B-channels.
 2. Outward calls: The number of Outward calls accommodated by the Signaling Group will be equal to the number of activated B-channels.
 3. Inward calls and Outward calls: The maximum number of simultaneous calls for each call type is determined by the customer. For each call type, the maximum number of simultaneous calls must be less than or equal to the number of activated B-channels in the Signaling Group.
 4. 2-Way calls: The number of 2-Way calls accommodated by the Signaling Group will be equal to the number of activated B-Channels.
- Y.** The Company reserves the right to audit the customer's traffic usage for the Incoming Call Extension feature to insure that simultaneous calls are not occurring on the low use option. If such calls are occurring, the customer will be required to subscribe to the high use option
- Z.** The Service Installation Guarantee as set forth in B2.4.17 of the Private Line *Guidebook* applies for BellSouth Primary Rate ISDN. (T)
- AA.** (Obsoleted, See Section A142.3)
- BB.** The provisions stated under B2.4.14 Cancellation of a Service Order apply for BellSouth Primary Rate ISDN with one exception. The customer must accept service within 45 calendar days after the original service date rather than 30 calendar days as stated in B2.4.14 or choose one of the following options:
- The service order shall be cancelled and charges as set forth in B2.14.14 will apply, or
 - Billing for the service will commence on the 46th day beyond the original service date of the service order.
- CC.** Customer requested changes from BellSouth Primary Rate ISDN to intrastate or interstate Fast Packet Services and associated transport under a contract payment plan are permitted with no termination liability when:
1. A new contract is selected for the Fast Packet Service equal to or greater in length than the BellSouth Primary Rate ISDN arrangement being terminated, and
 2. The service orders to disconnect the BellSouth Primary Rate ISDN and to install the Fast Packet Service are related together and received by the Company at the same time with no lapse in billing of service.
- DD.** ATM Service can be utilized to provide transport for BellSouth Primary Rate ISDN Voice/Data – Flat Rate under the following conditions:
1. The Unstructured Circuit Emulation Customer Connection - PRI over ATM rate element specified in A40.8 applies for each Voice/Data Flat Rate Interface transported via ATM. Other ATM rates are applicable as stated in A40.8. (T)
 2. Interoffice Channel rates stated in A42.3.4 following apply when the Primary Rate ISDN switch and the ATM switch are not located in the same central office.
 3. Rates for the B-Channel to be used with ATM are specified in A42.3.4 following.
 4. In accordance with regulations governing the provisioning of local exchange service via BellSouth Primary Rate ISDN Service, the PVC Segment associated with the Unstructured Circuit Emulation Customer Connection - PRI over ATM may only be mapped to a PVC Segment associated with a local ATM Service Customer Connection whose service terminates to a premises within the same LATA as the BellSouth Primary Rate ISDN Service switch.
- EE.** The PRI Overflow feature for Voice/Data Arrangements allows calls to overflow from a customer's Voice/Data PRI Arrangement to a telephone number. The calls must overflow to a BellSouth business telephone number residing in the same central office switch as the customer's Voice/Data PRI Arrangement.

Note 1: Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed. (N)

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.3 Definitions

CALL-BY-CALL CAPABILITY

The term "Call-by-Call" denotes the ability of a BellSouth Primary Rate ISDN B-Channel to carry a call of any call type (e.g., Inward, Outward, or 2-Way) as needed. This is distinct from other technologies where transmission channels are, due to technical limitations, segregated by call types.

CALL TYPES

The term "Call Types" denotes the use of three types of Simulated Facility Groups (SFGs) available with BellSouth Primary Rate ISDN which are described as Inward, Outward, and 2-way

D-CHANNEL

The term "D-Channel" denotes a 64 Kbps digital signaling only channel for call establishment when used with BellSouth Primary Rate ISDN.

D-CHANNEL BACKUP

D-Channel Backup (DCBU) provides one of the DS-1's in the NFAS arrangement with a spare D-Channel. This spare D-Channel is used to control signaling and call setup if the main D-Channel fails. The main D-Channel and the spare D-Channel are never provided on the same DS-1. The channel configuration for NFAS with DCBU arrangements may be described as $pB+2D$ where $1 \leq p \leq 478$. Thus, the maximum channel configuration for a NFAS with DCBU arrangement is $478B+2D$.

DIGITAL DATA ONLY B-CHANNEL²

The term "Digital Data Only B-Channel" denotes a bi-directional synchronous channel capable of supporting 64 Kbps of digitally transmitted data mode calls when provisioned by the BellSouth Primary Rate ISDN - Digital Data Only option. (C)

EXTENDED REACH SERVICE FINAL TELEPHONE NUMBER (ERS FTN)

ERS FTNs are telephone numbers assigned in the ERS subscriber's serving central office. These numbers are required for ERS Final Route Arrangements and may be required where the Overflow Feature for ERS Dedicated Route arrangements is utilized for call overflows to intraLATA toll message trunk groups.

EXTENDED REACH SERVICE REMOTE TELEPHONE NUMBER (ERS RTN)

ERS RTNs are telephone numbers assigned to each local calling area to which the Extended Reach subscriber provides local number access. These telephone numbers are applicable for both ERS Dedicated Route Arrangements and ERS Final Route Arrangements.

FACILITY ASSOCIATED SIGNALING

In Facility Associated Signaling (FAS) arrangements for BellSouth Primary Rate ISDN, a D-Channel is provided for every DS-1 facility. Since the subscriber may select the number of B-Channels activated (up to 23), the channel configuration for FAS arrangements may be described as $nB+D$ where $1 \leq n \leq 23$. Thus, the maximum channel configuration for a FAS arrangement is $23B+D$.

HIGH USE OPTION

The term "High Use Option" for Incoming Call Extension denotes that more than one simultaneous incoming call is received per telephone number.

INCOMING CALLING NAME DELIVERY

Delivery of the name associated with a call incoming to the customer's PRI and customer's premise equipment for display on a telephone with appropriate display equipment.

INTEROFFICE CHANNEL

An Interoffice Channel provides for the transmission facilities between Company serving wire centers within a LATA.

INWARD CALL

An Inward call denotes a call that is switched through the BellSouth Network and terminates in a BellSouth Primary Rate ISDN arrangement¹.

Note 1: A BellSouth Primary Rate ISDN Arrangement may be either a single PRI or multiple PRIs that are associated with the same phone number or phone numbers.

Note 2: Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed. (N)

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.3 Definitions

INWARD DATA B-CHANNEL

An Inward Data B-Channel provides circuit switched service that will allow either analog data or digital data transmission at up to 64 Kbps and will include the functionality of Hunting and Calling/Called Number Delivery.

LOW USE OPTION

The term "Low Use Option" for Incoming Call Extension denotes that a maximum of one incoming call is received per telephone number at one time.

NEXT ROUTE INDEX FEATURE

The Next Route Index Feature allows a BellSouth Primary Rate ISDN Digital Data Only² customer to arrange analog calls to overflow to a Voice/Data arrangement¹ in the same switch or allows the customer to overflow analog and digital calls to a Voice/Data arrangement¹ in the same switch. These same capabilities are available to a BellSouth Primary Rate ISDN Inward Data customer to overflow calls to a Voice/Data arrangement¹ in the same switch. (C)

NON-FACILITY ASSOCIATED SIGNALING

In Non-Facility Associated Signaling (NFAS) arrangements for BellSouth Primary Rate ISDN, a D-Channel controls multiple (up to 20) DS-1 facilities. In NFAS arrangements, the first DS-1 will typically be configured as 23B+D, and all other DS-1's controlled by the D-Channel will be configured as 24B. The channel configuration for NFAS arrangements may be described as mB+D where $1 \leq m \leq 479$. Thus, the maximum channel configuration for a NFAS arrangement is 479B+D.

OUTGOING CALLING NAME DELIVERY

The name that is delivered to Calling Name Display equipment when an outgoing call is placed. This name is defined in A6.2.1. All customer phone numbers will use this name unless Secondary Calling Name Delivery is purchased. (T)

OUTWARD CALL

An Outward call denotes a call that originates on a BellSouth Primary Rate ISDN arrangement¹ and is switched through the BellSouth network.

OVERFLOW FEATURE FOR EXTENDED REACH SERVICE DEDICATED ROUTE ARRANGEMENTS

The Overflow Feature for Extended Reach Service Dedicated Route Arrangements allows calls to overflow from a customer's ERS Dedicated Route Arrangement to the same customer's Final Route Arrangement. When all facilities are busy on the customer's Dedicated Route Arrangement from a particular target local calling area, additional calls are switched over intraLATA toll message trunk groups to the customer's local serving central office, where they terminate on ERS Final Route Primary Rate Interfaces and B-Channels, via an ERS Final Telephone Number.

OVERFLOW FEATURE FOR VOICE/DATA ARRANGEMENTS¹

The Overflow Feature allows calls to overflow from a customer's Voice/Data PRI Arrangement¹ to a BellSouth business telephone number residing in the same central office switch as the customer's Voice/Data Arrangement.

BELLSOUTH PRIMARY RATE ISDN ACCESS LINE

A BellSouth Primary Rate ISDN Access Line provides a four-wire access loop from the serving wire center to the customer premises. The transmission characteristics of this loop support Clear Channel Capability and Extended Superframe Format (ESF). When the customer provides this access line, via an acceptable transport facility.

BELLSOUTH PRIMARY RATE ISDN ARRANGEMENT

A BellSouth Primary Rate ISDN Arrangement may be either a single PRI or multiple PRIs that are associated with the same phone number or phone numbers.

Note 1: A BellSouth Primary Rate ISDN Arrangement may be either a single PRI or multiple PRIs that are associated with the same phone number or phone numbers.

Note 2: Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed. (N)

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.4 Rates and Charges (Cont'd)

	Nonrecurring Charge	Month to Month	12 to 23 Months	24 to 48 ² Months	49 to 72 ² Months	USOC
C. BellSouth Primary Rate ISDN will be available in combinations of channels according to the limits of the Company central office type. Customers will choose the most appropriate combinations and will be billed for the services accordingly.						
1. BellSouth Primary Rate ISDN Interface, each						
(a) Voice/Data (Standard) (vintage rate for Plans prior to 01/26/08)	\$110.00	\$673.00	\$400.00 385.00	\$375.00	\$350.00 340.00	PR71V PR71V
(b) Digital Data Only Option ^{1,3} (vintage rate for Plans prior to 01/26/08)	110.00	673.00	400.00 385.00	375.00 ¹	350.00 ¹ 340.00 ¹	PR71D (C) PR71D
(c) Inward Data Option (vintage rate for Plans prior to 01/26/08)	110.00	673.00	400.00 385.00	375.00	350.00 340.00	PR71E PR71D
(d) Inward Data Option with Extended Reach Service – Dedicated Route (vintage rate for Plans prior to 01/26/08)	110.00	673.00	400.00	375.00	350.00	PR71C
(e) Inward Data Option with Extended Reach Service – Final Route (vintage rate for Plans prior to 01/26/08)	110.00	673.00	400.00	375.00	350.00	PR71U PR71D
2. BellSouth Primary Rate ISDN B-Channels						
(a) Voice/Data (Standard) (vintage rate for Plans prior to 01/26/08)	5.00	126.00	80.00 76.00	75.00	70.00 67.30	PR7BV PR7BV
(b) Voice/Data (Standard) for use over ATM	5.00	38.00	34.00	32.00	30.00	PR7BT
(c) Digital Data Only Option ^{1,3}	5.00	26.65	25.00	24.00 ¹	22.75 ¹	PR7BF (C)
(d) Inward Data Option	5.00	29.00	28.00	26.40	25.10	PR7BD
(e) Inward Data Option with Extended Reach Service – Dedicated Route	5.00	38.00	37.50	35.00	32.00	PR7BE
(f) Inward Data Option with Extended Reach Service – Final Route	5.00	53.00	52.00	49.00	45.00	PR7BL
3. BellSouth Primary Rate ISDN D-Channel - No Rate (Requires Provisioning USOC: PR7EX)						
4. Extended Reach Dedicated Interoffice Channel – No Rate (Requires Provisioning USOC: PR7OE)						
5. BellSouth Primary Rate ISDN Call types ⁴ - No Rate (requires Provisioning USOC per call type) (T)(M)						
Call Type	USOC					
Inward Only	PR7C1					(M)
Outward Only	PR7CO					(M)
2-Way	PR7CC					(M)

Note 1: As of January 25, 2013, Variable Rate Periods of 24 months and greater are no longer available for new or renewing subscribers for the Digital Data Only Option.

Note 2: Effective October 1, 2013, customers may not establish new term plans greater than 36 months for BellSouth Primary Rate ISDN, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.

Note 3: Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed. (N)

Note 4: The Inward Data option is restricted to the Inward Only Call Type. (T)(M)

Material appearing on this page previously appeared on page(s) 31 of this section.

All AT&T and BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariff are owned by AT&T Intellectual Property or AT&T affiliated companies.

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.4 Rates and Charges (Cont'd)

C. BellSouth Primary Rate ISDN will be available in combinations of channels according to the limits of the Company central office type. Customers will choose the most appropriate combinations and will be billed for the services accordingly. (Cont'd)

6. Telephone Numbers for BellSouth Primary Rate ISDN Voice/Data and Digital Data Only⁵ options (M) (C)

	Nonrecurring Charge	Monthly Rate	USOC	
(a) Per telephone number requested inward and 2-way	\$ -	\$.20	PR7TF	
(b) Per telephone number requested outward only - No Rate (Provisioning Only)	-	-	PR7TO	
7. Telephone Numbers for BellSouth Primary Rate ISDN Inward Data Option				
(a) Each telephone number requested inward only within standard allowance ¹	-	.20	PR7TF	(T)
(b) Each telephone number requested inward only above standard allowance ¹	-	20.00	PR7ZT	(T)
(c) Each Remote Telephone Number requested inward only with Extended Reach Service – Dedicated Route ²	-	20.00	PR7T1	(T)
(d) Each Final Telephone Number requested inward only with Extended Reach Service ²	-	20.00	PR7L2	(T)
(e) Each Remote Telephone Number requested inward only with Extended Reach Service – Final Route ²	-	20.00	PR7RM	(T)

D. Optional Offerings

1. ANSA - Interoffice Mileage per BellSouth Primary Rate ISDN Access Line - No Rate (Provisioning USOC: 2LHLM)
2. Incoming Call Extension – Same Rate Center

	Nonrecurring Charge	Month to Month	12 to 23 Months	24 to 48 ⁴ Months	49 to 72 ⁴ Months	USOC	
(a) (Obsoleted - See Section A142)							
(b) (Obsoleted - See Section A142)							
(c) (Obsoleted - See Section A142)							
(d) ICE-SRC, Per telephone number in the same rate center ³	-	\$.20	-	-	-	PR7TF	(T)

3. Incoming Call Extension – Different Rate Center

(a) ICE-DRC, Per Telephone Number – Month-to-Month Option	\$10.00	.40	-	-	-	PR7NZ	
(b) ICE-DRC, Per Telephone Number – Term Plan Option	na	-	\$.35	\$.30	\$.25	PR7NZ	

Note 1: The standard allowance is equal to the number of BellSouth Primary Rate ISDN Inward Data Interfaces comprising the arrangement. (T)

Note 2: Final Route Arrangements require an ERS Remote Telephone Number (RTN) and an ERS Final Route Telephone Number (FTN). RTNs are not available in 1AESS central offices. (T)

Note 3: These rates apply only to new ICE-SRC service ordered on or after June 15, 2004. (T)

Note 4: Effective October 1, 2013, customers may not establish new term plans greater than 36 months for BellSouth Primary Rate ISDN, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months. (T)

Note 5: Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed. (N)

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.4 Rates and Charges (Cont'd)

E. Volume Discounts

1. When the total number of BellSouth Primary Rate ISDN Interfaces of all types equals or exceeds 6 on a billing account, a credit as listed below will be applied per billing cycle to the Interface monthly rate. The amount of the credit will be based on the total number of Interfaces of all types.

a. Voice/Data (Standard)

Number of BellSouth Primary Rate ISDN Interfaces	Percent Discount
6 to 10	4
11 to 15	7
More than 15	10

b. Digital Data Only Option¹

Number of BellSouth Primary Rate ISDN Interfaces	Percent Discount
6 to 10	3
11 to 15	4
More than 15	5

c. Inward Data Option

Number of BellSouth Primary Rate ISDN Interfaces	Percent Discount
6 to 10	3
11 to 15	4
More than 15	5

2. When the total number of BellSouth Primary Rate ISDN B-Channels of all types equals or exceeds 138 on a billing account, a credit as listed below will be applied per billing cycle to the B-Channel monthly rate. The amount of the credit will be based on the total number of B-Channels of all types.

a. Voice/Data (Standard)

Number of BellSouth Primary Rate ISDN B-Channels	Percent Discount
138 to 252	4
253 to 367	7
More than 367	10

b. Digital Data Only Option¹

Number of BellSouth Primary Rate ISDN B-Channels	Percent Discount
138 to 252	3
253 to 367	4
More than 367	5

c. Inward Data Option

Number of BellSouth Primary Rate ISDN B-Channels	Percent Discount
138 to 252	3
253 to 367	4
More than 367	5

Note 1: Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed.