

## TARIFF DISTRIBUTION

FILE PACKAGE NO.: GA-15-0094

DATE: December 1, 2015

STATE: GEORGIA

EFFECTIVE DATE: 12/01/2015

TYPE OF DISTRIBUTION: Approved

PURPOSE: This project will remove the brand "BellSouth" from all occurrences of "BellSouth Primary Rate ISDN" throughout the Guidebooks

<u>TARIFF SECTION</u>	<u>PAGE NUMBER</u>	<u>PAGE REVISION</u>
G006	1	0002
G024	12.2	0004
G042	24	0004
G042	25	0002
G042	25.1	0005
G042	26	0002
G042	26.1	0004
G042	27	0004
G042	28	0003
G042	29	0003
G042	29.1	0002
G042	30	0011
G042	30.1	0005
G042	31	0004
G042	31.1	0005
G042	32	0002
G042	33	0002
G042	34	0001
G047	1	0002
G140	8.11	0002
G140	8.15	0002
G142	7	0003
G142 Cont. (pg)	1	0002
G42 Cont. (pg)	1	0002
G Subj. Indx (pg)	2	0008
G Subj. Indx (pg)	17	0005
H002	10.1.1	0004
H002	10.8	0002

## A6. DIRECTORY LISTINGS

### A6.1 Terms and Conditions Applicable To Directory Listings

#### A6.1.1 General

- A.** The rates, terms and conditions specified herein for directory listings apply only to the alphabetical section of the directory. Listings are intended solely for the purpose of identifying subscriber's telephone numbers and as an aid to the use of telephone service.
- B.** The listings of subscribers, either without charge or at the rate specified herein for other listings, are arranged alphabetically and are not intended for special prominence of arrangement. In accepting listings as requested by subscribers or prospective subscribers, the Company will not be a party to controversies between subscribers as a result of the publication of such listings in its directories.
- C.** Listings must conform to the Company's specifications with respect to its directories. The Company reserves the right to reject listings when in its sole judgment, such listings would violate the integrity of company records and its directories, confuse individuals using the directory, or when the customer cannot provide satisfactory evidence that he is authorized to do business as requested.
- D.** The Company reserves the right to limit the length of any listing to one line in the directory by use of abbreviations when, in its sole judgment, the clearness of the listing and the identification of the subscriber is not impaired thereby.
- E.** Except as hereinafter provided only one listing is furnished without extra charge for each individual line service, Sharing and Resale of Basic Local Exchange Service, joint user service, PBX system, ESSX service or Digital ESSX service system; where a number of individual line services are provided on a rotary basis they are considered as one service. MultiServ service, MultiServ PLUS service, and BellSouth Centrex service listings are provided as specified in I. following. RingMaster service subscribers will be furnished one listed or semi-private listing without charge for every RingMaster service number. RingMaster service listings must be either business or residence as identified by the class of service. Primary Rate ISDN subscribers will be provided a listing for each B-Channel at no charge. If additional listings are required to properly identify the subscriber, such additional listings may be provided without charge to the extent that the number of listings allowed does not exceed the number of individual lines, the number of trunk lines in a PBX system, the number of trunk lines in a Sharing and Resale of Basic Local Exchange system, the number of exchange access trunks (with incoming call capability) in an ESSX-1 system, one-eighth the number of station lines in an ESSX-5 system, or the number of NAR Packages in an ESSX service or Digital ESSX service System. Directory listings showing the appropriate ESSX service or Digital ESSX service station number may be furnished indented under the main listing or additional listings. Such listings may be specific departments, locations or titles of key personnel, but may not be names of individuals. The listings may be any of the ESSX service or Digital ESSX service numbers. (T)
- F.** Generally, the listed address is the location of the subscriber's place of business or residence. At the subscriber's request a partial address may be shown. An address may be:
- a number(s) and/or letter(s) followed by the name of a street, a building, a shopping center/mall, apartment complex, industrial park, or similar facility
  - a name of a street, building, shopping center/mall, apartment complex, industrial park, or similar facility
  - any one of the above followed by a community name and/or state name
  - a community name only
  - omitted at the subscriber's request
- The listed address may not include P. O. Box, or use of the word or abbreviation of suite, floor, or apartment before numbers used in the identification.
- An address other than the address where the service is located may be listed provided the subscriber has a comparable class of service at the address requested.
- Only the customer name and telephone number shall be published in a listing for a Family Violence Shelter. **The Company** shall not publish an address as part of the listing for a Family Violence Shelter. (T)
- G.** Liability of the Company due to directory errors and omissions is as specified in Section A2.
- H.** A Secondary Service Charge as specified in Section A4., applies when an order is issued solely to add or change a directory listing.
- I.** One listing is furnished without charge for each main station line associated with MultiServ service and for each Network Access Register (NAR) associated with MultiServ PLUS service and BellSouth Centrex service.
- J.** Directory listings can be suspended as specified in A2.3.16. However, the suspension rate shall be fifty percent of the regularly charged rate.

---

## A24. EMERGENCY REPORTING SERVICES

### A24.2 BellSouth 9-1-1 PinPoint Service

#### A24.2.1 General

- A. 9-1-1 PinPoint Service allows a Private Branch Exchange (PBX) switch located on a customer's premises to be trunked directly into an E911 tandem office, delivering the telephone number and location of the PBX end user to the appropriate Public Safety Answering Point (PSAP).
- B. 9-1-1 PinPoint Service is available with *the Company's* Primary Rate ISDN (PRI) or 9-1-1 PinPoint Service Local Channels. 9-1-1 Pinpoint Service Local Channels are not required if using *the Company's Primary Rate ISDN* Service. (T)
- C. 9-1-1 PinPoint Service is only available in jurisdictions where the Company is the 9-1-1 System Service Provider.

#### A24.2.2 Terms and Conditions

- A. 9-1-1 PinPoint Service is furnished subject to the availability of facilities.
- B. Automatic Number Identification (ANI) which is passed to the Company's E911 tandem office by the PBX switch is read, processed and utilized in the manner as if it is provided by any other serving end office in the Company's E911 system.
- C. The emergency agency serving the area may also be involved to update the Master Street Address Guide (MSAG) and to determine the method in which emergency calls from 9-1-1 PinPoint Service locations will be handled.
- D. The following specifications must be met when provisioning this Service:
  - 1. Subscribers to 9-1-1 PinPoint Service must meet all Company technical specifications.
  - 2. The PBX switch must be able to transmit ANI using multi-frequency signals. This may require the retro-fitting of existing PBX switches with interfaces which will work with the Company's E911 system.
  - 3. The PBX switch owner/operator must supply the Company with the initial telephone number-to-address data as well as periodic updates.
  - 4. 9-1-1 PinPoint Service is configured on a "per account" basis for *the Company's* Direct Inward Dialing (DID) and grandfathered Primary Rate ISDN (PRI) accounts. All telephone numbers on these accounts must be provisioned with 9-1-1 PinPoint Service. The Customer cannot randomly select which telephone numbers on an account will have the Service. This term and condition is not applicable for *Primary Rate ISDN* subscribers billed for 9-1-1 PinPoint Service on a per PRI station number (per TN) basis. (T)
  - 5. Users of 9-1-1 Pinpoint Service are prohibited from provisioning PBX station numbers outside the boundary of the E9-1-1 tandem serving the physical address of the main PBX location. 9-1-1 calls from any telephone numbers provisioned outside the boundary of the serving E9-1-1 tandem would be routed to an incorrect PSAP with no location information. An alternative arrangement could involve *Primary Rate ISDN* terminations from multiple central offices to accommodate a wider geographic area. In that configuration, no PBX station numbers can be provisioned at addresses outside the boundary of the tandem serving the PRI host. The subscribing 9-1-1 PinPoint Service customer is responsible for ensuring that 9-1-1 PinPoint Service is provisioned in a compliant configuration that will ensure that 9-1-1 calls are routed correctly with the correct location information. (T)
  - 6. 9-1-1 PinPoint Service is only available on local exchange services provided by the Company, specifically *the Company's Primary Rate ISDN* and the Company's DID services. The PBX switch must employ the Company's Direct Inward Dialing (DID) or *the Company's Primary Rate ISDN* station numbers. If the PBX is serving subscribers with multiple NPAs, a unique PBX trunk group will be needed for each NPA (whether it be 9-1-1 PinPoint Service Local Channels or *Primary Rate ISDN*). 9-1-1 PinPoint Service is not available on Centrex or "Centrex-like" station numbers. 9-1-1 PinPoint Service is not available on telephone numbers obtained from CLECs or on any IP-enabled services. (T)
  - 7. It will be the responsibility of the vendor or PBX operator to maintain the data pertaining to each extension operating under such system.

---

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### CONTENTS

<b>A42.1</b>	<b>ISDN - Business Service (IBS)</b>	1	
A42.1.1	General	1	
A42.1.2	Terms and Conditions	2	
A42.1.3	Definitions	3	
A42.1.4	Rates and Charges	3.1	
A42.1.5	Optional Features	5.2	
<b>A42.2</b>	<b>ISDN - Residence Service (IRS)</b>	13	
A42.2.1	General	13	
A42.2.2	Terms and Conditions	14	
A42.2.3	Definitions	15	
A42.2.4	Rates and Charges	15	
A42.2.5	Optional Features	17	
<b>A42.3</b>	<b>Primary Rate ISDN</b>	24	(T)
A42.3.1	General	24	
A42.3.2	Terms and Conditions	25.1	
A42.3.3	Definitions	28	
A42.3.4	Rates and Charges	30	

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN

(T)

#### A42.3.1 General

- A.** Primary Rate ISDN is an intraLATA offering supported by the Integrated Services Digital Network (ISDN) architecture. (T)
- B.** Primary Rate ISDN provides an ISDN based, DS1 access to the telecommunications network and includes the flexibility of integration of multiple voice and/or data transmission channels on the same line. The service will provide connectivity between ISDN compatible CPE and a serving central office. The Service may not be installed at a carrier hotel, a collocation cage, or any similar location. The basic channel structure for Primary Rate ISDN is twenty-three 64 Kbps B-Channels and one 64 Kbps D-Channel. The customer has the option to activate up to 23 B-Channels on the first Primary Rate ISDN arrangement and up to 24 channels on additional Primary Rate ISDN arrangements. A Digital Data Only option<sup>1</sup> and an Inward Data Option are also available. The 23 B-Channels can be used to connect the customer's CPE to the Public Circuit Switched Network, e.g., outward, inward and 2-way network access. Calling Number Delivery, Called Number Delivery, Outgoing Calling Name Delivery and Hunting functionality are inherent to this service. Incoming Calling Name Delivery, an optional feature offered at rates listed in A42.3.4.D.5., is available in switch types where equipped. Redirecting Number, an optional feature described in A42.3.3, is offered at no charge to the customer in switch types where equipped. Telephone numbers for use on Primary Rate ISDN are available in this Section. One Directory Listing will be furnished at no charge for each Primary Rate ISDN B-Channel. Additional listings can be obtained as specified in Section A6. (T)
- C.** Primary Rate ISDN provides capability for the transmission of digital signals only. Clear Channel Capability and Extended Superframe Format are inherent to the service. (T)
- D.** Primary Rate ISDN is provided within a LATA from wire centers where appropriate ISDN facilities are available as determined by the Company. Special Construction charges may apply as specified in Section A5. (T)
- E.** Primary Rate ISDN Access Lines furnished between a serving wire center and a customer's premises will be offered at a non-distance sensitive rate per Primary Rate ISDN Access Line. If a customer wishes to utilize another Company provided transport facility, e.g., SMARTRing service, that can meet the required standards to carry the Primary Rate ISDN Access (DS1) Line, the customer will incur no charge for the Primary Rate ISDN Access (DS1) Line. MegaLink service cannot be utilized to provide transport for Primary Rate ISDN except where the Primary Rate ISDN is terminated in FlexServ service. Asynchronous Transfer Mode (ATM) Service can be utilized to transport Primary Rate ISDN Voice/Data – Flat Rate under the terms and conditions stated in A42.3.2.EE. (T)
- F.** Interoffice Channels furnished between central offices will be charged at rates based on airline distance between the central offices, except as provided in A42.3.2.R. following. (T)
- G.** Airline distance between Company central offices shall be developed using the methodology found in B3.3.3. Fractional mileage shall be rounded up to the next full mile. (T)
- H.** The required components for Primary Rate ISDN are as follows: (T)
- Primary Rate ISDN Access Line where applicable (T)
  - Interoffice Channels where applicable (T)
  - Primary Rate ISDN Interface (T)
  - Primary Rate ISDN B-Channels (T)
  - Primary Rate ISDN D-Channel (T)
  - Telephone Numbers (T)
  - Call Types (T)

**Note 1:** Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed.

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN (Cont'd)

(T)

#### A42.3.1 General (Cont'd)

- I.** Incoming Call Extension (ICE) is an optional offering allowing customers to retain their phone numbers. ICE-SRC (Incoming Call Extension – Same Rate Center) and ICE-DRC (Incoming Call Extension – Different Rate Center) may be used in any ANSA arrangement. ICE-SRC and ICE-DRC may be used if an ANSA customer's non-equipped, serving wire center switch is replaced by a PRI capable switch. ICE is only available within the Local Calling Area.
1. ICE-SRC applies if the Customer's Serving Central Office and the ANSA office are in the same Toll Message Rate Center (TMRC). Rates and charges are applicable per telephone number.
  2. ICE-DRC applies if the customer's Serving Central Office and the ANSA office are in different Toll Message Rate Centers. Hunting between ICE telephone numbers is not allowed. Rates and charges are applicable per telephone number or per path. Customers may be required to make CPE software modifications to translate dialed telephone numbers to terminated telephone numbers.
- J.** Primary Rate ISDN B-Channel rates for the Voice/Data (Standard) option are listed in A42.3.4.C. Exchange access is included as a part of the B-Channel rate on a flat rate basis only. (T)
- K.** Primary Rate ISDN B-Channel rates for the Digital Data Only option<sup>1</sup> are listed in A42.3.4.C. Exchange access is included as a part of the B-Channel rate on a flat rate basis only. (T)
- L.** Primary Rate ISDN B-Channel rates for the Inward Data option are listed in A42.3.4.C. Exchange access is included as a part of the B-Channel on a flat rate basis only. (T)
- M.** The Primary Rate ISDN Inward Data option is characterized by the following: (T)
1. It is arranged for inward service only. Originating Calls will be denied.
  2. It is arranged to terminate analog and digital data calls only.
  3. The number of telephone numbers associated with a Primary Rate ISDN Inward Data Option arrangement must be equal to, or less than, the number of Primary Rate ISDN Inward Data Interfaces comprising the arrangement and all numbers must use the same routing unless the customer subscribes to additional numbers as stated in A42.3.4.C.7. This restriction does not apply to Inward Data Extended Reach Service. (T)
  4. Calling Number Delivery, Called Number Delivery, and Hunting are inherent to the service.
- N.** Voice calls on the B-Channel may be completed to both ISDN and non-ISDN lines.
- O.** Digital Data Transmission on the B-Channel will be circuit switched at 64 Kbps within the switch and between ISDN compatible central offices. ISDN interconnection to non-ISDN equipped central offices may be subjected to analog transmission or sub-rated to 56 Kbps.
- P.** Primary Rate ISDN Extended Reach Service (ERS) is available only for the Inward Data Option. ERS is designed to "extend the reach" of the Inward Data Option customer from a centrally located metropolitan local calling area into the areas of the LATA which are available on a foreign exchange basis. The ERS customer purchases telephone numbers within each desired foreign exchange area to allow their clients to call them at no charge. (T)
1. ERS is offered under two configurations: (1) A Dedicated Route Arrangement, and (2) A Final Route Arrangement. The ERS Dedicated Route Arrangement is only available where the target local calling area(s) have an ISDN equipped central office. It is intended for use where the volume of traffic is sufficient to warrant one or more dedicated DS1 interoffice facilities. The ERS Final Route Arrangement will be utilized where the target local calling area(s) do not have an ISDN equipped central office and/or the volume of traffic is insufficient to justify a dedicated DS1 interoffice facility.
  2. For ERS Dedicated Route Arrangements the customer must purchase ERS Remote Telephone Numbers (RTNs), ERS Primary Rate Interfaces, and ERS B-Channels in the target local calling area(s). The ERS Primary Rate Interfaces and ERS B-Channels are extended to the customer's premises (typically in a centrally located metropolitan area, but in the same LATA as the target local calling area) via ERS Interoffice Channels and a Primary Rate ISDN Access Line or other Company provided transport facility. (T)
  3. For ERS Final Route Arrangements the customer must purchase ERS RTNs in the target local calling area(s). Calls that terminate to these RTNs are switched over interoffice trunk groups to the customer's local serving central office where they terminate on ERS Final Route Primary Rate Interfaces and ERS Final Route B-Channels, via an ERS Final Telephone Number (FTN). A Primary Rate ISDN Access Line or other Company provided transport facility is required for connection to the customer's local serving central office. (T)

**Note 1:** Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed.

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN (Cont'd)

(T)

#### A42.3.1 General (Cont'd)

##### P. (Cont'd)

4. Calls may be overflowed from an ERS Dedicated Route Arrangement to an ERS Final Route Arrangement by utilizing the Overflow Feature for ERS Dedicated Route Arrangements. When all facilities are busy on the Customer's Dedicated Arrangement from a particular target local calling area, the Overflow Feature allows additional calls to be switched over intraLATA toll message trunk groups to the customer's local serving central office, where they terminate on ERS Final Route Primary Rate Interfaces and B-Channels, via an ERS FTN. A Primary Rate ISDN Access Line or other Company provided transport facility is required for connection to the customer's local serving central office. (T)
5. ERS is jointly provided with other telephone companies only where technically feasible and where mutually agreed upon by the telephone companies involved.
6. ERS Final Route Arrangement customers physically located within the state of Georgia in the Augusta, Georgia LATA are allowed to subscribe to RTNs in that portion of the Augusta LATA which is located in South Carolina. Also, ERS Final Route Arrangement customers physically located within the state of South Carolina in the Augusta, Georgia LATA are allowed to subscribe to RTNs in that portion of the Augusta LATA which is located in Georgia.

- Q.** Calling Name/Number Delivery provides the user who is receiving a call with information about the calling party. Calling names/numbers will be delivered within the Common Channel Signaling System 7 serving area unless delivery is blocked by the customer's equipment.

#### A42.3.2 Terms and Conditions

- A.** Primary Rate ISDN is available on a month-to-month basis or under variable rate periods, with rates based on lengths of twelve to twenty-three months, twenty-four to forty-eight<sup>1</sup> months or forty-nine<sup>1</sup> to seventy-two<sup>1</sup> months under conditions specified in the Channel Services Payment Plan (CSPP) in B.2.4 of the Private Line Guidebook and as stated following: (T)

1. A volume discount schedule is available to customers under month-to-month or contract rates as described in A42.3.4.E. A rate discount for Primary Rate ISDN Interfaces is calculated based upon the quantity of Primary Rate ISDN Interfaces on a billing account. In addition, a discount for Primary Rate ISDN B-Channels is calculated based upon the number of Primary Rate ISDN B-Channels on a billing account. (T)
2. A Termination Liability Charge is applicable if service is terminated prior to expiration of the contract. The applicable charge is equal to fifty percent (50%) of the monthly charges times the number of months remaining in the contract.
3. A Termination Liability Charge shall not apply for the termination of B-Channels prior to the expiration of the contract.
4. During the last ninety (90) days of a CSPP contract or an existing term extension as provided in this paragraph, in addition to the Renewal Options stated in B.2.4.9.B.7., customers may extend their CSPP contract with the same rates, terms and conditions for up to two additional 6-month term extensions and two additional 12-month term extensions, in any combination. Term extensions may include associated transport rate elements as provided in A42.3.4. However, term extensions are not available for other Company provided transport facilities services being utilized to provide Primary Rate ISDN, as described in A42.3.1.E. The availability of this term extension option at any time is subject to the Company's right to discontinue or to otherwise change this option. Customers who exercise the term extension are not entitled to a different rate based on the overall term as extended (e.g., customers who initially have a 36-month CSPP and extend it by an additional 24 months are not entitled to the rates allowed under a 60-month CSPP). An extension will begin on the expiration date of the existing CSPP or term extension. The customer will be required to sign an addendum to their CSPP contract for each term extension. (T)

During the 6-month term contract extension period(s), the customer may terminate the service, or any service components, at any service location on thirty (30) days' notice without incurring a Termination Liability Charge.

Requests to terminate a 12-month term extension prior to the end of the term shall generate a Termination Liability Charge. Termination Liability Charges shall be calculated for each 12-month extension, as a separate service term agreement, as illustrated in 2. and 3., preceding.

- B.** Nonrecurring charges associated with the Primary Rate ISDN Access Line or Interoffice Channel facilities will not be applicable when upgrading from an existing MegaLink service to Primary Rate ISDN. A Type 1 Service Change Charge as specified in A42.3.4.G. will be applicable for the MegaLink service upgrade in addition to nonrecurring charges for other Primary Rate ISDN rate elements ordered. (T)

**Note 1:** Effective October 1, 2013, customers may not establish new term plans greater than 36 months for Primary Rate ISDN, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months. (T)

---

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN (Cont'd)

(T)

#### A42.3.2 Terms and Conditions (Cont'd)

- C.** No nonrecurring charges will be applicable when converting MegaLink ISDN service to Primary Rate ISDN or for converting from one Primary Rate ISDN option to another, e.g., Voice/Data to Inward Data or Inward Data to Inward Data Extended Reach Service (ERS). The term "conversion" means that the Primary Rate Interface(s) remain in place in the same central office. If the Primary Rate Interface(s) are moved in connection with ERS, the change is considered a rearrangement, and terms and conditions stated in D. following are applicable. No termination charges are applicable for conversions when:
1. The contract selected for the new Primary Rate ISDN arrangement is coterminous with the previous contract or is for a 24 month period, whichever is longer, and, (T)
2. The service orders to disconnect the previous arrangement and to install the new Primary Rate ISDN arrangement are related together and received by the Company at the same time with no lapse in billing of service. (T)
- D.** Rearrangement charges stated in A42.3.4.G. are applicable for moves of Primary Rate Interfaces from one central office to another in connection with the initial installation of Inward Data ERS or for subsequent moves of Primary Rate Interfaces from one central office to another for ERS Final or Dedicated arrangements. Termination Liability charges are not applicable if the number of Primary Rate Interfaces is not reduced.
- E.** Upgrades, from a MegaLink service and/or a MegaLink channel service contract arrangement, are permitted with no Termination Liability when:
1. A new contract is selected for the Primary Rate ISDN equal to or greater in length than the arrangement being terminated, and (T)
2. The service orders to disconnect the MegaLink channel service arrangement and to install the Primary Rate ISDN are related together and received by the Company at the same time with no lapse in billing of service. (T)
- F.** Conversions from an existing MegaLink ISDN channel service contract arrangement to a Primary Rate ISDN contract or conversions from one Primary Rate ISDN option to another, e.g., Voice/Data to Inward Data, are permitted with no Termination Liability charges applicable when:
1. The contract selected for the new Primary Rate ISDN arrangement is coterminous with the previous contract or is for a 24 month period, whichever is longer, and, (T)
2. The service orders to disconnect the previous arrangement and to install the new Primary Rate ISDN arrangement are related together and received by the Company at the same time with no lapse in billing of service. (T)
- G.** The minimum subscription period for which month-to-month Primary Rate ISDN is furnished and for which charges are applicable is one month. (T)
- H.** Unless otherwise specified, the terms and conditions for Primary Rate ISDN stated herein apply in addition to the terms and conditions set forth in A2. (T)
- I.** Customer Premises Equipment (CPE) that is compatible with the Primary Rate ISDN interface is the responsibility of the customer. (T)
- J.** The Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company utilized in the provisioning of Primary Rate ISDN render any facilities provided by the customer obsolete, or require modification or alteration of such equipment or system, or otherwise affect its use or performance. Digital transmission rates at speeds less than those indicated may be accomplished as a function of the particular CPE furnished by the customer. (T)



## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN (Cont'd)

(T)

#### A42.3.2 Terms and Conditions (Cont'd)

- K.** Suspension of service is not allowed.
- L.** Terms and Conditions for Allowance of Interruptions apply as specified in Section B2. of the Private Line Guidebook.
- M.** Service Charges in Section A4. do not apply.
- N.** Hunting rates, Direct Inward Dialing (DID) rates, Customized Code Restriction rates, Selective Class of Call Screening, and Foreign Exchange Rates do not apply.
- O.** Verification and Emergency Interrupt service is not available.
- P.** Calling telephone numbers transmitted via the Primary Rate ISDN are intended solely for the use of the Primary Rate ISDN subscriber. Resale of this information is prohibited except the caller's telephone numbers may be provided to the subscriber's client for those calls sponsored or provided by that client where the client's identity is disclosed to the caller and the client agrees not to distribute such information to others. (T)
- Q.** Non-facility Associated Signaling (NFAS) provides the capability to control multiple DS1s with a single D-Channel. This feature can be ordered where switch capabilities exist as stipulated in the vendor technical documentation and where switch capacity exists. When NFAS is selected, the customer will order one Primary Rate ISDN arrangement with one D-Channel and up to 23 B-Channels. Additional Primary Rate ISDN arrangements are ordered with up to 24 B-Channels at rates and charges provided in A42.3.4. The D-Channel activated on the initial arrangement serves the additional Primary Rate ISDN arrangements. If the customer desires, he may also request a back-up D-Channel with the NFAS option. The Voice/Data (Standard) Primary Rate ISDN and Digital Data Only option<sup>1</sup> Primary Rate ISDN arrangements may not be mixed in the same NFAS group. (T)
- R.** When a customer's normal serving central office is not equipped to provide Primary Rate ISDN, the customer may be served, at the Company's option, from an equipped central office without incurring interoffice channel charges. Primary Rate ISDN customers to be served under this arrangement must sign an agreement that the service may be moved back at the Company's discretion to the normal serving central office and to a probable number change when/if that office is equipped with ISDN. This is referred to as the Alternate Network Serving Arrangement (ANSA). If a customer, under ANSA, requests Primary Rate ISDN from an ISDN equipped central office other than that determined by the Company, interoffice channel charges as specified in A42.3.4.B. will apply. Also, if a customer requests Primary Rate ISDN from a central office other than their normal serving office and ANSA does not apply, interoffice channel charges will apply as specified in A42.3.4.B. ANSA does not apply for Inward Data Extended Reach Service. (T)
- S.** The Primary Rate ISDN - Digital Data Only option<sup>1</sup> provides for the transmission of data mode calls only. The Primary Rate ISDN - Digital Data Only arrangement will be provisioned with the customer's requested number of Digital Data Only B-channels with no B-channels capable of transmitting voice mode calls in the same arrangement. (T)
- T.** The Primary Rate ISDN Inward Data option provides for the transmission of inward analog and digital data calls only. (T)
- U.** Terms and Conditions in Section A2. prohibiting the mixing of flat and message or flat and measured service do not apply for Primary Rate ISDN. (T)
- V.** No usage charges apply for Primary Rate ISDN calls within the local calling area. Long Distance Message Telecommunications Service rates as specified in Section A18. apply for intraLATA calls terminated beyond the local calling area. (T)
- W.** The Next Route Index Feature allows a Primary Rate ISDN Digital Data Only<sup>1</sup> customer to arrange analog calls to overflow to a Voice/Data arrangement in the same switch or allows the customer to overflow analog and digital calls to a Voice/Data arrangement in the same switch. These same capabilities are available to a Primary Rate ISDN Inward Data customer to overflow calls to a Voice/Data arrangement in the same switch. It does not allow Voice/Data or Inward Data calls to overflow to a Digital Data Only arrangement nor does it allow Voice/Data or Digital Data Only calls to overflow to an Inward Data arrangement. (T)

**Note 1:** Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed.

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN (Cont'd)

(T)

#### A42.3.2 Terms and Conditions (Cont'd)

- X.** Primary Rate ISDN Digital Data Only<sup>1</sup> Signaling Groups may be configured in one of the following four standard arrangements of call types: (T)
1. Inward Calls: The number of Inward calls accommodated by the Signaling Group will be equal to the number of activated B-channels.
  2. Outward calls: The number of Outward calls accommodated by the Signaling Group will be equal to the number of activated B-channels.
  3. Inward calls and Outward calls: The maximum number of simultaneous calls for each call type is determined by the customer. For each call type, the maximum number of simultaneous calls must be less than or equal to the number of activated B-channels in the Signaling Group.
  4. 2-Way calls: The number of 2-Way calls accommodated by the Signaling Group will be equal to the number of activated B-Channels.
- Y.** The Company reserves the right to audit the customer's traffic usage for the Incoming Call Extension feature to insure that simultaneous calls are not occurring on the low use option. If such calls are occurring, the customer will be required to subscribe to the high use option
- Z.** The Service Installation Guarantee as set forth in B2.4.17 of the Private Line Guidebook applies for Primary Rate ISDN. (T)
- AA.** (Obsoleted, See Section A142.3)
- BB.** The provisions stated under B2.4.14 Cancellation of a Service Order apply for Primary Rate ISDN with one exception. The customer must accept service within 45 calendar days after the original service date rather than 30 calendar days as stated in B2.4.14 or choose one of the following options: (T)
- The service order shall be cancelled and charges as set forth in B2.14.14 will apply, or
  - Billing for the service will commence on the 46th day beyond the original service date of the service order.
- CC.** Customer requested changes from Primary Rate ISDN to intrastate or interstate Fast Packet Services and associated transport under a contract payment plan are permitted with no termination liability when: (T)
1. A new contract is selected for the Fast Packet Service equal to or greater in length than the Primary Rate ISDN arrangement being terminated, and (T)
  2. The service orders to disconnect the Primary Rate ISDN and to install the Fast Packet Service are related together and received by the Company at the same time with no lapse in billing of service. (T)
- DD.** ATM Service can be utilized to provide transport for Primary Rate ISDN Voice/Data – Flat Rate under the following conditions: (T)
1. The Unstructured Circuit Emulation Customer Connection - PRI over ATM rate element specified in A40.8 applies for each Voice/Data Flat Rate Interface transported via ATM. Other ATM rates are applicable as stated in A40.8.
  2. Interoffice Channel rates stated in A42.3.4 following apply when the Primary Rate ISDN switch and the ATM switch are not located in the same central office.
  3. Rates for the B-Channel to be used with ATM are specified in A42.3.4 following.
  4. In accordance with terms and conditions governing the provisioning of local exchange service via Primary Rate ISDN Service, the PVC Segment associated with the Unstructured Circuit Emulation Customer Connection - PRI over ATM may only be mapped to a PVC Segment associated with a local ATM Service Customer Connection whose service terminates to a premises within the same LATA as the Primary Rate ISDN Service switch. (T)
- EE.** The PRI Overflow feature for Voice/Data Arrangements allows calls to overflow from a customer's Voice/Data PRI Arrangement to a telephone number. The calls must overflow to a *Company* business telephone number residing in the same central office switch as the customer's Voice/Data PRI Arrangement. (T)

**Note 1:** Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed.

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN (Cont'd)

(T)

#### A42.3.3 Definitions

##### CALL-BY-CALL CAPABILITY

The term "Call-by-Call" denotes the ability of a Primary Rate ISDN B-Channel to carry a call of any call type (e.g., Inward, Outward, or 2-Way) as needed. This is distinct from other technologies where transmission channels are, due to technical limitations, segregated by call types.

(T)

##### CALL TYPES

The term "Call Types" denotes the use of three types of Simulated Facility Groups (SFGs) available with Primary Rate ISDN which are described as Inward, Outward, and 2-way

(T)

##### D-CHANNEL

The term "D-Channel" denotes a 64 Kbps digital signaling only channel for call establishment when used with Primary Rate ISDN.

(T)

##### D-CHANNEL BACKUP

D-Channel Backup (DCBU) provides one of the DS-1's in the NFAS arrangement with a spare D-Channel. This spare D-Channel is used to control signaling and call setup if the main D-Channel fails. The main D-Channel and the spare D-Channel are never provided on the same DS-1. The channel configuration for NFAS with DCBU arrangements may be described as  $pB+2D$  where  $1 \leq p \leq 478$ . Thus, the maximum channel configuration for a NFAS with DCBU arrangement is  $478B+2D$ .

##### DIGITAL DATA ONLY B-CHANNEL<sup>2</sup>

The term "Digital Data Only B-Channel" denotes a bi-directional synchronous channel capable of supporting 64 Kbps of digitally transmitted data mode calls when provisioned by the Primary Rate ISDN - Digital Data Only option.

(T)

##### EXTENDED REACH SERVICE FINAL TELEPHONE NUMBER (ERS FTN)

ERS FTNs are telephone numbers assigned in the ERS subscriber's serving central office. These numbers are required for ERS Final Route Arrangements and may be required where the Overflow Feature for ERS Dedicated Route arrangements is utilized for call overflows to intraLATA toll message trunk groups.

##### EXTENDED REACH SERVICE REMOTE TELEPHONE NUMBER (ERS RTN)

ERS RTNs are telephone numbers assigned to each local calling area to which the Extended Reach subscriber provides local number access. These telephone numbers are applicable for both ERS Dedicated Route Arrangements and ERS Final Route Arrangements.

##### FACILITY ASSOCIATED SIGNALING

In Facility Associated Signaling (FAS) arrangements for Primary Rate ISDN, a D-Channel is provided for every DS-1 facility. Since the subscriber may select the number of B-Channels activated (up to 23), the channel configuration for FAS arrangements may be described as  $nB+D$  where  $1 \leq n \leq 23$ . Thus, the maximum channel configuration for a FAS arrangement is  $23B+D$ .

(T)

##### HIGH USE OPTION

The term "High Use Option" for Incoming Call Extension denotes that more than one simultaneous incoming call is received per telephone number.

##### INCOMING CALLING NAME DELIVERY

Delivery of the name associated with a call incoming to the customer's PRI and customer's premise equipment for display on a telephone with appropriate display equipment.

##### INTEROFFICE CHANNEL

An Interoffice Channel provides for the transmission facilities between Company serving wire centers within a LATA.

##### INWARD CALL

An Inward call denotes a call that is switched through the *Company's* Network and terminates in a Primary Rate ISDN arrangement<sup>1</sup>.

(T)

**Note 1:** A Primary Rate ISDN Arrangement may be either a single PRI or multiple PRIs that are associated with the same phone number or phone numbers.

(T)

**Note 2:** Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed.

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN (Cont'd)

(T)

#### A42.3.3 Definitions

##### INWARD DATA B-CHANNEL

An Inward Data B-Channel provides circuit switched service that will allow either analog data or digital data transmission at up to 64 Kbps and will include the functionality of Hunting and Calling/Called Number Delivery.

##### LOW USE OPTION

The term "Low Use Option" for Incoming Call Extension denotes that a maximum of one incoming call is received per telephone number at one time.

##### NEXT ROUTE INDEX FEATURE

The Next Route Index Feature allows a Primary Rate ISDN Digital Data Only<sup>2</sup> customer to arrange analog calls to overflow to a Voice/Data arrangement<sup>1</sup> in the same switch or allows the customer to overflow analog and digital calls to a Voice/Data arrangement<sup>1</sup> in the same switch. These same capabilities are available to a Primary Rate ISDN Inward Data customer to overflow calls to a Voice/Data arrangement<sup>1</sup> in the same switch.

(T)

##### NON-FACILITY ASSOCIATED SIGNALING

In Non-Facility Associated Signaling (NFAS) arrangements for Primary Rate ISDN, a D-Channel controls multiple (up to 20) DS-1 facilities. In NFAS arrangements, the first DS-1 will typically be configured as 23B+D, and all other DS-1's controlled by the D-Channel will be configured as 24B. The channel configuration for NFAS arrangements may be described as mB+D where  $1 \leq m \leq 479$ . Thus, the maximum channel configuration for a NFAS arrangement is 479B+D.

(T)

##### OUTGOING CALLING NAME DELIVERY

The name that is delivered to Calling Name Display equipment when an outgoing call is placed. This name is defined in A6.2.1. All customer phone numbers will use this name unless Secondary Calling Name Delivery is purchased.

##### OUTWARD CALL

An Outward call denotes a call that originates on a Primary Rate ISDN arrangement<sup>1</sup> and is switched through the *Company's* network.

(T)

##### OVERFLOW FEATURE FOR EXTENDED REACH SERVICE DEDICATED ROUTE ARRANGEMENTS

The Overflow Feature for Extended Reach Service Dedicated Route Arrangements allows calls to overflow from a customer's ERS Dedicated Route Arrangement to the same customer's Final Route Arrangement. When all facilities are busy on the customer's Dedicated Route Arrangement from a particular target local calling area, additional calls are switched over intraLATA toll message trunk groups to the customer's local serving central office, where they terminate on ERS Final Route Primary Rate Interfaces and B-Channels, via an ERS Final Telephone Number.

##### OVERFLOW FEATURE FOR VOICE/DATA ARRANGEMENTS<sup>1</sup>

The Overflow Feature allows calls to overflow from a customer's Voice/Data PRI Arrangement<sup>1</sup> to a *Company* business telephone number residing in the same central office switch as the customer's Voice/Data Arrangement.

(T)

##### PRIMARY RATE ISDN ACCESS LINE

A Primary Rate ISDN Access Line provides a four-wire access loop from the serving wire center to the customer premises. The transmission characteristics of this loop support Clear Channel Capability and Extended Superframe Format (ESF). When the customer provides this access line, via an acceptable transport facility.

(T)

##### PRIMARY RATE ISDN ARRANGEMENT

A Primary Rate ISDN Arrangement may be either a single PRI or multiple PRIs that are associated with the same phone number or phone numbers.

(T)

(T)

**Note 1:** A Primary Rate ISDN Arrangement may be either a single PRI or multiple PRIs that are associated with the same phone number or phone numbers.

(T)

**Note 2:** Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed.

---

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN (Cont'd)

(T)

#### A42.3.3 Definitions (Cont'd)

##### PRIMARY RATE ISDN B-CHANNEL

(T)

A Primary Rate ISDN B-Channel - provides circuit switched service that will allow either voice or data transmission at up to 64 Kbps and will include the functionality of hunting and calling/called number delivery.

(T)

##### PRIMARY RATE ISDN D-CHANNEL

(T)

A Primary Rate ISDN D-Channel - provides a 64 Kbps digital signaling-only channel for call establishment and control.

(T)

##### PRIMARY RATE ISDN INTERFACE

(T)

A Primary Rate ISDN Interface - provides multiplexing to support up to 23 B-Channels at 64 Kbps and one D-Channel for signaling also at 64 Kbps. When Non-facility Associated Signaling (NFAS) is ordered, the Primary Rate ISDN Interface can provide up to 24 B-Channels at 64 Kbps. One Primary Rate ISDN Interface is required for each Primary Rate ISDN Access Line.

(T)

##### REDIRECTING NUMBER FEATURE

This feature provides delivery of up to two Redirecting Numbers on a terminating Primary Rate Interface. When a call is redirected by a line to a Primary Rate Interface, the directory number of the redirecting line is passed by the switch to the terminating Primary Rate Interface along with the calling party number.

##### SECONDARY CALLING NAME DELIVERY

Secondary Calling Name Delivery is an optional feature that allows the delivery of a Listed Directory Name other than the name defined in Outgoing Name Delivery. A secondary calling name may be associated with a number or range of numbers.

##### SIGNALING GROUP

A set of Primary Rate ISDN DS-1's that is controlled by one D-Channel, or by one D-Channel together with the associated backup D-Channel, is called a Primary Rate ISDN Signaling Group. In a FAS arrangement, each DS-1 constitutes a Signaling Group. In NFAS arrangements, all the DS-1's controlled by the main D-Channel (and, optionally, by the Backup D-Channel) constitute a Signaling Group.

(T)

##### VOICE/DATA B CHANNEL

The term "Voice/Data B Channel" denotes a bi-directional synchronous channel capable of supporting 64 Kbps of digital transmission.

##### 2-WAY CALL

The term "2-Way calls" denotes calls which either originate or terminate on a Primary Rate ISDN arrangement<sup>1</sup>.

(T)

##### 64 KBPS CLEAR CHANNEL CAPACITY (CCC)

The term "64 KBPS Clear Channel Capacity (CCC)" denotes a B-Channel connection that provides end-to-end digital connection in which all 64 Kbps of bandwidth are available for customer use.

**Note 1:** A Primary Rate ISDN Arrangement may be either a single PRI or multiple PRIs that are associated with the same phone number or phone numbers.

(T)

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN (Cont'd)

(T)

#### A42.3.4 Rates and Charges

	Nonrecurring Charge	Month to Month	12 to 23 Months	24 to 48 <sup>1</sup> Months	49 to 72 <sup>1</sup> Month	USOC	
A. A Primary Rate ISDN Access Line is furnished between a serving wire center and the customer's premises. If other services are used for transport as described in A42.3.1.E, no additional rate applies (Provisioning USOC: 1LD1F).							(T)
1. Primary Rate ISDN Access Line, each							(T)
(a) Primary Rate ISDN Access Line, each	\$875.00	\$343.00	\$135.00	\$130.00	\$120.00	1LD1E	(T)
B. Interoffice Channels furnished between central offices. Rates are based on the airline distance between central offices.							
1. Interoffice Channel, each channel							
(a) Fixed Monthly Rate	125.00	75.00	70.00	65.00	60.00	1LN1A	
(b) Each airline mile or fraction thereof	-	24.00	23.00	22.00	20.00	1LN1B	

**Note 1:** Effective October 1, 2013, customers may not establish new term plans greater than 36 months for Primary Rate ISDN, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months. (T)

**A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)**

**A42.3 Primary Rate ISDN (Cont'd)**

(T)

**A42.3.4 Rates and Charges (Cont'd)**

	Nonrecurring Charge	Month to Month	12 to 23 Months	24 to 48 <sup>2</sup> Months	49 to 72 <sup>2</sup> Months	USOC
C. Primary Rate ISDN will be available in combinations of channels according to the limits of the Company central office type. Customers will choose the most appropriate combinations and will be billed for the services accordingly.						
1. Primary Rate ISDN Interface, each						
(a) Voice/Data (Standard) <b>(DELETED)</b>	\$110.00	\$970.00	\$400.00	\$375.00	\$350.00	PR71V
(b) Digital Data Only Option <sup>1,3</sup> <b>(DELETED)</b>	110.00	970.00	400.00	375.00 <sup>1</sup>	350.00 <sup>1</sup>	PR71D
(c) Inward Data Option <b>(DELETED)</b>	110.00	970.00	400.00	375.00	350.00	PR71E
(d) Inward Data Option with Extended Reach Service – Dedicated Route <b>(DELETED)</b>	110.00	970.00	400.00	375.00	350.00	PR71C
(e) Inward Data Option with Extended Reach Service – Final Route <b>(DELETED)</b>	110.00	970.00	400.00	375.00	350.00	PR71U
2. Primary Rate ISDN B-Channels						
(a) Voice/Data (Standard) <b>(DELETED)</b>	5.00	181.00	80.00	75.00	70.00	PR7BV
(b) Voice/Data (Standard) for use over ATM	5.00	38.00	34.00	32.00	30.00	PR7BT
(c) Digital Data Only Option <sup>1,3</sup>	5.00	26.65	25.00	24.00 <sup>1</sup>	22.75 <sup>1</sup>	PR7BF
(d) Inward Data Option	5.00	29.00	28.00	26.40	25.10	PR7BD
(e) Inward Data Option with Extended Reach Service – Dedicated Route	5.00	38.00	37.50	35.00	32.00	PR7BE
(f) Inward Data Option with Extended Reach Service – Final Route	5.00	53.00	52.00	49.00	45.00	PR7BL
3. Primary Rate ISDN D-Channel - No Rate (Requires Provisioning USOC: PR7EX)						
4. Extended Reach Dedicated Interoffice Channel – No Rate (Requires Provisioning USOC: PR7OE)						
5. Primary Rate ISDN Call types <sup>4</sup> - No Rate (requires Provisioning USOC per call type)						
<b>Call Type</b>	<b>USOC</b>					
Inward Only	PR7C1					
Outward Only	PR7CO					
2-Way	PR7CC					

**Note 1:** As of January 25, 2013, Variable Rate Periods of 24 months and greater are no longer available for new or renewing subscribers for the Digital Data Only Option.

**Note 2:** Effective October 1, 2013, customers may not establish new term plans greater than 36 months for Primary Rate ISDN, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.

**Note 3:** Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed.

**Note 4:** The Inward Data option is restricted to the Inward Only Call Type.

(T)

**A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)**

**A42.3 Primary Rate ISDN (Cont'd)**

**A42.3.4 Rates and Charges (Cont'd)**

C. Primary Rate ISDN will be available in combinations of channels according to the limits of the Company central office type. Customers will choose the most appropriate combinations and will be billed for the services accordingly. (Cont'd) (T)

6. Telephone Numbers for Primary Rate ISDN Voice/Data and Digital Data Only<sup>5</sup> options (T)

	Nonrecurring Charge	Monthly Rate	USOC
(a) Per telephone number requested inward and 2-way	\$ -	\$.20	PR7TF
(b) Per telephone number requested outward only - No Rate (Provisioning Only)	-	-	PR7TO

7. Telephone Numbers for Primary Rate ISDN Inward Data Option (T)

(a) Each telephone number requested inward only within standard allowance <sup>1</sup>	-	.20	PR7TF
(b) Each telephone number requested inward only above standard allowance <sup>1</sup>	-	20.00	PR7ZT
(c) Each Remote Telephone Number requested inward only with Extended Reach Service – Dedicated Route <sup>2</sup>	-	20.00	PR7T1
(d) Each Final Telephone Number requested inward only with Extended Reach Service <sup>2</sup>	-	20.00	PR7L2
(e) Each Remote Telephone Number requested inward only with Extended Reach Service – Final Route <sup>2</sup>	-	20.00	PR7RM

D. Optional Offerings

1. ANSA - Interoffice Mileage per Primary Rate ISDN Access Line - No Rate (Provisioning USOC: 2LHLM) (T)

2. Incoming Call Extension – Same Rate Center

	Nonrecurring Charge	Month to Month	12 to 23 Months	24 to 48 <sup>4</sup> Months	49 to 72 <sup>4</sup> Months	USOC
(a) (Obsoleted - See Section A142)						
(b) (Obsoleted - See Section A142)						
(c) (Obsoleted - See Section A142)						
(d) ICE-SRC, Per telephone number in the same rate center <sup>3</sup>	-	\$.20	-	-	-	PR7TF

3. Incoming Call Extension – Different Rate Center

(a) ICE-DRC, Per Telephone Number – Month-to-Month Option	\$10.00	.40	-	-	-	PR7NZ
(b) ICE-DRC, Per Telephone Number – Term Plan Option	na	-	\$.35	\$.30	\$.25	PR7NZ

**Note 1:** The standard allowance is equal to the number of Primary Rate ISDN Inward Data Interfaces comprising the arrangement. (T)

**Note 2:** Final Route Arrangements require an ERS Remote Telephone Number (RTN) and an ERS Final Route Telephone Number (FTN). RTNs are not available in 1AESS central offices.

**Note 3:** These rates apply only to new ICE-SRC service ordered on or after June 15, 2004.

**Note 4:** Effective October 1, 2013, customers may not establish new term plans greater than 36 months for Primary Rate ISDN, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months. (T)

**Note 5:** Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed.



**A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)**

**A42.3 Primary Rate ISDN (Cont'd)**

(T)

**A42.3.4 Rates and Charges (Cont'd)**

**D. Optional Offerings (Cont'd)**

	<b>Nonrecurring Charge</b>	<b>Month to Month</b>	<b>12 to 23 Months</b>	<b>24 to 48<sup>2</sup> Months</b>	<b>49 to 72<sup>2</sup> Months</b>	<b>USOC</b>
4. Next Route Index Feature						
(a) Per analog arrangement	<b>\$100.00</b>	<b>\$30.00</b>	<b>\$28.50</b>	<b>\$27.00</b>	<b>\$25.00</b>	<b>PR7GX</b>
(b) Per analog and digital arrangement	<b>100.00</b>	<b>30.00</b>	<b>28.50</b>	<b>27.00</b>	<b>25.00</b>	<b>PR7GY</b>
5. Overflow Feature for Extended Reach Service Dedicated Route Arrangement						
(a) Per Remote Telephone Number	<b>100.00</b>	<b>54.00</b>	<b>52.00</b>	<b>50.00</b>	<b>46.00</b>	<b>PR7AU</b>
6. Calling Name Delivery Feature						
(a) Per Primary Rate Interface	-	<b>100.00</b>	<b>85.00</b>	<b>75.00</b>	<b>69.00</b>	<b>PR7CN</b>
7. Redirecting Number Feature per Primary Rate Interface – No Rate (Provisioning USOC: PR7RN)						
8. PRI Overflow Feature for Voice/Data Arrangements						
(a) Per analog and digital arrangement	<b>100.00</b>	<b>30.00</b>	<b>28.50</b>	<b>27.00</b>	<b>25.00</b>	<b>PR7OF</b>
9. Secondary Calling Name Delivery <sup>1</sup>						
(a) Per number	<b>10.00</b>	<b>4.00</b>	<b>4.00</b>	<b>4.00</b>	<b>4.00</b>	<b>PR7SN</b>

**Note 1:** Each number requires an additional listing. Listings for this service are subject to terms and conditions specified in Section A6. for directory listings.

**Note 2:** Effective October 1, 2013, customers may not establish new term plans greater than 36 months for Primary Rate ISDN, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.

(T)

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN (Cont'd)

(T)

#### A42.3.4 Rates and Charges (Cont'd)

##### E. Volume Discounts

1. When the total number of Primary Rate ISDN Interfaces of all types equals or exceeds 6 on a billing account, a credit as listed below will be applied per billing cycle to the Interface monthly rate. The amount of the credit will be based on the total number of Interfaces of all types. (T)

a. Voice/Data (Standard)

Number of Primary Rate ISDN Interfaces	Percent Discount
6 to 10	4
11 to 15	7
More than 15	10

(T)

b. Digital Data Only Option<sup>1</sup>

Number of Primary Rate ISDN Interfaces	Percent Discount
6 to 10	3
11 to 15	4
More than 15	5

(T)

c. Inward Data Option

Number of Primary Rate ISDN Interfaces	Percent Discount
6 to 10	3
11 to 15	4
More than 15	5

(T)

2. When the total number of Primary Rate ISDN B-Channels of all types equals or exceeds 138 on a billing account, a credit as listed below will be applied per billing cycle to the B-Channel monthly rate. The amount of the credit will be based on the total number of B-Channels of all types. (T)

a. Voice/Data (Standard)

Number of Primary Rate ISDN B-Channels	Percent Discount
138 to 252	4
253 to 367	7
More than 367	10

(T)

b. Digital Data Only Option<sup>1</sup>

Number of Primary Rate ISDN B-Channels	Percent Discount
138 to 252	3
253 to 367	4
More than 367	5

(T)

c. Inward Data Option

Number of Primary Rate ISDN B-Channels	Percent Discount
138 to 252	3
253 to 367	4
More than 367	5

(T)

**Note 1:** Effective May 1, 2014, customers may not add the Digital Data Only option, and existing term plans for this option may not be renewed.

---

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A42.3 Primary Rate ISDN (Cont'd)

(T)

#### A42.3.4 Rates and Charges (Cont'd)

##### F. Move Charge

1. An inside move charge, applies for each Primary Rate ISDN Access Line moved to a new location in the same building. The inside move charge is equal to the sum of the Service Change Charge, and the Premises Visit Charge. (T)
2. An inter-building same premises or off premises move charge, per Primary Rate ISDN Access Line, applies for each Primary Rate ISDN Access arrangement moved to a different building on the same premises or to a different premises in Company territory within the same state. (T)
3. If the serving central office does not change, this move charge is equal to the sum of the nonrecurring charges applicable for installation of a Primary Rate ISDN Access Line. Other charges, e.g., Interoffice Channel Charges, may apply as appropriate. (T)
4. If the serving central office does change, the move will be treated as a disconnect and reconnect with full nonrecurring charges applicable for the Primary Rate ISDN arrangement. If a customer is moving service to a new Serving Wire Center that is in the same Toll Message Rate Center as the customer's current Serving Wire Center then the customer may retain the same telephone numbers at the new location at no additional charge. Other local switched service types may be installed at the old location. In the event the customer requests a subsequent move to yet another central office, *the Company* will determine the feasibility of allowing the customer to retain their phone numbers on a case by case basis. (T)
5. The move from the original location to the new location, and subsequent disconnection of the original location must be completed within ninety (90) days of the new location install date, or prior to expiration of the current contract term, whichever occurs first.
6. Termination Liability Charges will not apply for moves of Primary Rate ISDN if the conditions stated in B2.4.9.A.12 are met. However, Termination Liability Charges will apply if the move is not completed within ninety (90) days as stated in A42.3.4.F.5. (T)

**A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)**

**A42.3 Primary Rate ISDN (Cont'd)**

(T)

**A42.3.4 Rates and Charges (Cont'd)**

G. Service Rearrangement Charges

Service Rearrangement Charges are applicable for receiving and recording information and/or taking action in connection with a customer's Inside Move or transfer of service responsibility request or for processing the necessary data for a change on an existing Primary Rate ISDN. Premises Visit Charges are applicable for inside moves. Only one Premises Visit Charge applies when more than one Primary Rate ISDN Access Line is moved at the same premises at the same time.

(T)

1. Service Change and/or Inside Move, Per Primary Rate ISDN Access Line

(T)

	<b>Nonrecurring Charge</b>	<b>USOC</b>
(a) Inside move or change requiring redesign of transmission facilities	<b>\$160.00</b>	<b>NRCPM</b>
(b) Change involving central office translations and all other types of changes	<b>60.00</b>	<b>NRCPB</b>
2. Per Transfer of Responsibility and Record Orders		
(a) Each	<b>8.00</b>	<b>NRCPT</b>
3. Premises Visit Charge		
(a) Per Primary Rate ISDN Access Line moved in the same building	<b>13.00</b>	<b>NRCPC</b>
4. Extended Reach Service (ERS) Rearrangement Charge		
(a) Per ERS Primary Rate Interface	<b>225.00</b>	<b>NRCPE</b>

(T)

H. Due Date Change Charge

1. Any request to change the due date after the first change will incur a Due Date Change Charge.
2. The Due Date Change Charge is in addition to all other applicable nonrecurring charges.

(a) Per request (after initial request)	<b>50.00</b>	<b>PR7DD</b>
---	--------------	--------------

I. Expedite Request Charge

1. Any request to change the due date for a service installation that is in advance of the Company's stated standard installation interval for such service will incur an Expedite Request Charge.
2. The Expedite Request Charge is in addition to all other applicable nonrecurring charges.

(a) Per request	<b>350.00</b>	<b>PR7EP</b>
-----------------	---------------	--------------

## A47. BELLSOUTH REMOTE ACCESS SERVICE

### A47.1 BellSouth Remote Access Service

#### A47.1.1 General

- A. BellSouth Remote Access Service (RAS) is an intraLATA, extended reach, packet-switched data service that provides for the collection, concentration, signaling and aggregation of a customer's dial-up data traffic into a customer's designated hub site. BellSouth RAS is available as a customer controlled offering. It provides one way ports that allow the customer's users, who are located within the BellSouth serving area, to call into a remote access server.
- B. Remote access server equipment will be installed in a *Company* central office. (T)
- C. BellSouth RAS supports a dedicated, customer selected remote access server with backup dial-in capability or out-of-band frame relay for network management. The customer may select their remote access server based on the Company's approved equipment list for this service.
- D. CPE must support Layer 2 Tunneling Protocol (L2TP) for the customer selected remote access server.
- E. The customer will also be responsible for providing the egress circuit(s) connecting BellSouth RAS to their hub location. Egress circuit(s) are required to deliver the BellSouth RAS traffic to the customer's designated location. These circuits can be ordered from the Company or other telecommunications providers with the execution of appropriate collocation agreements.
- F. BellSouth RAS is furnished in central offices equipped with remote access servers. Service intervals will be negotiated in cities where service is not deployed.
- G. The technical specifications and standard network interfaces for BellSouth RAS are in conformance with the Internet Architecture Board as stated in:
  - STD001, Internet Official Protocol Standards; J. Reynolds, R. Braden, issued June, 1999.
  - RFC 2138, Remote Authentication Dial-In User Service (RADIUS); C. Rigney, A. Rubens, W. Simpson, S. Willens, issued April, 1997.

These documents may be obtained from the Internet Engineering Task Force (IETF) at Corporation for National Research Initiatives, Attention: Accounting Department - IETF Proceedings, 1895 Preston White Drive, Suite 100, Reston, VA 20191-5434 or via Internet at [www.ietf.org](http://www.ietf.org).

- H. The terms, conditions and rates specified herein are applicable to BellSouth RAS. Terms, conditions and rates specified in other sections of this and other Guidebooks of the Company may also apply.

#### A47.1.2 Terms and Conditions

- A. Explanation of Terms
  - 1. Remote Access Server - The remote access server is a type of equipment that will be used to aggregate the customer's dial traffic and send it to the customer location over their egress circuit. The remote access server will be connected to the Public Switched Network using Primary Rate ISDN or SS7 circuit facilities. (T)
  - 2. Ingress Circuits - This term denotes the facility used to transport the customer's incoming dialed BellSouth RAS traffic, e.g. Primary Rate ISDN.
  - 3. Egress Circuits - This term denotes the facility used to transport the customer's dialed BellSouth RAS traffic to the customer's designated hub location once it has been collected and aggregated by the remote access server (e.g. Broadband Exchange Line).
  - 4. Extended Reach Area - An area where BellSouth RAS extends the reach from a remote access server to allow users the ability to make "non-local" calls without incurring intraLATA Long Distance Message Telecommunications Service charges.
- B. Basis of Offering
  - 1. Rates and charges specified in A47.1.3 following, are based on regional volume and term commitments. Customers must specify a regional commitment level and will be rated based on total regional in service volumes. Rating will be as set forth in 8. following.
  - 2. The minimum regional commitment level for BellSouth RAS is 10,000 ports.
  - 3. Initial orders for BellSouth RAS, per remote access server central office location, must be equal to or greater than 644 ports. All orders greater than 644 ports must be in increments of 23 ports where capacity allows.

## A140. OBSOLETE SERVICE OFFERING - FAST PACKET TRANSPORT SERVICES

### A140.8 Asynchronous Transfer Mode (ATM) Service (Cont'd)

#### A140.8.2 Terms and Conditions (Cont'd)

##### C. Provision of Service

##### 1. Rates and charges contained in this Section consist of the following elements:

##### a. Customer Connection to ATM Service

- (1) The ATM Customer Connection rate element includes the termination on the ATM switching equipment and the transport from ATM Serving Area Points to that switch (unless specified otherwise herein). A minimum of one Customer Connection is required per customer to subscribe to ATM Service.

Rates for the following ATM Customer Connections at speeds of 1.536 Mbps, IMA, Subrate T3 and 44.210 Mbps are flat rated based upon the average airline distance of ATM Serving Area Points from the ATM switch within a Network Serving Area: 1.536 Mbps (including Circuit Emulation<sup>1</sup>), 3.072 Mbps, 4.608 Mbps, 6.144 Mbps, 7.680 Mbps, 9.216 Mbps, 10.752 Mbps, 12.288 Mbps, 18 Mbps, 24 Mbps, 30 Mbps, 36 Mbps and 44.210 Mbps.

Rates for an ATM Customer Connection at speeds of 149.760 Mbps and 599.040 Mbps may include two components. A fixed charge applies per 149.760 Mbps or 599.040 Mbps ATM Customer Connection. In addition, a Per Mile Charge applies if the ATM switch is not located in the customer's Serving Wire Center. Airline distance will be calculated from the customer's Serving Area Point to the Company Central Office where the ATM switch is located within that Network Serving Area. Fractions of miles will be rounded up to the nearest whole mile.

- (2) The unique Back-Up Customer Connection rate elements provided at 44.210 Mbps and 149.760 Mbps are structured the same as standard ATM Customer Connections for those same transmission speeds as described in (1) preceding.

##### b. PVC Feature Charges

PVC Feature Charges are required to establish PVC connections across the ATM network.

- (1) PVC Segment Charge - A PVC Segment Charge applies for each PVC segment established over a Customer Connection. A PVC Segment Charge is applicable under all ATM PVC service categories.
- (2) PVC Segment Bandwidth Charge - A PVC Segment Bandwidth Charge is required per PVC segment established under the CBR or VBR PVC service category (but is not applicable to UBR PVCs). PVC bandwidth represents ATM Service network resources required for the non-UBR PVC and is based on the non-UBR PVC's traffic parameters (i.e., PCR, SCR, and MBS). The total charge for this rate element per segment is determined by multiplying the non-UBR PVC segment bandwidth by the PVC Segment Bandwidth Charge, either Per Megabit or Per Increment of 64 Kbps (as appropriate per A140.8.2.A.7.).
- (3) UBR Service Activation Charge - A UBR Service Activation Charge is applicable for each Customer Connection over which UBR PVCs will traverse. One charge is applicable per Customer Connection regardless of how many UBR PVCs will traverse that Customer Connection.

##### c. Inter-Network Serving Area Link PVC Feature Charges (Refer to A140.8.2.C.4.b following.)

**Note 1:** The Unstructured Circuit Emulation – PRI over ATM Customer Connection is flat rated; however, specific charges apply as set forth in A40.8.2.C.7.a.(1) for mileage between the ATM switch providing circuit emulation capability and the Primary Rate ISDN switch.

(T)

---

## A140. OBSOLETE SERVICE OFFERING - FAST PACKET TRANSPORT SERVICES

### A140.8 Asynchronous Transfer Mode (ATM) Service (Cont'd)

#### A140.8.2 Terms and Conditions (Cont'd)

##### C. Provision of Service (Cont'd)

##### 7. (Cont'd)

a. An Unstructured Circuit Emulation Customer Connection accepts the termination of a full DS1 TDM bit stream.

- (1) A unique Unstructured Circuit Emulation Customer Connection is provided to accept the termination of a full DS1 TDM bit stream from a Primary Rate ISDN Service. One Unstructured Circuit Emulation Customer Connection - PRI over ATM rate element is required per Primary Rate ISDN Interface. One ATM CBR PVC Segment with 2 Megabits of CBR PVC Segment Bandwidth shall apply in association with the service originating from each Primary Rate ISDN Interface to the ATM Switch. (Additionally, the standard charges apply for the corresponding 2 Megabit ATM CBR PVC Segment to which this is mapped within the ATM switch, which is requested on the ATM Customer Connection associated with the customer's premises.) (T)

Appropriate rate elements for the Primary Rate ISDN Service when so terminated in ATM Service are as set forth in A42.3. Only Primary Rate ISDN Service provided from a central office which is a Serving Area Point within the same ATM Service Network Serving Area as the customer premises to which the service is to be transported may utilize this option. If the ATM switch used to provide the circuit emulation capability for the Primary Rate ISDN Service is not in the same central office as the Primary Rate ISDN switch, interoffice mileage charges from the Primary Rate ISDN Service shall apply between these two switch central offices. (T)

The ATM Customer Connection (associated with the customer premises) to which the PVC segment associated with the Unstructured Circuit Emulation Customer Connection - PRI over ATM may be mapped must be a transmission speed of Subrate T3 or higher in order to accept the 2 Megabit CBR PVC associated with this service.

The PVC Segment associated with the Unstructured Circuit Emulation Customer Connection - PRI over ATM may only be mapped to a PVC Segment associated with a local ATM Service Customer Connection whose service terminates to a premises within the same LATA as the Primary Rate ISDN Service switch. The provision of the Primary Rate ISDN Service (via the Unstructured Circuit Emulation Customer Connection - PRI over ATM) to the premises associated with the local ATM Service Customer Connection must be in accordance with all terms and conditions governing the provisioning of local exchange service via Primary Rate ISDN Service. (T)

- (2) An Unstructured Circuit Emulation Customer Connection is provided to accept the termination of a full DS1 TDM bit stream from the customer's premises through a 1.536 Mbps Broadband Line Service. One Unstructured Circuit Emulation Customer Connection - Other TDM over ATM is required per such DS1 TDM service. One ATM CBR PVC Segment with 2 Megabits of CBR PVC Segment Bandwidth shall apply in association with the service originating from the TDM premises to the ATM Switch. Additionally, the standard charges apply for the corresponding 2 Megabit ATM CBR PVC Segment to which this is mapped within the ATM switch; the associated ATM Customer Connection must be a transmission speed or type which can accept the 2 Megabit CBR PVC .

---

## **A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)**

### CONTENTS

<b>A142.1</b>	<b>ISDN - Business Service (IBS)</b>	1
A142.1.1	General	1
A142.1.2	Rates and Charges	1
<b>A142.2</b>	<b>ISDN - Residence Service (IBS)</b>	4
A142.2.1	General	4
A142.2.1	Rates and Charges	4
<b>A142.3</b>	<b>Primary Rate ISDN</b>	(T)
A142.3.1	Reserved for Future Use	7
A142.3.2	Reserved for Future Use	7
A142.3.3	Reserved for Future Use	7
A142.3.4	Rates and Charges	7



## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A142.3 Primary Rate ISDN (T)

#### A142.3.1 Reserved for Future Use

#### A142.3.2 Terms and Conditions

(Obsoleted 02-29-2008, Type 4. Beginning February 29, 2008, Calling Number Delivery Blocking - Permanent is not available as part of Primary Rate ISDN service for new customers, new service arrangements, rearrangements, moves or transfers. Customer arrangements with calling number delivery blocking may keep the capability for arrangements existing prior to February 29, 2008. For new customers/new service arrangements purchased on or after February 29, 2008, calling number delivery blocking is the responsibility of the customer, i.e., to be performed through their PBX or other customer premises equipment, as appropriate.) (T)

#### A142.3.3 Reserved for Future Use

#### A142.3.4 Rates and Charges

- A. Reserved for Future Use
- B. Reserved for Future Use
- C. Reserved for Future Use
- D. Optional Offerings

(Obsoleted 09/25/2006, Type 4. Not available for new installations, additions to existing service or transfers of existing service to a new location.)

- 1. Reserved for Future Use
- 2. Incoming Call Extension

	Nonrecurring Charge	Month to Month	12 to 23 Months	24 to 48 Months	49 to 72 Months	USOC
(a) ICE-DRC, For maximum of one call per telephone number in different rate center - low use <sup>1</sup>	\$2.00	\$30	\$28	\$27	\$25	PR7N1
(b) ICE-DRC, For more than one simultaneous call per telephone number in different rate center - high use, first path <sup>2</sup>	25.00	10.00	9.50	9.00	8.50	PR7N2
(c) ICE-DRC, Additional paths for (b) above, per additional path <sup>2</sup>	25.00	8.00	7.60	7.20	6.80	PR7N3

**Note 1:** Applicable for low use telephone numbers such as those associated with non-published DID.

**Note 2:** Applicable for high use telephone numbers such as those associated with two-way trunks.

**SUBJECT INDEX**

**B.**

<b>SUBJECT</b>	<b>SECTION</b>
Back-Up Line .....	A103
Band Charges - Foreign Exchange Service .....	A9.1
Basic Local Exchange Service .....	A3
BellSouth AIN SMS Access Service .....	A34
BellSouth AIN Toolkit Service .....	A34
BellSouth AIN Virtual Number Call Detail.....	A34
BellSouth Business Choice package.....	A103.44
BellSouth Business Plus service.....	A103.43
BellSouth Centrex Service .....	A12.25
BellSouth Centrex ISDN Service .....	A12.26
BellSouth Centrex Service Package .....	A12.28
BellSouth Channelized Trunks.....	A43
BellSouth Complete Choice For Business Package (Obsoleted, See Section A103).....	A103.45
BellSouth Metro Ethernet Service.....	A40.13
BellSouth Remote Access Service .....	A47
BellSouth \$.25 Call Plan .....	A18.19
BellSouth Video Conferencing Service.....	A40.11
Bill Processing Service.....	A137.1
Billing to the Client (Obsoleted) .....	A108.2.4
Break in Rotary Number Group .....	A14.3
Broadband Line Service .....	A40.5
Broadcast of Recordings of Telephone Conversations.....	A2.2.5
Bulk Calling Line Identification (BCLID) .....	A13.19
Buried Construction	
On Private Property .....	A5.1.4
On Public Property .....	A5.1.3
Business Designations.....	A6.2.2
Business Option TFD Service (IntraLATA Only Toll Free Dialing Service) .....	A19.5.20
Business Listings.....	A6.2

(M)

**SUBJECT INDEX**

**P.**

<b>SUBJECT</b>	<b>SECTION</b>
Party Line Service .....	A2.3.3
Payment Arrangements and Credit Allowances .....	A2.4
Payment for Service .....	A2.4.3
Payment Schedules.....	A12.1.6
Per Call Three-Way Calling Service .....	A13.9.4
Period for the Presentation of Claims.....	A2.5.5
Pole Line Construction	
On Private Property .....	A5.1.4
On Public Highways.....	A5.1.3
PreferredPack Plan .....	A3.7.5
Premises Work Charges .....	A4.
Prestige Communications Package (Obsoleted).....	A112.17
Prestige Communications Service (PCS) .....	A12.16
Prestige Deluxe Service (Obsoleted).....	A112.2
Prestige Single Line Service (PSLS) (Obsoleted) .....	A112.18
Primary Rate ISDN .....	A42
Privacy Manager Service.....	A13.70
Private Branch Exchange Service (PBX) - Station Lines .....	A11
Obsolete - Station Lines .....	A111
Private Telephone Numbers .....	A6.4
Private Toll Stations .....	A18.6.3
Provision and Ownership	
Of Directories.....	A2.3.11
Of Equipment and Facilities.....	A2.3.10
Of Telephone Numbers .....	A2.3.12
Provision for Certain Local Taxes and Fees.....	A2.4.5
Public Announcement Service Network Facilities .....	A13.10
Public Telephone Access Line for Institutional Service Providers.....	A7.6
Public Telephone Access Service for Payphone Service Provider (PSP) Provided Equipment .....	A7.4
Public Toll Stations .....	A18.6.2

(T)(M)

## B2. TERMS AND CONDITIONS

### B2.4 Payment Arrangements and Credit Allowances (Cont'd)

#### B2.4.9 Optional Payment Plan (Cont'd)

##### B. Channel Services Payment Plan (Cont'd)

##### 4. Disconnects (Cont'd)

##### b. (Cont'd)

- the service orders to install the new higher order of service and disconnect the old service are related together and there is no lapse in service between installation of the higher order of service and disconnection of the existing service, and
- the service orders are for the same customer at the same location.

For the purposes of determining a higher order of service, the following ranking will be used (Analog=lowest, SMARTRing Service=highest):

Analog Voice Grade Services

SynchroNet Service

MegaLink Service/MegaLink Channel Service/BellSouth Channelized Trunks<sup>3</sup>

MegaLink Light Service

MegaLink Plus Service

MegaLink ISDN<sup>1</sup> Service/Primary Rate ISDN<sup>2</sup>

SMARTPath Service

LightGate Service

BellSouth Wavelength Service

SMARTRing Service

##### 5. Moves of Equipment

- a. The appropriate nonrecurring charges for inside moves for items associated with channel services as specified in this and other Guidebooks are applicable. This type movement will not affect the contract period.
- b. Customer requests for moves of service(s) under CSPP, other than inside moves, will be subject to the conditions stated in 12. following.

##### 6. Requests for Changes in Length of Optional Payment Period<sup>4</sup>

- a. Subsequent to the establishment of a contract with a CSPP period, and prior to the completion of that period, the existing payment period may be replaced by:
  - (1) A currently offered payment period at the current rates, with a length equal to or longer than the time remaining in the existing service agreement, subject to the following conditions:
    - No credit will be given for payments made during the formerly selected period.
    - The new payment period begins with the new CSPP effective date.

**Note 1:** MegaLink ISDN service obsoleted 10/29/96. (See Section B107.)

**Note 2:** Primary Rate ISDN is located in Section A42. of the General Exchange Guidebook.

**Note 3:** BellSouth Channelized Trunks is located in Section A43. of the General Exchange Guidebook.

**Note 4:** The payment plan periods available may be limited based on specific underlying product restrictions described in the applicable service publication.

(T)

(T)

**B2. TERMS AND CONDITIONS**

**B2.4 Payment Arrangements and Credit Allowances (Cont'd)**

**B2.4.14 Cancellation of a Service Order (Cont'd)**

**B.** (Cont'd)

4. (Cont'd)

e. Cancellation Charge Percentages

TYPE SERVICE/ CRITICAL DATES	AFTER: SID LAM		EIRD RID DVA			WOT FCD PTD DD			
	BEFORE:	LAM EIRD	RID	DVA	WOT	FCD	PTD	DD	DD
<b>VOICE GRADE</b>		7.0 11.0	14.0	18.0	28.0	36.0	52.0	83.0	100.0
<b>METALLIC GRADE</b>		7.0 11.0	16.0	20.0	29.0	35.0	51.0	83.0	100.0
<b>WIRED MUSIC</b>		8.0 13.0	17.0	22.0	34.0	43.0	56.0	83.0	100.0
<b>MEGALINK SERVICE</b>		20.0 25.0	28.0	32.0	39.0	44.0	57.0	85.0	100.0
<b>MEGALINK CHANNEL SERVICE</b>		20.0 25.0	28.0	32.0	39.0	44.0	57.0	85.0	100.0
<b>MEGALINK LIGHT SERVICE</b>		20.0 25.0	28.0	32.0	39.0	44.0	57.0	85.0	100.0
<b>MEGALINK PLUS SERVICE</b>		20.0 25.0	28.0	32.0	39.0	44.0	57.0	85.0	100.0
<b>SMARTPATH SERVICE</b>		20.0 25.0	28.0	32.0	39.0	44.0	57.0	85.0	100.0
<b>LIGHTGATE SERVICE</b>		20.0 25.0	28.0	32.0	39.0	44.0	57.0	85.0	100.0
<b>SMARTRing SERVICE</b>		20.0 25.0	28.0	32.0	39.0	44.0	57.0	85.0	100.0
<b>SYNCHRONET SERVICE</b>		7.0 13.0	19.0	23.0	34.0	43.0	55.0	84.0	100.0
<b>PRIMARY RATE ISDN</b>		7.0 13.0	19.0	23.0	34.0	43.0	55.0	84.0	100.0

(T)

f. Cancellation charges for non-design circuits are calculated by multiplying all the nonrecurring charges associated with the order, or that part of the order being cancelled, by 25% if the order is cancelled after the Application Date but before the Due Date. If the order is cancelled on the Due Date, 100% of the nonrecurring charges will apply.

- C.** When a customer cancels an order for the discontinuance of service no charges apply for the cancellation.
- D.** If the Company misses a service date by more than 30 days due to circumstances over which it has direct control (excluding, e.g., acts of God, governmental requirements, work stoppages and civil commotions), the customer may cancel the service order without incurring cancellation charges.
- E.** When a customer cancels an order for LightGate service system or SMARTRing service prior to the beginning of the selected service period, the customer will be liable for all capital expenses incurred by the Company in provisioning the LightGate service or SMARTRing service, as of the date the order is cancelled by the customer. The charges billed to the customer will not exceed an amount equal to the minimum period for the service as set forth in B7.4 at the month-to-month rates set forth in B7.7. Such charges will be billed in addition to and subsequent to the cancellation charges set forth in B. preceding.

**B2.4.15 Reserved for Future Use**

**B2.4.16 Reserved for Future Use**