

**TARIFF DISTRIBUTION**

FILE PACKAGE NO.: GA-21-0011

DATE: March 1, 2021

STATE: GEORGIA

EFFECTIVE DATE: 03/01/2021

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase business Analog Private Line (Channels) monthly charges

<b><u>TARIFF SECTION</u></b>	<b><u>PAGE NUMBER</u></b>	<b><u>PAGE REVISION</u></b>
H003	11.2	0022
H003	11.3	0022
H003	11.4	0020
H003	11.5	0019
H003	11.6	0016

**B3. CHANNELS**

**B3.4 Rates and Charges**

**B3.4.1 Local Channels**

A. Sub Voice Grade (Obsoleted, See Section B103.)

		Monthly Rate	Nonrecurring Charge		
			First	Additional	USOC
<b>B.</b>	Voice Grade				
	Per point of termination				
	1. Voice				
	(a) Type 2230	<i>\$1,500.00</i>	<b>\$496.80</b>	<b>\$165.60</b>	<b>P2JUX</b> (I)
	(b) Type 2231	<i>1,500.00</i>	<b>496.80</b>	<b>165.60</b>	<b>P2JHX</b> (I)
	(c) Type 2432	<i>2,251.00</i>	<b>576.00</b>	<b>208.80</b>	<b>P2JQX</b> (I)
	(d) Type 2434	<i>466.00</i>	<b>230.40</b>	<b>119.52</b>	<b>P2JGX</b> (I)
	(e) Type 2435	<i>2,251.00</i>	<b>532.80</b>	<b>187.20</b>	<b>P2JWX</b> (I)
	(f) Type 2261	<i>1,744.00</i>	<b>828.00</b>	<b>352.80</b>	<b>P2JLX</b> (I)
	(g) Type 2462	<i>2,077.00</i>	<b>813.60</b>	<b>338.40</b>	<b>P2JRX</b> (I)
	2. Data				
	(a) Type 2260	<i>1,744.00</i>	<b>597.60</b>	<b>230.40</b>	<b>P2JKX</b> (I)
	(b) Type 2463	<i>2,379.00</i>	<b>597.60</b>	<b>230.40</b>	<b>P2JMX</b> (I)
	(c) Type 2464	<i>2,379.00</i>	<b>597.60</b>	<b>223.20</b>	<b>P2JNX</b> (I)
<b>C.</b>	(DELETED)				

**B3. CHANNELS**

**B3.4 Rates and Charges (Cont'd)**

**B3.4.3 Interoffice Channels<sup>1</sup>**

**A. Fixed and Mileage Charges applicable**

	<b>Fixed Monthly Charge</b>	<b>Monthly Charge Per Mile</b>	<b>Nonrecurring Charge Per Channel</b>	<b>USOC</b>	
1. Sub Voice Grade - Series 1000 (Obsoleted, See Section B103.)					
2. Voice Grade Service - Series 2000					
(a) 1 thru 8 Miles	<i>\$2,166.00</i>	<i>\$163.00</i>	<i>\$151.20</i>	<b>3LBBS</b>	(1)
(b) 9 thru 25 Miles	<i>2,166.00</i>	<i>163.00</i>	<i>151.20</i>	<b>3LBBS</b>	(1)
(c) Over 25 Miles	<i>2,166.00</i>	<i>163.00</i>	<i>151.20</i>	<b>3LBBS</b>	(1)
3. (DELETED)					
4. (DELETED)					
5. (DELETED)					

**Note 1:** For method of determining mileage, see B3.3.3.A.

**B3. CHANNELS**

**B3.4 Rates and Charges (Cont'd)**

**B3.4.4 Optional Features and Functions (Cont'd)**

**A. Bridging (Cont'd)**

**1. Voice Grade Bridges (Series 2000)**

	<b>Monthly Rate</b>	<b>Nonrecurring Charge</b>	<b>USOC</b>	
a. Voice Bridging				
(1) Per Port				
(a) Two-Wire (Type 2230)	<i>\$573.00</i>	<i>\$56.16</i>	<b>BQ9</b>	(1)
(b) Four-Wire (Type 2435)	<i>744.00</i>	<i>56.16</i>	<b>BQ9</b>	(1)
b. Data Bridging				
(1) Per Port				
(a) Four-Wire (Types 2463 and 2464)	<i>1,077.00</i>	<i>60.48</i>	<b>BQ9</b>	(1)
c. (DELETED)				
d. (DELETED)				
e. Telemetry and Alarm Bridging - Split Band, Active Bridging				
(1) Common Equipment, per central office				
(a) First bridging shelf, capacity of 48 two-wire connections	<i>2,152.00</i>	<i>355.00</i>	<b>XW1</b>	(1)
(b) Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf	<i>2,152.00</i>	<i>320.00</i>	<b>XW2</b>	(1)

### B3. CHANNELS

#### B3.4 Rates and Charges (Cont'd)

##### B3.4.4 Optional Features and Functions (Cont'd)

###### A. Bridging (Cont'd)

	<b>Monthly Rate</b>	<b>Nonrecurring Charge</b>	<b>USOC</b>	
1. Voice Grade Bridges (Series 2000) (Cont'd)				
e. Telemetry and Alarm Bridging - Split Band, Active Bridging (Cont'd)				
(1) Common Equipment, per central office (Cont'd)				
(c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf	<i>\$1,089.00</i>	<b>\$195.00</b>	<b>XW8</b>	(1)
(2) Channel connections, per channel connected				
(a) Remote station channel connection	<i>87.00</i>	<b>40.00</b>	<b>XW3</b>	(1)
(b) Mid-link channel connection, first channel	<i>214.00</i>	<b>46.00</b>	<b>XW4</b>	(1)
(c) Mid-link channel connection, subsequent channels	<i>214.00</i>	<b>46.00</b>	<b>XW5</b>	(1)

###### B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

###### 1. Per local channel

	<b>Monthly Rate</b>	<b>Nonrecurring Charge</b>		<b>USOC</b>	
		<b>Initial</b>	<b>Subsequent</b>		
(a) Ringdown - Manual	<i>\$348.00</i>	<b>\$57.60</b>	<b>\$309.60</b>	<b>SL3</b>	(1)
(b) Ringdown - Automatic	<i>319.00</i>	<b>21.60</b>	<b>103.68</b>	<b>SL5</b>	(1)
(c) E & M Type	<i>319.00</i>	<b>64.80</b>	<b>266.40</b>	<b>SLM</b>	(1)
(d) Type A (0-199 ohms)	<i>187.00</i>	<b>61.92</b>	<b>194.40</b>	<b>SAL</b>	(1)
(e) Type B (200-899 ohms)	<i>187.00</i>	<b>60.48</b>	<b>194.40</b>	<b>SAU</b>	(1)
(f) Type C (900 or more ohms)	<i>87.00</i>	<b>17.28</b>	<b>194.40</b>	<b>SAY</b>	(1)

###### C. Conditioning (Voice Grade Services)

1. Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

### B3. CHANNELS

#### B3.4 Rates and Charges (Cont'd)

##### B3.4.4 Optional Features and Functions (Cont'd)

C. Conditioning (Voice Grade Services) (Cont'd)

1. (Cont'd)

Conditioning is charged for on a per Local Channel basis for two-point and multi-point service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

2. The types and description of the available conditioning options are as follows:

Type Conditioning	Frequency Response Specification	Envelope Delay Distortion Specification	Non-Linear Distortion	
C1 (two-point or multipoint)	300-2700 Hz, -2dB to +6dB. 1000-2400 Hz, -1dB to +3dB. 300-3000 Hz, -3dB to +12dB.	1000-2400 Hz, less than 1000 microseconds		
C2 (two-point or multipoint)	300-3000 Hz, -2dB to +6dB. 500-2800 Hz, -1dB to +3dB.	1000-2600 Hz, less than 500 microseconds 600-2600 Hz, less than 1500 microseconds 500-2800 Hz, less than 3000 microseconds		
	<b>C-Notched Noise</b>		<b>2nd Order Distortion</b>	<b>3rd Order Distortion</b>
D1 (two-point)	Noise level 28dB below signal level		35dB below signal level	40dB below signal level

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

	Monthly Rate	Nonrecurring Charge		USOC	
		Initial	Subsequent		
4. C-Type Conditioning					
a. C-Type Conditioning is available for Types 2463 and 2464.					
(1) C-Types of Conditioning per local channel					
(a) C1-Type	\$87.00	\$12.96	\$ 116.64	P2W	(1)
(b) C2-Type	87.00	33.12	129.60	P3W	(1)
5. D-Type Conditioning					
a. D-Type Conditioning is available for Types 2463 and 2464.					
(1) D-Type Conditioning per local channel					
(a) D1-Type	87.00	21.60	122.40	QHA	(1)