TARIFF DISTRIBUTION

FILE PACKAGE NO.: GA-23-0008

DATE: March 1, 2023

STATE: GEORGIA

EFFECTIVE DATE: 03/01/2023

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase Business Analog Private Line (APL)

Rates

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
H103	3	0006
Н103	3.1	0006
Н103	4	0006
H103	5	0005
Н103	5.1	0005

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges

B103.4.1 Local Channels

A. Sub Voice Grade (see B103.9.2)

					Montl		Nonrecurring Charge	
					Rate	First	Additional	USOC
В.	Voi	ce Grade						
	Per	point of t	ermina	ntion				
	1.	Voice						
			(a)	Type 2230	\$5,467.0	0(I) \$496.80	\$165.60	P2JUX
			(b)	Type 2231	5,467.0	0(I) 496.80	165.60	P2JHX
			(c)	Type 2432	8,202.0	0(I) 576.00	208.80	P2JQX
			(d)	Type 2434	1,696.00	0(I) 230.40	119.52	P2JGX
			(e)	Type 2435	8,202.0	0(I) 532.80	187.20	P2JWX
			(f)	Type 2261	6,355.0	0(I) 828.00	352.80	P2JLX
			(g)	Type 2462	7,569.0	0(I) 813.60	338.40	P2JRX
	2.	Data	-					
			(a)	Type 2260	6,355.0	0(I) 597.60	230.40	P2JKX
			(b)	Type 2463	8,668.0	0(I) 597.60	230.40	P2JMX
			(c)	Type 2464	8,668.0	0(I) 597.60	223.20	P2JNX

B103.4.2 Reserved for Future Use

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.3 Interoffice Channels¹

A. Fixed and Mileage Charges applicable

		8 11				
			Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurring Charge Per Channel	USOC
1.	Sub Voice Gra	de - Series 1000 (see B103.9.4)				
2.	Voice Grade S	ervice - Series 2000				
	(a)	1 thru 8 Miles	\$7,893.00 (I)	\$591.00 (I)	\$151.20	3LBBS
	(b)	9 thru 25 Miles	7,893.00 (I)	591.00 (I)	151.20	3LBBS
	(c)	Over 25 Miles	7,893.00 (I)	591.00 (I)	151.20	3LBBS
3.	(DELETED)					
4.	(DELETED)					
5.	(DELETED)					

Note 1: For method of determining mileage, see B103.3.3.A.

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS B103.4 Rates and Charges (Cont'd)

B103.4.4 Optional Features and Functions

A. Bridging

1.

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

				Monthly Rate	Nonrecurring Charge	USOC
Voi	ce Gr	ade B	ridges (Series 2000)		· ·	
ì.	Voic	e Brid	ging			
	(1)	Per P	ort			
		(a)	Two-Wire (Type 2230)	\$2,085.00 (I)	\$56.16	BQ9
		(b)	Four-Wire (Type 2435)	2,710.00 (I)	56.16	BQ9
).	Data	Bridg	ing			
	(1)	Per F	ort			
		(a)	Four-Wire (Types 2463 and 2464)	3,924.00 (I)	60.48	BQ9
Э.	Tele	metry	and Alarm Bridging - Split Band, Active Bridging			
	(1)	Com	mon Equipment, per central office			
		(a)	First bridging shelf, capacity of 48 two-wire connections	7,842.00 (I)	355.00	XW1
		(b)	Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf	7,842.00 (I)	320.00	XW2
	(2)	(c)	Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf	3,966.00 (I)	195.00	XW8
	(2)		•	315.00 (I)	40.00	XW3
		. ,		* *	46.00	XW4
		(c)	Mid-link channel connection, subsequent channels	778.00 (I)	46.00	XW5
	ı. D.	o. Data (1) c. Tele	a. Voice Brid (1) Per P (a) (b) b. Data Bridg (1) Per P (a) c. Telemetry (1) Comm (a) (b) (c) (2) Chan (a) (b)	(1) Per Port (a) Two-Wire (Type 2230) (b) Four-Wire (Type 2435) Data Bridging (1) Per Port (a) Four-Wire (Types 2463 and 2464) Telemetry and Alarm Bridging - Split Band, Active Bridging (1) Common Equipment, per central office (a) First bridging shelf, capacity of 48 two-wire connections (b) Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf (2) Channel connections, per channel connected (a) Remote station channel connection (b) Mid-link channel connection, first channel	Voice Grade Bridges (Series 2000) 1. Voice Bridging (1) Per Port (a) Two-Wire (Type 2230) (b) Four-Wire (Type 2435) 2,710.00 (I) Data Bridging (1) Per Port (a) Four-Wire (Type 2435) (a) Four-Wire (Types 2463 and 2464) Telemetry and Alarm Bridging - Split Band, Active Bridging (1) Common Equipment, per central office (a) First bridging shelf, capacity of 48 two-wire connections (b) Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf (2) Channel connections, per channel connected (a) Remote station channel connected (b) Mid-link channel connection, first channel	// Voice Bridges (Series 2000) 1. Voice Bridging (1) Per Port (a) Two-Wire (Type 2230) \$2,085.00 (I) \$56.16 (b) Four-Wire (Type 2435) 2,710.00 (I) 56.16 (c) Data Bridging (1) Per Port (a) Four-Wire (Type 2435) 3,924.00 (I) 60.48 (c) Telemetry and Alarm Bridging - Split Band, Active Bridging (1) Common Equipment, per central office (a) First bridging shelf, capacity of 48 two-wire connections (b) Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf (2) Channel connections, per channel connected (a) Remote station channel connection (b) Mid-link channel connection, first channel (778.00 (I) 40.00

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.4 Optional Features and Functions (Cont'd)

B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

			Nonrecurring			
			Monthly	Charge		
			Rate	Initial	Subsequent	USOC
1.	Per local chan	nel				
	(a)	Ringdown - Manual	\$1,267.00 (I)	\$57.60	\$309.60	SL3
	(b)	Ringdown - Automatic	1,159.00 (I)	21.60	103.68	SL5
	(c)	E & M Type	1,159.00 (I)	64.80	266.40	SLM
	(d)	Type A (0-199 ohms)	680.00 (I)	61.92	194.40	SAL
	(e)	Type B (200-899 ohms)	680.00 (I)	60.48	194.40	SAU
	(f)	Type C (900 or more ohms)	315.00 (I)	17.28	194.40	SAY

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.4 Optional Features and Functions (Cont'd)

- C. Conditioning (Voice Grade Services)
 - Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multi-point service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

2. The types and description of the available conditioning options are as follows:

Type Conditioning	Frequency Response Specification	Envelope Delay Distortion		
		Specification		
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz, 1	ess	
	-2dB to $+6dB$.	than 1000 micro	seconds	
	1000-2400 Hz,			
	-1dB to $+3$ dB.			
	300-3000 Hz,			
	-3dB to $+12$ dB.			
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz, less		
	-2dB to $+6dB$.	than 500 micros	seconds	
	500-2800 Hz,	600-2600 Hz, le	SS	
	-1dB to $+3$ dB.	than 1500 micro	seconds	
		500-2800 Hz, le	SS	
		than 3000 micro	seconds	
		Non-Linear	Distortion	
	C-Notched Noise	2nd Order	3rd Order	
		Distortion	Distortion	
D1 (two-point)	Noise level 28dB	35dB below	40dB below	
	below signal level	signal level	signal level	

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

Mannagumina

		Nonrecurring					
		Monthly	Charge				
		Rate	Initial	Subsequent	USOC		
4.	C-Type Conditioning						
	a. C-Type Conditioning is available for Types 2463 and	d 2464.					
	(1) C-Types of Conditioning per local channel						
	(a) C1-Type	\$315.00 (I)	\$12.96	\$ 116.64	P2W		
	(b) C2-Type	315.00 (I)	33.12	129.60	P3W		
5.	D-Type Conditioning						
	a. D-Type Conditioning is available for Types 2463 and	d 2464.					
	(1) D-Type Conditioning per local channel						
	(a) D1-Type	315.00 (I)	21.60	122.40	QHA		