TARIFF DISTRIBUTION

FILE PACKAGE NO.: GA-25-0008

DATE: March 1, 2025

STATE: GEORGIA

EFFECTIVE DATE: 03/01/2025

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase Business Analog Private Line (APL) Monthly Rates

| TARIFF SECTION | PAGE NUMBER | PAGE REVISION |
|----------------|-------------|---------------|
| H103 | 3 | 0008 |
| H103 | 3.1 | 0008 |
| H103 | 4 | 0008 |
| H103 | 5 | 0007 |
| H103 | 5.1 | 0007 |

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges

B103.4.1 Local Channels

A. Sub Voice Grade (see B103.9.2)

| Nonrecurring | | | | | | | |
|--|--|--|---|--|--|-----|----|
| | Charge | | Monthly | | | | |
| onal USOC | Additional | First | Rate | | | | |
| | | | | | ce Grade | Voi | В. |
| | | | | rmination | point of termina | Per | |
| | | | | | Voice | 1. | |
| 65.60 P2JUX | \$165.60 | \$496.80 | \$9,963.00(I) | (a) Type 2230 | (a) | | |
| 65.60 P2JHX | 165.60 | 496.80 | 9,963.00(I) | (b) Type 2231 | (b) | | |
| 08.80 P2JQX | 208.80 | 576.00 | 14,947.00(I) | (c) Type 2432 | (c) | | |
| 19.52 P2JGX | 119.52 | 230.40 | 3,090.00(I) | (d) Type 2434 | (d) | | |
| 87.20 P2JWX | 187.20 | 532.80 | 14,947.00(I) | (e) Type 2435 | | | |
| 52.80 P2JLX | 352.80 | 828.00 | 11,581.00(I) | (f) Type 2261 | (f) | | |
| 38.40 P2JRX | 338.40 | 813.60 | 13,794.00(I) | | | | |
| | | | | | Data | 2. | |
| 30.40 P2JKX | 230.40 | 597.60 | 11,581.00(I) | (a) Type 2260 | (a) | | |
| 30.40 P2JMX | 230.40 | 597.60 | 15,796.00(I) | (b) Type 2463 | (b) | | |
| 23.20 P2JNX | 223.20 | 597.60 | 15,796.00(I) | (c) Type 2464 | | | |
| 65.60 P2JF 08.80 P2JC 19.52 P2JC 87.20 P2JW 52.80 P2JI 38.40 P2JF 30.40 P2JK 30.40 P2JK | 165.60 208.80 119.52 187.20 352.80 338.40 230.40 230.40 | 496.80 576.00 230.40 532.80 828.00 813.60 597.60 | 9,963.00(I) 14,947.00(I) 3,090.00(I) 14,947.00(I) 11,581.00(I) 13,794.00(I) 11,581.00(I) 15,796.00(I) | (b) Type 2231 (c) Type 2432 (d) Type 2434 (e) Type 2435 (f) Type 2261 (g) Type 2462 (a) Type 2260 (b) Type 2463 | (b) (c) (d) (e) (f) (g) Data (a) (b) | 2. | |

B103.4.2 Reserved for Future Use

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.3 Interoffice Channels¹

A. Fixed and Mileage Charges applicable

| 1 1/10 | ea ana mineage (| sharges applicable | | | | |
|--------|------------------|---------------------------------|--|-------------------|------------------------|-------|
| | | | Fixed Monthly | Monthly Charge | Nonrecurring Charge | |
| | | | Charge | Per Mile | Per Channel | USOC |
| 1. | Sub Voice Gra | de - Series 1000 (see B103.9.4) | , and the second | | | |
| 2. | Voice Grade S | ervice - Series 2000 | | | | |
| | (a) | 1 thru 8 Miles | \$14,384.00 (I) | \$1,075.00 (I) | \$151.20 | 3LBBS |
| | (b) | 9 thru 25 Miles | 14,384.00 (I) | 1,075.00 (I) | 151.20 | 3LBBS |
| | (c) | Over 25 Miles | 14,384.00 (I) | 1,075.00 (I) | 151.20 | 3LBBS |
| 3. | (DELETED) | | | | | |
| 4. | (DELETED) | | | | | |
| 5. | (DELETED) | | | | | |

Note 1: For method of determining mileage, see B103.3.3.A.

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS B103.4 Rates and Charges (Cont'd)

B103.4.4 Optional Features and Functions

A. Bridging

1.

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

| | | | Monthly Rate | Nonrecurring Charge | USOC |
|-----|--------|---|------------------------------|------------------------|------------|
| Voi | ice Gr | ade Bridges (Series 2000) | | | |
| a. | Voic | ee Bridging | | | |
| | (1) | Per Port | | | |
| | | (a) Two-Wire (Type 2230) | \$3,798.00 (I) | \$56.16 | BQ9 |
| b. | Data | (b) Four-Wire (Type 2435) Bridging | 4,938.00 (I) | 56.16 | BQ9 |
| | (1) | Per Port | | | |
| c. | Tele | (a) Four-Wire (Types 2463 and 2464) metry and Alarm Bridging - Split Band, Active Bridging | 7,150.00 (I) | 60.48 | BQ9 |
| | (1) | Common Equipment, per central office | | | |
| | | (a) First bridging shelf, capacity of 48 two-wire connections | 14,291.00 (I) | 355.00 | XW1 |
| | | (b) Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf | 14,291.00 (I) | 320.00 | XW2 |
| | (2) | (c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf | 7,227.00 (I) | 195.00 | XW8 |
| | (2) | Channel connections, per channel connected | | | |
| | | (a) Remote station channel connection | 573.00 (I) | 40.00 | XW3 |
| | | (b) Mid-link channel connection, first channel(c) Mid-link channel connection, subsequent channels | 1,417.00 (I) 1,417.00 (I) | 46.00 46.00 | XW4 XW5 |
| | | (c) Mid-link channel connection, subsequent channels | 1,717.00 (1) | 40.00 | AWS |

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.4 Optional Features and Functions (Cont'd)

B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

| | | | Nonrecurring | | | | |
|----|----------------|---------------------------|-----------------|---------|------------|------|--|
| | | | Monthly Rate | Charge | | | |
| | | | | Initial | Subsequent | USOC | |
| 1. | Per local chan | mel | | | | | |
| | (a) | Ringdown - Manual | \$2,308.00 (I) | \$57.60 | \$309.60 | SL3 | |
| | (b) | Ringdown - Automatic | 2,111.00 (I) | 21.60 | 103.68 | SL5 | |
| | (c) | E & M Type | 2,111.00 (I) | 64.80 | 266.40 | SLM | |
| | (d) | Type A (0-199 ohms) | 1,239.00 (I) | 61.92 | 194.40 | SAL | |
| | (e) | Type B (200-899 ohms) | 1,239.00 (I) | 60.48 | 194.40 | SAU | |
| | (f) | Type C (900 or more ohms) | 573.00 (I) | 17.28 | 194.40 | SAY | |

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.4 Optional Features and Functions (Cont'd)

- C. Conditioning (Voice Grade Services)
 - Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multi-point service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

2. The types and description of the available conditioning options are as follows:

| Type Conditioning | Frequency Response Specification | on Envelope Delay Distortion | |
|------------------------------|----------------------------------|------------------------------|--------------|
| | | Specification | |
| C1 (two-point or multipoint) | 300-2700 Hz, | 1000-2400 Hz, 1 | ess |
| | -2dB to $+6dB$. | than 1000 micro | seconds |
| | 1000-2400 Hz, | | |
| | -1dB to $+3$ dB. | | |
| | 300-3000 Hz, | | |
| | -3dB to $+12$ dB. | | |
| C2 (two-point or multipoint) | 300-3000 Hz, | 1000-2600 Hz, 1 | ess |
| | -2dB to $+6dB$. | than 500 micros | seconds |
| | 500-2800 Hz, | 600-2600 Hz, le | SS |
| | -1dB to $+3$ dB. | than 1500 micro | seconds |
| | | 500-2800 Hz, le | SS |
| | | than 3000 micro | seconds |
| | | Non-Linear | Distortion |
| | C-Notched Noise | 2nd Order | 3rd Order |
| | | Distortion | Distortion |
| D1 (two-point) | Noise level 28dB | 35dB below | 40dB below |
| | below signal level | signal level | signal level |

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

| | | Nonrecurring | | | | |
|----|--|--------------|---------|------------|------|--|
| | | Monthly | Charge | | | |
| | | Rate | Initial | Subsequent | USOC | |
| 4. | C-Type Conditioning | | | | | |
| | a. C-Type Conditioning is available for Types 2463 and | d 2464. | | | | |
| | (1) C-Types of Conditioning per local channel | | | | | |
| | (a) C1-Type | \$573.00 (I) | \$12.96 | \$ 116.64 | P2W | |
| | (b) C2-Type | 573.00 (I) | 33.12 | 129.60 | P3W | |
| 5. | D-Type Conditioning | | | | | |
| | a. D-Type Conditioning is available for Types 2463 and | d 2464. | | | | |
| | (1) D-Type Conditioning per local channel | | | | | |
| | (a) D1-Type | 573.00 (I) | 21.60 | 122.40 | QHA | |