

TARIFF DISTRIBUTION

FILE PACKAGE NO.: GA-26-0001

DATE: January 3, 2026

STATE: GEORGIA

EFFECTIVE DATE: 01/03/2026

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase Business Analog Private Line (APL)
Monthly Rates

<u>TARIFF SECTION</u>	<u>PAGE NUMBER</u>	<u>PAGE REVISION</u>
H103	3	0009
H103	3.1	0009
H103	4	0009
H103	5	0009
H103	5.1	0008

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges

B103.4.1 Local Channels

A. Sub Voice Grade (see B103.9.2)

		Monthly Rate	First	Nonrecurring Charge Additional	USOC
B.	Voice Grade				
	Per point of termination				
1.	Voice				
	(a) Type 2230	\$14,944.00 (I)	\$496.80	\$165.60	P2JUX
	(b) Type 2231	14,944.00 (I)	496.80	165.60	P2JHX
	(c) Type 2432	22,420.00 (I)	576.00	208.80	P2JQX
	(d) Type 2434	4,635.00 (I)	230.40	119.52	P2JGX
	(e) Type 2435	22,420.00 (I)	532.80	187.20	P2JWX
	(f) Type 2261	17,371.00 (I)	828.00	352.80	P2JLX
	(g) Type 2462	20,691.00 (I)	813.60	338.40	P2JRX
2.	Data				
	(a) Type 2260	17,371.00 (I)	597.60	230.40	P2JKX
	(b) Type 2463	23,694.00 (I)	597.60	230.40	P2JMX
	(c) Type 2464	23,694.00 (I)	597.60	223.20	P2JNX

B103.4.2 Reserved for Future Use

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.3 Interoffice Channels¹

A. Fixed and Mileage Charges applicable

		Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurring Charge Per Channel	USOC
1.	Sub Voice Grade - Series 1000 (see B103.9.4)				
2.	Voice Grade Service - Series 2000				
	(a) 1 thru 8 Miles	\$21,576.00 (I)	\$1,612.00 (I)	\$151.20	3LBBS
	(b) 9 thru 25 Miles	21,576.00 (I)	1,612.00 (I)	151.20	3LBBS
	(c) Over 25 Miles	21,576.00 (I)	1,612.00 (I)	151.20	3LBBS
3.	(DELETED)				
4.	(DELETED)				
5.	(DELETED)				

Note 1: For method of determining mileage, see B103.3.3.A.

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.4 Optional Features and Functions

A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

		Monthly Rate	Nonrecurring Charge	USOC
1. Voice Grade Bridges (Series 2000)				
a. Voice Bridging				
(1) Per Port				
(a) Two-Wire (Type 2230)	\$5,697.00 (I)	\$56.16		BQ9
(b) Four-Wire (Type 2435)	7,407.00 (I)	56.16		BQ9
b. Data Bridging				
(1) Per Port				
(a) Four-Wire (Types 2463 and 2464)	10,725.00 (I)	60.48		BQ9
c. Telemetry and Alarm Bridging - Split Band, Active Bridging				
(1) Common Equipment, per central office				
(a) First bridging shelf, capacity of 48 two-wire connections	21,436.00 (I)	355.00		XW1
(b) Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf	21,436.00 (I)	320.00		XW2
(c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf	10,840.00 (I)	195.00		XW8
(2) Channel connections, per channel connected				
(a) Remote station channel connection	859.00 (I)	40.00		XW3
(b) Mid-link channel connection, first channel	2,125.00 (I)	46.00		XW4
(c) Mid-link channel connection, subsequent channels	2,125.00 (I)	46.00		XW5

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.4 Optional Features and Functions (Cont'd)

B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

		Monthly Rate	Nonrecurring Charge		
			Initial	Subsequent	USOC
1. Per local channel					
(a)	Ringdown - Manual	\$3,462.00 (I)	\$57.60	\$309.60	SL3
(b)	Ringdown - Automatic	3,166.00 (I)	21.60	103.68	SL5
(c)	E & M Type	3,166.00 (I)	64.80	266.40	SLM
(d)	Type A (0-199 ohms)	1,858.00 (I)	61.92	194.40	SAL
(e)	Type B (200-899 ohms)	1,858.00 (I)	60.48	194.40	SAU
(f)	Type C (900 or more ohms)	1,159.00 (I)	17.28	194.40	SAY

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.4 Optional Features and Functions (Cont'd)

C. Conditioning (Voice Grade Services)

1. Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multi-point service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

2. The types and description of the available conditioning options are as follows:

Type Conditioning	Frequency Response Specification	Envelope Delay Distortion Specification
C1 (two-point or multipoint)	300-2700 Hz, -2dB to +6dB. 1000-2400 Hz, -1dB to +3dB. 300-3000 Hz, -3dB to +12dB.	1000-2400 Hz, less than 1000 microseconds
C2 (two-point or multipoint)	300-3000 Hz, -2dB to +6dB. 500-2800 Hz, -1dB to +3dB.	1000-2600 Hz, less than 500 microseconds 600-2600 Hz, less than 1500 microseconds 500-2800 Hz, less than 3000 microseconds
D1 (two-point)	C-Notched Noise Noise level 28dB below signal level	Non-Linear Distortion 2nd Order Distortion 35dB below signal level 3rd Order Distortion 40dB below signal level

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

	Monthly Rate	Nonrecurring Charge			
		Initial	Subsequent	USOC	
4. C-Type Conditioning					
a. C-Type Conditioning is available for Types 2463 and 2464.					
(1) C-Types of Conditioning per local channel					
(a) C1-Type	\$859.00 (I)	\$12.96	\$ 116.64	P2W	
(b) C2-Type	859.00 (I)	33.12	129.60	P3W	
5. D-Type Conditioning					
a. D-Type Conditioning is available for Types 2463 and 2464.					
(1) D-Type Conditioning per local channel					
(a) D1-Type	859.00 (I)	21.60	122.40	QHA	