GA-21-0030

EFFECTIVE: September 1, 2021

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### CONTENTS

A142.1 IS	DN - Business Service (IBS) (Pre-1997)	1	(T)
A142.1.1	General	1	
A142.1.2	Rates and Charges	1	
A142.2 IS	DN - Residence Service (IRS)	4	
A142.2.1	General	4	
A142.2.2	Terms and Conditions	5	
A142.2.3	Definitions	5	
A142.2.4	Rates and Charges	6	
A142.2.5	Optional Features	6.3	
A142.3 Pi	rimary Rate ISDN	7	
A142.3.1	Reserved for Future Use	7	
A142.3.2	Reserved for Future Use	7	
A142.3.3	Reserved for Future Use	7	
A142.3.4	Rates and Charges	7	
A142.4 IS	SDN - Business Service (IBS)	8	(N)
A142.4.1	General	8	(N)
A142.4.2	Terms and Conditions	9	(N)
A142.4.3	Definitions	10	(N)
A142.4.4	Rates and Charges	10	(N)
A142.4.5	Optional Features	13	(N)

GA-21-0030 EFFECTIVE: September 1, 2021

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A142.1 ISDN - Business Service (IBS) (Pre-1997)

(N)

(T)

(T)

(M)

#### A142.1 ISDN - Business Service

(Obsoleted 02-17-97 Type 4) Service rates in this section are available for existing lines at existing locations only. Not available for new service, additions to existing service or moves of existing service to new location.

#### Obsolescence Rules

- 1. Inward activity for ISDN Business Service in this Section will not be allowed except that features may be added or deleted on existing lines at their current location.
- 2. Existing ISDN Business Service subscribers will be allowed to maintain their ISDN Business Service at their current location until the expiration date of their Term Payment Plan. Upon expiration of their Term Payment Plan subscribers must either, 1) convert to the month to month rate for ISDN Business Service; or 2) subscribe to an alternate service.
- 3. ISDN Business Service subscribers upon moving to a new location must either 1) convert to the Flat Rate Threshold Pricing Plan for ISDN Business Service; or 2) subscribe to an alternate service.
- 4. Nonrecurring charges will not apply for conversion of ISDN Business Service subscribers to the Flat Rate Threshold Pricing Plan.
- 5. Existing ISDN Business Service subscribers will reference Section A142.4 for Interoffice Circuits and Optional Features.

#### A142.1.1 General

- A. The definitions, terms and conditions in A142.4 will apply to these offerings except as stated following:
- B. Service will be allowed as Flat Rate or Message Rate as indicated in this Section. Usage rates as appropriate are specified in Section A3.

#### A142.1.2. Rates and Charges

- A. Interface
  - 1. Basic Rate DSL Access Arrangement.
    - a. Business Service
      - (1) Per DSL

			Month		Stability hly Rate		
	<ul><li>(a) ISDN Access (5ESS/DMS)</li><li>(b) ISDN Access (EWSD)</li></ul>	Installation Charge \$130.00 130.00	to Month \$55.00 55.00	24-59 Mos. Plan \$55.00 55.00	60-120 Mos. Plan \$55.00 55.00	USOC LTBLB LTBEB	
2. Channels A	activated						(M)
a. B. Ch	annels (Maximum of 2)						(M)
(1)	Circuit Switched Voice/Data, Each						(M)
(2)	<ul> <li>(a) Flat Rate</li> <li>(b) Message</li> <li>Circuit Switched Voice/Data for use with MultiServ PLUS service, each<sup>1</sup></li> </ul>	-	16.25 6.50	13.25 5.30	11.25 4.10	LPRFX LPUNX	(M) (M) (M)
	<ul><li>(a) Flat</li><li>(b) Message</li></ul>	-	12.25 2.50	9.35 1.30	7.25 0.10	MNCCF MNCCS	(M) (M)

**Note 1:** These rate elements may be used only with IBS lines associated with MultiServ PLUS service and require Network Access Registers.

GA-21-0030 EFFECTIVE: September 1, 2021

### A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL **NETWORK - ISDN**

### A142.1 ISDN - Business Service (IBS) (Cont'd)

A.142.1.2 Rates and Charges (Cont'd)

							Month	Rate St Monthly	•		` ′
B. Interi	face I	Inoma				Installation Charge	to Month	24-59 Mos. Plan	60-120 Mos. Plan	USOC	
B. Interi 1.			r/Tarn	ninal Prof	āla						
1.	a.		.,		Profile (EWSD)						
	а.	(1)			Service Profile						
	b.	Acc	(a) ess to	Each B Chann	el CSV/CSD	-	-	-	-	EWSTP	
		(1)	Flat	Rate (5E	SS/DMS)						
		(2)	(a) Flat	Each Rate (EW	VSD)	\$10.00	-	-	-	LTQ8Y	
			(a)	Voice		10.00	-	-	-	LTQVB	
		(3)	(b) Mes	Data ssage Rate	e - Georgia Commur	- nity Calling Plan (5ESS/DMS	<b>-</b> S)	-	-	LTQDB	
		(4)	(a) Mes	Each ssage Rate	e - Georgia Commur	<b>10.00</b> nity Calling Plan (EWSD) <sup>1</sup>	-	-	-	LTQ88	(M2)
			(a)	Voice		10.00	-	-	-	LTQV8	(M2)
			(b)	Data		-	-	-	-	LTQD8	(M2)
C. Usa	age										(M2)
1.	Cir	cuit S	Switch	ned Voice	and Data (Measure	d Only)					(M2)
	a.			_	for use on all circuig Plan are defined in	t switched services (voice ar A3.7.2	nd/or data) a	and terms and	conditions for	Georgia	(M2)
			ľ	Note 1:	Both Voice and I	Data required per B channel a	ccess on EV	WSD.			(M2)

M1 Material previously appearing on this page now appears on page(s) 1 of this section. M2 Material appearing on this page previously appeared on page(s) 3 of this section.

GA-21-0030 EFFECTIVE: September 1, 2021

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

(M)

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A142.2 ISDN - Residence Service (IRS)

(Obsoleted 02-17-97 Type 4) Service rates in this section are available for existing lines at existing locations only. Not available for new service, additions to existing service or moves of existing service to new location.

#### (DELETED)

Obsolescence Rules

- Inward activity for ISDN Residence Service in this Section will not be allowed except that features may be added or deleted on existing lines at their current location.
- 2. ISDN Residence Service subscribers upon moving to a new location must either (1) convert to the Flat Rate Threshold Pricing Plan for ISDN Residence Service; or (2) subscribe to an alternate service.
- 3. Nonrecurring charges will not apply for conversion of ISDN Residence Service subscribers to the Flat Rate Threshold Pricing Plan.
- 4. Existing ISDN Residence Service subscribers will reference this Section for Interoffice Circuits and Optional Features.

Effective December 15, 2015, ISDN – Residence Service (IRS) is obsoleted. IRS will not be available for new service, additions or changes to existing service, or moves of existing service to a new location. Customers may retain the service for existing IRS lines at existing locations.

#### A142.2.1 General

- **A.** Effective February 17, 1997, ISDN Residence Service (IRS) will be offered only under a Flat Rate Threshold Pricing Plan. This plan allows up to 12,000 minutes of use each month per DSL at the flat rate. Minutes of use rates will apply for all usage above the 12,000 minutes per DSL threshold.
  - A minimum service period of three months will be required on the Flat Rate Threshold Pricing Plan. Termination Charges as defined herein will apply if the subscriber terminates or disconnects the service prior to fulfilling the three months period.
- B. ISDN Residence Service (IRS) is a new intraLATA group of offerings supported by the Integrated Services Digital Network (ISDN) architecture. IRS supports simultaneous transmission of voice, data, and packet services on the same exchange access line. Calling/Called Number Delivery, Calling Name Delivery, and Call Hold are included with this service where facilities permit.
- C. IRS provides a new method of access to the telephone network called Basic Rate Access. Basic Rate Access will consist of the ability to access up to two 64 Kbps (B) channels and one 16 Kbps (D) channel at the service delivery point.
- **D.** IRS is provided through Basic Rate Access. Features are available to increase the capability of the Bearer Alternative Service and may be subscribed to on an as-needed basis.
- E. B channel circuit switched services offer up to 64 Kbps intra-office transmission of voice or data. This option permits the customer to utilize either circuit voice or data transmission paths on a per call selection basis. Transmission on the B channel will be circuit switched at 64 Kbps within the switch and/or equipped facilities between ISDN compatible central offices. ISDN interconnection to non-ISDN equipped central offices will be potentially subjected to analog transmission or sub-rated to 56 Kbps. This option includes one directory number (DN).
- **F.** IRS will consist of the following components:
  - Basic Rate Digital Subscriber Line (DSL) Access
  - Two B channels CSV/CSD and one D channel Low Speed Packet Switched Data. Optional B channel packet services may be purchased in place of the B channel CSV/CSD. A maximum of two simultaneous B channels can be in use per Basic Rate Access.
  - Minimum of one and maximum of eight User Profiles per Basic Rate Digital Subscriber Line (DSL) Access Arrangement.

(D)

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A142.2 ISDN - Residence Service (IRS) (Cont'd)

		(M)
A142	.2.2 Terms and Conditions	(T)(O)
Α.	Customer Premises Equipment (CPE) that is compatible with the ISDN Interface is the responsibility of the user for provisioning.	(O)
В.	The Company will be responsible for publishing and maintaining ISDN Interface Specifications.	(O)
С.	The Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company utilized in the provision of Basic Rate Access render any facilities provided by the customer obsolete or require modification or alteration of such equipment or system, or otherwise affect its use or performance.	(O)
D.	Suspension of service is not allowed.	(O)
E.	Service Charges in Section A4. are applicable per Basic Rate DSL access in addition to rates and charges following.	(O)
F.	Installation charges in A42.1 will be waived for ISDN Residence Service customers transferring existing service to ISDN Business Service. Appropriate installation charges will be charged for any additions to the service completed at the time of transfer.	(O)
G.	Usage rates will apply for total local usage minutes over the 12,000 minutes allowed under the Flat Rate Threshold Plan. Usage rates, as appropriate, are specified in this Section.	(O)
Н.	IRS will be available where central office and outside plant facilities permit.	(O)
I.	IRS served from a central office other than the central office the subscriber would normally be served from will require interoffice facilities as provided in this Section per DSL. Any non-ISDN interoffice facilities connecting to this service will follow the terms and conditions in Section A9.	(O)
	Existing customers may convert to the Interoffice Circuits in this Section or they may continue to pay rates for interoffice facilities from Section A9. until they make changes or additions. Existing customers choosing to convert interoffice facilities will not be charged the installation charge for Interoffice Circuits. Appropriate charges from Section A4. are also not applicable for these conversions. Any changes or additions completed at the time of conversion will be charged the appropriate Installation charges. When the customer requests changes or additions to existing interoffice facilities, they must subscribe to the Interoffice Circuits from this Section.	(O)
	At the Company's option, when the normal serving central office is not equipped for ISDN, a customer may be served with ISDN from another central office. IRS customers to be served under this arrangement must sign an agreement the service will be moved back to his normal serving central office and to a probable number change when/if that office is equipped with ISDN. When the Company elects this serving arrangement, the interoffice charges will not apply. Should the customer request to be served from an ISDN equipped central office other than the normal serving central office, the appropriate interoffice or interexchange charges will apply.	(O)
J.	Each ISDN Basic Rate DSL Access Arrangement will be counted as one line in determining the application of the Service Charges specified in A4. and the End User Charges as specified in the End User Common Access Service section of BellSouth Telecommunications, Inc., FCC No. 1., Section 4.	(T)(O)
A142	.2.3 Definitions	(T)(O)
	B CHANNEL	(O)
	A bidirectional synchronous channel capable of supporting 64 Kbps of digital transmission.	(O)
	D CHANNEL	(O)
	A 16 Kbps digital signaling channel also capable of supporting 9.6 Kbps of packet information for the Basic Rate Interface.	(O)
	64 KBPS CLEAR CHANNEL CAPACITY (CCC)	(O)
	A B channel connection that provides end-to-end digital connection in which all 64 Kbps of bandwidth are available for customer use.	(O)

(D)

GA-16-0057 EFFECTIVE: December 1, 2016

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A142.2 ISDN - Residence Service (IRS) (Cont'd)

### A142.2.4 Rates and Charges

A. Interoffice Circuits

1. Per DSL

Installation Monthly

Charge Rate USOC

(a) Each, including first mile \$240.00 \$138.00 M1GNC
(b) Each additional mile - .54 M1GNM

B. Interface

Rate Stability1 Installation Month to **Monthly Rate** Charge Month 24-59 Mos. Plan Basic Rate DSL Access Arrangement Residence Service (1) Per DSL \$130.00 LTBLR/LQTTR ISDN Access (5ESS/DMS) (a) 130.00 LTBER/LQTER ISDN Access (EWSD®)2 (b) Channels Activated Up to 2 B channel Circuit Switched Voice/Data and 1 D channel Low Speed Packet Per DSL (1) Per DSL

(a) Flat Rate<sup>3</sup> - - \$52.80 LPRFX \$44.00 48.00 LQGFX

C. Interface Users

1. Per User/Terminal Profile

(DELETED)

Note 2:

		Installation Charge	Monthly Rate		
a.	Terminal Service Profile (EWSD®)				
	(1) Per Terminal Service Profile				
	(a) Each	-	-	EWSTP/EWSTQ	
b.	Access to B Channel CSV/CSD				
	(1) Flat Rate (5ESS/DMS)				
	(a) Each	\$10.00	-	LTQ8Y	
	(2) Flat Rate (EWSD®) <sup>2</sup>				
	(a) Voice	10.00	-	LTQVR	
	(b) Data	-	-	LTQDR	
	(DELETED)				(D)

**Note 1:** As of August 31, 2011, Rate Stability Plans are no longer available for new or renewing subscribers.

Both voice and data are required per B channel access on EWSD®.

**Note 3:** The appropriate flat rate schedule in A3.2 will also apply.

<sup>®</sup> Registered Trademark of Siemens Aktiengesellschaft

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A142.2 ISDN - Residence Service (IRS) (Cont'd)

A142.2.4 Rates and Charges (Cont'd)

D. Usage

1. **(DELETED)** (D)

2. Usage above 12,000 minutes per DSL allowed in the Flat Rate Threshold Plan will be billed at the per minute of use rate.

Rate Per Minute of Use

(a) Per Minute of Use above Threshold Allowance \$.02 N/A

GA-15-0097 EFFECTIVE: December 15, 2015

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

#### (T)(O) A142.2 ISDN - Residence Service (IRS) (Cont'd) A142.2.4 Rates and Charges (Cont'd) (T)(O) E. Packages (O) Packages EZ1, EZ1A, EZ2 and EZ2A are available for use with IRS on National ISDN lines. The packages will not be (O) available on Custom ISDN lines. A credit will be applied to the monthly billing for customers purchasing IRS via one of these packages. Packages must be ordered exactly as stated in the descriptions of the packages. If any feature listed in the package is deleted or provisioning options are changed, the package credit will no longer apply. Additional optional features compatible with the package configurations are allowed with the packages. Additional (O) features may be added only on the User Profile already provisioned with features. Description of Packages -(O) a. Package EZ1 - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User Profile, (O) 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Button. b. Package EZ1A - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User (O)Profile, 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Button, Visual Message Waiting, Call Forwarding Busy Line, Call Forwarding Don't Answer. Voice mail service will be allowed with this package. Package EZ2 - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User Profile, (O) 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Button, 2 Secondary DN's. d. Package EZ2A - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User (O) Profile, 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Button, 2 Secondary DN's, Visual Message Waiting, Call Forwarding Busy Line, Call Forwarding Don't Answer. Voice Mail service will be allowed with this package. Packages Rates and Charges (O) a. Per DSL (O) (1) Packages - Credit Per DSL (O) Installation Monthly Charge Credit **USOC** Package EZ1 Credit \$5.50 LPEO1 (O) (a) (b) Package EZ1-A Credit 6.00 LPE1A (O) Package EZ2 Credit 6.50 LPEO2 (c) (O)(d) Package EZ2-A Credit 7.00 LPE2A (O) **F**. Termination Charges (O) IRS lines placed in service under a Rate Stability Plan will incur a Termination Charge at the date of termination if the customer terminates or disconnects the service prior to fulfilling the minimum service period. Termination Charges will not apply for IRS lines upgrading to another service offered by the Company with a contract period equal to or longer than the existing ISDN contract. Rate Stability Plan of 24 months (O) Termination Charge if service disconnected within (O) **USOC** Termination Charge 1 - 12 months1 \$200.00 LPER1 (O)(a) LPER2 13 - 23 months 100.00 (O)

**Note 1**: This Termination Charge also applies at the date of termination if a customer terminates or disconnects prior to fulfilling the three months minimum service period.

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A142.	2 ISDN	- Residence Service (IRS) (Cont'd)	(T)(O)
A142	.2.5 Opt	ional Features	(T)(O)
	Custome Delivery capabili	ers are required to subscribe to ISDN - Residence Service (IRS) before ordering these features. Calling/Called Number y, Calling Name Delivery, and Call Hold are provided with this service. Features are available to increase the ty of IRS and may be subscribed to on an as needed basis. Availability of features are limited to where facilities permit y be limited by central office type and switch load.	(O)
		Where facilities permit, Call Forwarding features will provide for one calling path. Up to nine (9) additional call forwarding paths may be added with a monthly charge per calling path.	
A.	Optiona	l Features	(O)
		ility of features as described in 1. and 2. following is dependent upon whether the central office is equipped with ISDN or National ISDN.	(O)
	Th	atures for use with Electronic Key Telephone Service (EKTS): is option provides a group of features that increase the user's voice terminal flexibility and offers the functionality of a y system to groups of users with EKTS equipment.	(O) (O)
	a.	Shared Primary DN - This is a primary DN that appears on one or more terminals.	(O)
	b.	Secondary-Only DN - This is a secondary DN that appears on one or more terminals, but is not the primary DN on any of those terminals.	(O)
	c.	Shared Secondary-Only DN - First Appearance - the first appearance of a secondary DN that appears on more than one terminal but is not the primary DN on any of those terminals.	(O)
	d.	Key Short Hunt – This feature enhances call coverage by delivering key-set DN Short Hunt Capability to standard-feature ISDN Voice terminals.	(O)
	e.	Shared Non-ISDN DN - This feature allows call coverage for an analog set. This service allowed only if ISDN and Non-ISDN account owned by same customer and where facilities permit.	(O)
	f.	Privacy Release - This is a privacy feature that allows a customer to specify, on an EKTS group basis, that no other user can bridge on to calls. On a call by call basis, this feature can be disabled to allow bridging to occur.	(O)
	g.	Manual Exclusion - This is the opposite of Privacy Release. On a call by call basis the user can restrict bridging.	(O)
	h.	EKTS Intercom Calling - Dial - This feature allows an EKTS user to call other terminals in the EKTS group with one or two-digit dialing.	(O)
	i.	EKTS Intercom Calling - Automatic - This feature allows an EKTS user to call another terminal in the EKTS group by activating a button on the EKTS set.	(O)
	j.	EKTS Intercom Calling - Call Appearance. This feature allows EKTS Intercom Calling to be provisioned on a Call Appearance.	(O)
	k.	Conference, Drop, Hold, Transfer - EKTS	(O)
		- Conference - This feature allows the user to add a third party to an existing conversation. This feature is for use with voice calls only.	(O)
		- Drop - This central office based feature allows the user to disconnect the last party added to a conference call.	(O)
		- Hold - Suspends an established call while another action is taking place.	(O)
		- Transfer - This feature allows the user to transfer a call to another DN. This feature is for use with voice calls only.	(O)
		This feature may require an additional Call Appearance or an additional DN. This feature is available for use with EKTS sets with service provisioned in the EWSD® switch. EWSD® subscribers with Non-EKTS sets and SESS/DMS subscribers should use the Conference Drop Held and Transfer feature in the following section.	(O)

5ESS/DMS subscribers should use the Conference, Drop, Hold and Transfer feature in the following section.

<sup>®</sup> Registered Trademark of Siemens Aktiengesellschaft

GA-15-0097 EFFECTIVE: December 15, 2015

### A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

#### (T)(O) A142.2 ISDN - Residence Service (IRS) (Cont'd) A142.2.5 Optional Features (Cont'd) (T)(O) A. Optional Features (Cont'd) (O) The following features are available with either Custom ISDN or National ISDN. National ISDN customers may (O) purchase these features for use with either EKTS sets or non-EKTS sets. Call Forwarding Variable - This feature allows the ISDN user to have the ability to forward all incoming calls to a (O) user specified directory number. b. Call Forwarding Variable Feature Button - This feature is the same as Call Forwarding Variable except that it is (O) activated by a feature button. Call Forwarding Busy Line - This feature automatically routes calls to a preselected number when the called line is (O) busy. This feature may be either Fixed (changeable by service order only) or Programmable (customer changeable) by station user via Feature activation code. d. Call Forwarding Don't Answer - This feature automatically routes calls to a preselected number when the called line (O) does not answer in a preset ringing cycle. This feature may be either Fixed (changeable by service order only) or Programmable (customer changeable) by station user via Feature activation code. e. Call Forwarding Multiple Simultaneous - This feature allows a station line to forward more than one call at a time. (O) f. Call Pickup - Allows a user to answer calls directed to another line in the same preset Call Pickup Group. (O) g. Conference, Drop, Hold, Transfer -(O) - Conference - allows the user to add a third party to an existing conversation. This feature is for use with voice calls (O) - Drop - This central office based feature allows the user to disconnect the last party added to a conference call. (O) - Hold - allows the user to place a call on hold by pressing the function button. Any set with the call appearance for (O) the call on hold can pick up the call by pressing the call appearance button. - Transfer - This feature allows the user to transfer a call to another DN. This feature is for use with voice calls only. (O)

This feature may require an additional call appearance or an additional DN.

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A142.	<i>2</i> IS	DN	- Residence Service (IRS) (Cont'd)	(T)(O)
A142	2.2.5	Opti	onal Features (Cont'd)	(T)(O)
Α.	Opt	ional	Features (Cont'd)	(O)
	2.	(Co	ont'd)	(O)
		h.	Six-Way Conference, Drop, Hold, Transfer - This feature has the same functionality as Conference, Drop, Hold, Transfer feature except that six-way conference is allowed.	(O)
		i.	Speed Calling - This feature allows each user to assign up to thirty telephone numbers to a two-digit code for the purpose of enabling abbreviated dialing.	(O)
		j.	Calling/Called Number Delivery/Calling Name Delivery- National ISDN - This feature provides the user who is receiving/originating a call with information about the calling/called party and the facility or destination and is provided with IRS. Some "privacy" options may be in effect in certain areas and will be located in Section A13. <sup>1</sup>	(O)
		k.	Visual Message Waiting Indicator - Provides the user of a message service with a visual indication that a message is waiting.	(O)
		1.	Audible Message Waiting Indicator - Provides the user of a message service with an audible indicator that a message is waiting.	(O)
m. Additional Call Appearance - PDN or DN - This feature allows the terminal to have more than one D assigned to the same DN or Primary Directory Number (PDN).				
		n.	Call Tracing - This feature enables the customer to initiate an automatic trace of the last call received. Upon activation by the customer, the network automatically sends a message to the Company's Security Department indicating the calling number, the time the call was received, and the time the trace was activated. The customer using this feature would be required to contact the local business office for further action.	(O)
call received, whether or not the call was answered or the number is known. The customer can dia		Call Return - This feature enables a customer to place a call to the telephone number associated with the most recent call received, whether or not the call was answered or the number is known. The customer can dial a code or press a feature button to request that the network place the call.	(O)	
			If the called line is not busy, the call is placed. If the called line is busy, a confirmation announcement is heard. Once the customer hangs up, the network will monitor the busy/idle status of both lines every forty-five seconds for up to thirty minutes. If during the queuing process both lines become idle, the customer is alerted that the network is ready to place the call. When the customer picks up the telephone, the call will automatically be placed. If unanswered by the customer the alerting will repeat every five minutes until answered, or for the remainder of the thirty minute monitoring interval. Multiple numbers may be placed in queue. The first idle number will be connected first. Both the customer and the called party may originate and receive calls without affecting the call return feature status.	(O)
			Selective Call Forwarding - Allows the customer to transfer selected calls to another telephone number. A screening list of up to six numbers is created by the customer and placed in the network memory via an interactive dialing sequence. Subsequently, calls are forwarded to the Call Forwarding telephone number only if the calling number can be obtained and is found to match a number on the screening list.	(O)
			If the customer also subscribes to Call Block and the same telephone number is entered on both screening lists, the Call Block feature must be deactivated to allow the call to be forwarded.	(O)
			This feature will not work if the incoming call is from a telephone number in a Hunt Group unless the telephone number is the main number of the hunt group, or is Telephone Number identified.	(O)
			Note 1: Telephone numbers transmitted via these features are intended solely for the user of the ISDN	(O)

Telephone numbers transmitted via these features are intended solely for the user of the ISDN Individual Business Service subscriber. Resale of this information is prohibited by this Guidebook except the callers' numbers may be provided to the subscriber's client for those calls sponsored or provided by that client where the client's identify is disclosed to the caller and the client agrees not to distribute such information to others.

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A142.	<i>2</i> IS	DN	- Residence Service (IRS) (Cont'd)	(T)(O)
A142	2.2.5	Opti	ional Features (Cont'd)	(T)(O)
A.	Opt	ional	l Features (Cont'd)	(O)
	2.	(Co	ont'd)	(O)
		q.	Call Block - This feature provides the customer the ability to prevent incoming calls from up to six different telephone numbers.	(O)
			A screening list is created by the customer either by adding the last number associated with the line (incoming or outgoing), or by preselecting the telephone numbers to be blocked. When a call is placed to the customer's number from a number on the screening list, the caller receives an announcement indicating that the party he is attempting to call does not wish to receive calls at this time.	(O)
			If the customer also subscribes to Selective Call Forwarding and/or Personalized Ring 6 and the same telephone numbers appear on those screening lists, Call Block will take precedence.	(O)
			This feature will not work if the incoming call is from a telephone number in a Hunt Group unless the telephone number is the main number of the hunt group, or is Telephone Number identified.	(O)
		r.	Personalized Ring 6 - This feature provides an alerting to the subscribing customer for up to six specific telephone numbers.	(O)
			The customer creates a screening list of up to six telephone numbers through an interactive dialing sequence. When a call is received from one of the predetermined telephone numbers, the customer is alerted. Calls from the telephone numbers not included on the screening list will produce a normal ring.	(O)
			When a telephone number on the Personalized Ring 6 screening list also appears on the Selective Call Forwarding list, the Selective Call Forwarding will take precedence. Likewise, when the same number is shown on the Call Block list, the call will be blocked.	(O)
			The customer's line will not produce an alert if the incoming call is from a telephone number in a Hunt Group unless the telephone number is the main number of the hunt group, or is Telephone Number identified.	(O)
		s.	Repeat Dialing - Repeat Dialing, when activated, automatically redials the last number the customer attempted to call. If the called line is not busy, the call will be placed.	(O)
			If the called line is busy, a confirmation announcement is heard, the customer hangs up and a queuing process begins. For the next thirty minutes both the calling and called lines are checked periodically for availability to complete the call. If during this queuing process the called line becomes idle, the customer is alerted that the network is ready to place the call. When the customer picks up the telephone, the call will automatically be placed.	(O)
		t.	Automatic Line/Direct Connect - Station specially programmed to dial specific internal station number or "0" or the attendant when the station user goes off-hook.	(O)
		u.	Selective Call Acceptance - Allows customers to accept incoming voice calls only from certain telephone numbers selected by the customer.	(O)
		v.	Station Restriction - Allows a station line to be assigned various type of restriction.	(O)
			- Denied Termination allows the station line to be used for outgoing calls only. It cannot receive incoming calls. All incoming calls are routed to common intercept announcement.	(O)
			- Denied Origination from Outgoing Calls allows the station line to be used for incoming calls only. No outgoing calls can be originated from it.	(O)
		w.	Redirected Number Feature – Redirected number delivery may be provided as a termination feature. If the received call has been previously forwarded, the first and last forwarding DN's will be delivered to the called party who	(O)

subscribes to redirected number delivery.

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A142.2 ISDN - Reside	nce Service (IRS) (Cont'd)				(T)(O)
A142.2.5 Optional Feature	es (Cont'd)				(T)(O)
B. Rates and Charges	,				(O)
Optional Features	S				(O)
a. Feature for u	se with EKTS CPE Circuit Switched Voice/O	Circuit Switched Data			(O)
	Primary DN - First appearance additional terminal				(O)
		Installation Charge	Monthly Rate	USOC	
(2) Second	ach ary Only DN (Shared or Non-Shared) - pearance	\$1.00	\$1.50	DS1FJ	(O) (O)
(3) Shared	ach Secondary Only DN - First appearance additional terminal	2.00	1.50	LLDSF	(O) (O)
(-)	ach ort Hunt (DMS100)	1.00	1.50	DS1F1	(O) (O)
(-)	ach Non-ISDN DN <sup>1</sup>	2.00	-	DS1KS	(O) (O)
(-)	ach Release (5ESS/DMS)	1.25	1.50	DOE	(O) (O)
	er shared DN Exclusion	1.00	.25	DS1FU	(O) (O)
(-)	er shared DN ntercom Calling - Dial	1.00	.25	DS1FM	(O) (O)
(-)	ach member ntercom Calling - Automatic	1.00	1.50	DS1FE	(O) (O)
	ach member ntercom Calling - Call Appearance	1.00	1.50	DS1FD	(O) (O)
(11) Confere	ach member ence, Drop, Hold and Transfer only (EWSD®)²	1.00	1.50	M61FX	(O) (O)
	er user profile ting Number Delivery – No rate (Provisionii	ng USOC: DS1RD)	2.00	DS1FN	(O) (O)
No		DN service is owned by same cust may not be available in some location.		current	(O)
No	te 2: Use Conference, Drop, Hold and	Transfer feature in b. following	for 5ESS, DM	IS and	(O)

non-EKTS EWSD®.

<sup>®</sup> Registered Trademark of Siemens Aktiengesellschaft

GA-15-0097 EFFECTIVE: December 15, 2015

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A142.2 ISDN - Residence Service (	IRS) (Cont'd)		(T)(O	))
A142.2.5 Optional Features (Cont'd)	, ,		(T)(O	))
<b>B.</b> Rates and Charges (Cont'd)			(O	))
1. Optional Features (Cont'd)			(O	))
b. Optional Circuit Switched Featur use with non-EKTS or EKTS CP			(0	<b>)</b> )
(1) Call Forwarding Variable <sup>1</sup>			(O	))
(a) Voice or Voice/Data (b) Data - per user (5ESS) (2) Call Forwarding Variable -	/EWSD®) 1.00	Monthly	USOC LLNCV (O LLOCD (O	))
<ul> <li>(a) Voice - per PDN</li> <li>(b) Data - per PDN</li> <li>(3) Call Forwarding Busy Line</li> </ul>	1.00 1.00	2.00 2.00	GJXCF (O LLPCD (O	))
(a) Voice or Voice/Data (b) Data - per user (5ESS) (4) Call Forwarding Busy Line	- per user <sup>2</sup> 1.00 /EWSD®) 1.00	1.00 1.00	LLQCV (O LLRCD (O	))
<ul> <li>(a) Voice or Voice/Data</li> <li>(b) Data - per user (5ESS)</li> <li>(5) Call Forwarding Don't Answer</li> </ul>	/EWSD®) 1.00	2.00 2.00	M6AVA (O M6ADF (O	))
<ul> <li>(a) Voice or Voice/Data</li> <li>(b) Data - per user (5ESS)</li> <li>(6) Call Forwarding Don't Answer</li> </ul>	/EWSD®) 1.00	1.00 1.00	LLSCV (O LLUCD (O	))
<ul> <li>(a) Voice or Voice/Data<sup>2</sup></li> <li>(b) Data - per user (5ESS)</li> </ul>	_	2.00 2.00	M6BVA (O	_
<b>Note 1:</b> Feature to b	be applied per DN to be forwarded on 5ESS and/or EV	WSD®.	(O	))
Note 2: Voice/Data	for use only with DMS.		(0	))
Note 3: Call Forwarding	rding Busy Line - Programmable may not be assig Busy Line.	gned to the same DN a	s Call (O	<b>)</b> )

Call Forwarding Don't Answer - Programmable may not be assigned to the same DN as Call

Note 4:

Forwarding Don't Answer.

 $<sup>^{\</sup>tiny{(\! R \!\!\!)}}$  Registered Trademark of Siemens Aktiengesellschaft

(O)

GA-15-0097 EFFECTIVE: December 15, 2015

### A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL **NETWORK (ISDN)**

	METWORK (ISDN)				
A142.2 ISDN - Resid	ence Service (IRS) (Cont'd)				(T)(O)
A142.2.5 Optional Featu	res (Cont'd)				(T)(O)
<b>B.</b> Rates and Charges (	Cont'd)				(O)
1. Optional Featur	res (Cont'd)				(O)
1	Fircuit Switched Features for on-EKTS or EKTS CPE (Cont'd)				(O)
(7) Call 1	Forwarding Multiple Simultaneous <sup>1</sup>				(O)
(a) (b) (8) Call I	Voice or Voice/Data - per user <sup>2</sup> (DMS/5ESS) Data - per user (5ESS) Pickup	Installation Charge \$1.00 1.00	Monthly Rate \$2.00 2.00	USOC M6CV5 M6CD5	(O) (O) (O)
(a) (b) (9) Confe	Per group Per member erence, Drop, Hold and Transfer <sup>3</sup>	1.00 1.00	4.00 2.00	LLVCG LLXCM	(O) (O)
(a) (10) Six-V	Per user profile Vay Conference, Drop, Hold and Transfer <sup>3</sup>	1.00	2.00	DS1FN	(O) (O)
(a) (11) Speed	Per user profile d Calling	1.00	12.00	LLY6P	(O) (O)
(a) (12) Visua	Per user al Message Waiting Indicator	1.00	3.00	LLZSU	(O) (O)
(a)	Per PDN	1.00	.50	LLAVP	(O)
Ī	Note 1: Use to add additional paths to the call forward	arding features. Will appl	y to each addition	nal path,	(O)

up to nine (9) per call forwarding feature.

Note 2: Voice/Data for use only with DMS.

Only one type of Conference, Drop, Hold and Transfer is allowed per user. Note 3:

GA-15-0097 EFFECTIVE: December 15, 2015

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A142.2 ISDN - Residence Service (IRS) (Cont'd)				(T)(O)
A142.2.5 Optional Features (Cont'd)				(T)(O)
B. Rates and Charges (Cont'd)				(O)
1. Optional Features (Cont'd)				(O)
<ul> <li>Optional Circuit Switched Features for use with non-EKTS or EKTS CPE (Cont'd)</li> </ul>				(O)
(13) Audible Message Waiting Indicator (5ESS/EWSD®)				(O)
(a) Per PDN (14) Additional Call Appearance, PDN or DN <sup>1</sup>	Installation Charge \$1.00	Monthly Rate \$.50	USOC MWW	(O) (O)
(a) Each (15) Call Tracing	1.00	.75	DS1FG	(O) (O)
(a) Per user profile <sup>2</sup> (16) Call Return (5ESS/EWSD <sup>®</sup> )	1.00	3.50	NST	(O) (O)
<ul> <li>(a) Per user profile<sup>2</sup></li> <li>(17) Selective Call Forwarding</li> </ul>	1.00	3.50	NSS	(O) (O)
(a) Per user profile <sup>2</sup> (18) Call Block	1.00	2.50	NCE	(O) (O)
(a) Per user profile <sup>2</sup> (19) Personalized Ring 6	1.00	3.50	NSY	(O) (O)
(a) Per user profile <sup>2</sup> (20) Repeat Dialing (5ESS/EWSD <sup>®</sup> )	1.00	2.50	NSK	(O) (O)
<ul> <li>(a) Per user profile<sup>2</sup></li> <li>(21) Automatic Line/Direct Connect</li> </ul>	1.00	3.50	NSQ	(O) (O)
<ul><li>(a) Per DN Per Terminal (DMS/5ESS)</li><li>(22) Selective Call Acceptance</li></ul>	1.00	.75	M6GN9	(O) (O)
<ul> <li>(a) Per user profile (DMS/5ESS)</li> <li>(23) Station Restriction - Denied Origination<sup>2</sup></li> </ul>	1.00	2.00	M6K16	(O) (O)
<ul> <li>(a) Per user profile</li> <li>(24) Station Restriction - Denied Termination<sup>2</sup></li> </ul>	1.00	1.00	M6LOA	(O) (O)
(a) Per user profile	1.00	1.00	M6LTA	(O)
Note 1: Additional Call Appearances on PDN or Second on all sets where these numbers appear.	ndary Only DN - First	Appearance will	appear	(O)

Feature to be applied per DN or EWSD®.

Note 2:

<sup>®</sup> Registered Trademark of Siemens Aktiengesellschaft

### A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A142.3 Primary Rate ISDN

#### (T)

(T)

#### A142.3.1 Reserved for Future Use

#### A142.3.2 Terms and Conditions

(Obsoleted 02-29-2008, Type 4. Beginning February 29, 2008, Calling Number Delivery Blocking - Permanent is not available as part of Primary Rate ISDN service for new customers, new service arrangements, rearrangements, moves or transfers. Customer arrangements with calling number delivery blocking may keep the capability for arrangements existing prior to February 29, 2008. For new customers/new service arrangements purchased on or after February 29, 2008, calling number delivery blocking is the responsibility of the customer, i.e., to be performed through their PBX or other customer premises equipment, as appropriate.)

#### A142.3.3 Reserved for Future Use

### A142.3.4 Rates and Charges

- A. Reserved for Future Use
- **B.** Reserved for Future Use
- C. Reserved for Future Use
- D. Optional Offerings

(Obsoleted 09/25/2006, Type 4. Not available for new installations, additions to existing service or transfers of existing service to a new location.)

- 1. Reserved for Future Use
- 2. Incoming Call Extension

		Nonrecurring	Month to	12 to 23 Months	24 to 48 Months	49 to 72 Months	USOC
(a)	ICE-DRC, For maximum of one call per	Charge \$2.00	\$.30	\$.28	\$.27	\$.25	PR7N1
(4)	telephone number in different rate center - low use <sup>1</sup>	,					
(b)	ICE-DRC, For more than one simultaneous call per telephone number in different rate	25.00	10.00	9.50	9.00	8.50	PR7N2
(c)	center - high use, first path <sup>2</sup> ICE-DRC, Additional paths for (b) above, per additional path <sup>2</sup>	25.00	8.00	7.60	7.20	6.80	PR7N3

**Note 1:** Applicable for low use telephone numbers such as those associated with non-published DID.

**Note 2:** Applicable for high use telephone numbers such as those associated with two-way trunks.

(N)

(O)

GA-21-0030 EFFECTIVE: September 1, 2021

## A142. OBSOLETE SERVICE OFFERINGS - INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.4 ISDN - Business Service (IBS)

Effective September 1, 2021, ISDN - Business Service (IBS) will no longer be available for purchase by new or existing customers. In addition, requests to move, add, change, or renew existing service arrangements will not be accepted. The Company will continue to provide existing service to existing customers until the expiration of a customer's term agreement. Following the expiration of a customer's existing term agreement, service will be provided on a month-to-month basis at the applicable Month-to-Month rates until the service is discontinued. The Company currently plans to discontinue this service on or after August 1, 2023.

A142.4.1 General (T)(O)

- A. ISDN Business Service will be offered under a Flat Rate Threshold Pricing Plan or a Usage Option Plan.
  - 1. The Flat Rate Threshold Pricing Plan allows up to 19,200 minutes of use each month per DSL at the flat rate. Minutes of use rates will apply for all usage above the 19,200 minutes per DSL threshold.
  - Usage Option Plans will be available for various thresholds of local use only on National ISDN lines. Usage Option Plans not available for IBS lines associated with a Centrex based system.
    - a. Usage Option Plan A The Basic Local Calling area for Usage Option Plan A will be the LATA boundary. Local usage under Usage Option Plan A will be recorded on originating calls terminating within the LATA. Minutes of use rates will apply for all local usage. This plan is limited to outward only service.
    - b. Usage Option Plan B will have unlimited usage inside the Extended Local Calling Area. The Extended Local Calling Area for Usage Option Plan B will be the Basic Local Calling Area plus the Extended Calling Area as described in Section A3.
  - 3. The following stipulations apply only when the IBS line from which the call originates subscribes to a Usage Option Plan.
    - Calls completed with operator assistance within the Basic Local Calling Area and Extended local calling area will be rated at the Usage Option Plan usage charges in addition to the appropriate Operator Assisted Local Call surcharges. Such calls are itemized on the subscriber's billing statement and are billed outside any applicable usage allowances or caps.
  - 4. Reduced toll rates as specified in this Section will be applied to toll calls outside the Extended Local Calling Area but within the LATA for all calls billed to an IBS line subscribing to Option Plan B. Operator assisted charges as specified in A3. apply to operator handled calls in addition to the usage charges specified.

All IBS lines in an earning account must be in the same type Plan, i.e., all Usage Option Plan A's, Threshold, etc. Hunting between various types of plans will not be allowed.

A minimum service period of three months will be required on IBS lines whether established under a Flat Rate Threshold Pricing Plan or a Usage Option Plan. Termination Charges as defined in this Guidebook will apply if the customer terminates or disconnects the service prior to fulfilling the three months period.

- **B.** ISDN Business Service (IBS) is a new intraLATA group of offerings supported by the Integrated Services Digital Network (ISDN) architecture.
  - IBS supports simultaneous transmission of voice, data and packet services on the same exchange access line. Calling/Called Number Delivery, Calling Name Delivery, and Call Hold are included with this service. IBS is available where facilities permit.
- C. IBS provides a new method of access to the telephone network called Basic Rate Access. Basic Rate Access will consist of one or two 64 Kbps (B) channels and one 16 Kbps (D) channel at the service delivery point.
- **D.** IBS is provided through Basic Rate Access. Features are available to increase the capability of the Bearer Alternative Service and may be subscribed to on an as-needed basis.
- E. B channel circuit switched services offer up to 64 Kbps intra-office transmission of voice or data. This option permits the customer to utilize either circuit voice or data transmission paths on a per call selection basis. Transmission on the B channel will be circuit switched at 64 Kbps within the switch and/or equipped facilities between ISDN compatible central offices. ISDN interconnection to non-ISDN equipped central offices will be potentially subjected to analog transmission or sub-rated to 56 Kbps. This option includes one directory number (DN).
- **F.** IBS will consist of the following components:
  - Basic Rate Digital Subscriber Line (DSL) Access
  - At least one channel, either B or D, must be activated. A maximum of two simultaneous B channels can be in use per Basic Rate Access.
  - Minimum of one and maximum of eight User Profiles per Basic Rate Digital Subscriber Line (DSL) Access Arrangement.
- G. Grouping Service (Hunting) is available for ISDN Individual Service.

GA-21-0030 EFFECTIVE: September 1, 2021

### **A14** A1

	OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (IS 4 ISDN - Business Service (IBS) (Cont'd)	•
		(T)(O)
A142.	.4.2 Terms and Conditions	(T)(O)
Α.	Customer Premises Equipment (CPE) that is compatible with the ISDN Interface is the responsibility of the user for provisioning.	(O)
В.	The Company will be responsible for publishing and maintaining ISDN Interface Specifications.	(O)
C.	The Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company utilized in the provision of Basic Rate Access render any facilities provided by the customer obsolete or require modification or alteration of such equipment or system, or otherwise affect its use or performance.	(O)
D.	Suspension of service is not allowed except for IBS lines associated with MultiServ service or MultiServ PLUS service. Suspension at the request of the subscriber will be allowed on the B channel portion of these main station lines at fifty percent of the rate regularly charged. Optional features outlined in Section A12. and this section will be suspended at no recurring charge during the period of suspension unless otherwise noted. Other rules and restrictions as outlined in Section A2. apply.	(O)
E.	Service Charges in Section A4. are applicable per Basic Rate DSL Access in addition to rates and charges following.	(O)
F.	Installation charges in this Section will be waived for ISDN Residence Service customers transferring existing service to ISDN Business Service. Appropriate installation charges will be charged for any additions to the service completed at the time of transfer.	(O)
G.	Usage rates will apply for total local usage minutes over the 19,200 minutes allowed under the flat rate Threshold Plan. Usage rates will apply for total local usage minutes under Usage Option Plan A. Usage rates, as appropriate, are specified in this section.	(O)
H.	IBS will be available where central office and outside plant facilities permit.	(O)
I.	IBS served from a central office other than the central office the subscriber would normally be served from will require interoffice facilities as provided in this Section per DSL. Any non-ISDN interoffice facilities connecting to this service will follow the terms and conditions in Section A9.	(O)
	Existing customers may convert to the Interoffice Circuits in this Section or they may continue to pay rates for interoffice facilities from Section A9. until they make changes or additions. Existing customers choosing to convert interoffice facilities will not be charged the installation charge for Interoffice Circuits. Appropriate charges from Section A4. are also not applicable for these conversions. Any changes or additions completed at the time of conversion will be charged the appropriate Installation charges. When the customer requests changes or additions to existing interoffice facilities, they must subscribe to the Interoffice Circuits from this Section.	(O)
	At the Company's option, when the normal serving central office is not equipped for ISDN, a customer may be served with ISDN from another central office. IBS customers to be served under this arrangement must sign an agreement the service will be moved back to his normal serving central office and to a probable number change when/if that office is equipped with ISDN. When the Company elects this serving arrangement, the interoffice charges will not apply. Should the customer request to be served from an ISDN equipped central office other than the normal serving central office, the appropriate interoffice or interexchange charges will apply.	(O)
	Charges for interoffice facilities will apply for any IBS line associated with MultiServ service or MultiServ PLUS service that is served from a central office other than the normal central office.	(O)
J.	Each ISDN Basic Rate DSL Access Arrangement will be counted as one line in determining the application of the Service Charges specified in Section A4. and the End User Charges as specified in the End User Common Access Service section of BellSouth Telecommunications, Inc., FCC No. 1. Section 4.	(O)
K.	IBS lines may be purchased to be associated with MultiServ service of MultiServ PLUS service, located in A12.20 and A12.21. Terms and conditions for MultiServ service and MultiServ PLUS service will apply to these IBS lines except as otherwise stated in this section.	(O)
	Each ISDN Basic Rate DSL Access Arrangement will be counted as a MultiServ service or MultiServ PLUS service line in determining the total system size.	(O)
	IBS lines associated with MultiServ service or MultiServ PLUS service may purchase Optional Features compatible with ISDN from the MultiServ service Optional Features section of the MultiServ service section of the Guidebook as well as features unique to ISDN lines from the Optional Features in this section. When a feature is listed in the Optional Feature Sections of both the MultiServ service and IBS offerings, the IBS version of the feature should be ordered. MultiServ Service Feature Groups are not available for use with these IBS lines. IBS lines not associated with a MultiServ service or MultiServ PLUS service may not purchase features from the MultiServ service section of the Guidebook.	(O)
	0.1.02.400 1 1.1 1.1 1.1 1.1 1.0 1.1 1.1 1.1 1.1	

MultiServ service or MultiServ PLUS service as those lines must be coterminuous with the MultiServ service or MultiServ PLUS service main station lines.

Only 36-120 months contract period are available under the Rate Stability Plan<sup>1</sup> in this section for IBS lines associated with a

Note 1: As of August 31, 2011, Rate Stability Plans are no longer available for new or renewing subscribers.

(O)

(O)

GA-24-0013 EFFECTIVE: March 1, 2024

### A142. OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.4 ISDN - Business Service (IBS) (Cont'd)

### A142.4.2 Terms and Conditions (Cont'd)

L. IBS lines may be purchased at a thirty percent (30%) discount for use by full-time educational institutions, public or private, teaching grades kindergarten through twelve that are accredited by the state of Georgia. This offering is also available to public libraries, including the state library and archives, regional libraries and public libraries in any county, city or town.

This service is intended for in-classroom use of computers by students to access information databases, shared educational programs and students in other classrooms. Teachers and researchers may also subscribe to this service for on-campus use. These lines shall not be used to replace existing administrative lines.

#### A142.4.3 Definitions

**B CHANNEL** 

A bidirectional synchronous channel capable of supporting 64 Kbps of digital transmission.

D CHANNEL

A 16 Kbps digital signaling channel also capable of supporting 9.6 Kbps of packet information for the Basic Rate Interface.

64 KBPS CLEAR CHANNEL CAPACITY (CCC)

A B channel connection that provides end-to-end digital connection in which all 64 Kbps of bandwidth are available for customer use.

#### A142.4.4 Rates and Charges

			3.5 0	Rate S		
		Installation	Month To	Month 24-59	1ly Rate 60-120	
		Charge	Month	Mos. Plan	Mos. Plan	USOC
Α.	Interoffice Circuit	Charge	Month	14105. I lan	14103. 1 1411	COCC
	Per DSL Circuit					
	(a) Each, including first mile	\$240.00	\$115.00	\$105.00	\$95.00	M1GNC
	(b) Each additional mile	-	.45	.40	.35	M1GNM
В.	Interface					
	<ol> <li>Basic Rate DSL Access Arrangement</li> </ol>					
	a. Business Service					
	(1) Per DSL - Flat Rate Threshold Pricing Plan					
	(a) ISDN Access (5ESS/DMS)	130.00	4,454.00(I)	55.00	55.00	LQTTB
	(b) ISDN Access for use with High	130.00	4,454.00(I)	55.00	55.00	LQTHB
	Speed Packet (5ESS/DMS)					
	(c) ISDN Access (EWSD®)	130.00	4,454.00(I)	55.00	55.00	LQTEB
	(d) ISDN Access for use with High	130.00	4,454.00(I)	55.00	55.00	LQTDB
	Speed Packet (EWSD)					
	(2) Per DSL Usage Option Plan A					
	(a) ISDN Access (5ESS/DMS)	130.00	5,650.00(I)	69.95	69.95	LQ1AA
	(b) ISDN Access (EWSD)	130.00	5,650.00(I)	69.95	69.95	LQ1AC
	(3) Per DSL Usage Option Plan B					
	(a) ISDN Access (5ESS/DMS)	130.00	20,189.00(I)	249.95	249.95	LQ1BA
	(b) ISDN Access (EWSD)	130.00	20,189.00(I)	249.95	249.95	LQ1BC

As of August 31, 2011, Rate Stability Plans are no longer available for new or renewing Note 1: subscribers.

<sup>®</sup> Registered Trademark of Siemens Aktiengesellschaft

GA-24-0013 EFFECTIVE: March 1, 2024

## A142. OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.4 ISDN - Business Service (IBS) (Cont'd)

A142.4.4 Rates and Charges (Cont'd)

						Installation Charge	Month To Month	Rate Stab Monthly 24-59 Mos. Plan		USOC
B.	Inte	erface	(Co	nt'd)		Charge	Wilditi	111051 1 1411	111001 1 1411	CSGC
	2.	Ch	annel	ls Activ	vated					
		a.	ВС	hannel	(Maximum of 2)					
			(1)	Circu	uit Switched Voice/Data, Each					
				(a)	Flat Rate Threshold Pricing	-	\$1,328.00(I)	13.25	11.25	LQGFX
				<b>(b)</b>	Usage Option Plan A	-	-	-	-	LQLAX
			(2)	(c)	Usage Option Plan B uit Switched Voice/Data	-	-	-	-	LQLBX
			(2)		se with MultiServ PLUS service, each <sup>2</sup>					
				(a)	Flat Rate Threshold Pricing	-	12.25	9.35	7.25	LQGMB
C.	Inte	erface	Use	rs	C					
	1.	Per	Use	r/Term	inal Profile					
		a.	Ter	minal S	Service Profile (EWSD)					
			(1)	Per 7	Terminal Service Profile					
		b.	Acc	(a)	Each B Channel CSV/CSD	-	-	-	-	EWSTQ
			(1)		Rate Threshold Pricing Plan (5ESS/DMS)					
			(-)	(a)	Each	\$10.00	_	_	_	LQAFX
			(2)	` /	Rate Threshold Pricing Plan (EWSD) <sup>3</sup>					
				(a)	Voice	10.00	-	-	-	LQAVX
				<b>(b)</b>	Data	-	-	-	-	LQADX
			(3)	_	ge Option Plans (5ESS/DMS)	40.00				
			(4)	(a)	Each ge Option Plans (EWSD) <sup>3</sup>	10.00	-	-	-	LQWAE
			( <b>4</b> )	(a)	Voice	10.00	_	_	<u>-</u>	LQWAV
				(a) (b)	Data	-	-	-	-	LQWAD
			(5)	. ,	ge Option Plans - Outward Only (5ESS/DMS)					-
				(a)	Each	10.00	-	-	-	LQWOE
			<b>(6)</b>	Usag	ge Option Plans - Outward Only (EWSD) <sup>3</sup>					
				(a)	Voice	10.00	-	-	-	LQWOV
				(b)	Data	-	-	-	-	LQWOD

**Note 1:** As of August 31, 2011, Rate Stability Plans are no longer available for new or renewing subscribers

**Note 2:** These rate elements may be used only with IBS lines associated with MultiServ PLUS service and require Network Access Registers.

**Note 3:** Both Voice and Data required per B channel access on EWSD.

GA-21-0030 EFFECTIVE: September 1, 2021

<i>42.</i>	4 IS	DN - Business Service (IBS) (Cont'd)			(T)(C	
142	.4.4	Rates and Charges (Cont'd)			(T)(O	
	Usa				(1)(0	
2.	1.	Usage above 19,200 minutes per DSL allowed in the Flat Rate T Option Plan A will be billed at the per minute of use rate per channe		es of use per DSL in Usage	(T)(O	
			Rate Per Minute of Use		(O)	
	2.	<ul> <li>(a) Per Minute of Use above Threshold Plan Allowance</li> <li>(b) Per Minute of Use - Usage Option A</li> <li>Usage Outside the Expanded Local Calling Area but inside the LAT.</li> </ul>	\$.05	N/A N/A	,	
	2.	a. The following charges apply per channel in use for customer d equipped for Optional Usage Plan B when calls terminate outs LATA.	lialed calls originated fro		(0)	
			Rate Per		(O)	
			Minute of Use			
IF.	Dag	(a) Per Minute of Use	<b>\$.09</b>	N/A		
Е.	1.	kages Packages EZ1, EZ1A, EZ2 and EZ2A are available for use with IB:	C on National ICDN line	The meelroges will not be	(O) (O)	
	available on Custom ISDN lines or lines associated with MultiServ service or MultiServ PLUS service. A creapplied to the monthly billing for customers purchasing IBS via one of these packages. Packages must be exactly as stated in the descriptions of the packages. If any feature listed in the package is deleted or prooptions are changed, the package credit will no longer apply.					
		Additional optional features compatible with the package configuratures may be added only on the User Profile already provisioned variables.		h the packages. Additional	(O)	
	2.	Description of Packages -			(O)	
		<ul> <li>a. Package EZ1 - Low Speed DSL, 2 B-channel CSV/CSD - Change</li> <li>2 Additional Call Appearances, 1 Conference, Drop, Hold &amp; Tra</li> </ul>			(O)	
		b. Package EZ1A - Low Speed DSL, 2 B-channel CSV/CSD - Profile, 2 Additional Call Appearances, 1 Conference, Drop, How Visual Message Waiting, Call Forwarding Busy Line, Call For allowed with this package.	old & Transfer, 1 Call Fo	rwarding Variable - Button.,	(O)	
		<ul> <li>Package EZ2 - Low Speed DSL, 2 B-channel CSV/CSD - Channel 2 Additional Call Appearances, 1 Conference, Drop, Hold &amp; Secondary DN's.</li> </ul>			(O)	
		<ul> <li>d. Package EZ2A - Low Speed DSL, 2 B-channel CSV/CSD - Profile, 2 Additional Call Appearances, 1 Conference, Drop, Ho 2 Secondary DN's, Visual Message Waiting, Call Forwarding Mail service will be allowed with this package.</li> </ul>	old & Transfer, 1 Call Fo	rwarding Variable - Button.,	(O)	
	3.	Packages Rates and Charges			(O)	
		a. Per DSL			(O)	
		(1) Packages - Credit Per DSL			(O)	
			Installation Charge	Monthly Credit USOG	(O)	
		(a) Package EZ1 Credit	<b>\$-</b>	\$7.60 LPEO1		
		(b) Package EZ1-A Credit	-	8.10 LPE1A		
		(c) Package EZ2 Credit	-	8.10 LPEO2		
		(d) Package EZ2-A Credit	-	9.60 LPE2A	(O)	

GA-21-0030 EFFECTIVE: September 1, 2021

A142. (	DBSOLETE SERVICE OFFERING - INTEGRATED SEI	RVICES DIGITAL NETWORK (IS	DN)
A142.4	ISDN - Business Service (IBS) (Cont'd)		(T)(O)
A142.	4.4 Rates and Charges (Cont'd)		(T)(O)
F.	Termination Charges		(O)
	IBS lines placed in service under Rate Stability Plans after the effective date of tat the date of termination if the customer terminates or disconnects the service properties. Termination Charges will not apply for IBS lines upgrading to another seperiod equal to or longer than the existing ISDN contract.	ior to fulfilling the period of the Rate Stability	(O)
	1. Termination Charge for 24-59 Mos. Rate Stability Plan		(O)
	if disconnected within:		
		Termination USO	(O)
	(a) 1- 12 Months <sup>1</sup>	Charges \$300.00 LPEB	(-)
	(b) 13-23 months	200.00 LPEB	- (-)
	<ul> <li>(c) 24-58 months</li> <li>Termination Charge for 60-120 Mos. Rate Stability Plan if disconnected within:</li> </ul>	100.00 LPEB	(O) (O)
	(a) 1-23 months	300.00 LPEB	. , ,
	(b) 24-59 months	200.00 LPEB	` ′
4 7 40	(c) 60-119 months	100.00 LPEB	(-)
A142.	4.5 Optional Features		(T)(O)
	Customers are required to subscribe to ISDN - Business Service (IBS) before o Delivery, Calling Name Delivery, and Call Hold are provided with this se capability of IBS and may be subscribed to on an as needed basis. Availability o and may be limited by central office type and switch load.	rvice. Features are available to increase the	(O)
	Where facilities permit, Call Forwarding features will provide for one calling p paths may be added with a monthly charge per calling path.	ath. Up to nine (9) additional call forwarding	(O)
A.	Optional Features		(O)
	Availability of features as described in 1. and 2. following is dependent upon Custom ISDN or National ISDN.	n whether the central office is equipped with	(O)
	1. Features for use with Electronic Key Telephone Service (EKTS):		(O)
	This option provides a group of features that increase the user's voice term key system to groups of users with EKTS equipment.	inal flexibility and offers the functionality of a	
	a. Shared Primary DN - This is a primary DN that appears on one or more	e terminals.	(O)
	<ul> <li>Secondary-Only DN – This is a secondary DN that appears on one or any of those terminals.</li> </ul>	more terminals, but is not the primary DN on	(O)

c. Shared Secondary-Only DN – First Appearance – the first appearance of a secondary DN that appears on more than one terminal but is not the primary DN on any of those terminals. Note 1: This Termination Charge also applies at the date of termination if a customer terminates or (O) disconnects prior to fulfilling the three months minimum service period.

GA-21-0030 EFFECTIVE: September 1, 2021

### A142. OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A

142.	4 IS	DN	- Business Service (IBS) (Cont'd)	(T)(O
A142	.4.5	Opti	onal Features (Cont'd)	(T)(O)
A.	Opt	ional	Features (Cont'd)	(O)
	1.	(Co	ont'd)	(O)
		d.	Key Short Hunt – This feature enhances call coverage by delivering key-set DN Short Hunt Capability to standard feature ISDN Voice terminals.	(O)
		e.	Shared Non-ISDN DN – This feature allows call coverage for an analog set. This service allowed only if ISDN and Non-ISDN account owned by same customer and where facilities permit.	(O)
		f.	Privacy Release - This is a privacy feature that allows a customer to specify, on an EKTS group basis, that no other user can bridge on to calls. On a call-by-call basis, this feature can be disabled to allow bridging to occur.	(O)
		g.	Manual Exclusion - This is the opposite of Privacy Release. On a call-by-call basis the user can restrict bridging.	(O)
		h.	EKTS Intercom Calling - Dial - This feature allows an EKTS user to call other terminals in the EKTS group with one or two-digit dialing.	(O)
		i.	EKTS Intercom Calling - Automatic - This feature allows EKTS user to call another terminal in the EKTS group by activating a button on the EKTS set.	(O)
		j.	EKTS Intercom Calling - Call Appearance. This feature allows EKTS Intercom Calling to be provisioned on a Call Appearance.	(O)
		k.	Conference, Drop, Hold, Transfer - EKTS	(O)
			- Conference - This feature allows the user to add a third party to an existing conversation. This feature is for use with voice calls only.	(O)
			- Drop - This central office based feature allows the user to disconnect the last party added to a conference call.	(O)
			- Hold - Suspends an established call while another action is taking place.	(O)
			- Transfer - This feature allows the user to transfer a call to another DN. This feature is for use with voice calls only.	(O)
			This feature will require an additional Call Appearance or an additional DN. This feature is available for use only with EKTS sets with service provisioned in the EWSD switch. EWSD subscribers with Non-EKTS sets and 5ESS/DMS subscribers should use the Conference, Drop, Hold and Transfer feature in the following section.	(O)

GA-21-0030 EFFECTIVE: September 1, 2021

## A142. OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.4 ISDN - Business Service (IBS) (Cont'd)

142.	4 IS	DN	- Business Service (IBS) (Cont'd)	(T)(O)
A142	2.4.5	Opti	onal Features (Cont'd)	(T)(O)
A.	Opti	ional	Features (Cont'd)	(O)
	2.		e following features are available with either Custom ISDN or National ISDN. National ISDN customers may chase these features for use with either EKTS sets or non-EKTS sets.	(O)
		a.	Call Forwarding Variable - This feature allows the ISDN user to have the ability to forward all incoming calls to a user specified directory number.	(O)
		b.	Call Forwarding Variable - Feature Button - This feature is the same as Call Forwarding Variable except that it is activated by a feature button.	(O)
		c.	Call Forwarding - Busy Line - This feature automatically routes calls to a preselected number when the called line is busy. This feature may be either fixed (changeable by service order only) or programmable (customer changeable) by station user via feature activation code.	(O)
		d.	Call Forwarding - Don't Answer - This feature automatically routes calls to a preselected number when the called line does not answer in a preset ringing cycle. This feature may be either fixed (changeable by service order only) or programmable (customer changeable) by station user via feature activation code.	(O)
		e.	Call Forwarding Multiple Simultaneous - Allows a station line to forward more than one call at a time.	(O)
		f.	Call Pickup - Allows a user to answer calls directed to another line in the same preset Call Pickup Group.	(O)
		g.	Conference, Drop, Hold, Transfer -	(O)
			- Conference - Allows the user to add a third party to an existing conversation. This feature is for use with voice calls only.	(O)
			- Drop - This central office based feature allows the user to disconnect the last party added to a conference call.	(O)
			- Hold - allows the user to place a call on hold by pressing the function button. Any set with the call appearance for the call on hold can pick up the call by pressing the call appearance button.	(O)
			- Transfer - This feature allows the user to transfer a call to another DN. This feature is for use with voice calls only.	(O)
			This feature may require an additional Call Appearance or an additional DN.	(O)
		h.	Six-Way Conference, Drop, Hold, Transfer - This feature has the same functionality as Conference, Drop, Hold, Transfer feature except that six-way conference is allowed.	(O)
		i.	Hunting - This feature provides for a predefined search for an idle directory number to which a call can be completed. Directory numbers subscribing to hunting may not have multiple call appearances.	(O)
		j.	Speed Calling - This feature allows each user to assign up to thirty telephone numbers to a two-digit code for the purpose of enabling abbreviated dialing.	(O)
		k.	Calling/Called Number Delivery/Calling Name Delivery – National ISDN - This feature provides the user who is receiving/originating a call with information about the calling/called party and the facility or destination and is provided with IBS. Some "privacy" options may be in effect in certain areas and will be located in Section A13. <sup>1</sup>	(O)
		l.	(DELETED)	(O)
		m.	Visual Message Waiting Indicator - Provides the user of a message service with a visual indication that a message is waiting.	(O)
			Note 1: Telephone numbers transmitted via these features are intended solely for the use of the ISDN Individual Business Service subscriber. Resale of this information is prohibited by this Guidebook except the callers' numbers may be provided to the subscriber's client for those calls sponsored or provided by that client where the client's identity is disclosed to the caller and the	(O)

client agrees not to distribute such information to others.

GA-21-0030 EFFECTIVE: September 1, 2021

## A142. OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.4 ISDN - Business Service (IBS) (Cont'd)

A142	4.5	Opti	onal Features (Cont'd)	(T)(O)
A.	Opt	ional	Features (Cont'd)	(O)
	2.	(Co	ont'd)	(O)
		n.	Audible Message Waiting Indicator - Provides the user of a message service with an indication that a message is waiting.	(O)
		0.	Additional Call Appearance - PDN or DN - This feature allows the terminal to have more than one DN button assigned to the same DN or Primary Directory Number (PDN).	(O)
		p.	Call Tracing - This feature enables the customer to initiate an automatic trace of the last call received. Upon activation by the customer, the network automatically sends a message to the Company's Security Department indicating the calling number, the time the call was received, and the time the trace was activated. The customer using this feature would be required to contact the local business office for further action.	(O)
		q.	Call Return - This feature enables a customer to place a call to the telephone number associated with the most recent call received, whether or not the call was answered or the number is known. The customer can dial a code or press a feature button to request that the network place the call.	(O)
			If the called line is not busy, the call is placed. If the called line is busy, a confirmation announcement is heard. Once the customer hangs up, the network will monitor the busy/idle status of both lines every forty-five seconds for up to thirty minutes. If during the queuing process both lines become idle, the customer is alerted that the network is ready to place the call. When the customer picks up the telephone, the call will automatically be placed. If unanswered by the customer the alerting will repeat every five minutes until answered, or for the remainder of the thirty minute monitoring interval. Multiple numbers may be placed in queue. The first idle number will be connected first. Both the customer and the called party may originate and receive calls without affecting the call return feature status.	(O)
		r.	Preferred Call Forwarding - Allows the customer to transfer selected calls to another telephone number. A screening list of up to six numbers is created by the customer and placed in the network memory via an interactive dialing sequence. Subsequently, calls are forwarded to the Call Forwarding telephone number only if the calling number can be obtained and is found to match a number on the screening list.	(O)
			If the customer also subscribes to Call Block and the same telephone number is entered on both screening lists, the Call Block feature must be deactivated to allow the call to be forwarded.	(O)
			This feature will not work if the incoming call is from a telephone number in a hunt group unless the telephone number is the main number of the hunt group, or is Telephone Number identified.	ssage to the Company's Security Department to time the trace was activated. The customer of for further action.  Sephone number associated with the most recent mown. The customer can dial a code or press a  (O)  (O)  (O)  (O)  (O)  (O)  (O)  (O
		s.	Call Block - This feature provides the customer the ability to prevent incoming calls from up to six different telephone numbers.	(O)
			A screening list is created by the customer either by adding the last number associated with the line (incoming or outgoing), or by preselecting the telephone numbers to be blocked. When a call is placed to the customer's number from a number on the screening list, the caller receives an announcement indicating that the party he is attempting to call does not wish to receive calls at this time.	(O)
			If the customer also subscribes to Preferred Call Forwarding and/or Call Selector and the same telephone numbers appear on those screening lists, Call Block will take precedence.	(O)

This feature will not work if the incoming call is from a telephone number in a hunt group unless the telephone

number is the main number of the hunt group, or is Telephone Number identified.

(O)

EFFECTIVE: September 1, 2021 GA-21-0030

# A142. OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

42.	4 IS	DN	- Business Service (IBS) (Cont'd)	(T)(O)
A142	2.4.5	Opti	onal Features (Cont'd)	(T)(O)
A.			Features (Cont'd)	(O)
	2.	(Co	ont'd)	(O)
		t.	Call Selector - This feature provides an alerting to the subscribing customer for up to six specific telephone numbers.	(O)
			The customer creates a screening list of up to six telephone numbers through an interactive dialing sequence. When a call is received from one of the predetermined telephone numbers, the customer is alerted. Calls from the telephone numbers not included on the screening list will produce a normal ring.	(O)
			When a telephone number on the Call Selector screening list also appears on the Preferred Call Forwarding list, the Preferred Call Forwarding will take precedence. Likewise, when the same number is shown on the Call Block list, the call will be blocked.	(O)
			The customer's line will not produce an alert if the incoming call is from a telephone number in a hunt group unless the telephone number is the main number of the hunt group, or is Telephone Number identified.	(O)
		u.	Repeat Dialing - Repeat Dialing, when activated, automatically redials the last number the customer attempted to call. If the called line is not busy, the call will be placed.	(O)
			If the called line is busy, a confirmation announcement is heard, the customer hangs up and a queuing process begins. For the next thirty minutes both the calling and called lines are checked periodically for availability to complete the call. If during this queuing process the called line becomes idle, the customer is alerted that the network is ready to place the call. When the customer picks up the telephone, the call will automatically be placed.	(O)
		v.	Automatic Line/Direct Connect - Station specially programmed to dial specific internal station number or "0" or the attendant when the station user goes off-hook.	(O)
		w.	Make Set Busy - Provides the individual station user the option of making the line or directory number appear busy/unavailable to incoming calls. The All Calls feature enables the user to make the line appear busy to all types of incoming calls. The Intragroup feature makes the line appear busy to intragroup calls with external calls not blocked.	(O)
		Preferred Call Forwarding will take precedence. Likewise, when the same number is shown on the Call Block list the call will be blocked.  The customer's line will not produce an alert if the incoming call is from a telephone number in a hunt group unless the telephone number is the main number of the hunt group, or is Telephone Number identified.  u. Repeat Dialing - Repeat Dialing, when activated, automatically redials the last number the customer attempted to call. If the called line is not busy, the call will be placed.  If the called line is busy, a confirmation announcement is heard, the customer hangs up and a queuing process begins. For the next thirty minutes both the calling and called lines are checked periodically for availability to complete the call. If during this queuing process the called line becomes idle, the customer is alerted that the network is ready to place the call. When the customer picks up the telephone, the call will automatically be placed.  v. Automatic Line/Direct Connect - Station specially programmed to dial specific internal station number or "0" or the attendant when the station user goes off-hook.  w. Make Set Busy - Provides the individual station user the option of making the line or directory number appear busy/unavailable to incoming calls. The All Calls feature enables the user to make the line appear busy to all types of incoming calls. The Intragroup feature makes the line appear busy to intragroup calls with external calls not blocked.  x. Selective Call Acceptance - Allows customers to accept incoming voice calls only from certain telephone numbers selected by the customer.  y. Station Restriction - Allows a station line to be used for outgoing calls only. It cannot receive incoming calls All incoming calls are routed to common intercept announcement.  - Denied Termination allows the station line to be used for incoming calls only. No outgoing calls can be originated from it.  z. Call Park/Call Retrieve - The Call Park feature allows a user, active on a call, to par	(O)	
		y.	Station Restriction - Allows a station line to be assigned various types of restriction.	phone numbers.  sequence. When m the telephone  warding list, the Call Block list,  ant group unless  cer attempted to  ueuing process availability to alerted that the lly be placed.  oer or "0" or the  number appear ousy to all types aternal calls not  ephone numbers  company to all types aternal calls not  company to all t
			- Denied Termination allows the station line to be used for outgoing calls only. It cannot receive incoming calls. All incoming calls are routed to common intercept announcement.	(O)
			- Denied Origination from Outgoing Calls allows the station line to be used for incoming calls only. No outgoing calls can be originated from it.	(O)
		z.	Call Park/Call Retrieve - The Call Park feature allows a user, active on a call, to park a call against the user's DN. When parked, the call is in a state similar to Hard Hold. After being parked, the call can be retrieved by the user.	(O)
		aa.	Call Transfer System Exception - This feature allows the user to have Call Transfer capabilities that differ from the capabilities established for the customer group. The different capabilities may include the type of call that can be transferred and/or the destination to which it can be transferred.	(O)
		ab.	Dial Call Waiting - The Dial Call Waiting feature provides the ability for originating main station lines to invoke call waiting service on selected intragroup calls by dialing an access code followed by the extension number of the main station line to be call waited.	(O)
		ac.	Redirected Number Feature – Redirected number delivery may be provided as a terminating feature. If the received call has been previously forwarded, the first and last forwarding DN's will be delivered to the called party who	(O)

subscribes to redirected number delivery.

A142.4.5

GA-21-0030 EFFECTIVE: September 1, 2021

### A142. OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.4 IS

								AILD SEIIVI		MITAL	1121 110	1117 (101	•
						ervice (IBS) (	Cont a)						(T)(O)
		_		Features	(Con	t'd)							(T)(O)
В.			d Cha	_									(O)
	1.	_		Features									(O)
		a.	Feat	ure for use	with.	EKTS CPE Circuit	Switched Voice	Circuit Switched Da	ata		1		(O)
									Month		tability <sup>1</sup> ıly Rate		(O) (O)
								Installation	To	24-59	60-120		(O)
								Charge			Mos. Plan	USOC	(O)
			(1)			DN - First appeara	ince	_					(O)
				(a) Eac				\$2.00	\$4.00	\$2.75	\$1.50	DS1FJ	(O)
			(2)	Secondar - First ap		y DN (Shared or No ace	on-Shared)						(O) (O)
			(2)	(a) Eac				2.00	4.00	2.75	1.50	LLDSF	(O)
			(3)			ary Only DN - First onal terminal	appearance						(O)
				(a) Eac		(7) (7) (8)		2.00	4.00	2.75	1.50	DS1F1	(O)
			(4)	-		t (DMS 100)		• • •				DOLLEG	(O)
			(5)	(a) Eac Shared N		DN DN <sup>2</sup>		2.00	-	-	-	DS1KS	(O) (O)
			(3)	(a) Eac		DIV DIV		2.00	4.00	2.75	1.50	DOE	(O)
			(6)	()		e (5ESS/DMS)		2.00	4.00	2.13	1.50	DOL	(O)
			. ,	•	r share			2.00	.50	.40	.25	DS1FU	(O)
			(7)	Manual E									(O)
				· /	r share			2.00	.50	.40	.25	DS1FM	(O)
			(8)			Calling - Dial							(O)
			(0)	. ,	ch mei			2.00	3.00	2.05	1.10	DS1FE	(O)
			(9)			Calling - Automati	ic	2.00	2.00	2.05	1.10	DC1ED	(O)
			(10)	. ,	ch mei	nber 1 Calling - Call App	nearance	2.00	3.00	2.05	1.10	DS1FD	(O) (O)
			(10)		ch mei		curance	2.00	3.00	2.05	1.10	M61FX	(O)
			(11)	()		op, Hold and Trans	fer		2.00	2.00	1110	11202212	(O)
				- EKTS o	only (E	EWSD) <sup>3</sup>							(O)
					r user j			2.00	3.00	2.05	1.10	DS1FN	(O)
			(12)		-	mber Delivery							(O)
				Provision	ing US	SOC only – No Rate	e	-	-	-	-	DS1RD	(O)
				Note	1:	As of August 31, subscribers.	2011, Rate Sta	ability Plans are no	longer a	available fo	r new or rei	newing	(O)
				Note 2	2:			ISDN service is ow are may not be availa				current	(O)
				Note:	3:	Use Conference, non-EKTS EWSD		nd Transfer feature	in b. f	ollowing fo	or 5ESS/DM	S and	(O)

EFFECTIVE: September 1, 2021 GA-21-0030

### A142. OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A

				ervice (IBS) (Cont'd)						(T) (T)
	-		Features (Co	ont a)						(1,
			rges (Cont'd)	A.F.						
1.	•		Features (Cont		TUTO FUTO ODE					
	D.	Opu	onai Circuit Sv	vitched Features for use with non-E	EKIS OF EKIS CPE		<b>.</b>	1		
						Mandle	Rate Stab	•		
					Installation	Month To	Monthly 1 24-59	Kate 60-120		
					Charge		Mos. Plan		USOC	
		(1)	Call Forwardi	ng Variable <sup>2</sup>	o.m.go	1/1011411	1.1000 1 14411	1,100,11,111	0000	
			(a) Voice o	r Voice/Data - per user <sup>3</sup>	\$2.00	\$3.00	\$2.05	\$1.10	LLNCV	
				er user (5ESS/EWSD)	2.00	3.00	2.05	1.10	LLOCD	
		(2)	Call Forwardi	ng Variable - Feature Button (5ES	S)					
			(a) Voice -	per PDN	2.00	3.00	2.05	1.10	<b>GJXCF</b>	
			(b) Data - p		2.00	3.00	2.05	1.10	LLPCD	
		(3)	Call Forwardi	ng Busy Line <sup>2</sup>						
				r Voice/Data - per user <sup>3</sup>	2.00	2.50	1.55	.60	LLQCV	
				er user (5ESS/EWSD)	2.00	2.50	1.55	.60	LLRCD	
		(4)	Call Forwardi	ng Busy Line – Programmable <sup>2,4</sup>						
				r Voice/Data - per user <sup>3</sup>	2.00	2.50	1.55	.60	M6AVA	
		<i>(5</i> )		per user (5ESS/EWSD)	2.00	2.50	1.55	.60	M6ADF	
		(5)		ng Don't Answer <sup>2</sup>						
			` '	r Voice/Data - per user <sup>3</sup>	2.00	2.50	1.55	.60	LLSCV	
			(b) Data - p	er user (5ESS/EWSD)	2.00	2.50	1.55	.60	LLUCD	
			Note 1:	As of August 31, 2011, Rate subscribers.	Stability Plans are n	o longer a	vailable for	new or rer	newing	
			Note 2:	Feature to be applied per DN to	be forwarded on 5ES	S and/or EV	VSD.			
			Note 3:	Voice/Data for use only with DM	MS.					
			Note 4:	Call Forwarding Busy Line - I					G 11	

GA-21-0030 EFFECTIVE: September 1, 2021

## A142. OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

			ervice (IBS) (Cont'd)						(".
2.4.5	<b>Optional</b>	Features (Co	nt'd)						(
. Ra		arges (Cont'd)							
1.	Optional	Features (Cont	'd)						
	b. Opti	onal Circuit Sw	vitched Features for use with non-E	EKTS or EKTS CPE (	(Cont'd)				
						Rate Stab	-		
					Month	Monthly			
				Installation	To	24-59	60-120 Max. Plan	LICOC	
				Charge	Month	Mos. Plan	Mos. Plan	USUC	
	(6)	Call Fowardin	g Don't Answer – Programmable <sup>2,</sup>	4					
		(a) Voice o	r Voice/Data <sup>3</sup>	\$2.00	\$2.50	\$1.55	<b>\$.60</b>	M6BVA	
			er user (5ESS/EWSD)	2.00	2.50	1.55	.60	M6BDF	
	(7)	Call Forwardi	ng Multiple Simultaneous <sup>5</sup>						
		(a) Voice o (5ESS/I	r Voice/Data - per user <sup>3</sup> DMS)	2.00	3.00	2.05	1.10	M6CV5	
	(8)	(b) Data - p Call Pickup	er user (5ESS/EWSD)	2.00	3.00	2.05	1.10	M6CD5	
		(a) Per grou	ıp	2.00	4.00	2.75	1.50	LLVCG	
		(b) Per mer		2.00	2.00	1.00	.50	LLXCM	
	(9)		Prop, Hold and Transfer <sup>6</sup>						
	(10)	(a) Per user		2.00	3.00	2.05	1.10	DS1FN	
	(10)	•	ference, Drop, Hold and Transfer <sup>6</sup>	• 00	10.00	0.50	- 00	****	
	(11)	(a) Per user	r profile Voice or Voice/Data <sup>3</sup>	2.00	12.00	9.50	7.00	LLY6P	
	(11)	-						HTG	
		Voice/D	rate line - Voice or Data ified in A3.7 apply)	•	-	-	-	пі	
	(12)	_	Voice or Voice/Data <sup>3</sup>						
	(12)	_	sured rate line - Voice or					HTGGE	
		Voice/D		•	-	-	-	HIGGE	
	(13)	_	Data (5ESS/EWSD)						
	(13)	(a) Per line		_	_	_	_	HTGSD	
		· /	ified in A3.7 apply)	_	_	-	_	mosb	
	(14)	Speed Calling							
	(11)	(a) Per user		2.00	4.00	2.75	1.50	LLZSU	
		Note 1:	As of August 31, 2011, Rate subscribers.	Stability Plans are n	o longer a	vailable for	new or re	newing	
		Note 2:	Feature to be applied per DN to	be forwarded on 5ES	S and/or EV	WSD.			
		Note 3:	Voice/Data for use only with DM	AS.					
		Note 4:	Call Forwarding Don't Answer Forwarding Don't Answer.		not be ass	igned to the	e same DN	as Call	
		Note 5:	Use to add additional paths to the up to nine (9), per call forwarding		tures. Will	apply to ea	ach additiona	al path,	
		Note 6:	Only one type of Conference, Dr	_	er is allowed	d per user			

GA-21-0030 EFFECTIVE: September 1, 2021

### A142. OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A

142.4 ISDN	l - Business Se	ervice (IBS) (Cont'd)						(T)(O)
A142.4.5 Opt	ional Features (Coi	nt'd)						(T)(O)
B. Rates an	nd Charges (Cont'd)							(O)
1. Op	ptional Features (Cont'	1)						(O)
b.	Optional Circuit Swi	tched Features for use with non-EKTS	or EKTS CPE (	(Cont'd)				(O)
				Month	Rate Stab Monthly	•		(O) (O)
			Installation	То	•	60-120		(O)
			Charge			Mos. Plan	USOC	(O)
	(15) Visual Messag	e Waiting Indicator	J					(O)
	(a) Per PDN (16) Audible Messa	ge Waiting Indicator (5ESS/EWSD)	\$2.00	\$.50	\$.40	<b>\$.25</b>	LLAVP	(O) (O)
	(a) Per PDN		2.00	.50	.40	.25	MWW	(O)
	(17) Additional Cal	Appearance, PDN or DN <sup>2</sup>						(O)
	(a) Each		2.00	2.00	1.00	.50	DS1FG	(O)
	Note 1:	As of August 31, 2011, Rate Stabi subscribers.	Rate Stability Plans are no longer available for new or renewing					
	Note 2:	Additional Call Appearances on PDI on all sets where these numbers appearances.	•	Only DN -	First Appe	arance will	appear	(O)

EFFECTIVE: September 1, 2021 GA-21-0030

### A142. OBSOLETE SERVICE OFFERING - INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A

		ervice (IBS) (Cont'd)						(T)(
2.4.5 C	Optional Features (Co	nt'd)						(T)
	es and Charges (Cont'd)							
1.	Optional Features (Cont							
	b. Optional Circuit Sw	itched Features for use with non-E	EKTS or EKTS CPE (	(Cont'd)				
				3.6 (1	Rate Stab	•		
			Installation	Month To	Monthly 24-59	Kate 60-120		
			Charge			Mos. Plan	USOC	
	(18) Call Tracing		9					
	(a) Per user (19) Call Return (5		\$2.00	\$4.50	\$3.25	\$2.00	NST	
	(a) Per user (20) Preferred Call		2.00	4.00	2.75	1.50	NSS	
	(a) Per user (21) Call Block	profile <sup>2</sup>	2.00	3.00	2.05	1.10	NCE	
	(a) Per user (22) Call Selector	•	2.00	4.00	2.75	1.50	NSY	
	(a) Per user (23) Repeat Dialing		2.00	3.00	2.05	1.10	NSK	
	(a) Per user (24) Automatic Lin		2.00	4.00	2.75	1.50	NSQ	
	(a) Per DN (25) Make Set Bus	Per Terminal (5ESS/DMS) y	2.00	1.00	.75	.50	M6GN9	
	(a) Per PDN (26) Selective Call		1.00	1.00	.75	.50	M6MPD	
		profile (5ESS/DMS) ction - Denied Origination <sup>2</sup>	1.00	3.00	2.05	1.10	M6K16	
	(a) Per user (28) Station Restric	profile tion - Denied Termination <sup>2</sup>	1.00	1.00	.75	.50	M6LOA	
	(a) Per user (29) Call Park/Call		1.00	1.00	.75	.50	M6LTA	
	(a) Per PDN (30) Call Transfer	N (5ESS/DMS) System Exception <sup>4</sup>	2.00	1.00	.75	.50	М6НР6	
	(a) Per PDN (DMS) (31) Dial Call Waiting <sup>4</sup>		1.00	1.00	.75	.50	M6QTD	
	(a) Per DN (32) Make Set Bus	(5ESS/EWSD) y - Intragroup <sup>4</sup>	1.00	1.00	.75	.50	M6JNF	
	(a) Per PDN	N (DMS)	1.00	1.00	.75	.50	M6MGD	
	Note 1:	As of August 31, 2011, Rate subscribers.	Stability Plans are n	o longer a	vailable for	new or rei	newing	
	Note 2:	Feature to be applied per DN on	EWSD.					
	Note 3:	Feature to be applied per DN on	5ESS.					
	Note 4:	This feature is available only on	lines associated with	a MultiSer	v or MultiSe	erv PLUS se	rvices.	