

– RADIO COMMON CARRIER ACCESS SERVICE –

(T)

15. TYPE 2 ACCESS SERVICE

15.1 General

15.1.1 Application of Service

The services in this section apply to the connection of facilities of the Telephone Company to the facilities of an authorized Radio Common Carrier (RCC) for the purpose of serving calls between wire line customers of the Telephone Company and end users of the Radio Common Carrier. This service is classified as a local exchange telecommunications service.

(T)

(T)

15.1.2 Provision of Service

- (A) At the Radio Common Carrier's request, the Telephone Company and the RCC will physically connect their facilities and interchange traffic originating or terminating on the RCC's system in connection with the RCC's authorized services. Such interconnection shall be in accordance with the provisions set forth in 2.1.4 preceding, and herein. (T)
- (B) In providing physical cellular connections, the Telephone Company will connect its facilities with those of the RCC between an end office located in the RCC's Service Area and RCC's system serving that area. (T)
- (C) Any facility or arrangement provided shall be of the type normally utilized in the furnishing of the Telephone Company's telecommunications services, and may be comprised of any form or configuration of plant capable of and typically used in the telecommunications industry for the transmission of voice end associated telephone signals within the frequency bandwidth of approximately 300 to 3000 Hz. (T)

15.1.3 Use of Services

Use of the Type 2 Access services provided by the Telephone Company shall be in accordance with the provisions set forth in 2.2 preceding, and herein.

- (A) The Type 2 Access services provided by the Telephone Company shall be used only for the handling of interchanged traffic originating or terminating on the RCC's system in connection with the RCC's authorized services. Such services may, however, be used occasionally or incidentally for incoming calls concerning administrative matters related to the RCC's authorized services. (T)

(T)

(T)

(T)

Filename: T16Sec15\_001.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:23:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:29:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 349 (approx.)  
Number of Characters: 1,994 (approx.)

– RADIO COMMON CARRIER ACCESS SERVICE –

(T)

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.1 General (Cont'd)

15.1.3 Use of Services (Cont'd)

- (B) The Type 2 Access services provided by the Telephone Company shall not be used, switched or otherwise connected together by the RCC for provision of through calling from a landline telephone to another landline telephone.

(T)

15.1.4 Ordering Options and Conditions

Type 2 Access Service is ordered under the Access Order provisions set forth in 5. preceding. Also, included in that section are other charges which may be associated with ordering Type 2 Access Service (e.g., Service Date Change Charges, Cancellation Charges, etc.)

15.1.5 Special Facilities Routing

The RCC may request that the facilities used to provide Type 2 Access Service be specially routed. The regulations, rates and charges for Special Facilities Routing (i.e., Avoidance, Diversity, and Cable-Only) are set forth in 11. preceding.

(T)

15.1.6 Acceptance Testing

Cooperative Acceptance Testing will be performed at the request of the RCC on all new installations at a negotiated time without charge to the RCC. If the RCC does not request the Cooperative Acceptance Test at the time of the installation or is not ready at the scheduled interval, charges specified in 13. preceding will apply for subsequent tests.

(T)

(T)

Filename: T16Sec15\_002.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:23:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:29:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 242 (approx.)  
Number of Characters: 1,384 (approx.)

– RADIO COMMON CARRIER ACCESS SERVICE –

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.2 Description of Service

Type 2 Access Service provides a two-point electrical communications path between the premises of wire line customers of the Telephone Company and the premises of an authorized Radio Common Carrier (RCC). For calls in the originating direction (from the Telephone Company customer to the RCC premises) the RCC must utilize a dedicated central office prefix (NXX) for which all telephone numbers are assigned and administered by the RCC. It is provided as trunk side switching through the use of central office or access tandem switch trunk equipment and is arranged for either two-way calling, which permits the delivery of calls originated by both Telephone Company customers and RCC customers, but not simultaneously, or one-way calling in either the originating or terminating direction. Two methods of establishing connections are offered, designated Type 2A and Type 2B.

15.2.1 Type 2A Service

Type 2A service provides interconnection between the RCC's premises, through a Telephone Company tandem switching point, to an end office of the Telephone Company, using a combination of dedicated facilities subscribed to by the RCC and the facilities of the Telephone Company's switched network.

Type 2A service with Information Call Completion (ICC) Service provides interconnection, through a Telephone Company Traffic Operator Position System (TOPS) to an end office of the Telephone Company, using a combination of dedicated facilities subscribed to by the RCC and the facilities of the Telephone Company's switched network.

Type 2A service is available only at Telephone Company access tandem switches that are equipped to provide Feature Group D Switched Access service except for Type 2A equipped for ICC Service.

Type 2A service when equipped with ICC Service is available at Telephone Company TOPS switches that are designed to support Feature Group D Switched Access service configured with the Calling Billing Number Delivery (CBND) feature, referred to in ILL. C. C. NO. 21, Section 6.3.1. CBND was formerly known as Automatic Number Identification (ANI). (T)

(A) With Type 2A interconnection, the RCC is able to establish connections through the Telephone Company's facilities from and to valid central office prefixes (NXXs) served by end offices subtending the access tandem, and Switched Access Feature Group B (FGB) service provided to Interexchange Carriers (ICs) at the same access tandem. With the agreement of the Telephone Company, calls may also be

Filename: T16Sec15\_003.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:23:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:29:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 430 (approx.)  
Number of Characters: 2,451 (approx.)

– RADIO COMMON CARRIER ACCESS SERVICE –

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.2 Description of Service (Cont'd)

15.2.1 Type 2A Service (Cont'd)

(A) (Cont'd)

completed through the access tandem from and to end offices in the MSA which do not subtend the access tandem, and will be billed at prevailing local exchange or toll rates for the exchange or district in which the access tandem is located. When used in the originating direction, Type 2A interconnection may also be used by the RCC to receive calls from an Interexchange Carrier (IC) that has Switched Access Feature Group D (FGD) service at the same access tandem. When used in the terminating direction, the Type 2A interconnection may also access Telephone Company announcement services and community information services. (T)

In addition, a separate Type 2A trunk group may be provided to a Telephone Company access tandem for use in the terminating direction to transport calls from the RCC premises to an IC's Switched Access Feature Group D (FGD) service at the same access tandem. Obligations of the RCC pertaining to the provision of this separate Type 2A trunk group are set forth in 15.4.3 following.

Filename: T16Sec15\_004.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:23:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:29:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 227 (approx.)  
Number of Characters: 1,298 (approx.)



– RADIO COMMON CARRIER ACCESS SERVICE –

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.2 Description of Service (Cont'd)

15.2.1 Type 2A Service (Cont'd)

(B) Type 2A service is comprised of three Telephone Company provided elements.

(1)

(D)

|

(D)

(2) Carrier Line Switching (CLS)

The CLS is the switching capability in the Telephone Company's end office which interconnects customer station loops with the trunk network.

(3) Carrier Common Trunk (CCT)

The CCT is the trunking available to the RCC between the Telephone Company's access tandem and end office.

(C)

(4) Traffic Operator Position System (TOPS)

The TOPS is the switching capability in the Telephone Company's network that accesses the Directory Assistance (DA) information.

15.2.2 Type 2B Service

Type 2B service provides direct interconnection between the RCC's premises and a central office of the Telephone Company, using only dedicated trunk facilities subscribed to by the RCC. Type 2B service is available only at Telephone Company end offices that are equipped to provide Feature Group D Switched Access service.

(A) With Type 2B interconnection, the RCC is able to establish connections through the Telephone Company's facilities from and to only those valid central office prefixes (NXXs) served by the end office at which the Type 2B service is provided.

– RADIO COMMON CARRIER ACCESS SERVICE –

(T)

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.2 Description of Service (Cont'd)

15.2.2 Type 2B Service (Cont'd)

(B) Type 2B service is comprised of the following element.

(C)

(1)

(D)

(D)

(2) Carrier Line Switching (CLS)

The CLS is the switching capability in the Telephone Company's end office which interconnects customer station loops with Type 2B trunks.

Effective: March 24, 1998

– RADIO COMMON CARRIER ACCESS SERVICE –

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.2 Description of Service (Cont'd)

15.2.3 Billing Options

The following billing options are available as noted for originating calls (from the Telephone Company customer to the RCC premises) for each NXX code implemented. (C)

(A) Billing Option 1<sup>/1/</sup> (T)

The RCC may choose, for each NXX code implemented, to pay charges for the switching and transporting of all originating calls from the Telephone Company's end office where the call originates to the RCC premises under the rates and charges specified in this tariff. This billing option applies only for Telephone Company end offices at which the RCC has purchased Type 2B service, or Telephone Company end offices which subtend a Telephone Company access tandem at which the RCC has purchased Type 2A service. Multiple NPA NXX codes may be rated out of a single Access Tandem Rate Center when Type 2A service is purchased in the 708, 630, and 847 Area Codes or from a Telephone Company End Office when Type 2B service is purchased in the 708, 630, and 847 Area Codes. In MSA 15, this billing option may also be applied at additional end offices subtending the tandem when Type 2A service has been purchased at all tandems in the MSA by the RCC, as specified in Illinois Bell Telephone Company Tariff Ill. C.C. No. 20, Part 9, Section 1, for MSA 15. Calls made from Ameritech Pay Phones will be subject to an initial deposit as shown in Ameritech Illinois' Ill. C.C. No. 19 tariff, Part 13, Section 1. (T)

(B) Billing Option 2

The landline customer shall pay for that portion of the call from the Telephone Company's end office to the Rate Center/District location specified by the RCC for that NXX code. The carrier may designate as a Rate Center/District for its NPA-NXX codes any one of the following: (C)

- Its own premises
- An Ameritech tandem (C)

Multiple NPA NXX codes may be rated out of any Rate Center in the 708, 630, and 847 Area Codes provided that no individual NPA NXX code is rated from more than one Rate Center.

This billing option does not apply to terminating calls. /2/ /3/

/1/ Billing Option 1 is no longer available to new NXX codes or existing NXX codes that are currently billed under Billing Option 2. Orders placed for Billing Option 1 with the Company that were accepted prior to the effective date of this tariff amendment will be completed. In the event the customer removes Billing Option 1 from an existing NXX code, Billing Option 1 will no longer be available for that NXX code. If a customer terminates use of an NXX code or otherwise voluntarily changes an NXX code, Billing Option 1 will no longer be available to that code. Originating charges for calls terminating to NXX codes currently billed under Billing Option 1 may continue to be billed under Billing Option 1 for as long as Company is obligated to continue to provide Billing Option 1 under any interconnection agreement under Section 251/252 approved by the Commission prior to the effective date of this tariff amendment ("Expiration Date"). After the Expiration Date, Billing Option 1 will no longer be available on existing Billing Option 1 NXX codes and all originating usage will be billed under Billing Option 2. (N)

/2/ Material now appears on 4th Revised Page 28.

/3/ Material formerly appeared on 1st Revised Page 26.

Filename: T16Sec15\_007.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:23:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:29:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 552 (approx.)  
Number of Characters: 3,147 (approx.)

– RADIO COMMON CARRIER ACCESS SERVICE –

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.2 Description of Service (Cont'd)

/1/

/2/

15.2.4 Alternate Traffic Routing

When both Type 2A and Type 2B service are provided for interconnection between a Telephone Company end office and the RCC, calls in the originating direction (i.e., from the Telephone Company customer to the RCC) will be offered first to the direct (Type 2B) trunk group and then overflow to the access tandem (Type 2A) trunk group.

15.2.5 Technical Specifications

Technical specification for Type 2A and Type 2B service are set forth in Technical Reference PUB TR-EOP-000352 and Technical Reference PUB TR-NPL-000145.

15.2.6 Testing Capabilities

Type 2 Access Service is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 15.1.6 preceding, which are included with the installation of service, additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing, and Non-Scheduled Testing, will be provided for Type 2 Access Service as set forth in 13.3.5 preceding.

/1/ Material now appears on 4th Revised Page 28.

/2/ Material now appears on 7th Revised Page 25.

Filename: T16Sec15\_008.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:23:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:29:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 275 (approx.)  
Number of Characters: 1,572 (approx.)

ILLINOIS BELL TELEPHONE COMPANY  
By T. L. Cox, Vice Pres. - Fin.  
225 West Randolph Street  
Chicago, Illinois 60606  
Issued: June 30, 1988

ILL. C. C. NO. 16  
1st Revised Page 27  
Canceling Original Page 27  
Effective: August 15, 1988

– RADIO COMMON CARRIER ACCESS SERVICE –

(T)

## 15. TYPE 2 ACCESS SERVICE (Cont'd)

### 15.3 Obligations of the Telephone Company

In addition to the obligations of the Telephone Company set forth in 2.1 preceding, the Telephone Company has certain other obligations pertaining only to the provision of Type 2 Access Service. These obligations are as follows:

#### 15.3.1 Network Management

The Telephone Company will administer its network to insure the provision of acceptable service levels to all telecommunications users of the Telephone Company's network services. Generally, service levels are considered acceptable only when all customers are able to establish connections with little or no delay encountered within the Telephone Company network. The Telephone Company maintains the right to apply protective controls, i.e., those actions, such as call gapping, which selectively cancel the completion of traffic, over any traffic carried over its network, including that associated with a customer's Type 2 Access Service. Generally, such protective measures would only be taken as a result of occurrences such as failure or overload of Telephone Company or customer facilities, natural disasters, mass calling or national security demands. In the event that the protective controls applied by the Telephone Company result in the complete loss of service by the customer, the customer will be granted a Credit Allowance for Service Interruption as set forth in 2.4.4(B)(3) preceding.

Filename: T16Sec15\_009.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:23:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:29:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 264 (approx.)  
Number of Characters: 1,505 (approx.)



– RADIO COMMON CARRIER ACCESS SERVICE –

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.3 Obligations of the Telephone Company (Cont'd)

15.3.2 Provision of Service Performance Data

Subject to availability, end-to-end service performance data available to the Telephone Company through its own service evaluation routines, may also be made available to the customer based on previously arranged intervals and format. These data provide information on overall end-to-end call completion and non-completion performance, e.g., customer equipment blockage, failure results and transmission performance. These data do not include service performance data which are provided under other tariff sections, e.g., testing service results. If data are to be provided in other than paper format, the charges for such exchange will be determined on an individual case basis.

15.3.3 Trunk Group Measurements Reports

Subject to availability, the Telephone Company will make available trunk group data in the form of usage in CCS, peg count and overflow, to the customer based on previously agreed to intervals.

15.3.4 Rate Center/District Locations

When the specified Rate Center/District location for an NXX code is at the RCC's premises, the Telephone Company will be responsible for transporting all calls for that NXX code originated by its customers on its own network facilities to the RCC MTSO or Control Terminal or designated premises at no cost to the RCC, using mutually agreed arrangements provided to the RCC by the Telephone Company. (C)

When the specified Rate Center/District for an NXX code is at a Telephone Company access tandem switch, the Telephone Company will be responsible for transporting all calls for that NXX code originated by its customers on its own network facilities, at no cost to the RCC, to a Telephone Company access tandem where the call will be switched to a mutually agreed arrangement paid for by the RCC. (C)

– RADIO COMMON CARRIER ACCESS SERVICE –

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.4 Obligations of the Customer

In addition to the obligations of the customer set forth in 2.3 preceding, the Radio Common Carrier (RCC) has certain specific obligations pertaining to the use of Type 2 Access Services. These obligations are as follows:

15.4.1 Design of Type 2 Access Services

It is the customer's responsibility to assure that sufficient Type 2 Access Services have been ordered to handle its traffic.

15.4.2 Trunk Group Measurements Reports

With the agreement of the customer, trunk group data in the form of usage in CCS, peg count and overflow for its end of all access trunk groups, where technologically feasible, will be made available to the Telephone Company. These data will be used to monitor trunk group utilization and service performance and will be based on previously arranged intervals and format.

15.4.3 Feature Group D Connections to Interexchange Carriers

If the RCC orders a separate Type 2A trunk group to a Telephone Company access tandem for use in the terminating direction to transport calls from the RCC premises to an IC's Switched Access Feature Group D (FGD) service at the same access tandem, the RCC shall provide the Telephone Company with documentation of a business agreement between the RCC and each such IC for the delivery of such calls. The agreement shall include acknowledgment that the Telephone Company may use call detail recordings made by the RCC to determine charges to the IC for the FGD service used for the RCC to IC calls. The RCC shall also provide to the Telephone Company, using industry standard data record formats, recordings of all calls (both completed calls and attempts) to ICs from the RCC premises using the Type 2A service.

15.4.4 Technical Compatibility

The customer facilities shall provide the necessary on-hook, off-hook, answer, and disconnect supervision, and shall in all cases comply with the technical interconnection specifications described in Technical Reference PUB TR-NPL-000145.

15.4.5 Rate Center/District Locations

If the RCC designates a Telephone Company access tandem as its Rate Center/District for a given NPA-NXX, the RCC shall provide transport for land to mobile traffic between the tandem and the RCC's MTSO, Control Terminal or designated premises.

15.4.6 Direct Trunking

If the mobile to land traffic between any Telephone Company end office and an RCC's MTSO at any time exceeds 500 busy hour CCS (i.e., the capacity of a DS1), the RCC shall, at its expense, establish within sixty (60) days after such occurrence new direct trunk groups between the applicable end office and the RCC's MTSO for mobile to land traffic.

(N)  
|  
(N)

Filename: T16Sec15\_011.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:23:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:30:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 451 (approx.)  
Number of Characters: 2,571 (approx.)

## 15.5 Rate Regulations (Cont'd)

This section contains the specific regulations governing the rates and charges that apply for Type 2 Access Service.

### 15.5.1 Description and Application of Rates and Charges (Cont'd)

There are three types of rates and charges that apply to Type 2 Access Service. These are monthly recurring rates, usage rates and nonrecurring charges. Telephone Company specified local, zone or toll charges do not apply to calls between the Radio Common Carrier premises and Telephone Company central offices where Type 2A or Type 2B service is provided.

#### (A) Monthly Rates

Monthly rates are flat recurring rates that apply each month or fraction thereof that a specific rate element is provided. For billing purposes, each month is considered to have 30 days. (C)

#### (B) Usage Rates

Terminating usage charges shall not apply pursuant to this tariff except as set forth in this section. In accordance with 47 CFR Section 20.11 and the FCC's ruling in CC Docket No. 01-92; FCC 05-42 (*T-Mobile Order*), terminating usage charges shall be negotiated as part of an interconnection agreement between RCC and AT&T Illinois. Prior to the negotiation of an interconnection agreement, but after a request for negotiation for such agreement has been made by RCC or AT&T Illinois, AT&T Illinois shall assess interim terminating usage charges calculated in accordance with 47 CFR Section 20.11.

– RADIO COMMON CARRIER ACCESS SERVICE –

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.5 Rate Regulations (Cont'd)

15.5.1 Description and Application of Rates and Charges (Cont'd)

(C) Nonrecurring Charges

Nonrecurring charges are one-time charges that apply for a specific work activity (i.e., installation or change to an existing service). The types of nonrecurring charges that apply for Type 2 Access Service are: installation of service and service establishment.

(1) Installation of Service

Nonrecurring charges apply to each service installed. The nonrecurring charges for the installation of service are set forth in 15.6 following. (D)

(2) Service Establishment

The Service Establishment Charge is a nonrecurring charge applicable for the modification of switching facilities in all Telephone Company central office and tandem switches to accommodate the initial implementation of an additional dedicated central office prefix (NXX) for use with existing Type 2 Access Service for a Radio Common Carrier in the RCC's Service Area.

15.5.2 Moves

A move involves a change in the physical location of one of the following:

- The point of termination at the customer's premises
- The customer's premises

The charges for the move are dependent on whether the move is to a new location within the same building or to a different building.

(A) Moves Within the Same Building

When the move is to a new location within the same building, the charge for the move will be an amount equal to one half of the nonrecurring charge for installation of the services affected. There will be no change in the minimum period requirements.

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.5 Rate Regulations (Cont'd)

15.5.2 Moves (Cont'd)

(B) Moves to a Different Building

Moves to a different building will be treated as a discontinuance and start of service and all associated nonrecurring charges will apply. New minimum period requirements will be established for the new service. The customer will also remain responsible for satisfying all outstanding minimum period charges for the discontinued service.

15.5.3 Measuring Access Minutes

Type 2 Access Service traffic will be measured by the Telephone Company at end office switches or access tandem switches. Originating and terminating calls will be measured by the Telephone Company to determine the basis for computing chargeable access minutes.

For originating calls over Type 2A and Type 2B services provided under Billing Option 1 as described in 15.2.3 preceding, usage measurement begins when the originating Telephone Company switch receives the first wink supervisory signal forwarded from the customer's point of termination. The measurement of originating call usage ends when the originating switch receives disconnect supervision from either the originating end user, indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch. If the originating Telephone Company switch is capable only of recording conversation minutes rather than access minutes as required herein, access minutes will be developed from the recorded originating conversation minutes and messages using Telephone Company factors for completion ratio and non-conversation time per attempts developed from historical measurements of Type 2 Access Service. Until such service-specific factors are developed, factors developed for Intrastate MTS service will be employed.

For terminating calls over Type 2A and Type 2B service the measurement of access minutes begins when the terminating Telephone Company entry switch receives answer supervision from the terminating end user's end office, indicating the terminating end user has answered. The measurement of terminating call usage ends when the terminating entry switch receives disconnect supervision from either the terminating end user's end office, indicating the terminating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

Filename: T16Sec15\_014.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:23:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:30:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 407 (approx.)  
Number of Characters: 2,325 (approx.)

15.5 Rate Regulations (Cont'd)

15.5.3 Measuring Access Minutes (Cont'd)

Usage rated Type 2A and Type 2B service access minutes or fractions thereof, the exact value of the fraction being a function of the switch technology where the measurement is made, are accumulated over the billing period for each end office, and are then rounded up to the nearest access minute for each end office. Access minutes measured for traffic between a Radio Common Carrier (RCC) and an Interexchange Carrier (IC) using Type 2A service via a Telephone Company access tandem are not charged to the RCC.

15.5.4 Mileage Measurement

(D)  
|  
(D)

15.5.5 Local Information Delivery Services

Calls over Type 2 Access in the terminating direction to certain community information service will be rated under the applicable rates for Type 2 Access Service. See Section 15.5.1 B for termination usage rate information and see 15.6 following for additional charges. In addition, the charges per call as specified under the Telephone Company's local and/or general exchange service tariffs, e.g., 976 (DIAL-IT) Network Services, will also apply.

15.5.6 Shared Use

Shared Use occurs when Type 2A or 2B service and Special Access service are provided, at the RCC's request, over the same digital transmission facility through a common interface.



Illinois Bell Telephone Company  
d/b/a AT&T Illinois d/b/a AT&T Wholesale  
By W. Karl Wardin, Regional Vice President - Regulatory  
225 West Randolph Street  
Chicago, Illinois 60606  
Issued: July 18, 2016

ILL. C.C. NO. 16  
1st Revised Page 33.1  
Cancels Original Page 33.1

Effective: September 1, 2016

---

(D)

(D)

-RADIO COMMON CARRIER ACCESS SERVICE-

15. Type 2 Access Service (cont'd)

15.6 Rates and Charges

15.6.1 Type 2A Service

(A) Vacant

(B) Carrier Dedicated Trunk

(1) Voice Grade

(a) Per Trunk

	<u>USOC</u>	<u>Nonrecurring Charge</u>
Standard Type 2A Access	CEP1X	\$78.05
Feature Group D IC Access (Terminating Only)	CEP1X	78.05

(b) Mileage Charges Per Trunk

	<u>Fixed USOC</u>	<u>Monthly Rates</u>		<u>Per Mile USOC</u>	
		<u>Fixed</u>	<u>Per Mile</u>		
Standard Type 2A Access	CEP1X	\$58.00	\$1.68(R)	CEP1X	(T)
Shared Use Type 2A Access*		-	1.68(R)	1A82S	
Feature Group D IC Access	CEP1X	58.00	1.68(R)	CEP1X	(T)
Shared Use Feature Group D IC Access*		-	1.68(R)	1A82S	

(2) Digital - DS1

(a) Per DS1 (24 trunks)

	<u>USOC</u>	<u>Nonrecurring Charge</u>
Standard Type 2A Access	CEP3X	\$361.00
Feature Group D IC Access (Terminating Only)	CEP3X	361.00

(b) Mileage Charges Per DS1 (24 trunks)

	<u>Fixed USOC</u>	<u>Monthly Rates</u>		<u>Per Mile USOC</u>	
		<u>Fixed</u>	<u>Per Mile</u>		
Standard Type 2A Access	CEP3X	\$147.25(R)	\$43.26(R)	CEP3X	(T)
Shared Use Type 2A Access*		-	43.26(R)	1A83S	
Feature Group D IC Access	CEP3X	147.25(R)	43.26(R)	CEP3X	(T)
Shared Use Feature Group D IC Access*		-	43.26(R)	1A83S	

\*See 15.5.6 for application of rates for shared use.

Filename: T16Sec15\_017.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:24:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:30:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 225 (approx.)  
Number of Characters: 1,289 (approx.)

ILLINOIS BELL TELEPHONE COMPANY  
By Mary Pat Regan, Regional Vice President - Regulatory  
225 West Randolph Street  
Chicago, Illinois 60606  
Issued: February 16, 2006

ILL. C.C. NO. 16  
2nd Revised Page 34.1  
Canceling 1st Revised Page 34.1

Effective: April 3, 2006

-RADIO COMMON CARRIER ACCESS SERVICE-

15. TYPE 2 ACCESS SERVICE (Cont'd)

15.6 Rates and Charges (cont'd)

15.6.1 Type 2A Service (cont'd)

(C) Vacant

(T)  
(D)

(D)

Filename: T16Sec15\_018.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:24:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:30:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 73 (approx.)  
Number of Characters: 420 (approx.)

-RADIO COMMON CARRIER ACCESS SERVICE-

15. Type 2 Access Service (cont'd)

15.6 Rates and Charges (cont'd)

15.6.2 Type 2B Service

(A) Vacant

(B) Carrier Dedicated Trunk

(1) Voice Grade

(a) Per Trunk

	<u>USOC</u>	<u>Nonrecurring Charge</u>
Standard Type 2B Access	CEP2X	\$78.05

(b) Mileage Charges Per Trunk

	<u>Fixed USOC</u>	<u>Monthly Rates</u>		<u>Per Mile USOC</u>
		<u>Fixed</u>	<u>Per Mile</u>	
Standard Type 2B Access	CEP2X	\$134.30	\$1.68(R)	CEP2X (T)
Shared Use Type 2B Access*		-	1.68(R)	1A82S

(2) Digital - DS1

(a) Per DS1 (24 trunks)

	<u>USOC</u>	<u>Nonrecurring Charge</u>
Standard Type 2B Access	CEP4X	\$361.00

(b) Mileage Charges Per DS1 (24 trunks)

	<u>Fixed USOC</u>	<u>Monthly Rates</u>		<u>Per Mile USOC</u>
		<u>Fixed</u>	<u>Per Mile</u>	
Standard Type 2B Access	CEP4X	\$147.25(R)	\$43.26(R)	CEP4X (T)
Shared Use Type 2B Access*		-	43.26(R)	1A83S

\*See 15.5.6 for application of rates for shared use.

Filename: T16Sec15\_019.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:24:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:30:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 178 (approx.)  
Number of Characters: 1,015 (approx.)

ILLINOIS BELL TELEPHONE COMPANY  
By Rhonda J. Johnson, Vice Pres. - Reg. Affairs  
225 West Randolph Street  
Chicago, Illinois 60606  
Issued: July 8, 2003

ILL. C.C. NO. 16  
1st Revised Page 35.1  
Canceling Original Page 35.1

Effective: July 9, 2003

-RADIO COMMON CARRIER ACCESS SERVICE-

15. Type 2 Access Service

15.6 Rates and Charges (cont'd)

15.6.3 Service Establishment Charge

	<u>USOC</u>	<u>Nonrecurring Charge</u>	(M)
Per NXX implemented for the RCC's Service Area	CE8		
NPA 312, 630, 708, 847		\$0.00	
NPA 815		0.00	
NPA 309		0.00	
NPA 217		0.00	
NPA 618		0.00	(M)



Filename: T16Sec15\_020.doc  
Directory: D:\illinois\sp  
Template: D:\Documents and Settings\ydkqckr\Application  
Data\Microsoft\Templates\Normal.dot  
Title: ILLINOIS BELL TELEPHONE COMPANY\_ILL. C. C. NO. 16  
Subject:  
Author: Regulatory Policy Organization  
Keywords:  
Comments:  
Creation Date: 1/11/1998 10:10:00 AM  
Change Number: 29  
Last Saved On: 8/11/2008 10:24:00 AM  
Last Saved By: s4xfqv6  
Total Editing Time: 133 Minutes  
Last Printed On: 10/7/2008 1:30:00 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 102 (approx.)  
Number of Characters: 588 (approx.)