

TARIFF DISTRIBUTION

FILE PACKAGE NO.: KY-14-0042

DATE: June 2, 2014

STATE: KENTUCKY

EFFECTIVE DATE: 06/01/2014

TYPE OF DISTRIBUTION: Approved

PURPOSE: GB - Modify BellSouth 9-1-1 PinPoint Service verbiage to clarify existing regulations

<u>TARIFF SECTION</u>	<u>PAGE NUMBER</u>	<u>PAGE REVISION</u>
G013	40	0002
G013	41.2	0001

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.7 Reserved For Future Use

A13.27.8 BellSouth 9-1-1 PinPoint Service

A. General

1. 9-1-1 PinPoint service allows a Private Branch Exchange (PBX) switch located on a customer's premises to be trunked directly into an E911 tandem office, delivering the telephone number and location of the PBX end user to the appropriate Public Safety Answering Point (PSAP).
2. 9-1-1 PinPoint service is available with BellSouth Primary Rate ISDN (PRI) or 9-1-1 Pinpoint Service Local Channels. Pinpoint Local channels are not required if using BellSouth PRI service.
3. 9-1-1 PinPoint Service is only available in jurisdictions where the Company is the 9-1-1 System Service Provider. (N)

B. Regulations

1. 9-1-1 PinPoint service is furnished subject to the availability of facilities.
2. Automatic Number Identification (ANI) which is passed to the Company's E911 tandem office by the PBX switch is read, processed and utilized in the manner as if it is provided by any other serving end office in the Company's E911 system.
3. The emergency agency serving the area may also be involved to update the Master Street Address Guide (MSAG) and to determine the method in which emergency calls from 9-1-1 PinPoint service locations will be handled.
4. The following specifications must be met when provisioning this service:
 - a. Subscribers to 9-1-1 PinPoint service must meet all BellSouth technical specifications.
 - b. The PBX switch must be able to transmit ANI using multi-frequency signals. This may require the retro-fitting of existing PBX switches with interfaces which will work with the Company's E911 system.
 - c. The PBX switch owner/operator must supply the Company with the initial telephone number-to-address data as well as periodic updates.
 - d. 9-1-1 PinPoint service is configured on a "per account" basis for BellSouth Direct Inward Dialing (DID) and grandfathered Primary Rate ISDN (PRI) accounts. All telephone numbers on these accounts must be provisioned with 9-1-1 PinPoint service. The Customer cannot randomly select which telephone numbers on an account will have the service. This regulation is not applicable for PRI subscribers billed for 9-1-1 PinPoint service on a per PRI station number (per TN) basis.
 - e. Users of 9-1-1 PinPoint service are prohibited from provisioning PBX station numbers outside the boundary of the E9-1-1 tandem serving the physical address of the main PBX location. 9-1-1 calls from any telephone numbers provisioned outside the boundary of the serving E9-1-1 tandem would be routed to an incorrect PSAP with no location information. An alternative arrangement could involve PRI terminations from multiple central offices to accommodate a wider geographic area. In that configuration, no PBX station numbers can be provisioned at addresses outside the boundary of the tandem serving the PRI host. The subscribing 9-1-1 PinPoint service customer is responsible for ensuring that 9-1-1 PinPoint service is provisioned in a compliant configuration that will ensure that 9-1-1 calls are routed correctly with the correct location information.
 - f. ***9-1-1 PinPoint Service is only available on local exchange services provided by the Company, specifically BellSouth PRI and BellSouth DID services.*** The PBX switch must employ BellSouth Direct Inward Dialing (DID) or BellSouth PRI station numbers. If the PBX is serving subscribers with multiple NPAs, a unique PBX trunk group will be needed for each NPA (whether it be 9-1-1 PinPoint Service Local Channels or PRI). 9-1-1 PinPoint Service is not available on Centrex or "Centrex-like" station numbers. ***9-1-1 PinPoint Service is not available on telephone numbers obtained from CLECs or on any IP-enabled services.*** (T)
 - g. It will be the responsibility of the vendor or PBX operator to maintain the data pertaining to each extension operating under such system.

A13. MISCELLANEOUS SERVICE ARRANGEMENTS

A13.27 Emergency Reporting Services (Cont'd)

A13.27.8 BellSouth 9-1-1 PinPoint Service (Cont'd)

D. Rates and Charges (Cont'd)

1. 9-1-1 PinPoint Service (Cont'd)

c. For PRI service per 9-1-1 PinPoint service customer¹

(1) Per PRI *telephone* number equipped (per TN)

	Nonrecurring Charge	Monthly Rate	USOC	
(a) 1st <i>telephone</i> number	\$3,100.00	\$95.00	E8YSE	(T)
(b) each additional <i>telephone</i> number	-	.05	E8YTN	(T)
2. 9-1-1 PinPoint service Local Channels, per channel				
(a) First channel, each	475.00	-	E8YCT	
(b) Additional channels, each	105.00	-	E8YCU	
(c) Each channel	-	55.00	E8YCV	
3. Cancellation Charges (Early Termination Fees)				
The following charge is incurred when a total disconnect of 9-1-1 PinPoint service occurs during the 60 month contract period. ²				
(a) Per system disconnect	2,500.00	-	E8YDX	

Note 1: Nonrecurring charges will not apply for grandfathered PRI subscribers who retain their existing service arrangement and who agree to convert to the new "per TN" PRI pricing structure.

Note 2: As of May 19, 2010, 60 Month Contract Period rates and charges are not applicable for new subscribers and Cancellation Charges (Early Termination Fees) normally applicable for BellSouth 9-1-1 PinPoint Service will not apply for grandfathered PRI subscribers who retain their existing service arrangement and who agree to convert to the new "per TN" PRI pricing structure.