TARIFF DISTRIBUTION

FILE PACKAGE NO.: KY-18-0042

DATE: September 3, 2018

STATE: KENTUCKY

EFFECTIVE DATE: 09/01/2018

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase Private Line Channels (APL) monthly charges.

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
H003	14	0018
H003	15	0019
H003	16	0015
H003	17	0014
H003	18	0016

B3. CHANNELS

B3.4 Rates And Charges B3.4.1 Local Channels

			Nonrecurring				
			Monthly Charge				
			Rate	First	Additional	USOC	
A.	Sub Voice Grade						
	 Per point of to 	ermination					
	(a)	Type 1204	\$139.00	\$ 561.00	\$ 224.40	P1JAX	(I)
	(b)	Type 1205	127.00	422.40	158.40	P1JHX	(I)
В.	Voice Grade, Per p	oint of termination					
	1. Voice						
	(a)	Type 2230	380.00	409.20	151.00	P2JUX	(I)
	(b)	Type 2231	380.00	310.00	115.00	P2JHX	(I)
	(c)	Type 2432	570.00	360.00	150.00	P2JQX	(I)
	(d)	Type 2434	119.00	140.00	74.00	P2JGX	(I)
	(e)	Type 2435	570.00	435.60	171.60	P2JWX	(I)
	(f)	Type 2261	442.00	666.60	303.60	P2JLX	(I)
	(g)	Type 2462	526.00	660.00	297.00	P2JRX	(I)
	2. Data						
	(a)	Type 2463	602.00	495.00	211.20	P2JMX	(I)
	(b)	Type 2464	602.00	495.00	211.20	P2JNX	(I)
C.	Wired Music						
	 Per point of to 	ermination					
	(a)	Type 6211	230.00	620.40	264.00	P6JAX	(I)
	(b)	Type 6212	287.00	719.40	349.80	P6JBX	(I)
	(c)	Type 6213	322.00	732.60	369.60	P6JCX	(I)
	(d)	Type 6215	224.00	620.40	264.00	P6JEX	(I)
	(e)	Type 6216	287.00	719.40	349.80	P6JNX	(I)
	(f)	Type 6217	322.00	732.60	369.60	P6JGX	(I)

Page 14.1 is hereby deleted in its entirety and removed from this Guidebook.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.2 Non-Wire Center Connected Channels (Obsoleted, See Section B103)

B3.4.3 Interoffice Channels¹

- A. Fixed and Mileage Charges applicable
 - 1. Sub Voice Grade Series 1000²

1.	Sub voice Gi	ade - Series 1000					
	(a) (b) (c)	1 thru 8 Miles 9 thru 25 Miles Over 25 Miles	Fixed Monthly Charge \$174.00 174.00	Monthly Charge Per Mile \$16.00 16.00	Nonrecurring Charge Per Channel - -	USOC 3LBAS 3LBAS 3LBAS	(I) (I)
2.	Voice Grade S	Service - Series 2000					
		2231, 2432, 2434, 2435, 2261, 2462					
				Monthly	Nonrecurring		
				Rate	Charge	USOC	
	(a)	Fixed		\$548.00	\$92.00	3LBBS	(I)
	(b)	Each mile or fraction thereof		42.00	-	3LBBS	(I)
3.	Voice Grade S	Service - Series 2000, Types 2463, 2464					
		7 31	Month to		Nonrecurring		
			Month		Charge	USOC	
	(a)	Fixed	\$207.00		\$92.00	3LBMF	(I)
	(b)	Each mile or fraction thereof	13.00		-	3LBMA	(I)
			Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurring Charge Per Channel	USOC	
4.	Wired Music	- Series 6000 3.0 kHz, Types 6211 and 6215	8				
	(a)	1 thru 8 Miles	\$317.00	\$12.00	\$75.00	3LBCS	(I)
	(b)	9 thru 25 Miles	317.00	12.00	75.00	3LBCS	(I)
	(c)	Over 25 Miles	317.00	12.00	75.00	3LBCS	(I)
5.	Wired Music	- Series 6000 5 kHz, Types 6212 and 6216					
	(a)	1 thru 8 Miles	328.00	23.00	67.00	3LBDS	(I)
	(b)	9 thru 25 Miles	328.00	23.00	67.00	3LBDS	(I)
	(c)	Over 25 Miles	328.00	23.00	67.00	3LBDS	(I)
6.	Wired Music	- Series 6000 8 kHz, Types 6213 and 6217					
	(a)	1 thru 8 Miles	443.00	37.00	67.00	3LBES	(I)
	(b)	9 thru 25 Miles	443.00	37.00	67.00	3LBES	(I)

Note 1: For method of determining mileage, see B3.3.3.A.

Note 2: Metallic interoffice channels are no longer available for new installations, moves or transfers. Metallic interoffice facilities are in continually decreasing supply due to modernization programs that replace existing metallic interoffice with non-metallic facilities such as fiber optics.

443.00

67.00

37.00

3LBES

(I)

Page 15.1 is hereby deleted in its entirety and removed from this Guidebook.

Over 25 Miles

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions

A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. `No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

					Month to Month	Nonrecurring Charge	USOC	
1.	Voic	e Gra	ade B	Bridges (Series 2000)		J		
	a. Y	Voice	e Brio	dging				
	((1)	Per I	Port				
			(a)	Two-Wire (Type 2230)	\$146.00	\$39.60	BQ9	(I)
			(b)	Four-Wire (Type 2435)	189.00	39.60	BQ9	(I)
	b. I	Data	Bridg	ging				
	((1)	Per I	Port				
			(a)	Four-Wire (Types 2463 and 2464)	273.00	42.24	BQ9	(I)
	c. ((DEL	ETE	D)				
	d. ((DEL	ETE	D)				
	e. 7	Telen	netry	and Alarm Bridging - Split Band, Active Bridging				
	((1)	Com	mon Equipment, per central office				
			(a)	First bridging shelf, capacity of 48 two-wire connections	545.00	370.00	XW1	(I)
		1	(b)	Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf	545.00	335.00	XW2	(I)
		1	(c)	Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf	276.00	205.00	XW8	(I)
	((2)	Char	nnel connections, per channel connected				
		((a)	Remote station channel connection	23.00	31.00	XW3	(I)
		((b)	Mid-link channel connection, first channel	55.00	41.00	XW4	(I)
		((c)	Mid-link channel connection, subsequent channels	55.00	41.00	XW5	(I)
2.	Wire	ed Mu	isic I	Bridges (Series 6000)				
	a. I	Distri	butio	on Amplifiers				
	((1)	Per I					
			(a)	Each	2.64	33.00	6LE	

B3. CHANNELS

B3.4 Rates And Charges (Cont'd) B3.4.4 Optional Features And Functions (Cont'd)

B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

1. Per local channel

		Monthly Charge				
		Rate	Initial	Subsequent	USOC	
(a)	Ringdown-Manual	\$89.00	\$50.16	\$ 244.20	SL3	(I)
(b)	Ringdown-Automatic	82.00	18.48	72.60	SL5	(I)
(c)	E & M Type	82.00	58.08	224.40	SLM	(I)
(d)	Type A (0-199 ohms)	48.00	54.12	151.80	SAL	(I)
(e)	Type B (200-899 ohms)	48.00	48.84	151.80	SAU	(I)
(f)	Type C (900 or more ohms)	23.00	15.84	151.80	SAY	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

- **C.** Conditioning (Voice Grade Services)
 - . Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multipoint service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

2. The types and description of the available conditioning options are as follow:

Type Conditioning	Frequency Response Specification Envelope Delay Distortion			
		Specification		
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz	z, less	
	-2dB to $+6dB$.	than 1000 mic	croseconds	
	1000-2400 Hz,			
	-1dB to $+3$ dB.			
	300-3000 Hz,			
	-3dB to $+12dB$.			
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz	z, less	
	-2dB to $+6dB$.	than 500 mic	roseconds	
	500-2800 Hz,	600-2600 Hz,	less	
	-1dB to $+3$ dB.	than 1500 mic	croseconds	
		500-2800 Hz,	less	
		than 3000 mic	croseconds	
		Non-Line	ar Distortion	
	C-Notched Noise	2nd Order	3rd Order	
		Distortion	Distortion	
D1 (two-point)	Noise level 28dB	35dB below	40dB below	
· -	below signal level	signal level	signal level	

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

	Monthly Charge				
	Rate	Initial	Subsequent	USOC	
-Type Conditioning					
C-Type Conditioning is available for Types 2463 and 2464.					
(1) C-Types of Conditioning per local channel					
(a) C1-Type	\$23.00	\$13.20	\$88.44	P2W	(I)
(b) C2-Type	23.00	27.72	100.32	P3W	(I)
-Type Conditioning					
D-Type Conditioning is available for Types 2463 and 2464.					
(1) D-Type Conditioning per local channel					
(a) D1-Type	23.00	21.12	93.72	QHA	(I)
	(a) C1-Type (b) C2-Type -Type Conditioning D-Type Conditioning is available for Types 2463 and 2464. (1) D-Type Conditioning per local channel	Type Conditioning C-Type Conditioning is available for Types 2463 and 2464. (1) C-Types of Conditioning per local channel (a) C1-Type (b) C2-Type Type Conditioning D-Type Conditioning is available for Types 2463 and 2464. (1) D-Type Conditioning per local channel	Rate Initial Type Conditioning C-Type Conditioning is available for Types 2463 and 2464. (1) C-Types of Conditioning per local channel (a) C1-Type (b) C2-Type (b) C2-Type Type Conditioning D-Type Conditioning is available for Types 2463 and 2464. (1) D-Type Conditioning per local channel	Type Conditioning C-Type Conditioning is available for Types 2463 and 2464. (1) C-Types of Conditioning per local channel (a) C1-Type (b) C2-Type 23.00 27.72 S88.44 27.72 Type Conditioning D-Type Conditioning is available for Types 2463 and 2464. (1) D-Type Conditioning per local channel	Rate Initial Subsequent USOC -Type Conditioning C-Type Conditioning is available for Types 2463 and 2464. (1) C-Types of Conditioning per local channel (a) C1-Type \$23.00 \$13.20 \$88.44 P2W (b) C2-Type 23.00 27.72 100.32 P3W -Type Conditioning D-Type Conditioning is available for Types 2463 and 2464. (1) D-Type Conditioning per local channel