TARIFF DISTRIBUTION

FILE PACKAGE NO.: KY-23-0006

DATE: February 28, 2023

STATE: KENTUCKY

EFFECTIVE DATE: 03/01/2023

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase Business (APL) Channels Monthly Rates

| TARIFF SECTION | PAGE NUMBER | PAGE REVISION |
|----------------|-------------|---------------|
| Н103 | 8.3 | 0004 |
| Н103 | 9.2 | 0004 |
| Н103 | 9.3 | 0004 |
| Н103 | 9.4 | 0004 |
| H103 | 9.5 | 0004 |
| H103 | 10.1 | 0004 |

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.3 Rate Terms and Conditions (Cont'd)

B103.3.5 Determination Of Mileage (Cont'd)

- **B.** When station locations of a private line service are located in different wire center serving areas, interoffice channel charges apply. Charges are based on the direct airline distance measured between the serving wire centers. To determine Interoffice mileage for purposes of developing rate distance between any two wire centers (intraexchange or interexchange) proceed as follows:
 - 1. Obtain the "V" and "H" coordinates for each wire center, as listed in the National Exchange Carrier Association (NECA) Tariff, FCC #4.
 - 2. through 5. (see B103.1.5.A)
 - 6. Obtain the square root of the result obtained in 5. This fractional number is the rate distance in miles. Round up to the desired quarter, half or whole mile as specified by each service.

EXAMPLE: The rate distance is required between City One and City Two.

| | V | Н |
|--------------------------------------|------|------|
| City One | 7260 | 2083 |
| City Two | 7364 | 1865 |
| Difference | 104 | 218 |
| Squared = $10.816 + 47.524 = 58.340$ | | |

58,340 divided by 10 = 5834

Square root of 5834 = 76.38 = 77 Airline miles

- C. When a private line is furnished over facilities which the Company elects to provide on a direct basis and is not routed through a central office, one two-point channel charge from B103.4 will apply. The arrangement is limited to channels not more than one airline mile in length.
- **D.** For the purpose of applying multipoint charges, the bridging or hubbing locations are determined by that combination of airline distances connecting the serving wire center which will produce the lowest interoffice mileage charges. Bridging charges apply when three or more channels connect at the same location.
- E. For Series 1000, 2000 and 6000 channels the customer may specify the sequence in which the service points are to be connected in which case the rate mileage is the shortest airline mileage determined in accordance with C., which will connect the wire centers of the service points in the specified sequence.

B103.4 Rates And Charges

B103.4.1 Series 1000¹ – Sub Voice Grade Service

- A. Interoffice Channels²
 - 1. Fixed and Mileage Charges applicable

| | | Fixed | Monthly | Nonrecurring | |
|----|-----------------|----------------|--------------|--------------|-------|
| | | Monthly | Charge | Charge | |
| | | Charge | Per Mile | Per Channel | USOC |
| a. | 1 thru 8 Miles | \$2,304.00 (I) | \$206.00 (I) | - | 3LBAS |
| b. | 9 thru 25 Miles | 2,304.00 (I) | 206.00 (I) | - | 3LBAS |
| c. | Over 25 Miles | 2,304.00 (I) | 206.00 (I) | - | 3LBAS |

- **B.** Interexchange Type 1050 and 1051 (Obsoleted Type B)
 - 1. Half Duplex

| | | Monthly | |
|------|--|---------|-------|
| | | Rate | USOC |
| a. (| (DELETED) | | |
| b.] | Interoffice Channel | | |
| (| (1) 1st 1/4 mile | \$25.15 | 1LYD+ |
| (| (2) Each additional 1/4 mile or fraction thereof | 2.30 | 1L3A+ |

- Note 1: Metallic interoffice channels are no longer available for new installations, moves or transfers.

 Metallic interoffice facilities are in continually decreasing supply due to modernization programs that replace existing metallic interoffice with non-metallic facilities such as fiber optics.
- **Note 2:** For method of determining mileage, see B3.3.3.A.

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.3 Series 1200 - Sub Voice Grade Service

Type 1205

(2)

- A. Intraexchange Type 1204 and 1205 (Same Continuous Property Different and Same Building Channels)
 - 1. Each additional point of termination of a local channel (Obsoleted 01-01-87, Type B)

| | (Cossessed of of o., 1,1,1,1,0) | Installation Charge | Monthly Rate | USOC |
|----|---|------------------------|---------------------|-------|
| | a. In a different building on the same premises | J | | |
| | (1) Per 1/4 mile or fraction thereof | - | \$4.37 | 1LM++ |
| | (2) Minimum charge | - | 8.73 | NA |
| 2. | (DELETED) | | | |
| 3. | Two-point service | | | |
| | (Obsoleted 01-01-87, Type D; available solely at the discretion of the Company for new service, additions, or transfers of service where spare capacity is available in existing cable facilities.) | | | |
| | a. Different buildings, same premises | | | |
| | (1) Per 1/4 mile or fraction thereof ^{1,2} | \$25.41 | 4.37 | 1LM++ |
| | (2) Minimum charge Type 1204 or 1205 ¹ | - | 8.73 | NA |
| | b. Same building | | | |
| | (1) Type 1204 | 25.41 | 8.73 | 1LM++ |
| | (2) Type 1205 | 25.41 | 8.73 | 1LM++ |
| 4. | Each additional point of termination (Obsoleted 01-01-87, Type B; Guidebook Reference Section B3.) | | | |
| | a. In the same building for two-point service in B103.2.1.E.2.c or d. | | | |
| | (1) Type 1204 | - | 8.73 | 1LM++ |
| | (2) Type 1205 | - | 8.73 | 1LM++ |
| 5. | Local Channels | | | |
| | Mandala | | ecurring | |
| | Monthly Rate | / Cr First | narge Additional | USOC |
| | a. Per point of termination | rust | Auditional | 0500 |
| | (1) Type 1204 \$1,838.00 (I) | \$561.00 | \$224.40 | P1JAX |
| | 4.550.00.00 | 400 40 | 4.50.40 | |

| Note 1: | The rates and charges in this Guidebook for channels between buildings on the same premises |
|---------|--|
| | are applicable only for those facilities in place as of June 5, 1983. On premises cable placed |
| | after June 5, 1983 will be provided based on cost. |

1,676.00 (I)

422.40

158.40

P1JHX

Note 2: The installation charge is per channel.

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd) B103.4.4 Series 2000 - Voice Grade Service

A. (DELETED)

1. Intraexchange - Same Continuous Property Different and Same Building Channels

| Ci | idinicis | | | | Monthly Rate | USOC |
|-----------------|---|--|---------------------------------|--------------|-----------------|-------------|
| a. | | | a local channel in a different | | | |
| | _ | e same premises | | | | |
| | | -01-87, Type B) | | | | |
| | (1) Charges | D 1/4 il f | £ | | \$2.50 | 1LM+G |
| | ` ' | Per 1/4 mile or fraction ther Minimum Charge | e01 | | \$3.50 6.98 | NA |
| h | ` ' | al point of termination of a l | ocal channel | | 0.50 | IVA. |
| 0. | | 01-01-87, Type B) | ocar chamici | | | |
| | | same building | | | | |
| | | Charge | | | 6.98 | 2SE++ |
| | | 2 | | Installation | | |
| | | | | Charge | | |
| c. | | vice different buildings sam | | o o | | |
| | (Obsoleted 01 | 1-01-87, Type D; available | solely at the discretion of the | | | |
| | | | ransfers of service where spare | | | |
| | | ailable in existing cable facil | ities.) | | | |
| | ` ' | nile or fraction thereof | | 0<< 10 | 2.50 | 47.3.6537 |
| | | Half Duplex ^{1,2} | | \$66.40 | 3.50 | 1LMFY |
| | | Duplex ^{1,2} | | 66.40 | 3.50 | 1LMEY NA |
| a | ` ' | Minimum Charge | | - | 6.98 | NA |
| a. | Two-point ser | | solely at the discretion of the | | | |
| | | | ransfers of service where spare | | | |
| | 1 - | ailable in existing cable facil | • | | | |
| | (1) Same bu | | ities.) | | | |
| | | Ialf Duplex | | 66.40 | 6.98 | 1LM+B |
| | ` ' | Duplex | | 66.40 | 6.98 | 1L6+B |
| e. | Each addition | al point of termination | | | | |
| | | -01-87, Type B, Guidebook | | | | |
| | | | rvice in B103.2.2.B.1.c. or d | | | |
| | | DELETED) | | | | |
| | ` ' | Duplex | | - | 3.50 | 1L6+A |
| B. Local | Channels | | | | | |
| | | | Monthly | | urring Charge | **** |
| 1 37 | . C 1 D | | Rate | First | Additional | USOC |
| | Voice Voice | point of termination | | | | |
| a. | (1) Type 22 | 230 | \$5,059.00 (I) | \$409.20 | \$151.00 | P2,JUX |
| | (1) Type 2. | | 5,059.00 (I) | 310.00 | 115.00 | P2JHX |
| | $\begin{array}{ccc} (2) & \text{Type } 24 \\ (3) & \text{Type } 24 \end{array}$ | | 7,597.00 (I) | 360.00 | 150.00 | P2JQX |
| | (4) Type 24 | | 1,572.00 (I) | 140.00 | 74.00 | P2JGX |
| | $\begin{array}{ccc} \text{(5)} & \text{Type 2} \\ \text{(5)} & \text{Type 2} \end{array}$ | | 7,597.00 (I) | 435.60 | 171.60 | P2JWX |
| | (6) Type 22 | | 5,884.00 (I) | 666.60 | 303.60 | P2JLX |
| | $(7) \text{Type } 2^{4}$ | | 7,006.00 (I) | 660.00 | 297.00 | P2JRX |
| b. | Data | | | | | |
| | (1) Type 24 | 463 | 8,024.00 (I) | 495.00 | 211.20 | P2JMX |
| | (2) Type 24 | 464 | 8,024.00 (I) | 495.00 | 211.20 | P2JNX |
| | | | | | | |

B103. OBSOLETED SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.4 Series 2000 - Voice Grade Service (Cont'd)

- C. Interoffice Channels¹
 - 1. Types 2463 and 2464

| | | Month to | Nonrecurring |
|----|---|----------------|---------------|
| | | Month | Charge USOC |
| | (a) Fixed | \$2,741.00 (I) | \$92.00 3LBMF |
| | (b) Each mile or fraction thereof | 166.00 (I) | - 3LBMA |
| 2. | Types 2230, 2231, 2432, 2434, 2435, 2261 and 2462 | | |
| | (a) Fixed | 7,306.00 (I) | 92.00 3LBBS |
| | (b) Each mile or fraction thereof | 548.00 (I) | - 3LBSS |

D. Optional Features And Functions

1. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

| | | Month to | Nonrecurring | |
|----|---|----------------|--------------|------|
| | | Month | Charge | USOC |
| a. | Voice Bridging | | o o | |
| | (1) Per Port | | | |
| | (a) Two-Wire (Type 2230) | \$1,925.00 (I) | \$39.60 | BQ9 |
| | (b) Four-Wire (Type 2435) | 2,515.00 (I) | 39.60 | BQ9 |
| b. | Data Bridging | | | |
| | (1) Per Port | | | |
| | (a) Four-Wire (Types 2463 and 2464) | 3,632.00 (I) | 42.24 | BQ9 |
| c. | (DELETED) | | | |
| d. | (DELETED) | | | |
| e. | Telemetry and Alarm Bridging - Split Band, Active Bridging | | | |
| | (1) Common Equipment, per central office | | | |
| | (a) First bridging shelf, capacity of 48 two-wire connections | 7,258.00 (I) | 370.00 | XW1 |
| | (b) Additional bridging shelf, capacity of 56 two-wire | 7,258.00 (I) | 335.00 | XW2 |
| | connections installed subsequent to the first bridging | 5 | | |
| | shelf | | | |
| | (c) Additional bridging shelf, capacity of 56 two-wire | 3,673.00 (I) | 205.00 | XW8 |
| | connections installed at the same time as the first | t | | |
| | bridging shelf | | | |
| | (2) Channel connections, per channel connected | | | |
| | (a) Remote station channel connection | 284.00 (I) | 31.00 | XW3 |
| | (b) Mid-link channel connection, first channel | 720.00 (I) | 41.00 | XW4 |
| | (c) Mid-link channel connection, subsequent channels | 720.00 (I) | 41.00 | XW5 |
| | | | | |

2. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

a. Per local channel

| | | Nonrecurring | | | |
|-----|---------------------------|----------------|---------|------------|------|
| | | Monthly Charge | | | |
| | | Rate | Initial | Subsequent | USOC |
| (1) | Ringdown-Manual | \$1,171.00 (I) | \$50.16 | \$ 244.20 | SL3 |
| (2) | Ringdown-Automatic | 1,073.00 (I) | 18.48 | 72.60 | SL5 |
| (3) | E & M Type | 1,073.00 (I) | 58.08 | 224.40 | SLM |
| (4) | Type A (0-199 ohms) | 633.00 (I) | 54.12 | 151.80 | SAL |
| (5) | Type B (200-899 ohms) | 633.00 (I) | 48.84 | 151.80 | SAU |
| (6) | Type C (900 or more ohms) | 284.00 (I) | 15.84 | 151.80 | SAY |

Note 1: For method of determining mileage, see B103.3.

B103. OBSOLETED SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.4 Series 2000 - Voice Grade Service (Cont'd)

- **D.** Optional Features And Functions (Cont'd)
 - 3. Conditioning (Voice Grade Services)
 - a. Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multipoint service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

b. The types and description of the available conditioning options are as follow:

Fraguerar Passense Specification Envelope Delay Distortion

| Type Conditioning | Conditioning Frequency Response Specification Envelope Delay Distortion | | | |
|------------------------------|---|------------------------------|--|--|
| | | Specification | | |
| C1 (two-point or multipoint) | 300-2700 Hz, | 1000-2400 Hz, less | | |
| | -2dB to +6dB. | than 1000 microseconds | | |
| | 1000-2400 Hz, | | | |
| | -1dB to $+3$ dB. | | | |
| | 300-3000 Hz, | | | |
| | -3dB to $+12dB$. | | | |
| C2 (two-point or multipoint) | 300-3000 Hz, | 1000-2600 Hz, less | | |
| | -2dB to $+6dB$. | than 500 microseconds | | |
| | 500-2800 Hz, | 600-2600 Hz, less | | |
| | -1dB to $+3$ dB. | than 1500 microseconds | | |
| | | 500-2800 Hz, less | | |
| | | than 3000 microseconds | | |
| | | Non-Linear Distortion | | |
| | C-Notched Noise | 2nd Order 3rd Order | | |
| | | Distortion Distortion | | |
| D1 (two-point) | Noise level 28dB | 35dB below 40dB below | | |
| | below signal level | signal level signal level | | |

c. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

| | | Monthly Charge | | | |
|----|---|----------------|---------|------------|------|
| | | Rate | Initial | Subsequent | USOC |
| d. | C-Type Conditioning | | | | |
| | C-Type Conditioning is available for Types 2463 and 2464. | | | | |
| | (1) C-Types of Conditioning per local channel | | | | |
| | (a) C1-Type | \$284.00 (I) | \$13.20 | \$88.44 | P2W |
| | (b) C2-Type | 284.00 (I) | 27.72 | 100.32 | P3W |
| e. | D-Type Conditioning | | | | |
| | D-Type Conditioning is available for Types 2463 and 2464. | | | | |
| | (1) D-Type Conditioning per local channel | | | | |
| | (a) D1-Type | 284.00 (I) | 21.12 | 93.72 | QHA |
| | | | | | |

B103. OBSOLETE SERVICE OFFERINGS - CHANNELS

B103.4 Rates and Charges (Cont'd)

B103.4.5 Series 6000 - Wired Music Service (Cont'd)

| | Nonrecurring | | | |
|---|-----------------|--------------|---------------|--------------|
| | Monthly | Charge | | |
| | Rate | First | Additional | USOC |
| A. Local Channels | | | | |
| Per point of termination | | | | |
| 1. Type 6211 | \$ 3,049.00 (I) | \$620.40 | \$264.00 | P6JAX |
| 2. Type 6212 | 3,807.00 (I) | 719.40 | 349.80 | P6JBX |
| 3. Type 6213 | 4,278.00 (I) | 732.60 | 369.60 | P6JCX |
| 4. Type 6215 | 2,982.00 (I) | 620.40 | 264.00 | P6JEX |
| 5. Type 6216 | 3,807.00 (I) | 719.40 | 349.80 | P6JNX |
| 6. Type 6217 | 4,278.00 (I) | 732.60 | 369.60 | P6JGX |
| B. Interoffice Channels ² | | | | |
| Fixed and Mileage Charges applicable | | | | |
| | Fixed | Monthly | Nonrecurring | |
| | Monthly | Charge | Charge | |
| | Charge | Per Mile | Per Channel | USOC |
| 1. Wired Music - Series 6000 3.0 kHz, Types 6211 and 6215 | C gc | 2 02 1/2110 | 101 011111101 | 0000 |
| 1 thru 8 Miles | \$4,220.00 (I) | \$145.00 (I) | \$75.00 | 3LBCS |
| 9 thru 25 Miles | 4,220.00 (I) | 145.00 (I) | 75.00 | 3LBCS |
| Over 25 Miles | 4,220.00 (I) | 145.00 (I) | 75.00 | 3LBCS |
| 2. Wired Music - Series 6000 5 kHz, Types 6212 and 6216 | | | | |
| 1 thru 8 Miles | 4,374.00 (I) | 284.00 (I) | 67.00 | 3LBDS |
| 9 thru 25 Miles | 4,374.00 (I) | 284.00 (I) | 67.00 | 3LBDS |
| Over 25 Miles | 4,374.00 (I) | 284.00 (I) | 67.00 | 3LBDS |
| 3. Wired Music - Series 6000 8 kHz, Types 6213 and 6217 | | | | |
| 1 thru 8 Miles | 5,892.00 (I) | 479.00 (I) | 67.00 | 3LBES |
| 9 thru 25 Miles | 5,892.00 (I) | 479.00 (I) | 67.00 | 3LBES |
| Over 25 Miles | 5,892.00 (I) | 479.00 (I) | 67.00 | 3LBES |
| C Ontional Factures And Functions | | ` ' | | |

C. Optional Features And Functions

1. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center.

| | Month to Month | Nonrecurring Charge | USOC |
|-----------------------------------|-------------------|------------------------|------|
| Wired Music Bridges (Series 6000) | | Ü | |
| Distribution Amplifiers | | | |
| a. Per Port | | | |
| (1) Each | \$2.64 | \$33.00 | 6LE |

Note 1: Rates and Charges in paragraphs B103.4.5.E were obsoleted on December 1, 2020.

Note 2: For method of determining mileage, see B103.3.