

TARIFF DISTRIBUTION

FILE PACKAGE NO.: LA-15-0047

DATE: June 1, 2015

STATE: LOUISIANA

EFFECTIVE DATE: 06/01/2015

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase business Analog Private Line (APL) monthly charges

<u>TARIFF SECTION</u>	<u>PAGE NUMBER</u>	<u>PAGE REVISION</u>
H003	13	0014
H003	16	0011
H003	17	0011

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.1 Local Channels (Cont'd)

C. Wired Music

1. Per point of termination

	Monthly Rate	Nonrecurring Charge First	Nonrecurring Charge Additional	USOC
(a) Type 6211	\$159.00	\$ 580.80	\$ 260.20	P6JAX
(b) Type 6212	199.00	677.30	350.90	P6JBX
(c) Type 6213	222.00	695.80	363.00	P6JCX
(d) Type 6215	155.00	580.80	260.20	P6JEX
(e) Type 6216	199.00	677.60	350.90	P6JNX
(f) Type 6217	222.00	695.80	363.00	P6JGX

B3.4.2 Reserved For Future Use

B3.4.3 Interoffice Channels¹

A. Fixed and Mileage Charges applicable

	Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurring Charge Per Channel	USOC
1. Sub Voice Grade - Series 1000				
(a) 1 thru 8 Miles	\$121.00	\$12.00	\$ 139.20	3LBAS
(b) 9 thru 25 Miles	121.00	12.00	139.20	3LBAS
(c) Over 25 Miles	121.00	12.00	139.20	3LBAS
2. Voice Grade Service - Series 2000				
(a) 1 thru 8 Miles	378.00	24.00	118.60	3LBBS (1)
(b) 9 thru 25 Miles	378.00	24.00	118.60	3LBBS (1)
(c) Over 25 Miles	378.00	24.00	118.60	3LBBS (1)
3. Wired Music - Series 6000 3.0 kHz Types 6211 and 6215				
(a) 1 thru 8 Miles	219.00	9.00	96.80	3LBBS
(b) 9 thru 25 Miles	188.00	10.00	96.80	3LBBS
(c) Over 25 Miles	188.00	8.00	96.80	3LBBS
4. Wired Music - Series 6000 5 kHz Types 6212 and 6216				
(a) 1 thru 8 Miles	227.00	18.00	84.70	3LBDS
(b) 9 thru 25 Miles	219.00	17.00	84.70	3LBDS
(c) Over 25 Miles	219.00	17.00	84.70	3LBDS
5. Wired Music - Series 6000 8 kHz Types 6213 and 6217				
(a) 1 thru 8 Miles	306.00	27.00	84.70	3LBES
(b) 9 thru 25 Miles	306.00	27.00	84.70	3LBES
(c) Over 25 Miles	306.00	27.00	84.70	3LBES

Note 1: For method of determining mileage, see B3.3.3.A.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

A. Bridging (Cont'd)

2. Wired Music Bridges (Series 6000)

a. Distribution Amplifiers

(1) Per Port

	Monthly Rate	Nonrecurring Charge	USOC
(a) Each	\$ 2.40	\$ 33.90	6LE

B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

1. Per local channel

	Monthly Rate	Nonrecurring Charge		USOC
		Initial	Subsequent	
(a) Ringdown - Manual	\$62.00	\$48.40	\$229.90	SL3
(b) Ringdown - Automatic	58.00	19.40	70.20	SL5
(c) E & M Type	57.00	53.20	211.80	SLM
(d) Type A (0-199 ohms)	34.00	52.00	145.20	SAL
(e) Type B (200-899 ohms)	34.00	46.00	145.20	SAU
(f) Type C (900 or more ohms)	17.00	15.70	145.20	SAY

C. Conditioning (Voice Grade Services)

1. Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multipoint service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

(1)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

C. Conditioning (Voice Grade Services) (Cont'd)

2. The types and description of the available conditioning options are as follows:

Type Conditioning	Frequency Response Specification	Envelope Delay Distortion Specification
C1 (two-point or multipoint)	300-2700 Hz, -2dB to +6dB. 1000-2400 Hz, -1dB to +3dB.	1000-2400 Hz, less than 1000 microseconds
C2 (two-point or multipoint)	300-3000 Hz, -3dB to +12dB. 300-3000 Hz, -2dB to +6dB. 500-2800 Hz, -1dB to +3dB.	1000-2600 Hz, less than 500 microseconds 600-2600 Hz, less than 1500 microseconds 500-2800 Hz, less than 3000 microseconds
	C-Notched Noise	Non-Linear Distortion
D1 (two-point)	Noise level 28dB below signal level	2nd Order Distortion 35dB below signal level 3rd Order Distortion 40dB below signal level

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

4. C-Type Conditioning

	Monthly	Nonrecurring Charge			
	Rate	Initial	Subsequent	USOC	
a. C-Type Conditioning is available for Types 2463 and 2464.					
(1) C-Types of Conditioning per local channel					
(a) C1-Type	\$17.00	\$12.10	\$82.30	P2W	(1)
(b) C2-Type	17.00	27.80	94.40	P3W	(1)
5. D-Type Conditioning					
a. D-Type Conditioning is available for Types 2463 and 2464.					
(1) D-Type Conditioning per local channel					
(a) D1-Type	17.00	20.60	88.30	QHA	(1)