## **TARIFF DISTRIBUTION**

## FILE PACKAGE NO.: LA-15-0079

DATE:	December 15, 2015
STATE:	LOUISIANA
EFFECTIVE DATE:	12/15/2015
TYPE OF DISTRIBUTION:	Approved

PURPOSE: Obsolete ISDN - Residence Service (IRS)

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
G042	12	0003
G042	13	0002
G042	14	0003
G042	14.1	0002
G042	15	0002
G042	15.1	0002
G042	16	0003
G042	16.1	0001
G042	17	0001
G042	17.1	0002
G042	18	0002
G042	19	0003
G042	20	0002
G042	20.1	0002
G042	21	0001
G042	21.1	0001
G042	22	0003
G142	1	0004
G142	2	0000
G142	3	0000
G142	4	0000
G142	5	0000
G142	6	0000
G142	7	0000
G142	8	0000
G142	9	0000
G142	10	0000
G142	11	0000
G142	12	0000
G142	13	0000
G142 Cont. (pg)	1	0004

G42 Cont. (pg)	1	0003
G Subj. Indx (pg)	13	0003

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

CONTENTS

A42.1 ISI	DN - Business Service (IBS)	1
A42.1.1	General	1
A42.1.2	Terms and Conditions	2
A42.1.3	Definitions	3
A42.1.4	Rates and Charges	3
A42.1.5	Optional Features	5.1
A42.2 ISI	DN - Residence Service (IRS) (Obsoleted, see Section A142)	12
A42.3 Pr	imary Rate ISDN	23
A42.3.1	General	23
A42.3.2	Terms and Conditions	24.1
A42.3.3	Definitions	27
A42.3.4	Rates and Charges	29

Third Revised Page 12

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IRS) (Obsoleted, see Section A142)

Second Revised Page 13

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IRS) (Obsoleted, see Section A142) (Cont'd)

(T)(O)

Third Revised Page 14

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

Second Revised Page 14.1

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

(O)

Second Revised Page 15

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

Second Revised Page 15.1

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

(O)

Third Revised Page 16

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

(O)

First Revised Page 16.1

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

First Revised Page 17

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) (Obsoleted, see Section A142) (Cont'd)

Second Revised Page 17.1

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

Second Revised Page 18

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

Third Revised Page 19

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IRS) *(Obsoleted, see Section A142)* (Cont'd)

Second Revised Page 20

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

Second Revised Page 20.1

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

First Revised Page 21

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

(O)

First Revised Page 21.1

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

Third Revised Page 22

LA-15-0079

EFFECTIVE: December 15, 2015

## A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A42.2 ISDN - Residence Service (IBS) *(Obsoleted, see Section A142)* (Cont'd)

Fourth Revised Page 1

### LA-15-0079

EFFECTIVE: December 15, 2015

## A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

CONTENTS

A142.1	Reserved For Future Use	1	
A142.2	ISDN – Residence Service (IRS)	1	(T)
A142.2.1	General	1	(N)
A142.2.2	Terms and Conditions	2	(N)
A142.2.3	Definitions	2	(N)
A142.2.4	Rates and Charges	3	(N)
A142.2.5	Optional Features	6	(N)
A142.3	Primary Rate ISDN	13	(T)
A142.3.1	Reserved for Future Use	13	(T)
A142.3.2	Terms and Conditions	13	(T)
A142.3.3	Rates and Charges	13	(T)

Fourth Revised Page 1

(T)

(O)

### A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL **NETWORK (ISDN)**

### A142.1 Reserved for Future Use

### A142.2 ISDN - Residence Service (IRS)

<i>A142.2.1</i> General	(T)(O)
existing locations.	
changes to existing service, or moves of existing service to a new location. Customers may retain the service for existing IRS lines at	
Effective December 15, 2015, ISDN - Residence Service (IRS) is obsoleted. IRS will not be available for new service, additions or	(N)

### A142.2.1 General

ISDN - Residence Service (IRS) is a new intraLATA group of offerings supported by the Integrated Services Digital Network	(0)
(ISDN) architecture. IRS supports simultaneous transmission of voice, data, and packet services on the same exchange access	
line. Calling/Called Number Delivery, Calling Name, and Call Hold are included with this service where facilities permit.	
	(ISDN) architecture. IRS supports simultaneous transmission of voice, data, and packet services on the same exchange access

- Usage Option Plans will be available for various levels of use only on National ISDN lines. These Usage Option Plans will B.  $(\mathbf{O})$ allow calling to all exchange access lines within the LATA at the usage rates specified in this section. (The LATA for each exchange and the exchanges in each LATA, are listed in Section A3.6.) Minutes of use rates will apply for originating usage above the allowance as indicated in the Usage Option Plan selected. Monthly usage charges within the LATA will be capped as indicated.
  - Usage Option Plan 60 Includes 60 hours (3600 minutes) of usage per DSL per month. Usage Cap of \$245 per DSL 1.  $(\mathbf{O})$ per month. Only one Usage Plan - 60 will be allowed per premise, per billing account or per earning account.
  - Usage Option Plan 240 Includes 240 hours (14,400) minutes) of usage per DSL per month. Usage Cap of \$195 per (O)2. DSL per month.

The following stipulations apply only when the IRS line from which the call originates subscribes to a Usage Option Plan.

Calls completed with operator assistance within the Basic Local Calling Area will be rated at the Usage Option Plan usage  $(\mathbf{O})$ charges in addition to the appropriate Operator Assisted Local Call surcharges. Such calls are itemized on the subscriber's billing statement and are billed outside any applicable usage allowances or caps.

- C. All IRS lines at a customer's premise must be on the same type Plan., i.e., all Usage Option Plans, Threshold, etc. Hunting  $(\mathbf{O})$ between various types of plans will not be allowed.
- A minimum service period of three months will be required on the IRS lines established after September 1, 1998. (O)D. Termination Charges as defined herein will apply if the subscriber terminates or disconnects the service prior to fulfilling the three months period.
- E. IRS provides a new method of access to the telephone network called Basic Rate Access. Basic Rate Access will consist of the (O)ability to access up to two 64 Kbps (B) channels and one 16 Kbps (D) channel at the service delivery point.
- IRS is provided through Basic Rate Access. Features are available to increase the capability of the Bearer Alternative Service F. (O)and may be subscribed to on an as-needed basis.
- G. B channel circuit switched services offer up to 64 Kbps intra-office transmission of voice or data. This option permits the  $(\mathbf{O})$ customer to utilize either circuit voice or data transmission paths on a per call selection basis. Transmission on the B channel will be circuit switched at 64 Kbps within the switch and/or equipped facilities between ISDN compatible central offices. ISDN interconnection to non-ISDN equipped central offices will be potentially subjected to analog transmission or sub-rated to 56 Kbps. This option includes one directory number (DN).

(M)

(N)

(T)(O)

 $(\mathbf{O})$ 

(O)

(O)

(O)

### A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A142.2 ISDN - Residence Service (IRS) (Cont'd)

### A142.2.2 Terms and Conditions

- **A.** Customer Premises Equipment (CPE) that is compatible with the ISDN Interface is the responsibility of the user for (0) provisioning.
- B. The Company will be responsible for publishing and maintaining ISDN Interface Specifications.
- C. The Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company utilized in the provision of Basic Rate Access render any facilities provided by the customer obsolete or require modification or alteration of such equipment or system, or otherwise affect its use or performance.
- **D.** Suspension of service is not allowed.
- E. Service Charges in Section A4. are applicable per Basic Rate DSL access in addition to rates and charges following.
- **F.** Usage rates, as appropriate for Local Optional Service Option B are specified in Section A3. Usage rates for all originating (0) minutes of use under Usage Option Plans are specified in this section of the guidebook.
- G. IRS will be available where central office and outside plant facilities permit.
- H. IRS served from a central office other than the central office the subscriber would normally be served from will require (T)(O) interoffice facilities as provided in this Section of this Guidebook per DSL. Any non-ISDN interoffice facilities connecting to this service will follow the terms and conditions in Section A9.

Existing customers may convert to the Interoffice Circuits in this Section of the Guidebook or they may continue to pay rates (0) for interoffice facilities from Section A9 until they make changes or additions. Existing customers choosing to convert interoffice facilities will not be charged the installation charge for Interoffice Circuits. Appropriate charges from Section A4. are also not applicable for these conversions. Any changes or additions completed at the time of conversion will be charged the appropriate Installation charges. When the customer requests changes or additions to existing interoffice facilities, they must subscribe to the Interoffice Circuits from this Section of the Guidebook.

At the Company's option, when the normal serving central office is not equipped for ISDN, a customer may be served with (0) ISDN from another central office. When the Company elects this serving arrangement, the interoffice charges will not apply. IRS customers to be served under this arrangement must sign an agreement the service will be moved back to the normal serving central office and to a probable number change when/if that office is equipped with ISDN. Should the customer request to be served from an ISDN equipped central office other than the normal serving central office, the appropriate interoffice or interexchange charges will apply.

I. Each ISDN Basic Rate DSL Access Arrangement will be counted as one line in determining the application of the Service (T)(O) Charges specified in Section A4. and the End User Charges as specified in the End User Common Access Service section of BellSouth Telecommunications, Inc., FCC No. 1, Section 4.

# A142.2.3 Definitions (T)(O) B CHANNEL (O) A bidirectional synchronous channel capable of supporting 64 Kbps of digital transmission. (O) D CHANNEL (O) A 16 Kbps digital signaling channel also capable of supporting 9.6 Kbps of packet information for the Basic Rate Interface. (O) 64 KBPS CLEAR CHANNEL CAPACITY (CCC) (O) A B channel connection that provides end-to-end digital connection in which all 64 Kbps of bandwidth are available for (O)

A B channel connection that provides end-to-end digital connection in which all 64 Kbps of bandwidth are available for (0) customer use.

Original Page 3

```
LA-15-0079
```

# A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### (N) A142.2 ISDN - Residence Service (IRS) (Cont'd) A142.2.4 Rates and Charges (T)(O) A. Interoffice Circuit (O) 1. Per DSL (0) Installation Monthly USOC Rate Charge \$240.00 \$115.00 M1GNC Each, including first mile (0) (a) M1GNM (b) Each additional mile .45 (O) B. Interface (O) Basic Rate DSL Access Arrangement (0) 1. Residence Service a. (O) (1) Per DSL (O) (a) ISDN Access (5ESS/DMS) 130.00 LTBLR (O) ISDN Access (EWSD®) **(b)** 130.00 LTBER (T)(O) (2) Per DSL - Usage Option Plans - With Usage Allowance (O)130.00 LQUMA (0) ISDN Access (5ESS/DMS) (a) -130.00 LQUMC **(b)** ISDN Access (EWSD®) (T)(O) 2. Channels Activated (O) a. 2 B channels Circuit Switched Voice/Data (O) (1) Per DSL (0) (a) Flat Rate 80.40 LPRFX (b) Measured 69.00 LPSMX (O) b. Usage Option Plans - Up to 2 B channels Circuit Switched Voice/Data Per DSL (0) Usage Option Plan - 60 hours allowance 59.94 LQLAX (0) (a) Usage Option Plan - 240 hours allowance 89.94 LQLCX (O) (b)

A14	12. C	BSOLETE SERVICE OFFERINGS- NETWORK (I		CES DIGIT	۹L	
142.2 ISDN	1 - R	esidence Service (IRS) (Cont'd)				(N
A142.2.4 Rat	es an	d Charges (Cont'd)				(T)(O
C. Interfac	e Usei	'S				(0
1. Pe	er Usei	/Terminal Profile -				(0
a.	Ter	ninal Service Profile (EWSD®)				(0
			Installation Charge	Monthly Rate	USOC	
b.	Acc	(a) Per Terminal Service Profile ess to B Channel CSV/CSD	-	-	EWSTP	(0) (0
	(1)	Flat Rate (5ESS/DMS)				(0
	(2)	(a) each Flat Rate (EWSD <sup>®</sup> ) <sup>1</sup>	10.00	-	LTQ8Y	(0 (0
		(a) Voice	10.00	-	LTQVR	(0
	(3)	(b) Data Measured Rate - Local Optional Service Option B (5ESS/DMS)		-	LTQDR	(0 (0
		(a) Access line with Option 1 - Economy	10.00	-	LTQ8U	(C
	(4)	(b) Access line with Option 2 - with discount Measured Rate - Local Optional Service Option B EWSD <sup>®</sup> - Voice <sup>1</sup>	10.00	4.00	LTQ8V	(C (C
		(a) Access line with Option 1 - Economy	10.00	-	LTQVU	(C
	(5)	(b) Access line with Option 2 - with discount Measured Rate - Local Optional Service Option B EWSD <sup>®</sup> - Data <sup>1</sup>	10.00	4.00	LTQVV	(O (C
	(6)	<ul> <li>(a) Access line with Option 1 - Economy</li> <li>(b) Access line with Option 2 - with discount</li> <li>Usage Option Plans (5ESS/DMS)</li> </ul>	- -	-	LTQDU LTQDV	(C) (C) (C)
	(7)	(a) each Usage Option Plans (EWSD <sup>®</sup> ) <sup>1</sup>	10.00	-	LQWAE	(C (C
		(a) Voice	10.00	-	LQWAV	(C
<b>D.</b> Usage		(b) Data	-	-	LQWAD	(C (C
1. Ci	ircuit S	Switched Voice and Data (Measured Only)				(C
a.		minute rates for usage on all circuit switched service ional Service Option B are defined in A3.	es (Voice and/or Data) and tern	ns and conditions	for Local	(0
b.		ge above the minutes of use per DSL allowed under s se rate listed following per channel in use:	elected Usage Option Plans will	l be billed at the p	er minute	(C
	(1)	Per Minute of Use above Usage Plan Allowance				(C
			Rate I Minute of	f Use		
		(a) 60 Hour Allowance		0.03	N/A	(C
		(b) 240 Hour Allowance		0.01	N/A	(0
		<b>Note 1:</b> Both Voice and Data are required pe	er B channel access on EWSD <sup>®</sup> .			(0

### <sup>®</sup> Registered Trademark of Siemens Aktiengesellschaft

Original Page 5

## A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL **NETWORK (ISDN)**

## A142.2 ISDN - Residence Service (IRS) (Cont'd)

### (N) (T)(O)

### A142.2.4 Rates and Charges (Cont'd)

E.

F.

Pac	kage	S					(0)
1.	ava of	ailable on ( these pack	, EZ1A, EZ2 and EZ2A are available for use with IRS Custom ISDN lines. A credit will be applied to the mo ages. Packages must be ordered exactly as stated in the e is deleted or provisioning options are changed, the pac	onthly billing for cust e descriptions of the p	omers purchasing I backages. If any fe	RS via one	(0)
			tional features compatible with the package configurate be added only on the User Profile already provisioned w		ith the packages.	Additional	(O)
2.	De	scription o	f Packages -				(0)
	a.		EZ1 - Low Speed DSL, 2 B-channel CSV/CSD - Channel and Call Appearances, 1 Conference, Drop, Hold & Trans				(0)
	b.	Profile, 2 Visual M	EZ1A - Low Speed DSL, 2 B-channel CSV/CSD - C Additional Call Appearances, 1 Conference, Drop Hole essage Waiting, Call Forwarding Busy Line, Call Forwith this package.	d, & Transfer, 1 Call	Forwarding Variab	le - Button,	(0)
	c.		EZ2 - Low Speed DSL, 2 B-channel CSV/CSD - Channe onal Call Appearances, 1 Conference, Drop, Hold & y DN's.				(O)
	d.	Profile, 2 2 Second	EZ2A - Low Speed DSL, 2 B-channel CSV/CSD - C Additional Call Appearances, 1 Conference, Drop, Hol ary DN's, Visual Message Waiting, Call Forwarding I ice will be allowed with this package.	d & Transfer, 1 Call	Forwarding Variab	le - Button,	(0)
3.	Pa	ckages Rate	es & Charges				(0)
	a.	Per DSL					(0)
		(1) Pac	kages - Credit Per DSL				(0)
		(1) 1 40		Installation	Monthly		(-)
				Charge	Credit	USOC	
		(a)	Package EZ1 Credit	s-	\$5.50	LPEO1	(0)
		(u) (b)	Package EZ1A Credit	-	6.00	LPE1A	(0)
		(c)	Package EZ2 Credit	-	6.50	LEPO2	(0)
		(d)	Package EZ2A Credit	-	7.00	LPE2A	(0)
Ter	mina	tion Charg					(0)
tern	ninat	es or disco	service after September 1, 1998 will incur a Termination nnects the service prior to fulfilling the minimum serv g to another service offered by the Company.				(0)
		(1) Ter	nination Charge				(0)
				Charges		USOC	
		(a)	Per DSL	\$200.00		LPER1	(0)

## A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

## A142.2 ISDN - Residence Service (IRS) (Cont'd)

### A142.2.5 Optional Features

(N) (T)(O)

1174	-2.5 Opt		( )(-)			
	Delivery to increa	ers are required to subscribe to ISDN - Residence Service (IRS) before ordering these features. Calling/Called Number c, Calling Name Delivery, and Call Hold are provided with this service where facilities permit. Features are available use the capability of IRS and may be subscribed to on an as needed basis. Availability of features are limited to where permit and may be limited by central office type and switch load.	(0)			
	Where facilities permit, Call Forwarding features will provide for one calling path. Up to nine (9) additional call forwarding paths may be added with a monthly charge per calling path.					
A.	Optional	Features	(0)			
		lity of features as described in 1. and 2. following is dependent upon whether the central office is equipped with ISDN or National ISDN.	(0)			
	Th	atures for use with Electronic Key Telephone Service (EKTS): is option provides a group of features that increase the user's voice terminal flexibility and offers the functionality of a y system to groups of users with EKTS equipment.	(0) (0)			
	a.	Shared Primary DN - This is a primary DN that appears on one or more terminals.	(0)			
	b.	Secondary-Only DN - This is a secondary DN that appears on one or more terminals, but is not the primary DN on any of those terminals.	(0)			
	c.	Shared Secondary-Only DN - First Appearance - the first appearance of a secondary DN that appears on more than one terminal but is not the primary DN on any of those terminals.	(0)			
	d.	Key Short Hunt – This feature enhances call coverage by delivering key-set DN Short Hunt Capability to standard-feature ISDN Voice terminals.	(0)			
	е.	Shared Non-ISDN DN - This feature allows call coverage for an analog set.	(0)			
	f.	Privacy Release - This is a privacy feature that allows a customer to specify, on an EKTS group basis, that no other user can bridge on to calls. On a call by call basis, this feature can be disabled to allow bridging to occur.	(0)			
	g.	Manual Exclusion - This is the opposite of Privacy Release. On a call by call basis the user can restrict bridging.	(0)			
	h.	EKTS Intercom Calling - Dial - This feature allows an EKTS user to call other terminals in the EKTS group with one or two-digit dialing.	(0)			
	i.	EKTS Intercom Calling - Automatic - This feature allows an EKTS user to call another terminal in the EKTS group by activating a button on the EKTS set.	(0)			
	j.	EKTS Intercom Calling - Call Appearance - This feature allows EKTS Intercom Calling to be provisioned on a Call Appearance.	(0)			
	k.	Conference, Drop, Hold and Transfer - EKTS	(0)			
		- Conference - This feature allows the user to add a third party to an existing conversation. This feature is for use with voice calls only.	(0)			
		- Drop - This central office based feature allows the user to disconnect the last party added to a conference call.	(0)			
		- Hold - Suspends an established call while another action is taking place.	(0)			
		- Transfer - This feature allows the user to transfer a call to another DN. This feature is for use with voice calls only.	(0)			
		This feature may require an additional call appearance or an additional DN. This feature is available for use only with EKTS sets with service provisioned in the EWSD <sup>®</sup> switch. EWSD <sup>®</sup> subscribers with non-EKTS sets and 5ESS/DMS subscribers should use the Conference, Drop, Hold and Transfer in the following section.	(0)			

### A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

## A142.2 ISDN - Residence Service (IRS) (Cont'd)

	(N)

A142	.2.5	Opti	onal Features (Cont'd)	(T)(O)
А.	Opt	tional	Features (Cont'd)	(0)
	2.		e following features are available with either Custom ISDN or National ISDN. National ISDN customers may rchase these features for use with either EKTS sets or non-EKTS sets.	(0)
		a.	Call Forwarding Variable - This feature allows the ISDN user to have the ability to forward all incoming calls to a user specified directory number.	(0)
		b.	Call Forwarding Variable - Feature Button - This feature is the same as Call Forwarding Variable except that it is activated by a feature button.	(0)
		c.	Call Forwarding - Busy Line - This feature automatically routes calls to a pre-selected number when the called line is busy. This feature may be either fixed (changeable by service order only) or programmable (customer changeable) by station user via feature activation code.	(0)
		d.	Call Forwarding - Don't Answer - This feature automatically routes calls to a pre-selected number when the called line does not answer in a preset ringing cycle. This feature may be either fixed (changeable by service order only) or programmable (customer changeable) by station user via feature activation code.	(0)
		e.	Call Forwarding - Multiple Simultaneous - This feature allows a station line to forward more than one call at a time.	(0)
		f.	Call Pickup - Allows a user to answer calls directed to another line in the same preset Call Pickup Group.	(0)
		g.	Conference, Drop, Hold and Transfer	(0)
			- Conference - allows the user to add a third party to an existing conversation. This feature is for use with voice calls only.	(0)
			- Drop - This central office based feature allows the user to disconnect the last party added to a conference call.	(0)
			- Hold - allows the user to place a call on hold by pressing the function button. Any set with the call appearance for the call on hold can pick up the call by pressing the call appearance button.	(0)
			- Transfer - This feature allows the user to transfer a call to another DN. This feature is for use with voice calls only.	(0)
			This feature may require an additional call appearance or an additional DN.	(0)
		h.	Six-Way Conference, Drop, Hold and Transfer - This feature has the same functionality as Conference, Drop, Hold, Transfer feature except that six-way conference is allowed.	(0)
		i.	Speed Calling - This feature allows each user to assign up to thirty telephone numbers to a two-digit code for the purpose of enabling abbreviated dialing.	(0)
		j.	Calling/Called Number Delivery/Calling Name Delivery-National ISDN - This feature provides the user who is receiving/originating a call with information about the calling/called party and the facility or destination and is provided with IRS. Some "privacy" options may be in effect in certain areas and will be located in Section A13.	(0)
		k.	Visual Message Waiting Indicator - Provides the user of a message service with a visual indication that a message is waiting.	(0)
		1.	Audible Message Waiting Indicator - Provides the user of a message service with an audible indicator that a message is waiting.	(0)
		m.	Additional Call Appearance - PDN or DN - This feature allows the terminal to have more than one DN button assigned to the same DN or Primary Directory Number (PDN).	(0)
		n.	Call Tracing - This feature enables the customer to initiate an automatic trace of the last call received. Upon	(0)

Call Tracing - This feature enables the customer to initiate an automatic trace of the last call received. Upon activation by the customer, the network automatically sends a message to the Company's Security Department indicating the calling number, the time the call was received, and the time the trace was activated. The customer using this feature would be required to contact the local business office for further action.

(N)

(T)(O)

(O)

(O)

### A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A142.2 ISDN - Residence Service (IRS) (Cont'd)

- A. Optional Features (Cont'd)
  - 2. (Cont'd)
    - Call Return This feature enables a customer to place a call to the telephone number associated with the most recent call received, whether or not the call was answered or the number is known. The customer can dial a code or press a feature button to request that the network place the call.

If the called line is not busy, the call is placed. If the called line is busy, a confirmation announcement is heard. Once (0) the customer hangs up, the network will monitor the busy/idle status of both lines every forty-five seconds for up to thirty minutes. If during the queuing process both lines become idle, the customer is alerted that the network is ready to place the call. When the customer picks up the telephone, the call will automatically be placed. If unanswered by the customer the alerting will repeat every five minutes until answered, or for the remainder of the thirty minute monitoring interval. Multiple numbers may be placed in queue. The first idle number will be connected first. Both the customer and the called party may originate and receive calls without affecting the call return feature status.

p. Selective Call Forwarding - Allows the customer to transfer selected calls to another telephone number. A screening (0) list of up to six numbers is created by the customer and placed in the network memory via an interactive dialing sequence. Subsequently, calls are forwarded to the Call Forwarding telephone number only if the calling number can be obtained and is found to match a number on the screening list.

If the customer also subscribes to Call Block and the same telephone number is entered on both screening lists, the Coll Block feature must be deactivated to allow the call to be forwarded.

This feature will not work if the incoming call is from a telephone number in a Multi-Line Hunt Group unless the (0) telephone number is the main number of the hunt group, or is Telephone Number identified.

q. Call Block - This feature provides the customer the ability to prevent incoming calls from up to six different (0) telephone numbers.

A screening list is created by the customer either by adding the last number associated with the line (incoming or outgoing), or by preselecting the telephone numbers to be blocked. When a call is placed to the customer's number from a number on the screening list, the caller receives an announcement indicating that the party he is attempting to call does not wish to receive calls at this time.

If the customer also subscribes to Selective Call Forwarding and/or Personalized Ring 6 and the same telephone (O) numbers appear on those screening lists, Call Block will take precedence.

This feature will not work if the incoming call is from a telephone number in a Hunt Group unless the telephone (O) number is the main number of the hunt group, or is Telephone Number identified.

r. Personalized Ring 6 - This feature provides an alerting to the subscribing customer for up to six specific telephone (0) numbers.

The customer creates a screening list of up to six telephone numbers through an interactive dialing sequence. When (0) a call is received from one of the predetermined telephone numbers, the customer is alerted. Calls from the telephone numbers not included on the screening list will produce a normal ring.

When a telephone number on the Personalized Ring 6 screening list also appears on the Selective Call Forwarding (0) list, the Selective Call Forwarding will take precedence. Likewise, when the same number is shown on the Call Block list, the call will be blocked.

The customer's line will not produce an alert if the incoming call is from a telephone number in a Hunt Group unless (O) the telephone number is the main number of the hunt group, or is Telephone Number identified.

### A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

## A142.2 ISDN - Residence Service (IRS) (Cont'd)

A142	.2.5	Opti	onal Features (Cont'd)	(T)(O)
А.	Opt	ional	Features (Cont'd)	(O)
	2.	(Co	ont'd)	(O)
		s.	Repeat Dialing - Repeat Dialing, when activated, automatically redials the last number the customer attempted to call. If the called line is not busy, the call will be placed.	(0)
			If the called line is busy, a confirmation announcement is heard, the customer hangs up and a queuing process begins. For the next thirty minutes both the calling and called lines are checked periodically for availability to complete the call. If during this queuing process the called line becomes idle, the customer is alerted that the network is ready to place the call. When the customer picks up the telephone, the call will automatically be placed.	(0)
		t.	Automatic Line/Direct Connect - Station specially programmed to dial specific internal station number or "O" or the attendant when the station user goes off-hook.	(0)
		u.	Selective Call Acceptance - Allows customers to accept incoming calls only from certain telephone numbers selected by the customer.	(0)
		v.	Station Restriction - Allows a station line to be assigned various types of restriction.	(0)
			- Denied Termination allows the station line to be used for outgoing calls only. It cannot receive incoming calls. All incoming calls are routed to common intercept announcement.	(0)
			- Denied Origination from Outgoing Calls allows the station line to be used for incoming calls only. No outgoing calls can be originated from it.	(0)
		w.	Redirected Number Feature – Redirected number delivery may be provided as a termination feature. If the received	( <b>0</b> )

- w. Redirected Number Feature Redirected number delivery may be provided as a termination feature. If the received (0) call has been previously forwarded, the first and last forwarding DN's will be delivered to the called party who subscribes to redirected number delivery.
- 3. Feature Function Buttons Programming These allow the user to assign certain features to a particular button on their (T)(O) ISDN set. When depressed, the button will activate the assigned feature.

AT&T LOUISIANA

## A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL **NETWORK (ISDN)**

(N)

(0)

4	A142.	.2.5 (	Opt	ional Features (Cont'd)	(T)(O)
	В.	Rate	es ar	nd Charges	(O)
		1.	OĮ	ptional Features	(0)
			a.	Feature for use with EKTS CPE Circuit Switched Voice/Circuit Switched Data	(0)
				(1) Shared Primary DN - First Appearance	(0)

(1) Shared Primary DN - First Appearance on each additional terminal

	(a) each	tallation Charge \$1.00	Monthly Rate \$1.50	USOC DS1FJ	(0)
(2)	Secondary Only DN (Shared or Non-Shared) - First Appearance				(0) (0)
(3)	(a) each Shared Secondary Only DN - First Appearance on each additional terminal	2.00	1.50	LLDSF	(0) (0) (0)
(4)	(a) each Key Short Hunt (DMS 100)	1.00	1.50	DS1F1	(0) (0)
(5)	(a) each Shared Non-ISDN DN <sup>1</sup>	2.00		DS1KS	(0) (0)
(6)	(a) each Privacy Release (5ESS/DMS)	1.25	1.50	DOE	(0) (0)
(7)	(a) per shared DN Manual Exclusion	1.00	.25	DS1FU	(0) (0)
(8)	(a) per shared DN EKTS Intercom Calling - Dial	1.00	.25	DS1FM	(0) (0)
(9)	(a) each member EKTS Intercom Calling - Automatic	1.00	1.50	DS1FE	(0) (0)
(10)	(a) each member EKTS Intercom Calling - Call Appearance	1.00	1.50	DS1FD	(0) (0)
(11)	(a) each member Conference, Drop, Hold and Transfer EKTS only (EWSD <sup>®</sup> ) <sup>2</sup>	1.00	1.50	M61FX	(0) (0)
(12)	(a) per user profile Redirecting Number Delivery - No rate (Provisioning USOC: DS1RD)	1.00	2.00	DS1FN	(0) (0)

Note 1: Due to current technological limitations this feature may not be available in some locations.

Note 2: Use Conference, Drop, Hold and Transfer feature in b. following for 5ESS/DMS and (0) non-EKTS EWSD®.

#### A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL **NETWORK (ISDN)** (N) A142.2 ISDN - Residence Service (IRS) (Cont'd) A142.2.5 Optional Features (Cont'd) (T)(O) **B.** Rates and Charges (Cont'd) (O)Optional Features (Cont'd) 1. (O)b. Optional Circuit Switched Features for use with non-EKTS or EKTS CPE (O)(1) Call Forwarding Variable<sup>1</sup> (O)Installation Monthly USOC Charge Rate \$1.00 \$2.00 LLNCV (a) Voice or Voice/Data - per user2 (O)Data - per user (5ESS/EWSD®) 1.00 2.00 LLOCD (b) (O)(2)Call Forwarding Variable - Feature Button (5ESS) (O)1.00 2.00 GJXCF (O) (a) Voice - per PDN 1.00 2.00 LLPCD Data - per PDN (O)(b) (3) Call Forwarding Busy Line<sup>1</sup> (O)Voice or Voice/Data - per user2 1.00 1.00 LLQCV (a) (O)Data - per user (5ESS/EWSD®) 1.00 1.00 LLRCD (O) (b) Call Forwarding Busy Line - Programmable<sup>1,3</sup> (4)(O)Voice or Voice/Data - per user2 1.00 2.00 M6AVA (O)(a) Data - per user (5ESS/EWSD<sup>®</sup>) 1.00 2.00 M6ADF (O)(b) (5) Call Forwarding Don't Answer<sup>1</sup> (O)(a) Voice or Voice/Data - per user 2 1.00 1.00 LLSCV $(\mathbf{0})$ (b) Data - per user (5ESS/EWSD®) 1.00 1.00 LLUCD $(\mathbf{O})$ Call Forwarding Don't Answer - Programmable<sup>1,4</sup> (6)(O) M6BVA 1.00 2.00 (a) Voice or Voice/Data<sup>2</sup> (O)M6BDF Data - per user (5ESS/EWSD®) 1.00 2.00 (b) (O)Call Forwarding Multiple Simultaneous<sup>5</sup> (7)(O)1.00 2.00 M6CV5 (a)Voice or Voice/Data - per user2 (O)M6CD5 (0) Data - per user (5ESS/EWSD®) 1.00 2.00 (b) (8) Call Pickup (O)1.00 4.00 LLVCG (0) (a) per group 1.00 2.00 LLXCM $(\mathbf{O})$ (b) per member Conference, Drop, Hold and Transfer<sup>6,7</sup> (9) (O)DS1FN per user profile 1.00 2.00 (O) (a) (10) Six-Way Conference, Drop, Hold and Transfer<sup>6</sup> (0)per user profile 1.00 12.00 LLY6P (O)(a) (11) Speed Calling (O) 1.00 3.00 LLZSU per user (O)(a) Feature to be applied per DN to be forwarded on 5ESS and/or EWSD®. Note 1: (O)Note 2: Voice/Data for use only with DMS. (O)Note 3: Call Forwarding Busy Line - Programmable may not be assigned to the same DN as Call (O) Forwarding Busy Line. Call Forwarding Don't Answer - Programmable may not be assigned to the same DN as Call Note 4: (O) Forwarding Don't Answer. Note 5: Use to add additional paths to the call forwarding features. Will apply to each additional path, (O)up to nine (9), per call forwarding feature. Note 6: Only one type of Conference, Drop, Hold and Transfer is allowed per user. (O) Note 7: This Conference, Drop, Hold and Transfer feature is available only to non-EKTS in the (O) EWSD<sup>®</sup>.

# A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A142.2 ISDN - Residence Service (IRS) (Cont'd)				(N)
				(T)(O)
A142.2.5 Optional Features (Cont'd)				
<ul><li>B. Rates and Charges (Cont'd)</li><li>1. Optional Features (Cont'd)</li></ul>				(0) (0)
<ul> <li>b. Optional Circuit Switched Features for use with non-EKTS or EF</li> </ul>	KTS CPF (Cont'd)			(O) (O)
(12) Visual Message Waiting Indicator	KISCIE (Contu)			(0)
(a) per PDN	Installation Charge \$1.00	Monthly Rate \$.50	USOC LLAVP	(0)
<ul> <li>(13) Audible Message Waiting Indicator</li> <li>(a) per PDN (5ESS/EWSD<sup>®</sup>)</li> <li>(14) Additional Call Appearance, PDN or DN<sup>1</sup></li> </ul>	1.00	.50	MWW	(0) (0) (0)
(a) each (15) Call Tracing <sup>2</sup>	1.00	.75	DS1FG	(0) (0)
<ul><li>(a) per user profile</li><li>(16) Call Return (5ESS/EWSD<sup>®</sup>)<sup>2</sup></li></ul>	1.00	3.50	NST	(0) (0)
<ul><li>(a) per user profile</li><li>(17) Selective Call Forwarding<sup>2</sup></li></ul>	1.00	3.50	NSS	(0) (0)
(a) per user profile (18) Call Block <sup>2</sup>	1.00	2.50	NCE	(0) (0)
<ul><li>(a) per user profile</li><li>(19) Personalized Ring 6</li></ul>	1.00	3.50	NSY	(0) (0)
<ul><li>(a) per user profile</li><li>(20) Repeat Dialing (5ESS/EWSD<sup>®</sup>)<sup>2</sup></li></ul>	1.00	2.50	NSK	(0) (0)
(a) per user profile (21) Automatic Line/Direct Connect	1.00	3.50	NSQ	(0) (0)
<ul><li>(a) per DN per Terminal (DMS/5ESS)</li><li>(22) Selective Call Acceptance</li></ul>	1.00	.75	M6GN9	(0) (0)
<ul> <li>(a) per user profile (DMS/5ESS)</li> <li>(23) Station Restriction - Denied Origination<sup>2</sup></li> </ul>	1.00	2.00	M6K16	(0) (0)
<ul><li>(a) per user profile</li><li>(24) Station Restriction - Denied Termination<sup>2</sup></li></ul>	1.00	1.00	M6LOA	(0) (0)
(a) per user profile	1.00	1.00	M6LTA	(0)
<b>Note 1:</b> Additional call appearances on PDN or Sec all sets where these numbers appear.	condary Only DN - First	Appearance will a	appear on	(0)
<b>Note 2:</b> Features to be applied per DN on EWSD <sup>®</sup> .				(0)

### A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

### A142.3 Primary Rate ISDN

A142.3.1 Reserved for Future Use

A142.3.2 Terms and Conditions

(M)

- (M)
- (M)
- (Obsoleted 02-29-2008, Type D. Beginning February 29, 2008, Calling Number Delivery Blocking Permanent is not available as part of Primary Rate ISDN service for new customers, new service arrangements, rearrangements, moves or transfers. Customer arrangements with calling number delivery blocking may keep the capability for arrangements existing prior to February 29, 2008. For new customers/new service arrangements purchased on or after February 29, 2008, calling number delivery blocking is the responsibility of the customer, i.e., to be performed through their PBX or other customer premises equipment, as appropriate.)

A142	2.3.3 Reserved for Future Use	(M)
A142	2.3.4 Rates and Charges	(M)
A.	Reserved for Future Use	(M)
B.	Reserved for Future Use	(M)
C.	Reserved for Future Use	(M)
D.	Optional Offerings	(M)
	(Obsoleted 10-19-2006, Type 4. Not available for new installations, additions to existing service or transfers of existing service to a new location.)	(M)
	1. Incoming Call Extension	(M)
	Nonrecurring Month to 12 to 23 24 to 48 49 to 72	

		Nonrecurring Charge	Month to Month	12 to 23 Months	24 to 48 Months	49 to 72 Months USOC	
(a)	ICE-DRC, For maximum of one call per telephone number in different rate center - low use <sup>1</sup>	\$2.00	\$.30	\$.28	\$.27	\$.25 PR7N1	(M)
(b)	ICE-DRC, For more than one simultaneous call per telephone number in different rate center - high use, first path <sup>2</sup>	25.00	10.00	9.50	9.00	8.50 PR7N2	(M)
(c)	ICE-DRC, Additional paths for (b) above, per additional path <sup>2</sup>	25.00	8.00	7.60	7.20	6.80 PR7N3	(M)

Note 1:	Applicable for low use telephone numbers such as those associated with non-published DID.	(M)
Note 2:	Applicable for high use telephone numbers such as those associated with two-way trunks.	(M)

### LA-15-0079

Third Revised Page 13

EFFECTIVE: December 15, 2015

### SUBJECT INDEX

SUBJECT	Section
I	
Impersonation of Another with Fraudulent Intent	A2
Improved Mobile Telephone Service	A17
Indemnifying Agreement	A2
Identified-Outward Dialing (IOD) from Private Branch Exchange System	A13
Initial Service Periods	A2
Directory Listings	A6
Joint User Service	A3
Telephone Answering Service Facilities	A108
Telephone Service	A2
Inside Wiring	A5
Customer Premise Inside Wire	A4
Integrated Services Digital Network (ISDN)	A42, <i>A142</i>
See also ESSX ISDN	A112
Interconnection (See Connection with Certain Facilities and/or Equipment of Others)	A15
Interexchange Dial Tie Line Termination (for Network Access Terminal)	A14
Interface Arrangements	A14
Interior Stations	A11
Inter-Switch Simplified Message Desk Interface	A13
Inward Service	A3
Interruption Service, Operator, Long Distance (See Intra-LATA Long Distance)	A18
Intra-LATA Long Distance Operator Verification/Interruption Service	A18
ISDN – Business Service (IBS)	A42
ISDN – Residence Service (IRS)	A142