TARIFF DISTRIBUTION

FILE PACKAGE NO.: LA-18-0049

DATE: August 28, 2018

STATE: LOUISIANA

EFFECTIVE DATE: 09/01/2018

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase business Analog Private Line (Channels) monthly charges

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
H003	12	0017
H003	13	0018
H003	14.1	0014
H003	15	0014
H003	16	0014
H003	17	0014

B3. CHANNELS

B3.3 Rate Terms and Conditions (Cont'd)

B3.3.3 Mileage Measurements (Cont'd)

A. (Cont'd)

6. Obtain the square root of the result obtained in 5. This is the rate distance in miles. (Fractional miles being considered as full miles.)

EXAMPLE: The rate distance is required between City One and City Two.

	v	п
City One	7260	2083
City Two	7364	1865
Difference	104	218
Squared	10.816 + 47.524 =	58.340

58,340 divided by 10 = 5834

Square root of 5834 = 76.38 = 77 Airline miles

- **B.** For the purpose of applying multipoint charges, the bridging or hubbing locations are determined by that combination of airline distances connecting the serving wire center which will produce the lowest interoffice mileage charges. Bridging charges apply when three or more channels connect at the same location.
- C. For Series 1000, 2000 and 6000 channels the customer may specify the sequence in which the service points are to be connected in which case the rate mileage is the shortest airline mileage determined in accordance with B., which will connect the wire centers of the service points in the specified sequence.

B3.4 Rates And Charges

B3.4.1 Local Channels

					Nonrecurring				
					Monthly	Ch	narge		
					Rate	First	Additional	USOC	
A.	Sub	Voice Gra	ade						
	1.	Per poin	t of te	rmination					
			(a)	Type 1204	\$139.00	\$229.90	\$92.00	P1JAX	(I)
			(b)	Type 1205	127.00	399.30	163.40	P1JHX	(I)
В.	Vo	ice Grade							
	Per	point of te	rmina	tion					
	1.	Voice							
			(a)	Type 2230	380.00	375.10	145.20	P2JUX	(I)
			(b)	Type 2231	380.00	381.20	151.30	P2JHX	(I)
			(c)	Type 2432	570.00	441.40	187.60	P2JQX	(I)
			(d)	Type 2434	119.00	175.50	100.40	P2JGX	(I)
			(e)	Type 2435	570.00	405.40	169.40	P2JWX	(I)
			(f)	Type 2261	442.00	441.70	296.50	P2JLX	(I)
			(g)	Type 2462	526.00	617.10	290.40	P2JRX	(I)
	2.	Data							
			(a)	Type 2463	602.00	459.80	205.70	P2JMX	(I)
			(b)	Type 2464	602.00	453.80	205.70	P2JNX	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.1 Local Channels (Cont'd)

- C. Wired Music
 - 1. Per point of termination

		Monthly	Monthly Nonrecurri			
		Rate	First	Additional	USOC	
(a)	Type 6211	\$230.00	\$ 580.80	\$ 260.20	P6JAX	(I)
(b)	Type 6212	287.00	677.30	350.90	P6JBX	(I)
(c)	Type 6213	322.00	695.80	363.00	P6JCX	(I)
(d)	Type 6215	224.00	580.80	260.20	P6JEX	(I)
(e)	Type 6216	287.00	677.60	350.90	P6JNX	(I)
(f)	Type 6217	322.00	695.80	363.00	P6JGX	(I)

B3.4.2 Reserved For Future Use

B3.4.3 Interoffice Channels¹

A. Fixed and Mileage Charges applicable

			Fixed	Monthly	Nonrecurring		
			Monthly	Charge	Charge		
			Charge	Per Mile	Per Channel	USOC	
1.	Sub Voice Grade - Series 1	1000					
	(a) 1 thru 8 M	liles	\$174.00	\$16.00	\$ 139.20	3LBAS	(I)
	(b) 9 thru 25 N	Miles	174.00	16.00	139.20	3LBAS	(I)
	(c) Over 25 M	liles	174.00	15.00	139.20	3LBAS	(I)
2.	Voice Grade Service - Seri	ies 2000					
	(a) 1 thru 8 M	iles	548.00	42.00	118.60	3LBBS	(I)
	(b) 9 thru 25 N	Miles	548.00	42.00	118.60	3LBBS	(I)
	(c) Over 25 M	liles	548.00	42.00	118.60	3LBBS	(I)
3.	Wired Music - Series 6000	3.0 kHz					
	Types 6211 and 6215						
	(a) 1 thru 8 M	liles	317.00	12.00	96.80	3LBCS	(I)
	(b) 9 thru 25 N	Miles	271.00	12.00	96.80	3LBCS	(I)
	(c) Over 25 M	liles	271.00	12.00	96.80	3LBCS	(I)
4.	Wired Music - Series 6000	5 kHz					
	Types 6212 and 6216						
	(a) 1 thru 8 M	liles	328.00	23.00	84.70	3LBDS	(I)
	(b) 9 thru 25 N	Miles	317.00	23.00	84.70	3LBDS	(I)
	(c) Over 25 M	liles	317.00	23.00	84.70	3LBDS	(I)
5.	Wired Music - Series 6000	8 kHz					
	Types 6213 and 6217						
	(a) 1 thru 8 M	liles	443.00	37.00	84.70	3LBES	(I)
	(b) 9 thru 25 N	Miles	443.00	37.00	84.70	3LBES	(I)
	(c) Over 25 M	liles	443.00	37.00	84.70	3LBES	(I)

Note 1: For method of determining mileage, see B3.3.3.A.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features and Functions

A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

1. Voice Grade Bridges (Series 2000)

a.	Voice Bridging	Monthly Rate	Nonrecurring Charge	USOC	
	(1) Per Port				
	(a) Two-Wire (Type 2230)	\$146.00	\$41.10	BQ9	(I)
	(b) Four-Wire (Type 2435)	189.00	41.10	BQ9	(I)
b.	Data Bridging				
	(1) Per Port				
	(a) Four-Wire (Types 2463 and 2464)	273.00	44.80	BQ9	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

A. Bridging (Cont'd)

c. d. e.

1. Voice Grade Bridges (Series 2000) (Cont'd)

			Monthly	Nonrecurring	LICOC	
(DE	LETE	ED)	Rate	Charge	USOC	
(DE	LETE	CD)				
Tele	emetry	and Alarm Bridging - Split Band, Active Bridging				
(1)	Con	nmon Equipment, per central office				
	(a)	First bridging shelf, capacity of 48 two-wire connections	\$545.00	\$420.00	XW1	(I)
	(b)	Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf	545.00	375.00	XW2	(I)
	(c)	Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf	276.00	230.00	XW8	(I)
(2)	Cha	nnel connections, per channel connected				
	(a)	Remote station channel connection	23.00	34.00	XW3	(I)
	(b)	Mid-link channel connection, first channel	55.00	45.00	XW4	(I)
	(c)	Mid-link channel connection, subsequent channels	55.00	45.00	XW5	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

- A. Bridging (Cont'd)
 - 2. Wired Music Bridges (Series 6000)
 - a. Distribution Amplifiers
 - (1) Per Port

		Monthly	Nonrecurring	
		Rate	Charge	USOC
(a)	Each	\$ 2.40	\$ 33.90	6LE

B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

Per local channel

		Nonrecurring				
		Monthly Rate	Ch	arge		
			Initial	Subsequent	USOC	
(a)	Ringdown - Manual	\$89.00	\$48.40	\$229.90	SL3	(I)
(b)	Ringdown - Automatic	82.00	19.40	70.20	SL5	(I)
(c)	E & M Type	82.00	53.20	211.80	SLM	(I)
(d)	Type A (0-199 ohms)	48.00	52.00	145.20	SAL	(I)
(e)	Type B (200-899 ohms)	48.00	46.00	145.20	SAU	(I)
(f)	Type C (900 or more ohms)	23.00	15.70	145.20	SAY	(I)

- C. Conditioning (Voice Grade Services)
 - Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning
 and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation
 distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and
 intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multipoint service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

- C. Conditioning (Voice Grade Services) (Cont'd)
 - 2. The types and description of the available conditioning options are as follows:

Frequency Response Specification	Envelope Delay Specification	Distortion
300-2700 Hz,	1000-2400 Hz, 1	ess
-2dB to $+6dB$.	than 1000 micro	seconds
1000-2400 Hz,		
-1dB to $+3$ dB.		
300-3000 Hz,		
-3dB to $+12dB$.		
300-3000 Hz,	1000-2600 Hz, 1	ess
-2dB to $+6dB$.	than 500 micros	seconds
500-2800 Hz,	600-2600 Hz, le	SS
-1dB to $+3$ dB.	than 1500 micro	seconds
	500-2800 Hz, le	SS
	than 3000 micro	seconds
	Non-Linear	Distortion
C-Notched Noise	2nd Order	3rd Order
	Distortion	Distortion
Noise level 28dB	35dB below	40dB below
below signal level	signal level	signal level
	300-2700 Hz, -2dB to +6dB. 1000-2400 Hz, -1dB to +3dB. 300-3000 Hz, -3dB to +12dB. 300-3000 Hz, -2dB to +6dB. 500-2800 Hz, -1dB to +3dB.	Specification 300-2700 Hz, 1000-2400 Hz, 1 1000-2600 Hz, 1

- 3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.
- 4. C-Type Conditioning

	a. C-Type Conditioning is available for Types 2463 and 2464.	Monthly	Nonrecurring Charge			
	(1) C-Types of Conditioning per local channel					
		Rate	Initial	Subsequent	USOC	
	(a) C1-Type	\$23.00	\$12.10	\$82.30	P2W	(I)
	(b) C2-Type	23.00	27.80	94.40	P3W	(I)
5.	D-Type Conditioning					
	a. D-Type Conditioning is available for Types 2463 and 2464.					
	(1) D-Type Conditioning per local channel					
	(a) D1-Type	23.00	20.60	88.30	QHA	(I)