A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

CONTENTS

A142.1	ISDN – Business Service (IBS)	1	(T)
A142.1.1	General	1	(N)
A142.1.2	Terms and Conditions	1.1	(N)
A142.1.3	Definitions	1.3	(N)
A142.1.4	Rates and Charges	1.4	(N)
A142.1.5	Optional Features	1.7	(N)
A142.2	ISDN – Residence Service (IRS)	1.17	(T)
A142.2.1	General	1	
A142.2.2	Terms and Conditions	2	
A142.2.3	Definitions	2	
A142.2.4	Rates and Charges	3	
A142.2.5	Optional Features	6	
A142.3	Primary Rate ISDN	13	
A142.3.1	Reserved for Future Use	13	
A142.3.2	Terms and Conditions	13	
A142.3.3	Rates and Charges	13	

(M)

LA-21-0034 EFFECTIVE: September 1, 2021

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.1 ISDN – Business Service (IBS) Effective September 1, 2021, ISDN - Business Service (IBS) will no longer be available for purchase by new or existing customers. (N) In addition, requests to move, add, change, or renew existing service arrangements will not be accepted. The Company will continue to provide existing service to existing customers until the expiration of a customer's term agreement. Following the expiration of a customer's existing term agreement, service will be provided on a month-to-month basis at the applicable Month-to-Month rates until the service is discontinued. The Company currently plans to discontinue this service on or after August 1, 2023. (T)(O) A142.1.1 General A. ISDN - Business Service (IBS) is a new intraLATA group of offerings supported by the Integrated Services Digital Network (O) (ISDN) architecture. IBS supports simultaneous transmission of voice and data on the same exchange access line. Calling/Called Number Delivery, Calling Name Delivery, and Call Hold are included with this service where facilities permit. A Usage Option Plan will be available only on National ISDN IBS lines. The Usage Option Plan will allow outward calling to (O) all exchange access lines within the LATA at the usage rates specified in this section. (The LATA for each exchange and the exchanges in each LATA, are listed in Section A3.6.) Usage under this plan will be recorded on originating calls terminating within the LATA. There is no usage allowance on this plan. Usage Caps do not apply to this plan. This plan is limited to outward only. The following stipulations apply only when the IBS line from which the call originates subscribes to a Usage Option Plan. (O) Calls completed with operator assistance within the Basic Local Calling Area and Extended local calling area will be (O) rated at the Usage Option Plan usage charges in addition to the appropriate Operator Assisted Local Call surcharges. Such calls are itemized on the subscriber's billing statement and are billed outside any applicable usage allowances or caps. All IBS lines in an earning account must be in the same type Plan, i.e., all Flat Rate, Usage Option Plans, etc. Hunting (O) between various types of plans will not be allowed. A minimum service period of three months will be required on IBS lines established after September 1, 1998. Termination (O) Charges as defined herein will apply if the subscriber terminates or disconnects the service prior to fulfilling the three months period. IBS provides a new method of access to the telephone network called Basic Rate Access. Basic Rate Access will consist of (O) one or two 64 Kbps (B) channels and one 16 Kbps (D) channel at the service delivery point. IBS is provided through Basic Rate Access. Features are available to increase the capability of the Bearer Alternative Service (O)and may be subscribed to on an as-needed basis. B channel circuit switched services offer up to 64 Kbps intra-office transmission of voice or data. This option permits the (O) customer to utilize either circuit voice or data transmission paths on a per call selection basis. Transmission on the B channel will be circuit switched at 64 Kbps within the switch and/or equipped facilities between ISDN compatible central offices. ISDN interconnection to non-ISDN equipped central offices will be potentially subjected to analog transmission or sub-rated to 56 Kbps. This option includes one directory number (DN). **G.** IBS will consist of the following components: (O) - Basic Rate Digital Subscriber Line (DSL) Access (O) At least one channel, either B or D, must be activated. A maximum of two simultaneous B channels can be in use per Basic (O) Rate Access. Minimum of one and maximum of eight User Profiles per Basic Rate Digital Subscriber Line (DSL) Access Arrangement. (O)Grouping Service (Hunting) is available for ISDN Individual Service. (O)

All circuit Switched B channel services must be either flat or measured. Mixing flat and measured B channel services is not

Material previously appearing on this page now appears on page(s) 1.17 of this section.

allowed on the same premises except as allowed in Section A2.

LA-21-0034 EFFECTIVE: September 1, 2021

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

(O)(T) A142.1 ISDN - Business Service (IBS) (Cont'd) (T)(O) A142.1.2 Terms and Conditions Customer Premises Equipment (CPE) that is compatible with the ISDN Interface is the responsibility of the user for (O) provisioning. The Company will be responsible for publishing and maintaining ISDN Interface Specifications. (O) The Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company utilized in the provision of Basic Rate Access render any facilities provided by the customer obsolete or require modification or alteration of such equipment or system, or otherwise affect its use or performance. Suspension of service is not allowed, except for IBS lines associated with MultiServ service or MultiServ PLUS service. (O) Suspension at the request of the subscriber will be allowed on the B-channel portion of these main station lines at fifty percent of the rate regularly charged. Optional features outlined in Section A12. and this section will be suspended at no recurring charge during the period of suspension unless otherwise noted. Other rules and restrictions as outlined in Section A2. apply. Service Charges in Section A4, are applicable per Basic Rate DSL access in addition to rates and charges following. (O) Usage rates as appropriate for Local Optional Service Option B (LOS-B) are specified in Section A3. Usage rates for all (O)originating minutes of use under the Usage Option Plan are specified in this section. IBS will be available where central office and outside plant facilities permit. (O) IBS served from a central office other than the central office the subscriber would normally be served from will require (O) interoffice facilities as provided in this Section per DSL. Any non-ISDN interoffice facilities connecting to this service will follow the terms and conditions in Section A9. Existing customers may convert to the Interoffice Circuits in this Section or they may continue to pay rates for interoffice (O) facilities from Section A9 until they make changes or additions. Existing customers choosing to convert interoffice facilities will not be charged the installation charge for Interoffice Circuits. Appropriate charges from Section A4. are also not applicable for these conversions. Any changes or additions completed at the time of conversion will be charged the appropriate Installation charges. When the customer requests changes or additions to existing interoffice facilities, they must subscribe to the Interoffice Circuits from this Section. At the Company's option, when the normal serving central office is not equipped for ISDN, a customer may be served with (O) ISDN from another central office. When the Company elects this serving arrangement, the interoffice charges will not apply. IBS customers to be served under this arrangement must sign an agreement the service will be moved back to the normal serving central office and to a probable number change when/if that office is equipped with ISDN. Should the customer

request to be served from an ISDN equipped central office other than the normal serving central office, the appropriate

Charges for interoffice facilities will apply for any IBS line associated with a MultiServ service or MultiServ PLUS service

interoffice or interexchange charges will apply.

that is served from a central office other than the normal service central office.

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.1 ISDN - Business Service (IBS) (Cont'd)

A142.1.2 Terms and Conditions (Cont'd)

(T)(O)

I. Each ISDN Basic Rate DSL Access Arrangement will be counted as one line in determining the application of the Service Charges specified in Section A4. and the End User Charges as specified in the End User Common Access Service section of BellSouth Telecommunications, Inc., FCC No. 1. Section 4.

(O)

J. IBS lines may be purchased out to be associated with MultiServ service or MultiServ PLUS service, located in A12.20 and A12.21. Terms and conditions for MultiServ service and MultiServ PLUS service will apply to these IBS lines except as otherwise stated in this section.

(O)

Each ISDN Basic DSL Access Arrangement will be counted as a MultiServ service or MultiServ PLUS service line in determining the total system size.

(O)

IBS lines associated with MultiServ service or MultiServ PLUS service may purchase Optional Features compatible with ISDN from the MultiServ service Optional Features section of the MultiServ service section of the Guidebook as well as features unique to ISDN lines from the Optional Features in this section. When a feature is listed in the Optional Feature Sections of both the MultiServ service and IBS offerings, the IBS version of the feature should be ordered. MultiServ Service Feature Groups are not available for use with these IBS lines.

(O)

IBS lines not associated with a MultiServ service or MultiServ PLUS service may not purchase features from the MultiServ service section

(O)

Only 36-120 months contract periods are available under the Rate Stability Plan¹ in this section for IBS lines associated with a MultiServ service or MultiServ PLUS service as those lines must be coterminous with the MultiServ service or MultiServ PLUS service main station lines.

(O)

Note 1: As of August 31, 2011, Rate Stability Plans are no longer available for new or renewing subscribers.

(O)

LA-21-0034 EFFECTIVE: September 1, 2021

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.1 ISDN - Business Service (IBS) (Cont'd) (T)(O) A142.1.3 Definitions (T)(O) **B CHANNEL** (O) A B channel is a bidirectional synchronous channel capable of supporting 64 Kbps of digital transmission. (O) BASIC RATE DSL ACCESS ARRANGEMENT (O) The Basic Rate DSL Arrangement is the element that represents the ISDN central office equipment and the loop to the (O) customer's premises. This element alone does not provide ISDN service, but requires activation of at least one B or D channel. CONFIGURATION GROUPS (O) Configuration Groups use a similar software assignment concept to associate physical buttons of ISDN terminals to features (O) and actions. Since Configuration Groups use a group assignment process, it is necessary to group ISDN terminals together by type and common button action, so that terminals assigned to the same Configuration Group will operate in the same button numbers on any other terminals in the same Configuration Group, as long as the same features/call appearances are used on each terminal. If not, the buttons cannot be used for a different feature or function. Variations in terminal types, features, call appearances, and feature button location will necessitate multiple Configuration Groups. D CHANNEL (O) A D channel is a 16 Kbps digital signaling channel also capable of supporting 9.6 Kbps of packet information for the Basic (O) Rate Interface (BRI). DIRECTORY NUMBERS (DN) (O) The telephone numbers associated with B or D channel access. - Primary Directory Number (PDN) is a directory number included with each access to a B or D channel. (O) Secondary Number is a directory number that is not the Primary DN on any terminal. Secondary Directory Numbers may be (O) purchased separately. Shared Directory Number, either Primary or Secondary, is a directory number that appears on more than one terminal. (O) Shared Directory Numbers may be purchased separately. - Unique Directory Number is Primary Directory Number that is not shared with any other B or D channel service on the (O) same User Profile. FEATURE KEY MAP (O) In order to provide "key type" activation and status indication of specified features, each TSP may be associated with a set of (O) Feature Activators (FAs) and a set of Feature Indicators (FIs). A Feature Key Management Profile (MAP) is a set of FAs and FIs associated with a TSP. LOGICAL CHANNEL (O) A communications channel through the network that allows simultaneous transmission of sequenced data packets through the (O) network. No circuit capacity is preassigned to a logical channel; capacity is made available as data is transmitted. 64 KBPS CLEAR CHANNEL CAPACITY (CCC) (O) A B channel connection that provides end-to-end digital connection in which all 64 Kbps of bandwidth are available for (O) customer use. TERMINAL SERVICE PROFILE (O) The Terminal Service Profile (TSP) represents a logical ISDN terminal. The TSP contains a unique set of feature parameters, (O) and the parameters assigned to the TSP are common to the physical terminals and DN/CTs assigned to that TSP. **USER PROFILE** (O) Elements in the User Profile section of the ISDN Individual Services offering are used to define the identity and capabilities of (O) each user. VIRTUAL CIRCUIT (O)

A logical connection across a packet switch network that emulates a point-to-point circuit by ensuring data integrity,

transparency and data sequence.

LA-24-0010 EFFECTIVE: March 1, 2024

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.1 ISDN - Business Service (IBS) (Cont'd)

A142.1.4 Rates and Charges

							Month	Rate Stabi	•	
						Installation		Monthly 1 24-59	60-120	
						Charge	Month	Mos. Plan	Mos. Plan	USOC
A.	Inte	roffic	e cire	cuit						
	1.	Per	DSL							
				(a)	Each, including first mile	\$240.00	\$115.00	\$105.00	\$95.00	M1GNC
				(b)	Each additional mile	-	.45	.40	.35	M1GNM
В.	Inte	rface								
	1.	Bas	ic Ra	te DS	L Access Arrangement					
		a.	Busi	ness S	Service					
			(1)	Per l	DSL					
				(a)	ISDN Access (5ESS/DMS)	130.00	4,454.00(I)	55.00	55.00	LTBLB
				(b)	ISDN Access (EWSD)	130.00	4,454.00(I)	55.00	55.00	LTBEB
			(2)	Per l	DSL Usage Option Plan					
				(a)	ISDN Access (5ESS/DMS)	130.00	5,650.00(I)	69.95	69.95	LQ1AA
				(b)	ISDN Access (EWSD)	130.00	5,650.00(I)	69.95	69.95	LQ1AC
	2.	Cha	annel	s Acti	vated					
		a.	B C	hanne	l (Maximum of 2)					
			(1)	Circ	uit Switched Voice/Data, Each					
				(a)	Flat Rate	-	1,328.00(I)	13.25	11.25	LPRFX
				(b)	Measured	-	1,014.00(I)	5.30	4.10	LPSMX
				(c)	Usage Option Plan	-	-	-	-	LQLAX
			(2)		uit Switched Voice/Data for use with					
				Mul	tiServ PLUS service, each ²					
				(a)	Flat Rate	-	12.25	9.35	7.25	MNCCF
				(b)	Measured	-	2.50	1.30	.10	MNCCR

Note 1: As of August 31, 2011, Rate Stability Plans are no longer available for new or renewing subscribers.

Note 2: These rate elements may be used only with IBS lines associated with MultiServ PLUS service and require Network Access Registers.

Note 2:

LA-21-0034 EFFECTIVE: September 1, 2021

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.1 ISDN - Business Service (IBS) (Cont'd)

A142.1 ISDN - Business Service (IBS) (Cont'd) (T)(O) A142.1.4 Rates and Charges (Cont'd) (O)(T) Rate Stability¹ (O) Month **Monthly Rate** (O) Installation To 24-59 60-120 (O) **USOC** Charge Month Mos. Plan Mos. Plan (O) Interface Users (O) Per User/Terminal Profile -(O) a. Terminal Service Profile (EWSD) (O) (1) Per Terminal Service Profile (O) **EWSTP** (O) each b. Access to B Channel CSV/CSD (O)(1) Flat Rate (5ESS/DMS) (O) each \$10.00 LTQ8Y (O) Flat Rate (EWSD)² (a) Voice 10.00 **LTQVB** (b) LTQDB Data (O) Measured Rate - Local Optional Service Option B (5ESS/DMS) (O) LTO8P 10.00 Access line with Option 1 -(O) Economy 10.00 \$4.00 \$4.00 \$4.00 LTQ8Q Access line with Option 2 - with (b) (O) discount (4) Measured Rate-Local Optional Service Option B (EWSD)² Voice (O) Access line with Option 1 -10.00 LTQVP (O) Economy 10.00 4.00 4.00 4.00 LTQVQ (b) Access line with Option 2 - with (O) discount (5) Measured Rate - Local Option 1 Service Option B (EWSD) – Data² (O) **LTQDP** Access line with Option 2 -(O) (a) Economy LTQDQ (b) Access line with Option 2 - with (O) discount Usage Option Plans Outward Only (5ESS/DMS) (O) 10.00 LQWOE (O)Usage Option Plans - Outward Only (EWSD)² (O) LQWOV (a) Voice 10.00 (O) LOWOD Data (b) (O) Note 1: As of August 31, 2011, Rate Stability Plans are no longer available for new or renewing (O) subscribers.

Both Voice and Data required per B channel access on EWSD.

(O)

(O)

(O)

(O)

LA-21-0034 EFFECTIVE: September 1, 2021

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.1 ISDN - Business Service (IBS) (Cont'd) (T)(O) A142.1.4 Rates and Charges (Cont'd) (T)(O) C. Usage (O) Circuit Switched Voice and Data (Measured Only) (O) Per minute rates for usage on all circuit switched services (Voice and/or Data) and terms and conditions for Local (O) Optional Service Option B are defined in Section A3. b. Originating usage in the Usage Option Plan will be billed at the per minute of use rate per channel in use. (O) (1) Rate (O) Per Minute of Use **USOC** (O) Usage Option Plan \$0.05 N/A (O) (a) Packages (O) Packages EZ1, EZ1A, EZ2 and EZ2A are available for use with IBS on National ISDN lines. The packages will not be (O) available on Custom ISDN lines or lines associated with MultiServ service or MultiServ PLUS service. A credit will be applied to the monthly billing for customers purchasing IBS via one of these packages. Packages must be ordered exactly as stated in the descriptions of the packages. If any feature listed in the package is deleted or provisioning options are changed, the package credit will no longer apply. Additional optional features compatible with the package configurations are allowed with the packages. Additional (O) features may be added only on the User Profile already provisioned with features. Description of Packages -(O) a. Package EZ1 - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User Profile, (O) 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Button. Package EZ1A - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User Profile, 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Button., Visual Message Waiting, Call Forwarding Busy Line, Call Forwarding Don't Answer. Voice mail service will be allowed with this package.

3. Packages Rates and Charges

Secondary DN's.

a. Per DSL

Package EZ2 - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User Profile,

2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Button., 2

Package EZ2A - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User

Profile, 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Button., 2 Secondary DN's, Visual Message Waiting, Call Forwarding Busy Line, Call Forwarding Don't Answer. Voice

(1) Packages - Credit Per DSL

Mail service will be allowed with this package.

					` '
		Installation	Monthly		(O)
		Charge	Credit	USOC	
(a)	Package EZ1 Credit	-	\$7.60	LPEO1	(O)
(b)	Package EZ1A Credit	-	8.10	LPE1A	(O)
(c)	Package EZ2 Credit	-	8.10	LPEO2	(O)
(d)	Package EZ2A Credit	-	9.60	LPE2A	(O)

LA-21-0034 EFFECTIVE: September 1, 2021

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.1 ISDN - Business Service (IBS) (Cont'd) (T)(O) A142.1.4 Rates and Charges (Cont'd) (T)(O) F. **Termination Charges** (O) IBS lines placed in service under Rate Stability Plans after September 1, 1998 will incur a Termination charge at the date of (O) termination if the customer terminates or disconnects the service prior to fulfilling the period of the Rate Stability Plan. Termination Charges will not apply for IBS lines upgrading to another service offered by the Company with a contract period equal to or longer than the existing ISDN contract. Termination Charge for 24-59 Mos. Rate Stability Plan if disconnected within: (O) **Termination** (O) Charges **USOC** 1-12 Months1 \$300.00 LPEB2 (O) (a) (h) 13-23 months 200.00 LPEB3 (O)24-58 months 100.00 LPEB4 (c) (O)Termination Charge for 60-120 Mos. Rate Stability Plan if disconnected within: (O) 300.00 LPEB5 1-23 months (O) (a) 200.00 LPEB6 24-59 months (b) (O) 100.00 LPEB7 60-119 months (c) (O) A142.1.5 Optional Features (T)(O) Customers are required to subscribe to ISDN - Business Service (IBS) before ordering these features. Calling/Called Number (O) Delivery, Calling Name Delivery, and Call Hold are provided with this service where facilities permit. Features are available to increase the capability of IBS and may be subscribed to on an as needed basis. Availability of Custom ISDN and National ISDN features are limited to where facilities permit and may be limited by central office type and switch load. Where facilities permit, Call Forwarding features will provide for one calling path. Up to nine (9) additional call forwarding (O) paths may be added with a monthly charge per calling path. **Optional Features** (O)Availability of features as described in 1. and 2. following is dependent upon whether the central office is equipped with (O)Custom ISDN or National IDSN. Features for use with Electronic Key Telephone Service (EKTS): (O) This option provides a group of features that increase the user's voice terminal flexibility and offers the functionality of a (O) key system to groups of users with EKTS equipment. Shared Primary DN - This is a primary DN that appears on one or more terminals. (O) Secondary-Only DN - This is a secondary DN that appears on one or more terminals, but is not the primary DN on (O) any of those terminals. Shared Secondary-Only DN - First Appearance - the first appearance of a secondary DN that appears on more than (O) one terminal but is not the primary DN on any of those terminals. Key Short Hunt - This feature enhances call coverage by delivering key-set DN Short Hunt Capability to standard-(O) feature ISDN Voice terminals. Shared Non-ISDN DN - This feature allows call coverage for an analog set. (O) Privacy Release - This is a privacy feature that allows a customer to specify, on an EKTS group basis, that no other (O) user can bridge on to calls. On a call by call basis, this feature can be disabled to allow bridging to occur. Manual Exclusion - This is the opposite of Privacy Release. On a call by call basis the user can restrict bridging. (O) EKTS Intercom Calling - Dial - This feature allows an EKTS user to call other terminals in the EKTS group with (O) one or two-digit dialing. EKTS Intercom Calling - Automatic - This feature allows an EKTS user to call another terminal in the EKTS group (O) by activating a button on the EKTS set. EKTS Intercom Calling - Call Appearance. This feature allows EKTS Intercom Calling to be provisioned on a Call (O) Appearance.

This Termination Charge also applies at the date of termination if a customer terminates or

disconnects prior to fulfilling the three months minimum service period.

Note 1:

activated by a feature button.

(O)

LA-21-0034 EFFECTIVE: September 1, 2021

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A142.	1 IS	DN - Business Service (IBS) (Cont'd)	(T)(O
A142	2.1.5	Optional Features (Cont'd)	(T)(O
A.	Opt	ional Features (Cont'd)	(O
	1.	(cont'd)	(O
		k. Conference, Drop, Hold and Transfer - EKTS	(O
		- Conference - This feature allows the user to add a third party to an existing conversation. This feature is for use with voice calls only.	(O
		- Drop - This central office based feature allows the user to disconnect the last party added to a conference call.	(O
		- Hold - Suspends an established call while another action is taking place.	(O
		- Transfer - This feature allows the user to transfer a call to another DN. This feature is for use with voice calls only.	(O (O
		This feature may require an additional Call Appearance or an additional DN. This feature is available for use only with EKTS sets with service provisioned in the EWSD switch. EWSD subscribers with non-EKTS sets and 5ESS/DMS subscribers should use the Conference, Drop, Hold and Transfer feature in the following section.	(O
	2.	The following features are available with either Custom ISDN or National ISDN. National ISDN customers may purchase these features for use with either EKTS sets or non-EKTS sets.	(O
		a. Call Forwarding Variable - This feature allows the ISDN user to have the ability to forward all incoming calls to a user specified directory number.	(O
		b. Call Forwarding Variable - Feature Button - This feature is the same as Call Forwarding Variable except that it is	(O

4142.	1 IS	DN	- Business Service (IBS) (Cont'd)	(T)(O)
A142	.1.5	Opti	onal Features (Cont'd)	(T)(O)
A.	Opt	ional	Features (Cont'd)	(O)
	2.	(Co	ont'd)	(O)
		c.	Call Forwarding Busy Line - This feature automatically routes calls to a pre-selected number when the called line is busy. This feature may be either fixed (changeable by service order only) or programmable (customer changeable) by station user via feature activation code).	(O)
		d.	Call Forwarding Don't Answer - This feature automatically routes calls to a pre-selected number when the called line does not answer in a preset ringing cycle. This feature may be either fixed (changeable by service order only) or programmable (customer changeable) by station user via feature activation code.)	(O)
		e.	Call Forwarding Multiple Simultaneous - This feature allows a station line to forward more than one call at a time.	(O)
		f.	Call Pickup - Allows a user to answer calls directed to another line in the same preset Call Pickup Group.	(O)
		g.	Conference, Drop, Hold and Transfer	(O)
			- Conference - Allows the user to add a third party to an existing conversation. This feature is for use with voice calls only.	(O)
			- Drop - This central office based feature allows the user to disconnect the last party added to a conference call.	(O)
			- Hold - Allows the user to place a call on hold by pressing the function button. Any set with the call appearance for the call on hold can pick up the call by pressing the call appearance button.	(O)
			- Transfer - This feature allows the user to transfer a call to another DN. This feature is for use with voice calls only.	(O) (O)
			This feature may require an additional Call Appearance or an additional DN.	(O)
		h.	Six-Way Conference, Drop, Hold and Transfer - This feature has the same functionality as Conference, Drop, Hold and Transfer feature except that six-way conference is allowed.	(O)
		i.	Hunting - This feature provides for a predefined search for an idle directory number to which a call can be completed. Directory numbers subscribing to hunting may not have multiple call appearances.	(O)
		j.	Speed Calling - This feature allows each user to assign up to thirty telephone numbers to a two-digit code for the purpose of enabling abbreviated dialing.	(O)
		k.	Calling/Called Number Delivery/Calling Name Delivery-National ISDN - This feature provides the user who is receiving/originating a call with information about the calling/called party and the facility or destination and is provided with IBS. Some "privacy" options may be in effect in certain areas and will be located in Section A13.	(O)
		l.	(DELETED)	(O)
		m.	Visual Message Waiting Indicator - Provides the user of a message service with a visual indication that a message is waiting.	(O)
		n.	Audible Message Waiting Indicator - Provides the user of a message service with an indication that a message is waiting.	(O)
		0.	Additional Call Appearance - PDN or DN - This feature allows the terminal to have more than one DN button assigned to the same DN or Primary Directory Number (PDN).	(O)

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.1 ISDN - Business Service (IBS) (Cont'd) (T)(O)

A142.1.5 Optional Features (Cont'd)

Optional Features (Cont'd)

(O)

- (Cont'd)
 - p. Call Tracing This feature enables the customer to initiate an automatic trace of the last call received. Upon activation by the customer, the network automatically sends a message to the Company's Security Department indicating the calling number, the time the call was received, and the time the trace was activated. The customer using this feature would be required to contact the local business office for further action.
 - Call Return This feature enables a customer to place a call to the telephone number associated with the most recent call received, whether or not the call was answered or the number is known. The customer can dial a code or press a feature button to request that the network place the call.
 - If the called line is not busy, the call is placed. If the called line is busy, a confirmation announcement is heard. Once the customer hangs up, the network will monitor the busy/idle status of both lines every forty-five seconds for up to thirty minutes. If during the queuing process both lines become idle, the customer is alerted that the network is ready to place the call. When the customer picks up the telephone, the call will automatically be placed. If unanswered by the customer the alerting will repeat every five minutes until answered, or for the remainder of the thirty minute monitoring interval. Multiple numbers may be placed in queue. The first idle number will be connected first. Both the customer and the called party may originate and receive calls without affecting the call return feature status.
 - Preferred Call Forwarding Allows the customer to transfer selected calls to another telephone number. A screening list of up to six numbers is created by the customer and placed in the network memory via an interactive dialing sequence. Subsequently, calls are forwarded to the Call Forwarding telephone number only if the calling number can be obtained and is found to match a number on the screening list.
 - If the customer also subscribes to Call Block and the same telephone number is entered on both screening lists, the Call Block feature must be deactivated to allow the call to be forwarded.
 - This feature will not work if the incoming call is from a telephone number in a hunt group unless the telephone number is the main number of the hunt group, or is Telephone Number identified.
 - Call Block This feature provides the customer the ability to prevent incoming calls from up to six different telephone numbers.
 - A screening list is created by the customer either by adding the last number associated with the line (incoming or outgoing), or by preselecting the telephone numbers to be blocked. When a call is placed to the customer's number from a number on the screening list, the caller receives an announcement indicating that the party he is attempting to call does not wish to receive calls at this time.
 - If the customer also subscribes to Preferred Call Forwarding and/or Call Selector and the same telephone numbers appear on those screening lists, Call Block will take precedence.
 - This feature will not work if the incoming call is from a telephone number in a Hunt Group unless the telephone number is the main number of the hunt group, or is Telephone Number identified.

(T)(O)

(O)

(O)

(O) (O)

(O)

(O)

(O)

(O) (O)

(O)

(O)

LA-21-0034 EFFECTIVE: September 1, 2021

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.

4142.	1 IS	DN	- Business Service (IBS) (Cont'd)	(T)(O)
A142	2.1.5	Opti	onal Features (Cont'd)	(T)(O)
A.	Opt	ional	Features (Cont'd)	(O)
	2.	(Co	ont'd)	(O)
		t.	Call Selector - This feature provides an alerting to the subscribing customer for up to six specific telephone numbers.	(O)
			The customer creates a screening list of up to six telephone numbers through an interactive dialing sequence. When a call is received from one of the predetermined telephone numbers, the customer is alerted. Calls from the telephone numbers not included on the screening list will produce a normal ring.	(O)
			When a telephone number on the Call Selector screening list also appears on the Preferred Call Forwarding list, the Preferred Call Forwarding will take precedence. Likewise, when the same number is shown on the Call Block list, the call will be blocked.	(O)
			The customer's line will not produce an alert if the incoming call is from a telephone number in a Multi-Line Hunt Group unless the telephone number is the main number of the hunt group, or is Telephone Number identified.	(O)
		u.	Repeat Dialing - Repeat Dialing, when activated, automatically redials the last number the customer attempted to call. If the called line is not busy, the call will be placed.	(O)
			If the called line is busy, a confirmation announcement is heard, the customer hangs up and a queuing process begins. For the next thirty minutes both the calling and called lines are checked periodically for availability to complete the call. If during this queuing process the called line becomes idle, the customer is alerted that the network is ready to place the call. When the customer picks up the telephone, the call will automatically be placed.	(O)
		v.	Automatic Line/Direct Connect - Station specially programmed to dial specific internal station number or "O" or the attendant when the station user goes off-hook.	(O)
		w.	Make Set Busy - Provides the individual station user the option of making the line or directory number appear busy/unavailable to incoming calls. The All Calls feature enables the user to make the line appear busy to all types of incoming calls. The Intragroup feature makes the line appear busy to intragroup calls with external calls not blocked.	(O)
		х.	Selective Call Acceptance - Allows customers to accept incoming voice calls only from certain telephone numbers selected by the customer.	(O)
		y.	Station Restriction - Allows a station line to be assigned various types of restriction.	(O)
			- Denied Termination allows the station line to be used for outgoing calls only. It cannot receive incoming calls. All incoming calls are routed to common intercept announcement.	(O)
			- Denied Origination from Outgoing Calls allows the station line to be used for incoming calls only. No outgoing calls can be originated from it.	(O)
		z.	Call Park/Call Retrieve - The Call Park feature allows a user, active on a call, to park a call against the user's DN. When parked, the call is in a state similar to Hard Hold. After being parked, the call can be retrieved by the user.	(O)
		aa.	Call Transfer System Exception - This feature allows the user to have Call Transfer capabilities that differ from the capabilities established for the customer group. The different capabilities may include the type of call that can be transferred and/or the destination to which it can be transferred.	(O)
		ab.	Dial Call Waiting - The Dial Call Waiting feature provides the ability for originating main station lines to invoke call waiting service on selected intragroup calls by dialing an access code followed by the extension number of the main station line to be call waited.	(O)
		ac.	Redirected Number Feature – Redirected number delivery may be provided as a terminating feature. If the received call has been previously forwarded, the first and last forwarding DN's will be delivered to the called party who subscribes to redirected number delivery.	(O)
	<i>3</i> .	Fea	ture Function Buttons Programming - These allow the user to assign certain features to a particular button on their	(T)(O)

ISDN set. When depressed, the button will activate the assigned feature.

4142.	1 IS	DN - I	Business S	ervice (IBS) (Cont'd)						(T)(O)
A142.		_	al Features (Co	ont'd)						(T)(O)
В.		es and C								(O)
	1.	-	al Features							(O)
		a. Fe	ature for use with	EKTS CPE Circuit Switched Voi	ce/Circuit Switched I	Oata				(O)
						Month	Rate Sta	ability¹ ıly Rate		(O) (O)
					Installation	To	24 –59	60-120		(O)
					Charge	Month		Mos. Plan	USOC	(O)
		(1)	Shared Primation on each addition	ry DN - First appearance ional terminal						(O)
			(a) each		\$2.00	\$4.00	\$2.75	\$1.50	DS1FJ	(O)
		(2)	Secondary Or First appearar	lly DN (Shared or Non-Shared) - nce						(O)
		(2)	(a) each	L OLDVE	2.00	4.00	2.75	1.50	LLDSF	(O)
		(3)	on each addit	dary Only DN - First appearance						(O)
			(a) each	contai terminar	2.00	4.00	2.75	1.50	DS1F1	(O)
		(4) Key Short Hu	nt (DMS 100)						(O)
			(a) each		2.00	-	-	-	DS1KS	(O)
		(5)) Shared Non-I	SDN DN ²						(O)
			(a) each		2.00	4.00	2.75	1.50	DOE	(O)
		(6)	-	se (5ESS/DMS)						(O)
		(7	(a) per shar) Manual Exclu		2.00	.50	.40	.25	DS1FU	(O) (O)
		(7	(a) per shai		2.00	.50	.40	.25	DS1FM	(O)
		(8)		m Calling - Dial	2.00	.50	•••	.23	DSITM	(O)
			(a) each me	ember	2.00	3.00	2.05	1.10	DS1FE	(O)
		(9)	` /	m Calling - Automatic						(O)
			(a) each me		2.00	3.00	2.05	1.10	DS1FD	(O)
		(1	0) EKTS Interco	m Calling - Call Appearance						(O)
		/1	(a) each me		2.00	3.00	2.05	1.10	M61FX	(O)
		(1	EKTS only -	Prop, Hold and Transfer - EWSD ³						(O) (O)
			(a) per user		2.00	3.00	2.05	1.10	DS1FN	(O)
		(1)		umber Delivery – No Rate (Provis	ioning USOC: DS1F					(O)
										(O)
			Note 1:	As of August 31, 2011, Rate subscribers.	Stability Plans are n	o longer	available for	new or ren	newing	(O)
			Note 2:	Due to current technological lim	itations this feature n	nay not be	available in	some location	ns.	(O)
			Note 3:	Use Conference, Drop, Hold non-EKTS EWSD.	and Transfer feature	e in b. fo	ollowing for	5ESS, DM	S and	(O)

142.	1 IS	DN	- B	usin	ess S	ervice (IBS) (Cont'd)					`	(T)(O)
A142	.1.5	Optio	nal	Featu	res (Co	nt'd)						(T)(O)
В.	Rat	es and	l Cha	arges (C	Cont'd)							(O)
	1.	Opt	iona	l Featur	res (Cont	'd)						(O)
		b.	Opt	ional C	ircuit Sw	itched Features for use with non-	EKTS or EKTS CPE					(O)
								Month	Rate Sta Monthly	Rate		(O) (O)
							Installation	To	24-59	60-120	HCOC	(O) (O)
			(1)	Call l	Forwardi	ng Variable ²	Charge	Month	Mos. Plan	Mos. Plan	USOC	(T)(O)
				(a)	Voice or	r Voice/Data - per user ³	\$2.00	\$3.00	\$2.05	\$1.10	LLNCV	(T)(O)
			(2)	(b) Call l		er user (5ESS/EWSD) ng Variable - Feature Button (5E	2.00 SS)	3.00	2.05	1.10	LLOCD	(O) (O)
				(a)	Voice -	per PDN	2.00	3.00	2.05	1.10	GJXCF	(O)
				(b)	Data - p	•	2.00	3.00	2.05	1.10	LLPCD	(O)
			(3)	Call l	Forwardi	ng Busy Line ²						(O)
				(a)	Voice or	r Voice/Data - per user ³	2.00	2.50	1.55	.60	LLQCV	(O)
				(b)	Data - p	er user (5ESS/EWSD)	2.00	2.50	1.55	.60	LLRCD	(O)
				N	ote 1:	As of August 31, 2011, Rate subscribers.	Stability Plans are i	no longer	available fo	or new or re	enewing	(O)
				N	ote 2:	Feature to be applied per DN to	be forwarded on 5ES	S and/or I	EWSD.			(O)
				N	ote 3:	Voice/Data for use only with D	MS.					(O)

4142.1	1 ISD	N - B	usir	ness S	ervice (IBS) (Con	t'd)	_			_	•	(T)(O)
A142.	1.5 O _j	ptional	Feat	ures (Co	nt'd)							(T)(O)
В.	Rates	and Cha	arges ((Cont'd)								(O)
	1.	Optiona	l Featu	ares (Cont'	d)							(O)
	1	b. Opt	ional (Circuit Sw	itched Features for use wit	th non-EKTS	or EKTS CPE	(Cont'd)				(O)
									Rate Stal	-		(O)
							Installation	Month To	Monthly 24-59	Rate 60-120		(O) (O)
							Charge			Mos. Plan	USOC	(O)
		(4)	Call	Forwardin	ng Busy Line – Programma	able ^{2,3}						(O)
			(a)		Voice/Data - per user ⁴		\$2.00	\$2.50	\$1.55	\$.60	M6AVA	(O)
		(5)	(b)		er user (5ESS/EWSD) ng Don't Answer ²		2.00	2.50	1.55	.60	M6ADF	(O) (O)
		(5)			-		2.00	2.50	1.55	.60	LLSCV	(O)
			(a) (b)		Voice/Data - per user ⁴ er user (5ESS/EWSD)		2.00	2.50	1.55	.60	LLUCD	(O)
		(6)			ng Don't Answer – Program	mmable ^{2,5}						(O)
			(a)	Voice or	Voice/Data ⁴		2.00	2.50	1.55	.60	M6BVA	(O)
		(7)	(b)		er user (5ESS/EWSD)		2.00	2.50	1.55	.60	M6BDF	(O)
		(7)			ng Multiple Simultaneous ⁶	,	2.00	2.00	2.05	1.10	MCCNE	(O)
			(a) (b)		Voice/Data - per user ⁴ er user (5ESS/EWSD)		2.00 2.00	3.00 3.00	2.05 2.05	1.10 1.10	M6CV5 M6CD5	(O) (O)
		(8)	. ,	Pickup	a user (SESS/EWSD)		2.00	2.00	2.00	1.10	мосьс	(O)
			(a)	per grou	p		2.00	4.00	2.75	1.50	LLVCG	(O)
			(b)	per mem			2.00	2.00	1.00	.50	LLXCM	(O)
		(9)	Con		rop, Hold and Transfer ⁷							(O)
		(10)	(a)) Six-	per user Way Conf	profile erence, Drop, Hold and Tr	ransfer ⁷	2.00	3.00	2.05	1.10	DS1FN	(O) (O)
			(a)	per user			2.00	12.00	9.50	7.00	LLY6P	(O)
		(11)) Hunt	-	oice or Voice/Data ⁴							(O)
			(a)	Voice/D			-	-	-	-	HTG	(O)
		(10)		-	fied in A3.19 apply)							(O)
		(12)		-	Voice or Voice/Data ⁴						HECKE	(O)
			(a)	Voice/D			-	-	•	-	HTGME	(O)
			(Rat	es as speci	fied in A3.19 apply)							(O)
			N	Note 1:	As of August 31, 2011, subscribers.	, Rate Stabi	ility Plans are	no longer a	available for	r new or re	newing	(O)
			N	Note 2:	Feature to be applied per	DN to be for	orwarded on 5ES	SS and/or E	WSD.			(O)
			N	Note 3:	Call Forwarding Busy I Forwarding Busy Line.	Line - Progr	rammable may	not be assi	gned to the	same DN	as Call	(O)
			N	Note 4:	Voice/Data for use only	with DMS.						(O)
			N	Note 5:	Call Forwarding Don't A Forwarding Don't Answe		ogrammable ma	y not be as	signed to th	e same DN	as Call	(O)
			N	Note 6:	Use to add additional part up to nine (9), per call fo	ths to the ca		atures. Wil	l apply to ea	ach addition	al path,	(O)
			N	Note 7:	Only one type of Confere	_		fer is allowe	ed per user.			(O)

(a) per PDN

LA-21-0034 EFFECTIVE: September 1, 2021

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN) A142.1 ISDN - Business Service (IBS) (Cont'd)

142.	<i>i</i> 13	DDN - Dusiliess Service (IDS) (Collicu)						(1)(0)
A142	.1.5	Optional Features (Cont'd)						(T)(O)
В.	Rat	tes and Charges (Cont'd)						(O)
	1.	Optional Features (Cont'd)						(O)
		b. Optional Circuit Switched Features for use with non-EKTS	or EKTS CPE	(Cont'd)				(O)
					Rate Stal	oility ¹		(O)
				Month	Monthly	Rate		(O)
			Installation	To	24-59	60-120		(O)
			Charge	Month	Mos. Plan	Mos. Plan	USOC	(O)
		(13) Hunt Group - Data (5ESS/EWSD)						(O)
		(a) per line - Data	\$-	\$-	\$-	\$-	HTGSD	(O)
		(Rates as specified in A3.19 apply)						(O)
		(14) Speed Calling						(O)
		(a) per user	2.00	4.00	2.75	1.50	LLZSU	(O)
		(15) Visual Message Waiting Indicator						(O)
		(a) per PDN	2.00	.50	.40	.25	LLAVP	(O)
		(16) Audible Message Waiting Indicator (5ESS/EWSD)						(O)

Note 1: As of August 31, 2011, Rate Stability Plans are no longer available for new or renewing subscribers.

2.00

.40

.25

MWW

(O)

EFFECTIVE: September 1, 2021 LA-21-0034

Α

			E OFFERINGS-INTEGI ervice (IBS) (Cont'd)	RATED SERV	ICES D	IGITAL	NETWO	RK (ISI	-
			, , , ,						(T)(C
A142.1.5 Option		ges (Cont'd)	nt a)						(T)(C
		ges (Cont a) Features (Cont	'A'						((
-			ritched Features for use with non-l	FKTS or FKTS CPF	(Cont'd)				((
0. (Spire	mai Circuit 5 w	nened I catures for use with non-i	LKIS OF LKIS CI L	(Cont a)	Rate Stal	hility ¹		((
					Month	Monthly			(0
				Installation	To	24-59	60-120		(
,	(17)	Additional Ca	ll Appearance, PDN or DN ²	Charge	Month	Mos. Plan	Mos. Plan	USOC	((
((a) each	ii Appearance, I Div of Div	\$2.00	\$2.00	\$1.00	\$.50	DS1FG	(
(Call Tracing		φ2.00	φ2.00	φ1.00	φ	DSIFG	(
		(a) per user Call Return (5		2.00	4.50	3.25	2.00	NST	(
((a) per user Preferred Call		2.00	4.00	2.75	1.50	NSS	(
((a) per user Call Block	profile ³	2.00	3.00	2.05	1.10	NCE	(
((a) per user Call Selector	•	2.00	4.00	2.75	1.50	NSY	(
(-	g (5ESS/EWSD)	2.00	3.00	2.05	1.10	NSK	
((a) per user Automatic Lir	profile ³ ne/Direct Connect	2.00	4.00	2.75	1.50	NSQ	
((a) per DN Make Set Bus	Per Terminal (DMS/5ESS) y	2.00	1.00	.75	.50	M6GN9	
((a) per PDN Selective Call		1.00	1.00	.75	.50	M6MPD	
(profile (DMS/5ESS) etion - Denied Origination ³	1.00	3.00	2.05	1.10	M6K16	
((a) per user Station Restric	profile etion - Denied Termination ³	1.00	1.00	.75	.50	M6LOA	
((a) per user Call Park/Call		1.00	1.00	.75	.50	M6LTA	
(N (DMS/5ESS) System Exception ⁴	2.00	1.00	.75	.50	М6НР6	
((a) Per PDN Dial Call Wait	N (DMS) ting ⁴	1.00	1.00	.75	.50	M6QTD	
((5ESS/EWSD) y – Intragroup ⁴	1.00	1.00	.75	.50	M6JNF	(T)
		(a) Per PDN	N (DMS)	\$1.00	\$1.00	\$.75	\$.50	M6MGD	
		Note 1:	As of August 31, 2011, Rate subscribers.	Stability Plans are	no longer	available fo	or new or re	enewing	
		Note 2:	Additional call appearances on all sets where these numbers app		Only DN - 1	First Appear	rance will ap	opear on	
		Note 3:	Feature to be applied per DN on	EWSD.					

This feature is available only on lines associated with MultiServ service or MultiServ PLUS

Note 4:

service.

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A1/12 2	ICDN -	Residence	Sarvica	(IRC)
A 142.2	IODIX -	nesidence	Service	(IDO)

(M)

Effective December 15, 2015, ISDN – Residence Service (IRS) is obsoleted. IRS will not be available for new service, additions or changes to existing service, or moves of existing service to a new location. Customers may retain the service for existing IRS lines at existing locations.

(M)

(M)

A142.2.1 General

(M)

A. ISDN - Residence Service (IRS) is a new intraLATA group of offerings supported by the Integrated Services Digital Network (ISDN) architecture. IRS supports simultaneous transmission of voice, data, and packet services on the same exchange access line. Calling/Called Number Delivery, Calling Name, and Call Hold are included with this service where facilities permit.

(M)

B. Usage Option Plans will be available for various levels of use only on National ISDN lines. These Usage Option Plans will allow calling to all exchange access lines within the LATA at the usage rates specified in this section. (The LATA for each exchange and the exchanges in each LATA, are listed in Section A3.6.) Minutes of use rates will apply for originating usage above the allowance as indicated in the Usage Option Plan selected. Monthly usage charges within the LATA will be capped as indicated.

1. Usage Option Plan - 60 - Includes 60 hours (3600 minutes) of usage per DSL per month. Usage Cap of \$245 per DSL per month. Only one Usage Plan - 60 will be allowed per premise, per billing account or per earning account.

(M) (M)

 Usage Option Plan - 240 - Includes 240 hours (14,400) minutes) of usage per DSL per month. Usage Cap of \$195 per DSL per month.

(M)

The following stipulations apply only when the IRS line from which the call originates subscribes to a Usage Option Plan.

(M)

Calls completed with operator assistance within the Basic Local Calling Area will be rated at the Usage Option Plan usage charges in addition to the appropriate Operator Assisted Local Call surcharges. Such calls are itemized on the subscriber's billing statement and are billed outside any applicable usage allowances or caps.

(M)

C. All IRS lines at a customer's premise must be on the same type Plan., i.e., all Usage Option Plans, Threshold, etc. Hunting between various types of plans will not be allowed.

(M)

D. A minimum service period of three months will be required on the IRS lines established after September 1, 1998. Termination Charges as defined herein will apply if the subscriber terminates or disconnects the service prior to fulfilling the three months period.

(M)

E. IRS provides a new method of access to the telephone network called Basic Rate Access. Basic Rate Access will consist of the ability to access up to two 64 Kbps (B) channels and one 16 Kbps (D) channel at the service delivery point.

(M)

F. IRS is provided through Basic Rate Access. Features are available to increase the capability of the Bearer Alternative Service and may be subscribed to on an as-needed basis.

(M)

G. B channel circuit switched services offer up to 64 Kbps intra-office transmission of voice or data. This option permits the customer to utilize either circuit voice or data transmission paths on a per call selection basis. Transmission on the B channel will be circuit switched at 64 Kbps within the switch and/or equipped facilities between ISDN compatible central offices. ISDN interconnection to non-ISDN equipped central offices will be potentially subjected to analog transmission or sub-rated to 56 Kbps. This option includes one directory number (DN).

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL **NETWORK (ISDN)**

A142.	2 ISDN - Residence Service (IRS) (Cont'd)	(N)
A142	.2.2 Terms and Conditions	(T)(O)
Α.	Customer Premises Equipment (CPE) that is compatible with the ISDN Interface is the responsibility of the user for provisioning.	(O)
В.	The Company will be responsible for publishing and maintaining ISDN Interface Specifications.	(O)
С.	The Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company utilized in the provision of Basic Rate Access render any facilities provided by the customer obsolete or require modification or alteration of such equipment or system, or otherwise affect its use or performance.	(O)
D.	Suspension of service is not allowed.	(O)
E.	Service Charges in Section A4. are applicable per Basic Rate DSL access in addition to rates and charges following.	(O)
F.	Usage rates, as appropriate for Local Optional Service Option B are specified in Section A3. Usage rates for all originating minutes of use under Usage Option Plans are specified in this section of the guidebook.	(O)
G.	IRS will be available where central office and outside plant facilities permit.	(O)
Н.	IRS served from a central office other than the central office the subscriber would normally be served from will require interoffice facilities as provided in this Section of this Guidebook per DSL. Any non-ISDN interoffice facilities connecting to this service will follow the terms and conditions in Section A9.	(T)(O)
	Existing customers may convert to the Interoffice Circuits in this Section of the Guidebook or they may continue to pay rates for interoffice facilities from Section A9 until they make changes or additions. Existing customers choosing to convert interoffice facilities will not be charged the installation charge for Interoffice Circuits. Appropriate charges from Section A4. are also not applicable for these conversions. Any changes or additions completed at the time of conversion will be charged the appropriate Installation charges. When the customer requests changes or additions to existing interoffice facilities, they must subscribe to the Interoffice Circuits from this Section of the Guidebook.	(O)
	At the Company's option, when the normal serving central office is not equipped for ISDN, a customer may be served with ISDN from another central office. When the Company elects this serving arrangement, the interoffice charges will not apply. IRS customers to be served under this arrangement must sign an agreement the service will be moved back to the normal serving central office and to a probable number change when/if that office is equipped with ISDN. Should the customer request to be served from an ISDN equipped central office other than the normal serving central office, the appropriate interoffice or interexchange charges will apply.	(O)
I.	Each ISDN Basic Rate DSL Access Arrangement will be counted as one line in determining the application of the Service Charges specified in Section A4. and the End User Charges as specified in the End User Common Access Service section of BellSouth Telecommunications, Inc., FCC No. 1, Section 4.	(T)(O)
A142	.2.3 Definitions	(T)(O)
	B CHANNEL	(O)
	A bidirectional synchronous channel capable of supporting 64 Kbps of digital transmission.	(O)
	D CHANNEL	(O)
	A 16 Kbps digital signaling channel also capable of supporting 9.6 Kbps of packet information for the Basic Rate Interface.	(O)
	64 KBPS CLEAR CHANNEL CAPACITY (CCC)	(O)
	A B channel connection that provides end-to-end digital connection in which all 64 Kbps of bandwidth are available for customer use.	(O)

59.94

89.94

LQLAX

LQLCX

(O)

(O)

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A142.2	2 ISDN - Residence Service (IRS) (Cont'd)				(N)
A142.	.2.4 Rates and Charges				(T)(O)
A.	Interoffice Circuit				(O)
	1. Per DSL				(O)
	(a) Each, including first mile	Installation Charge \$240.00	Monthly Rate \$115.00	USOC M1GNC	(O)
В.	(b) Each additional mile Interface	•	.45	M1GNM	(O) (O)
Б.	Basic Rate DSL Access Arrangement a. Residence Service (1) Per DSL				(O) (O) (O)
	 (a) ISDN Access (5ESS/DMS) (b) ISDN Access (EWSD®) (2) Per DSL - Usage Option Plans - With Usage Allowance 	130.00 130.00	-	LTBLR LTBER	(O) (T)(O) (O)
	(a) ISDN Access (5ESS/DMS) (b) ISDN Access (EWSD®) 2. Channels Activated	130.00	LQUMA LQUMC	(O) (T)(O) (O)	
	a. 2 B channels Circuit Switched Voice/Data				(O)
	(1) Per DSL				
	 (a) Flat Rate (b) Measured b. Usage Option Plans - Up to 2 B channels Circuit Switched Voice/I 	- - Data Per DSL	80.40 69.00	LPRFX LPSMX	(O) (O) (O)

(a)

(b)

Usage Option Plan - 60 hours allowance

Usage Option Plan - 240 hours allowance

[®] Registered Trademark of Siemens Aktiengesellschaft

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

2.2			s and Charges (Cont'd)				(T
. 4 2. C.			Users				(1
C.	1.		User/Terminal Profile -				
	1.	a.	Terminal Service Profile (EWSD®)				
		a.	Terminal Service Frome (Ewsb.)	Installation Charge	Monthly Rate	USOC	
		b.	(a) Per Terminal Service Profile Access to B Channel CSV/CSD	-	-	EWSTP	
			(1) Flat Rate (5ESS/DMS)				
			(a) each (2) Flat Rate (EWSD®) ¹	10.00	-	LTQ8Y	
			(a) Voice	10.00	-	LTQVR	
			(b) Data(3) Measured Rate - Local Optional Service Option (5ESS/DMS)	on B	-	LTQDR	
			(a) Access line with Option 1 - Economy	10.00	-	LTQ8U	
			 (b) Access line with Option 2 - with discou (4) Measured Rate - Local Optional Service Option (5) EWSD® - Voice¹ 		4.00	LTQ8V	
			(a) Access line with Option 1 - Economy	10.00	-	LTQVU	
			 (b) Access line with Option 2 - with discou (5) Measured Rate - Local Optional Service Option EWSD® - Data¹ 		4.00	LTQVV	
			 (a) Access line with Option 1 - Economy (b) Access line with Option 2 - with discourt (6) Usage Option Plans (5ESS/DMS) 	nt -	-	LTQDU LTQDV	
			(a) each (7) Usage Option Plans (EWSD®) ¹	10.00	-	LQWAE	
			(a) Voice	10.00	-	LQWAV	
_			(b) Data	-	-	LQWAD	
).	Usa	_	mit Critical Victor and D. (Of 10.1)				
	1.		Per minute rates for usage on all circuit switched	services (Voice and/or Data) and ter	ms and conditions	for Local	
		,	Optional Service Option B are defined in A3.		911 191 7 · 3		
		b.	Usage above the minutes of use per DSL allowed u of use rate listed following per channel in use:		ill be billed at the p	er minute	
			(1) Per Minute of Use above Usage Plan Allowan				
				Rate Minute			
			(a) 60 Hour Allowance	lyimute (0.03	N/A	
			(b) 240 Hour Allowance		0.01	N/A	

Note 1: Both Voice and Data are required per B channel access on EWSD®.

[®] Registered Trademark of Siemens Aktiengesellschaft

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

2 ISI	DN	- Resid	dence Service (IRS) (C	ont'd)			(N)
2.4 F	Rate	s and Ch	arges (Cont'd)				(T)(O)
Pack	kages						(O)
1.	ava of t	ilable on (hese packa	Custom ISDN lines. A credit will lages. Packages must be ordered ex-	be applied to the monthly billing for customactly as stated in the descriptions of the	tomers purchasing I packages. If any fe	RS via one	(O)
					with the packages.	Additional	(O)
2.	Des	scription of	f Packages -				(O)
	a.						(O)
	b.	Profile, 2 Visual M	Additional Call Appearances, 1 Co lessage Waiting, Call Forwarding B	nference, Drop Hold, & Transfer, 1 Call	Forwarding Variab	le - Button,	(O)
	c.	2 Additio	onal Call Appearances, 1 Conferen				(O)
	d.	Profile, 2 2 Second	Additional Call Appearances, 1 Colary DN's, Visual Message Waiting	nference, Drop, Hold & Transfer, 1 Call, Call Forwarding Busy Line, Call For	Forwarding Variab	le - Button,	(O)
3.	Pac	kages Rate	es & Charges				(O)
		-					(O)
		(1) Pacl	kages - Credit Per DSL				(O)
				Installation	Monthly		
					Credit	USOC	
		(a)	Package EZ1 Credit	\$-	\$5.50	LPEO1	(O)
		(b)	Package EZ1A Credit	-	6.00	LPE1A	(O)
		(c)	Package EZ2 Credit	-	6.50	LEPO2	(O)
		(d)	Package EZ2A Credit	-	7.00	LPE2A	(O)
Terr	minat	ion Charge	es				(O)
term	ninate	es or disco	onnects the service prior to fulfilling	g the minimum service period. Termina			(O)
		(1) Teri	mination Charge				(O)
				Charges			
	2.4 I Pacil 1. 2. 3.	2.4 Rates Packages 1. Pac ava of t in t Add feat 2. Des a. b. c. d. 3. Pac a.	2.4 Rates and Ch Packages 1. Packages EZ available on of these pack in the packag Additional op features may 2. Description o a. Package 2 Addition b. Package Profile, 2 Visual Mallowed v c. Package 2 Addition General Secondar d. Package Profile, 2 2 Second Mail serv 3. Packages Rat a. Per DSL (1) Pace (a) (b) (c) (d) Termination Charg IRS lines placed in terminates or discourse.	 Packages Packages EZ1, EZ1A, EZ2 and EZ2A are available on Custom ISDN lines. A credit will of these packages. Packages must be ordered ex in the package is deleted or provisioning options: Additional optional features compatible with the features may be added only on the User Profile all. Description of Packages - Package EZ1 - Low Speed DSL, 2 B-channel 2 Additional Call Appearances, 1 Conference Package EZ1A - Low Speed DSL, 2 B-channel 2 Additional Call Appearances, 1 Convisual Message Waiting, Call Forwarding Beallowed with this package. Package EZ2 - Low Speed DSL, 2 B-channel 2 Additional Call Appearances, 1 Conference Secondary DN's. Package EZ2A - Low Speed DSL, 2 B-channel 2 Additional Call Appearances, 1 Conference Secondary DN's. Package EZ2A - Low Speed DSL, 2 B-channel 2 Additional Call Appearances, 1 Conference Secondary DN's, Visual Message Waiting Mail service will be allowed with this package 3. Packages Rates & Charges Packages Rates & Charges Per DSL Package EZ1 Credit (b) Package EZ1 Credit (c) Package EZ2 Credit (d) Package EZ2 Credit (d) Package EZ2 Credit (d) Package EZ2 Credit Termination Charges IRS lines placed in service after September 1, 1998 witerminates or disconnects the service prior to fulfilling Long Dackage EZ2 Credit (d) Package EZ2 Credit (e) Package EZ2 Credit	Packages 1. Packages EZ1, EZ1A, EZ2 and EZ2A are available for use with IRS on National ISDN I available on Custom ISDN lines. A credit will be applied to the monthly billing for cus of these packages. Packages must be ordered exactly as stated in the descriptions of the in the package is deleted or provisioning options are changed, the package credit will no I Additional optional features compatible with the package configurations are allowed varieties may be added only on the User Profile already provisioned with features. 2. Description of Packages - a. Package EZ1 - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-ch 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forward Visual Message Waiting, Call Forwarding Busy Line, Call Forwarding Don't Answ allowed with this package. c. Package EZ2 - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-ch 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Don't Answ allowed with this package. c. Package EZ2 - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-ch 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding DN's, Visual Message Waiting, Call Forwarding Busy Line, Call Formal Activation, Profile, 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Secondary DN's, Visual Message Waiting, Call Forwarding Busy Line, Call Formal Activation, Profile, 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Formal Secondary DN's, Visual Message Waiting, Call Forwarding Busy Line, Call Formal Activation, Profile, 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Formal Secondary DN's, Visual Message Waiting, Call Forwarding Busy Line, Call Formal Secondary DN's, Visual Message Waiting, Call Forwarding Busy Line, Call Formal Secondary DN's, Visual Message Waiting, Call Forwarding Busy Line, Call Forwarding Dn Packages Packages EZ1 Credit (b) Package EZ1 Credit (c) Package EZ1	2.4 Rates and Charges (Cont'd) Packages 1. Packages EZ1, EZ1A, EZ2 and EZ2A are available for use with IRS on National ISDN lines. The packages available on Custom ISDN lines. A credit will be applied to the monthly billing for customers purchasing 1 of these packages. Packages must be ordered exactly as stated in the descriptions of the packages. If any fe in the package is deleted or provisioning options are changed, the package credit will no longer apply. Additional optional features compatible with the package configurations are allowed with the packages. features may be added only on the User Profile already provisioned with features. 2. Description of Packages - a. Package EZ1 - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - U 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Butte b. Package EZ1A - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - Profile, 2 Additional Call Appearances, 1 Conference, Drop Hold, & Transfer, 1 Call Forwarding Variable Visual Message Waiting, Call Forwarding Busy Line, Call Forwarding Don't Answer. Voice mail serval allowed with this package. c. Package EZ2 - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - U 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable Secondary DN's. d. Package EZ2A - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/C Profile, 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable Secondary DN's, Visual Message Waiting, Call Forwarding Busy Line, Call Forwarding Variable 2 Secondary DN's, Visual Message Waiting, Call Forwarding Busy Line, Call Forwarding Don't Answ Mail service will be allowed with this package. 3. Packages Rates & Charges a. Per DSL (1) Package EZ1 Credit (a) Package EZ1 Credit (b) Package EZ1 Credit (c) Package EZ2 Credit (d) Package EZ2 Credit (e) Package EZ2 Credit (f) Pa	2.4 Rates and Charges (Cont'd) Packages 1. Packages EZI, EZIA, EZZ and EZZA are available for use with IRS on National ISDN lines. The packages will not be available on Custom ISDN lines. A credit will be applied to the monthly billing for customers purchasing IRS via one of these packages. Packages must be ordered exactly as stated in the descriptions of the packages. If any feature listed in the package is deleted or provisioning options are changed, the package credit will no longer apply. Additional optional features compatible with the package configurations are allowed with the packages. Additional features may be added only on the User Profile already provisioned with features. 2. Description of Packages - a. Package EZI - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User Profile, 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Button. b. Package EZIA - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User Profile, 2 Additional Call Appearances, 1 Conference, Drop Hold, & Transfer, 1 call Forwarding Variable - Button, Visual Message Waiting, Call Forwarding Busy Line, Call Forwarding Don't Answer. Voice mail service will be allowed with this package. c. Package EZI - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User Profile, 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Button, 2 Secondary DNs. d. Package EZIA - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User Profile, 2 Additional Call Appearances, 1 Conference, Drop, Hold & Transfer, 1 Call Forwarding Variable - Button, 2 Secondary DNs, Visual Message Waiting, Call Forwarding Busy Line, Call Forwarding Don't Answer. Voice Mail service will be allowed with this package. 1. Package EZIA - Low Speed DSL, 2 B-channel CSV/CSD - Channel Activation, 2 B-channel CSV/CSD - User Profile, 2 Additional Call Appearances, 1 Conf

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A142.	ISDN - Residence Service (IRS) (Cont'd)	(N)
A142	2.5 Optional Features	(T)(O)
	Customers are required to subscribe to ISDN - Residence Service (IRS) before ordering these features. Calling/Called Number Delivery, Calling Name Delivery, and Call Hold are provided with this service where facilities permit. Features are available to increase the capability of IRS and may be subscribed to on an as needed basis. Availability of features are limited to where facilities permit and may be limited by central office type and switch load.	(O)
	Where facilities permit, Call Forwarding features will provide for one calling path. Up to nine (9) additional call forwarding paths may be added with a monthly charge per calling path.	(O)
A.	Optional Features	(O)
	Availability of features as described in 1. and 2. following is dependent upon whether the central office is equipped with Custom ISDN or National ISDN.	(O)
	 Features for use with Electronic Key Telephone Service (EKTS): This option provides a group of features that increase the user's voice terminal flexibility and offers the functionality of a key system to groups of users with EKTS equipment. 	(O) (O)
	a. Shared Primary DN - This is a primary DN that appears on one or more terminals.	(O)
	b. Secondary-Only DN - This is a secondary DN that appears on one or more terminals, but is not the primary DN on any of those terminals.	(O)
	c. Shared Secondary-Only DN - First Appearance - the first appearance of a secondary DN that appears on more than one terminal but is not the primary DN on any of those terminals.	(O)
	 Key Short Hunt – This feature enhances call coverage by delivering key-set DN Short Hunt Capability to standard-feature ISDN Voice terminals. 	(O)
	e. Shared Non-ISDN DN - This feature allows call coverage for an analog set.	(O)
	f. Privacy Release - This is a privacy feature that allows a customer to specify, on an EKTS group basis, that no other user can bridge on to calls. On a call by call basis, this feature can be disabled to allow bridging to occur.	(O)
	g. Manual Exclusion - This is the opposite of Privacy Release. On a call by call basis the user can restrict bridging.	(O)
	h. EKTS Intercom Calling - Dial - This feature allows an EKTS user to call other terminals in the EKTS group with one or two-digit dialing.	(O)
	 EKTS Intercom Calling - Automatic - This feature allows an EKTS user to call another terminal in the EKTS group by activating a button on the EKTS set. 	(O)
	 j. EKTS Intercom Calling - Call Appearance - This feature allows EKTS Intercom Calling to be provisioned on a Call Appearance. 	(O)
	k. Conference, Drop, Hold and Transfer - EKTS	(O)
	- Conference - This feature allows the user to add a third party to an existing conversation. This feature is for use with voice calls only.	(O)
	- Drop - This central office based feature allows the user to disconnect the last party added to a conference call.	(O)
	- Hold - Suspends an established call while another action is taking place.	(O)
	- Transfer - This feature allows the user to transfer a call to another DN. This feature is for use with voice calls only.	(O)
	This feature may require an additional call appearance or an additional DN. This feature is available for use only with EKTS sets with service provisioned in the EWSD® switch. EWSD® subscribers with non-EKTS sets and	(O)

5ESS/DMS subscribers should use the Conference, Drop, Hold and Transfer in the following section.

[®] Registered Trademark of Siemens Aktiengesellschaft

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

142.2	2 IS	DΝ	- Residence Service (IRS) (Cont'd)	(N)
A142	.2.5 (Opti	onal Features (Cont'd)	(T)(O)
A.		_	Features (Cont'd)	(O)
	2.		e following features are available with either Custom ISDN or National ISDN. National ISDN customers may rehase these features for use with either EKTS sets or non-EKTS sets.	(O)
		a.	Call Forwarding Variable - This feature allows the ISDN user to have the ability to forward all incoming calls to a user specified directory number.	(O)
		b.	Call Forwarding Variable - Feature Button - This feature is the same as Call Forwarding Variable except that it is activated by a feature button.	(O)
		c.	Call Forwarding - Busy Line - This feature automatically routes calls to a pre-selected number when the called line is busy. This feature may be either fixed (changeable by service order only) or programmable (customer changeable) by station user via feature activation code.	(O)
		d.	Call Forwarding - Don't Answer - This feature automatically routes calls to a pre-selected number when the called line does not answer in a preset ringing cycle. This feature may be either fixed (changeable by service order only) or programmable (customer changeable) by station user via feature activation code.	(O)
		e.	Call Forwarding - Multiple Simultaneous - This feature allows a station line to forward more than one call at a time.	(O)
		f.	Call Pickup - Allows a user to answer calls directed to another line in the same preset Call Pickup Group.	(O)
		g.	Conference, Drop, Hold and Transfer	(O)
			- Conference - allows the user to add a third party to an existing conversation. This feature is for use with voice calls only.	(O)
			- Drop - This central office based feature allows the user to disconnect the last party added to a conference call.	(O)
			- Hold - allows the user to place a call on hold by pressing the function button. Any set with the call appearance for the call on hold can pick up the call by pressing the call appearance button.	(O)
			- Transfer - This feature allows the user to transfer a call to another DN. This feature is for use with voice calls only.	(O)
			This feature may require an additional call appearance or an additional DN.	(O)
		h.	Six-Way Conference, Drop, Hold and Transfer - This feature has the same functionality as Conference, Drop, Hold, Transfer feature except that six-way conference is allowed.	(O)
		i.	Speed Calling - This feature allows each user to assign up to thirty telephone numbers to a two-digit code for the purpose of enabling abbreviated dialing.	(O)
		j.	Calling/Called Number Delivery/Calling Name Delivery-National ISDN - This feature provides the user who is receiving/originating a call with information about the calling/called party and the facility or destination and is provided with IRS. Some "privacy" options may be in effect in certain areas and will be located in Section A13.	(O)
		k.	Visual Message Waiting Indicator - Provides the user of a message service with a visual indication that a message is waiting.	(O)
		1.	Audible Message Waiting Indicator - Provides the user of a message service with an audible indicator that a message is waiting.	(O)
		m.	Additional Call Appearance - PDN or DN - This feature allows the terminal to have more than one DN button assigned to the same DN or Primary Directory Number (PDN).	(O)
		n.	Call Tracing - This feature enables the customer to initiate an automatic trace of the last call received. Upon activation by the customer, the network automatically sends a message to the Company's Security Department indicating the calling number, the time the call was received, and the time the trace was activated. The customer using this feature would be required to contact the local business office for further action.	(O)

(O)

(O)

(O)

(O)

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

(N) A142.2 ISDN - Residence Service (IRS) (Cont'd) A142.2.5 Optional Features (Cont'd) (T)(O) A. Optional Features (Cont'd) (O) (Cont'd) (O) Call Return - This feature enables a customer to place a call to the telephone number associated with the most recent (O)call received, whether or not the call was answered or the number is known. The customer can dial a code or press a feature button to request that the network place the call. If the called line is not busy, the call is placed. If the called line is busy, a confirmation announcement is heard. Once (O)the customer hangs up, the network will monitor the busy/idle status of both lines every forty-five seconds for up to thirty minutes. If during the queuing process both lines become idle, the customer is alerted that the network is ready to place the call. When the customer picks up the telephone, the call will automatically be placed. If unanswered by the customer the alerting will repeat every five minutes until answered, or for the remainder of the thirty minute monitoring interval. Multiple numbers may be placed in queue. The first idle number will be connected first. Both the customer and the called party may originate and receive calls without affecting the call return feature status. Selective Call Forwarding - Allows the customer to transfer selected calls to another telephone number. A screening (O) list of up to six numbers is created by the customer and placed in the network memory via an interactive dialing sequence. Subsequently, calls are forwarded to the Call Forwarding telephone number only if the calling number can be obtained and is found to match a number on the screening list. If the customer also subscribes to Call Block and the same telephone number is entered on both screening lists, the (O) Call Block feature must be deactivated to allow the call to be forwarded. This feature will not work if the incoming call is from a telephone number in a Multi-Line Hunt Group unless the (O) telephone number is the main number of the hunt group, or is Telephone Number identified. Call Block - This feature provides the customer the ability to prevent incoming calls from up to six different (O) telephone numbers. A screening list is created by the customer either by adding the last number associated with the line (incoming or (O) outgoing), or by preselecting the telephone numbers to be blocked. When a call is placed to the customer's number from a number on the screening list, the caller receives an announcement indicating that the party he is attempting to

If the customer also subscribes to Selective Call Forwarding and/or Personalized Ring 6 and the same telephone

This feature will not work if the incoming call is from a telephone number in a Hunt Group unless the telephone

Personalized Ring 6 - This feature provides an alerting to the subscribing customer for up to six specific telephone

The customer creates a screening list of up to six telephone numbers through an interactive dialing sequence. When

a call is received from one of the predetermined telephone numbers, the customer is alerted. Calls from the telephone

When a telephone number on the Personalized Ring 6 screening list also appears on the Selective Call Forwarding list, the Selective Call Forwarding will take precedence. Likewise, when the same number is shown on the Call

The customer's line will not produce an alert if the incoming call is from a telephone number in a Hunt Group unless

the telephone number is the main number of the hunt group, or is Telephone Number identified.

call does not wish to receive calls at this time.

Block list, the call will be blocked.

numbers.

numbers appear on those screening lists, Call Block will take precedence.

numbers not included on the screening list will produce a normal ring.

number is the main number of the hunt group, or is Telephone Number identified.

(T)(O)

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

		NETWORK (ISDN)	
A142.	2 IS	DN - Residence Service (IRS) (Cont'd)	(N)
A142	2.2.5	Optional Features (Cont'd)	(T)(O)
Α.	Opt	ional Features (Cont'd)	(O)
	2.	(Cont'd)	(O)
		s. Repeat Dialing - Repeat Dialing, when activated, automatically redials the last number the customer attempted to call. If the called line is not busy, the call will be placed.	(O)
		If the called line is busy, a confirmation announcement is heard, the customer hangs up and a queuing process begins. For the next thirty minutes both the calling and called lines are checked periodically for availability to complete the call. If during this queuing process the called line becomes idle, the customer is alerted that the network is ready to place the call. When the customer picks up the telephone, the call will automatically be placed.	(O)
		t. Automatic Line/Direct Connect - Station specially programmed to dial specific internal station number or "O" or the attendant when the station user goes off-hook.	(O)
		u. Selective Call Acceptance - Allows customers to accept incoming calls only from certain telephone numbers selected by the customer.	(O)
		v. Station Restriction - Allows a station line to be assigned various types of restriction.	(O)
		- Denied Termination allows the station line to be used for outgoing calls only. It cannot receive incoming calls. All incoming calls are routed to common intercept announcement.	(O)
		- Denied Origination from Outgoing Calls allows the station line to be used for incoming calls only. No outgoing calls can be originated from it.	(O)
		w. Redirected Number Feature – Redirected number delivery may be provided as a termination feature. If the received call has been previously forwarded, the first and last forwarding DN's will be delivered to the called party who subscribes to redirected number delivery.	(O)

Feature Function Buttons Programming - These allow the user to assign certain features to a particular button on their

ISDN set. When depressed, the button will activate the assigned feature.

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL **NETWORK (ISDN)**

A142.2 ISDN - Residence Service (IRS) (Cont'd)				(N)
A142.2.5 Optional Features (Cont'd)				(T)(O)
B. Rates and Charges				(O)
1. Optional Features				(O)
a. Feature for use with EKTS CPE Circuit Switched Voice/Circuit Switched Da	ıta			(O)
(1) Shared Primary DN - First Appearance on each additional terminal			(T)(O)	
	allation Charge \$1.00	Rate		(0)
(a) each(2) Secondary Only DN (Shared or Non-Shared) -First Appearance	\$1.00	\$1.50	DSIFJ	(O)
(a) each(3) Shared Secondary Only DN - First Appearance on each additional terminal	2.00	1.50	LLDSF	(O)
(a) each (4) Key Short Hunt (DMS 100)	1.00	1.50	DS1F1	` ′
(a) each (5) Shared Non-ISDN DN ¹	2.00	-	DS1KS	
(a) each (6) Privacy Release (5ESS/DMS)	1.25	1.50	DOE	
(a) per shared DN (7) Manual Exclusion	1.00	.25	DS1FU	` ′
(a) per shared DN(8) EKTS Intercom Calling - Dial	1.00	.25	DS1FM	
(a) each member(9) EKTS Intercom Calling - Automatic	1.00	1.50	DS1FE	
(a) each member(10) EKTS Intercom Calling - Call Appearance	1.00	1.50	DS1FD	
 (a) each member (11) Conference, Drop, Hold and Transfer EKTS only (EWSD[®])² 	1.00	1.50	M61FX	` ′
(a) per user profile(12) Redirecting Number Delivery - No rate (Provisioning USOC: DS1RD)	1.00	2.00	DS1FN	
Note 1: Due to current technological limitations this feature ma	y not be avai	lable in some locat	ions.	(O)

Use Conference, Drop, Hold and Transfer feature in b. following for 5ESS/DMS and non-EKTS EWSD $\!^{\! \otimes}\! .$ Note 2: (O)

[®] Registered Trademark of Siemens Aktiengesellschaft

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

					NETWORK ((ISDN)			
A142.	2 ISDN	۱ - R	eside	ence S	ervice (IRS) (Cont'd)				(N)
	2.2.5 Opt								(T)(O)
В.	Rates a	nd Cha	arges (C	Cont'd)					(O)
	1. O	ptional	l Feature	es (Cont'c	1)				(O)
	b.	Opti	ional Ci	rcuit Swi	tched Features for use with non-EK	TS or EKTS CPE			(O)
		(1)			g Variable ¹				(O)
		()				Installation Charge	Monthly Rate	USOC	` '
			(a)	Voice or	Voice/Data - per user ²	\$1.00	\$2.00	LLNCV	(O)
				•	r user (5ESS/EWSD®)	1.00	2.00	LLOCD	(O)
		(2)	Call F	orwardin	g Variable - Feature Button (5ESS)				(O)
				Voice - p		1.00	2.00	GJXCF	(O)
		(2)		Data - pe		1.00	2.00	LLPCD	(O)
		(3)			g Busy Line ¹	4.00	1.00	***	(O)
					Voice/Data - per user ²	1.00 1.00	1.00 1.00	LLQCV LLRCD	(O) (O)
		(4)		•	r user (5ESS/EWSD®) g Busy Line - Programmable ^{1,3}	1.00	1.00	LLKCD	(O)
		(.)			Voice/Data - per user ²	1.00	2.00	M6AVA	(O)
					r user (5ESS/EWSD®)	1.00	2.00	M6ADF	(O)
		(5)	Call F	orwardin	g Don't Answer ¹				(O)
					Voice/Data - per user ²	1.00	1.00	LLSCV	(O)
					r user (5ESS/EWSD®)	1.00	1.00	LLUCD	(O)
		(6)	Call F	orwardin	g Don't Answer - Programmable ^{1,4}				(O)
					Voice/Data ²	1.00	2.00	M6BVA	(O)
		(5)			r user (5ESS/EWSD®)	1.00	2.00	M6BDF	(O)
		(7)			g Multiple Simultaneous ⁵				(O)
					Voice/Data - per user ²	1.00	2.00	M6CV5	(O)
		(8)	(b) Call P		r user (5ESS/EWSD®)	1.00	2.00	M6CD5	(O) (O)
		(0)		-		1.00	4.00	LLVCG	
				per group per memb		1.00	2.00	LLXCM	(O) (O)
		(9)	` '		op, Hold and Transfer ^{6,7}				(O)
			(a)	per user p	profile	1.00	2.00	DS1FN	(O)
		(10)			rence, Drop, Hold and Transfer ⁶				(O)
			(a)	per user p	profile	1.00	12.00	LLY6P	(O)
		(11)	Speed	Calling					(O)
			(a)	per user		1.00	3.00	LLZSU	(O)
			N	ote 1:	Feature to be applied per DN to be	e forwarded on 5ESS and/or EWSD®.			(O)
			N	ote 2:	Voice/Data for use only with DMS	5.			(O)
			N	ote 3:	Call Forwarding Busy Line - Pro Forwarding Busy Line.	ogrammable may not be assigned to	the same DN	N as Call	(O)
			N	ote 4:	Call Forwarding Don't Answer - l Forwarding Don't Answer.	Programmable may not be assigned t	o the same D	N as Call	(O)
			N	ote 5:	Use to add additional paths to the up to nine (9), per call forwarding	call forwarding features. Will apply feature.	to each addition	onal path,	(O)
			N	ote 6:	Only one type of Conference, Drop	p, Hold and Transfer is allowed per us	ser.		(O)

This Conference, Drop, Hold and Transfer feature is available only to non-EKTS in the

Note 7:

EWSD®.

[®] Registered Trademark of Siemens Aktiengesellschaft

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

142.2.5 Optional Features (Cont'd)				(T)(C
B. Rates and Charges (Cont'd)				(0
1. Optional Features (Cont'd)				((
b. Optional Circuit Switched Features for use with non-EKTS	or EKTS CPE (Cont'd)			(0
(12) Visual Message Waiting Indicator				(
	Installation Charge	Monthly Rate	USOC	
(a) per PDN (13) Audible Message Waiting Indicator	\$1.00	\$.50	LLAVP	((
(a) per PDN (5ESS/EWSD [®]) (14) Additional Call Appearance, PDN or DN ¹	1.00	.50	MWW	((
(a) each (15) Call Tracing ²	1.00	.75	DS1FG	(0
(a) per user profile (16) Call Return (5ESS/EWSD®) ²	1.00	3.50	NST	((
 (a) per user profile (17) Selective Call Forwarding² 	1.00	3.50	NSS	((
(a) per user profile (18) Call Block ²	1.00	2.50	NCE	((
(a) per user profile(19) Personalized Ring 6	1.00	3.50	NSY	((
(a) per user profile (20) Repeat Dialing (5ESS/EWSD®) ²	1.00	2.50	NSK	((
(a) per user profile(21) Automatic Line/Direct Connect	1.00	3.50	NSQ	((
(a) per DN per Terminal (DMS/5ESS)(22) Selective Call Acceptance	1.00	.75	M6GN9	((
 (a) per user profile (DMS/5ESS) (23) Station Restriction - Denied Origination² 	1.00	2.00	M6K16	((
(a) per user profile (24) Station Restriction - Denied Termination ²	1.00	1.00	M6LOA	((
(a) per user profile	1.00	1.00	M6LTA	((

Note 2: Features to be applied per DN on EWSD[®].

[®] Registered Trademark of Siemens Aktiengesellschaft

A142.3 Primary Rate ISDN

(M)

LA-15-0079 EFFECTIVE: December 15, 2015

A142. OBSOLETE SERVICE OFFERINGS-INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

	•		. y								
A142	2.3.1	Reser	ved for Future U	se							(M)
A142	2.3.2	Term	s and Conditions								(M)
	ava tran pric nun	ilable nsfers. or to F nber d	as part of Primary Customer arranger ebruary 29, 2008.	e D. Beginning Februar Rate ISDN service for r nents with calling numbe For new customers/new s the responsibility of the priate.)	new customers, in r delivery blocki service arrangem	new service a ng may keep ents purchase	rrangements, the capabilit d on or after	rearrangem y for arrange February 29	ents, move ements exis 9, 2008, cal	s or sting lling	(M)
A142	2.3.3	Reser	ved for Future U	se							(M)
A142	2.3.4	Rates	and Charges								(M)
A.	Rese	erved f	or Future Use								(M)
B.	Rese	erved f	or Future Use								(M)
C.	Rese	erved f	or Future Use								(M)
D.	Opti	ional C	Offerings								(M)
	serv	vice to	a new location.)	4. Not available for no	ew installations,	additions to	existing serv	ice or transf	fers of exis	sting	(M)
	1.	Inco	ming Call Extension	1							(M)
		(a)		eximum of one call per in different rate center -	Nonrecurring Charge \$2.00	Month to Month \$.30	12 to 23 Months \$.28	24 to 48 Months \$.27	49 to 72 Months \$.25		(M)
		(b)	ICE-DRC, For mo	ore than one simultaneous number in different rate first path ²	25.00	10.00	9.50	9.00	8.50	PR7N2	(M)
		(c)		onal paths for (b) above,	25.00	8.00	7.60	7.20	6.80	PR7N3	(M)
			Note 1:	Applicable for low use t	-			-		Э.	(M)
			Note 2:	Applicable for high use	telephone number	ers such as the	se associated	with two-wa	ay trunks.		(M)