TARIFF DISTRIBUTION

FILE PACKAGE NO.: MS-19-0035

DATE: August 28, 2019

STATE: MISSISSIPPI

EFFECTIVE DATE: 09/01/2019

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase Business Analog Private Line monthly charges

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
H003	11	0016
H003	11.1	0016
H003	12	0019
H003	12.1	0020
H003	13	0016
H003	13.1	0016
H003	14	0015
H003	15	0015
H003	16	0015

B3. CHANNELS

B3.3 Rate Terms and Conditions (Cont'd)

B3.3.3 Mileage Measurements (Cont'd)

A. (Cont'd)

6. Obtain the square root of the result obtained in 5. This is the rate distance in miles. (Fractional miles being considered as full miles.)

EXAMPLE: The rate distance is required between City One and City Two.

	V	н
City One	7260	2083
City Two	7364	1865
Difference	104	218
Squared	10.816 + 47.524 =	58,340

58,340 divided by 10 = 5834

Square root of 5834 = 76.38 = 77 Airline miles

- **B.** For the purpose of applying multipoint charges, the bridging or hubbing locations are determined by that combination of airline distances connecting the serving wire center which will produce the lowest interoffice mileage charges. Bridging charges apply when three or more channels connect at the same location.
- C. For Series 1000, 2000 and 6000 channels the customer may specify the sequence in which the service points are to be connected in which case the rate mileage is the shortest airline mileage determined in accordance with B., which will connect the wire centers of the service points in the specified sequence.

B3.4 Rates And Charges

B3.4.1 Local Channels

A. Sub Voice Grade

			Nonrecurring				
			Monthly	C	harge		
			Rate	First	Additional	USOC	
1.	Per point of termin	ation					
	(a) Ty	pe 1204	\$216.00	\$266.40	\$102.24	P1JAX	(I)
	(b) Ty	pe 1205	197.00	453.60	180.00	P1JHX	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.1 Local Channels (Cont'd)

B. Voice Grade Per point of termination

				Nonrecurring				
				Monthly	Cha	rge		
				Rate	First	Additional	USOC	
1.	Voice							
		(a)	Type 2230	\$593.00	\$432.00	\$165.60	P2JUX	(I)
		(b)	Type 2231	593.00	439.20	165.60	P2JHX	(I)
		(c)	Type 2432	890.00	504.00	216.00	P2JQX	(I)
		(d)	Type 2434	185.00	201.60	112.32	P2JGX	(I)
		(e)	Type 2435	890.00	468.00	187.20	P2JWX	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.1 Local Channels (Cont'd)

				Monthly		curring arge		
				Rate	First	Additional	USOC	
В.		ice Grade						
	Per	point of termin	ation (Cont'd)					
	1.	Voice (Cont's	d)					
		(f)	Type 2261	\$690.00	\$720.00	\$338.40	P2JLX	(I)
		(g)	Type 2462	821.00	712.80	331.20	P2JRX	(I)
	2.	Data						
		(a)	Type 2463	940.00	525.60	230.40	P2JMX	(I)
		(b)	Type 2464	940.00	525.60	230.40	P2JNX	(I)
C.	Wi	red Music						
	1.	Per point of to	ermination					
		(a)	Type 6211	358.00	669.60	295.20	P6JAX	(I)
		(b)	Type 6212	447.00	777.60	388.80	P6JBX	(I)
		(c)	Type 6213	502.00	792.00	410.40	P6JCX	(I)
		(d)	Type 6215	350.00	669.60	295.20	P6JEX	(I)
		(e)	Type 6216	447.00	777.60	388.80	P6JNX	(I)
		(f)	Type 6217	502.00	792.00	410.40	P6JGX	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.2 Reserved For Future Use

B3.4.3 Interoffice Channels¹

A. Fixed and Mileage Charges applicable

1	Sub Voice Grade - Series 1000 ²	Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurring Charge Per Channel	USOC	
1.	Sub voice Grade - Series 1000					
	(a) 1 thru 8 Miles	\$271.00	\$25.00	-	3LBAS	(I)
	(b) 9 thru 25 Miles	271.00	25.00	-	3LBAS	(I)
	(c) Over 25 Miles	271.00	25.00	-	3LBAS	(I)
2.	Voice Grade Service - Series 2000					
	(a) 1 thru 8 Miles	856.00	65.00	\$135.36	3LBBS	(I)
	(b) 9 thru 25 Miles	856.00	65.00	135.36	3LBBS	(I)
	(c) Over 25 Miles	856.00	65.00	135.36	3LBBS	(I)

Note 1: For method of determining mileage, see B3.

Note 2: Metallic interoffice channels are no longer available for new installations, moves or transfers. Metallic interoffice facilities are in continually decreasing supply due to modernization programs that replace existing metallic interoffice with non-metallic facilities such as fiber optics.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.3 Interoffice Channels¹ (Cont'd)

A. Fixed and Mileage Charges applicable (Cont'd)

3.	Wired Music - Series 6000 3.0 kHz Types 6211 and 6215	Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurring Charge Per Channel	USOC	
٥.	(a) 1 thru 8 Miles (b) 9 thru 25 Miles	\$495.00 495.00	\$ 18.00 18.00	\$109.44 109.44	3LBCS 3LBCS	(I) (I)
4.	(c) Over 25 Miles Wired Music - Series 6000 5 kHz Types 6212 and 6216	495.00	18.00	109.44	3LBCS	(I)
5.	(a) 1 thru 8 Miles (b) 9 thru 25 Miles (c) Over 25 Miles Wired Music - Series 6000 8 kHz Types 6213 and 6217	512.00 512.00 512.00	35.00 35.00 35.00	97.92 97.92 97.92	3LBDS 3LBDS 3LBDS	(I) (I) (I)
	(a) 1 thru 8 Miles(b) 9 thru 25 Miles(c) Over 25 Miles	691.00 691.00 691.00	57.00 57.00 57.00	97.92 97.92 97.92	3LBES 3LBES 3LBES	(I) (I) (I)

Note 1: For method of determining mileage, see B3.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions

A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

1. Voice Grade Bridges (Series 2000)

		Monthly	Nonrecurring		
a.	Voice Bridging	Rate	Charge	USOC	
а.					
	(1) Per Port				
	(a) Two-Wire (Type 2230)	\$227.00	\$44.64	BQ9	(I)
	(b) Four-Wire (Type 2435)	295.00	44.64	BQ9	(I)
b.	Data Bridging				
	(1) Per Port				
	(a) Four-Wire (Types 2463 and 2464)	426.00	48.96	BQ9	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

- A. Bridging (Cont'd)
 - 1. Voice Grade Bridges (Series 2000) (cont'd)

c.	Tele	emetry	y and Alarm Bridging - Split Band, Active Bridging	Monthly Rate	Nonrecurring Charge	USOC	
	(1)	Con	nmon Equipment, per central office				
		(a)	First bridging shelf, capacity of 48 two-wire connections	\$851.00	\$405.00	XW1	(I)
		(b)	Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf	851.00	370.00	XW2	(I)
		(c)	Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf	431.00	225.00	XW8	(I)
	(2)	Cha	nnel connections, per channel connected				
		(a)	Remote station channel connection	35.00	33.00	XW3	(I)
		(b)	Mid-link channel connection, first channel	85.00	44.00	XW4	(I)
		(c)	Mid-link channel connection, subsequent channels	85.00	44.00	XW5	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

- A. Bridging (Cont'd)
 - 2. Wired Music Bridges (Series 6000)

		Monthly Rate	Nonrecurring Charge	USOC
a.	Distribution Amplifiers		_	
	(1) Per Port			
	(a) Each	\$2.88	\$38.88	6LE

B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

			Nonrecurring				
			Monthly Charge				
			Rate	Initial	Subsequent	USOC	
1.	Per local chan	nel					
	(a)	Ringdown-Manual	\$138.00	\$53.28	\$259.20	SL3	(I)
	(b)	Ringdown-Automatic	127.00	21.60	80.64	SL5	(I)
	(c)	E & M Type	127.00	61.92	244.80	SLM	(I)
	(d)	Type A (0-199 ohms)	75.00	57.60	165.60	SAL	(I)
	(e)	Type B (200-899 ohms)	75.00	51.84	165.60	SAU	(I)
	(f)	Type C (900 or more ohms)	35.00	17.28	165.60	SAY	(I)

- C. Conditioning (Voice Grade Services)
 - Conditioning provides more specific transmission characteristics for data services. There are two types of
 C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning
 controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise
 ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multipoint service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

- C. Conditioning (Voice Grade Services) (Cont'd)
 - 2. The types and description of the available conditioning options are as follows:

Type Conditioning	Frequency Response Specification	Envelope Delay Specification	y Distortion
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz,	less
	-2dB to $+6dB$.	than 1000 micro	oseconds
	1000-2400 Hz,		
	-1dB to $+3$ dB.		
	300-3000 Hz,		
	-3dB to $+12dB$.		
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz,	less
	-2dB to $+6dB$.	than 500 micro	seconds
	500-2800 Hz,	600-2600 Hz, le	ess
	-1dB to $+3$ dB.	than 1500 micro	oseconds
		500-2800 Hz, le	ess
		than 3000 micro	oseconds
		Non-Linear	Distortion
	C-Notched Noise	2nd Order	3rd Order
		Distortion	Distortion
D1 (two-point)	Noise level 28dB	35dB below	40dB below
	below signal level	signal level	signal level

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

		Nonrecurring				
		Monthly	Charge			
		Rate	Initial	Subsequent	USOC	
4.	C-Type Conditioning			_		
	a. C-Type Conditioning is available for Types 2463 and 2464.					
	(1) C-Types of Conditioning per local channel					
	(a) C1-Type	\$35.00	\$14.40	\$ 93.60	P2W	(I)
	(b) C2-Type	35.00	31.68	108.00	P3W	(I)
5.	D-Type Conditioning					
	a. D-Type Conditioning is available for Types 2463 and 2464.					
	(1) D-Type Conditioning per local channel					
	(a) D1-Type	35.00	23.04	100.80	QHA	(I)