# **TARIFF DISTRIBUTION**

FILE PACKAGE NO.: NC-20-0023

DATE: August 31, 2020

STATE: NORTH CAROLINA

EFFECTIVE DATE: 09/01/2020

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase Private Line Channels (APL) and SynchroNet (DS0)

Services monthly charges.

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
H003	10.1	0004
H003	10.1.3	0003
H003	10.1.4	0004
H003	10.2	0012
H007	11	0015

### **B3. CHANNELS AND EQUIPMENT**

# **B3.4 Rates and Charges**

### **B3.4.1 Local Channels**

A. Voice Grade

Per point of termination

				Nonrecurring				
				Monthly	(	Charge		
				Rate	First	Additional	USOC	
1.	Voice							
		(a)	Type 2230	\$291.00	\$145.60	\$145.60	P2JUX	(I)
		(b)	Type 2231	363.00	162.25	162.25	P2JHX	(I)
		(c)	Type 2432	527.00	203.65	203.65	P2JQX	(I)
		(d)	Type 2434	70.00	166.50	166.50	P2JGX	(I)
		(e)	Type 2435	575.00	365.00	365.00	P2JWX	(I)
		(f)	Type 2261 <sup>1</sup>	296.00	150.00	150.00	P2JLX	(I)
		(g)	Type 2462 <sup>1</sup>	696.00	191.45	191.45	P2JRX	(I)
2.	Data	,						
		(a)	Type 2260	352.00	148.88	148.88	P2JKX	(I)
		(b)	Type 2463	633.00	203.66	203.66	P2JMX	(I)
		(c)	Type 2464	633.00	203.66	203.66	P2JNX	(I)

## **B3.4.2 Non-Wire Center Connected Channels**

- A. Served Direct
  - 1. Not routed via the central office, limited to one airline mile or less

		Monthly	(	Charge		
		Rate	First	Additional	USOC	
(a)	Series 2000	\$132.00	\$156.00	\$156.00	SDD2X	(I)

### **B3.4.3** Continuous Property Channels

- A. Rates Monthly Service
  - 1. For use with terminal equipment (Cont'd)
    - a. Other Channels (Cont'd)
      - (1) To connect a station location in a building to another station location, per channel  $^2$

	Nonrecurring	Monthly	
	Charge	Rate	USOC
(a) Type 2230 (2101)	\$179.80	\$ .75	2SE++
(b) Type 2463 (2120)	285.00	8.85	2SE++
(c) Type 2260 (2121)	158.75	2.70	2SE++
(d) Type 2464 (2122)	243.00	11.10	2SE++
(e) Type 2261 (2140)	163.00	1.95	1L6BB
(f) Type 2462 (2141)	243.00	8.85	1L6DB

Note 1: Effective April 1, 2013, Dataphone Select-A-Station Service was withdrawn.

**Note 2:** Reference B3.1.3.A.5 concerning these channels services.

### B3. CHANNELS AND EQUIPMENT<sup>1</sup>

# **B3.4 Rates and Charges (Cont'd)**

### **B3.4.3** Continuous Property Channels (Cont'd)

- A. Rates Monthly Service (Cont'd)
  - 2. Service Connection Charges (Cont'd)
    - f. Charges for Types 2230 2261 (Cont'd)

				Noi	nrecurring C	0	
					Series 2100		
			(2001/2101)		(2021/2121)		
			2230	2231	2260	2261	USOC
	(2)	Premises Visit					
		(a) For a channel within the same building for Inside Moves	NA	\$32.25	\$36.00	\$26.50	NA
		(b) For a channel between buildings on the same continuous property	\$36.50	49.50	49.50	36.50	NA
	(3)	Connection Charge <sup>1</sup>					
		(a) Inside Moves	75.50	122.00	122.00	75.50	NA
g.	Cha	rges for Types 2432 - 2464					
				Nonr	ecurring Cha	arge	
				11011	Series 2100	n gc	
			(2014)	(2041/2141)		(2122/2022)	
			2432	2462			USOC
	(1)	Service Ordering Charge					
		(a) (DELETED)					
		(b) Additional Stations within a building	\$123.00	\$123.00	\$123.00	\$123.00	NA
		(c) Channels wholly within the same building <sup>1</sup>	123.00	NA	123.00		NA
		(d) Channels between buildings on the same	123.00	123.00	123.00	123.00	NA
		continuous property					
		(e) Inside Moves	93.25	93.25	93.25	93.25	NA
	(2)	Premises Visit					
		(a) For a channel within the same building for Inside Moves	NA	32.25	36.00	26.50	NA
		(b) For a channel between buildings on the same continuous property	36.50	49.50	49.50	36.50	NA
	(3)	Connection Charge <sup>1</sup>					
		(a) Inside Moves	75.50	122.00	122.00	75.50	NA

#### **B3.4.4** Interoffice Channels<sup>2</sup>

- A. Fixed and Mileage Charges applicable
  - 1. Voice Grade

(a)	Saving 2000	Fixed Monthly Charge	Charge Per Mile	Nonrecuring Charge Per Channel	USOC 3LBBS	ø.
(a)	Series 2000	\$425.00	\$101.00	\$48.83	SLBBS	(I)

**Note 1:** Connection charges for channels other than for Inside Moves are as specified in B3.4.3.1 and 2 and B3.4.4.

**Note 2:** For method of determining mileage, see B3.1.3.A.5 concerning these channels.

## **B3. CHANNELS AND EQUIPMENT<sup>1</sup>**

# **B3.4 Rates and Charges (Cont'd)**

### **B3.4.5 Optional Features and Functions**

#### A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

1. Voice Grade Bridges (Series 2000)

<b>V</b> O	ice Grade Bridges (Series 2000)	M 41.1	NT		
		Monthly Rate	Nonrecurring Charge	USOC	
a.	Voice Bridging	Tuit	Charge	CBGC	
	(1) Per Port				
	(a) Two-Wire (Type 2230)	\$ 70.00	\$54.79	BQ9	(I)
	(b) Four-Wire (Type 2435)	70.00	62.00	BQ9	(I)
b.	Data Bridging				
	(1) Per Port				
	(a) Four-Wire (Types 2463 and 2464)	70.00	63.00	BQ9	(I)
c.	Telemetry and Alarm Bridging-Split Band, Active Bridging				
	(1) Common Equipment, per central office				
	(a) First bridging shelf, capacity of 48 two-wire	1,328.00	430.00	XW1	(I)
	connections				
	(b) Additional bridging shelf, capacity of 56 two-wire	1,328.00	390.00	XW2	(I)
	connections installed subsequent to the first bridging	g			
	shelf				
	(c) Additional bridging shelf, capacity of 56 two-wire	672.00	240.00	XW8	(I)
	connections installed at the same time as the first				
	bridging shelf				
	(2) Channel connections, per channel connected				
	(a) Remote station channel connection	53.00	22.30	XW3	(I)
	(b) Mid-link channel connection, first channel	132.00	65.00	XW4	(I)
	(c) Mid-link channel connection, subsequent channels	132.00	47.64	XW5	(I)

#### **B.** Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

			Nonrecu	rring Charge	
		Monthly Rate	Initial	Subsequer	nt USOC
1.	Per local channel				
	(a) Ringdown-Manual	\$ 6.00	\$10.50	\$12.51	SL3
	(b) Ringdown-Automatic	6.00	28.25	33.65	SL5
	(c) E & M Type	53.00	35.50	42.28	SLM
	(d) Type A (0-199 ohms)	70.00	28.00	33.65	SAL
	(e) Type B (200-899 ohms)	53.00	18.00	21.44	SAU
	(f) Type C (900 or more ohms)	6.00	3.00	3.57	SAY
2.	Per Channel not routed via the Central Office or between	en			
	buildings on the same continuous property				
	(a) Type A Arrangement (0-199 ohms)	14.10	41.10	49.10	SALSD
	(b) Type B Arrangement (200-899 ohms)	4.55	30.00	35.70	SAUSD
	(c) Type C Arrangement (900 or more	-	-	-	SAYSD
	ohms)				
3.	Per Channel not routed via the Central Office or between	en			
	buildings on the same continuous property or channe	ls			
	within the same building				
	(a) E & M Type	5.75	33.00	39.25	SLMEN

(I) (I) (I) (I)

### **B3. CHANNELS AND EQUIPMENT**

## **B3.4 Rates and Charges (Cont'd)**

## **B3.4.4** Optional Features and Functions (Cont'd)

- C. Conditioning (Voice Grade Services)
  - 1. Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multi-point service. For two-point services the parameters apply to each service. For multi-point services the parameters apply to any path between any two service points.

2. The types and description of the available conditioning options are as follows:

Type Conditioning	Frequency Response Specification	Envelope Delay Distortion Specification
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz, less
	-2dB to $+6dB$ .	than 1000 microseconds
	1000-2400 Hz,	
	-1dB to $+3$ dB.	
	300-3000 Hz,	
	-3dB to $+12dB$ .	
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz, less
	-2dB to $+6dB$ .	than 500 microseconds
	500-2800 Hz,	600-2600 Hz, less
	-1dB to $+3$ dB.	than 1500 microseconds
		500-2800 Hz, less
		than 3000 microseconds
		Non-Linear Distortion
	C-Notched Noise	2nd Order 3rd Order
		<b>Distortion Distortion</b>
D1 (two-point)	Noise level 28dB	35dB below 40dB below
	below signal level	signal level signal level

#### (Obsoleted, See B103.8.1)

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

	Nonrecu	Nonrecurring Charge			
	Monthly Rate	Initial	Subsequent	USOC	
4. C-Type Conditioning					
a. C-Type Conditioning is available for Types 2463 and 2464	1.				
(1) C-Types of Conditioning per local channel					
(a) C1-Type	\$22.00	\$8.50	\$10.12	P2W	(I)
(b) C2-Type	-	30.00	35.73	P3W	
5. D-Type Conditioning					
a. D-Type Conditioning					
(1) Available for Types 2463 and 2464					
(a) D1-Type	53.00	30.00	35.73	QHA	(I)
(b) (Obsoleted, See B103.8.1)					

### **B7. DIGITAL NETWORK SERVICE**

## B7.2 SynchroNet Service<sup>1</sup> (Cont'd)

#### **B7.2.3 Rates and Charges**

**A.** Service wholly within the same LATA.

		Nonrecurri	ng Charge	Month to	24 to 42 <sup>3,4</sup>	43 to72 <sup>3,4</sup>	1	
		First	Add'l	Month	Months	Months	USOC	
1.	A Digital Local Channel is furnished between a							
	Serving Wire Center and the customer's premises.							
	The Digital Local Channel charges apply per local							
	channel.							
	(a) 2.4 Kbps	\$365.00	\$156.00	\$707.00	\$45.00	\$40.00	1RSD2	(I)
	(b) 4.8 Kbps	365.00	156.00	707.00	45.00	40.00	1RSD4	(I)
	(c) 9.6 Kbps	365.00	156.00	707.00	45.00	40.00	1RSD9	(I)
	(d) 19.2 Kbps	365.00	156.00	707.00	45.00	40.00	1RSD3	(I)
	(e) 56.0 Kbps	365.00	156.00	940.00	60.00	55.00	1RSD5	(I)
	(f) 64.0 Kbps	365.00	156.00	940.00	60.00	55.00	1RSD6	(I)
2.	A Node Channel Termination is required at the							
	Company's Node Central Office. Node Channel							
	Termination per local channel or equivalent, each							
	(a) 2.4 Kbps	48.00	37.00	128.00	9.00	8.00	2UN24	(I)
	(b) 4.8 Kbps	48.00	37.00	128.00	9.00	8.00	2UN48	(I)
	(c) 9.6 Kbps	48.00	37.00	128.00	9.00	8.00	2UN96	(I)
	(d) 19.2 Kbps	48.00	37.00	128.00	9.00	8.00	2UN19	(I)
	(e) 56.0 Kbps	48.00	37.00	291.00	23.00	16.00	2UN56	(I)
	(f) 64.0 Kbps	48.00	37.00	291.00	23.00	16.00	2UN64	(I)

- 3. A Digital Interoffice Channel is furnished between a serving wire center and the Node Central Office. A flat rate and a rate per mile apply for each Digital Interoffice Channel provided.<sup>2</sup>
  - a. Interoffice channel
    - (1) Fixed rates applicable

			Nonrecurring	Month to	24 to 42 <sup>3,4</sup>	43 to 72 <sup>3</sup> ,	4	
			Charge	Month	Months	Months	USOC	
	(a)	2.4, 4.8, 9.6 and 19.2 Kbps	\$99.00	\$291.00	\$23.00	\$16.00	3LBSF	(I)
	(b)	56.0 and 64.0 Kbps	99.00	438.00	28.00	25.00	3LBSF	(I)
(2)	Each	mile or fraction thereof						
	(a)	2.4, 4.8, 9.6 and 19.2 Kbps	-	18.00	1.25	1.00	3LBSM	(I)
	(b)	56.0 and 64.0 Kbps	-	38.00	2.50	2.00	3LBSM	(I)

- **Note 1:** Certain material which previously appeared in this section has been vintaged for existing customers (with service in place prior to August 4, 1993) and may be found in Section B107.
- Note 2: Refer to the National Exchange Carrier Association (NECA) Tariff F.C.C. No. 4 for mileage measurement methodology and wire center Vertical (V) and Horizontal (H) coordinates.
- **Note 3:** As of October 1, 2013, payment periods greater than 36 months are no longer available for new or renewing subscribers.
- **Note 4:** Effective December 31, 2013, customers may not establish new term plans of any length for SynchroNet Service, and existing term plans may not be renewed. For new service, or for existing service after any term plan expires, service will be provided only on a month-to-month basis.