

Nevada Bell Telephone Company  
d/b/a AT&T Nevada and AT&T Wholesale  
645 East Plumb Lane, Reno, Nevada  
Tariff P.U.C.N. No. C19-A

Original Title Page

Canceling \_\_\_\_\_ Title Page

ACCESS SERVICE

---

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

IMPORTANT NOTICE


Upon approval from the Public Utilities Commission of Nevada, Intrastate collocation services provided in this Tariff will Grandfather and Sunset. Customers having existing collocation service will be able to continue their arrangement until February 1, 2009, or until the date by which they have executed an Interconnection Agreement ("ICA") with appropriate collocation terms, conditions and rates, whichever is earlier. After the effective date of this tariff, no new collocation arrangements will be provided under this Tariff, and after February 1, 2009, collocation service will no longer be available via this Tariff but instead must be obtained through an ICA with the company or through the company's FCC Tariff offerings.

(N)

(N)

Issued: December 10, 2007  
Effective:  
Advice No.: 2037

Issued by  
Howard A. Lenox, Jr  
President-Nevada



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

<u>TABLE OF CONTENTS</u>		<u>Sheet</u>
<b>19.1</b>	<b>General Description - Physical Collocation</b>	1
19.1.1	Process	1
19.1.2	Scope	1
19.1.3	Purpose	1
<b>19.2</b>	<b>Definitions</b>	1
<b>19.3</b>	<b>Limitation of Liability and Force Majeure Events</b>	3
19.3.1	Limitation	3
19.3.2	Third Parties	3
19.3.3	Force Majeure Events	4
<b>19.4</b>	<b>Responsibilities of THE UTILITY</b>	4
19.4.1	Right to Use; Multiple Dedicated Spaces	4
19.4.2	Contact Numbers	4
19.4.3	Trouble Status Reports	4
19.4.4	Service Coordination	5
19.4.5	Casualty Loss	5
19.4.5.1	Damage to Dedicated Space	5
19.4.5.2	Damage to Eligible Structure	5
19.4.6	Construction Notification	6
<b>19.5.</b>	<b>Obligations of the Collocator</b>	6
19.5.1	Certification	6
19.5.2	Contact Numbers	6
19.5.3	Trouble Report	6
19.5.4	Removal	6
19.5.5	Hazardous Waste & Materials	7
19.5.6	Safety	7
19.5.7	Collocator's Equipment and Facilities	7
19.5.8	Insurance	8
19.5.8.1	Coverage Requirements	8
19.5.8.2	Self-Insured	10
<b>19.6.</b>	<b>Ordering and Provisioning</b>	10
19.6.1	Dedicated Space	10
19.6.1.1	Types of Available Physical Collocation Arrangements	10
19.6.1.1.1	Space Determination	16
19.6.1.2	Security	16
19.6.1.3	Interval	18
19.6.1.4	Application Quotation Interval - Physical Collocation	19
19.6.1.5	Caged Physical Collocation Install. Interval	19
19.6.1.6	Cageless Physical Collocation Install. Interval	20
19.6.1.7	CEV, Hut, and Cabinet Install. Interval	20
19.6.1.8	Adjacent Space or Other Physical Collocation Arrangement Installation Interval	20
19.6.1.9	Revisions	20

Note: Material on this page was moved from Sheet A.

Issued: October 1, 2007  
Effective: October 1, 2007  
Advice No.:

Issued by  
Howard A. Lenox, Jr.  
President-Nevada

**ACCESS SERVICE**


**C19-A. COLLOCATION SERVICES (LOCAL ACCESS) (Cont'd)**

**TABLE OF CONTENTS**

	<u>Sheet</u>	
<b>19.10. Standards (Cont'd)</b>		
19.10.2 Revisions (Cont'd)		
19.10.2.1 Dispute Resolution Process for Revisions or Implementation of Technical Publications	37	
19.10.3 Compliance Certification	37	
<b>19.11. Re-Entry</b>		38
<b>19.12. Indemnification of THE UTILITY</b>		38
<b>19.13. Services and Maintenance</b>		39
19.13.1 Operating Services		39
19.13.2 Maintenance		39
19.13.3 Equipment Staging and Storage		39
19.13.4 Legal Requirements		40
<b>19.14. THE UTILITY'S Right of Access</b>		40
<b>19.15. General</b>		41
<b>19.16. Preparation Charges</b>		42
<b>19.17. Charges</b>		42
19.17.1 Monthly Charges		42
19.17.2 Nonrecurring Charges		43
19.17.3 Individual Case Basis (ICB)		43
19.17.4 Outstanding Balances		43
<b>19.18. Regeneration</b>		43
<b>19.19. Rate Regulations</b>		44
19.19.1 Determination of Charges Not Established in Tariff (Custom Work Charges)		44
19.19.2 Rate Elements		44
<b>19.20. Rates and Charges</b>		55
<b>19.21 Physical CDOW - (CLECs Doing Own Work) -     Collocator Responsibilities</b>		65.1 (N)
19.21.1 Interconnection Cabling		65.1
19.21.2 Power Cabling		65.1
19.21.3 Intervals and Provisioning		65.2
19.21.4 Rate Elements for CDOW		65.6
<b>19.22 Central Office Rates and Charges for Physical CDOW</b>		65.10
19.22.1 Rates and Charges for CLECs Doing Own Work		65.10 (N)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



**ACCESS SERVICE**


**C19-A. COLLOCATION SERVICES (LOCAL ACCESS) (Cont'd)**

**TABLE OF CONTENTS**

	<u>Sheet</u>	
<b>19.23 General Description - Virtual Collocation</b>	66	(T)
19.23.1 Virtual Collocation for Interconnection to THE UTILITY for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with THE UTILITY-Provided UNES when the Equipment is Provided by the Collocator.	67	
19.23.2 Federal Telecommunications Act of 1996	71	
<b>19.24 Definitions</b>	71	
<b>19.25 Provisioning</b>	72	
<b>19.26 Collocator Responsibilities</b>	72	
<b>19.27 Cooperative Responsibilities</b>	72	
<b>19.28 Intervals and Provisioning</b>	73	
19.28.1 Quote Intervals	73	
19.28.2 Implementation Intervals	74	
19.28.3 Installation of Virtual Collocation Equipment	75	
19.28.4 Revisions	76	
19.28.5 Augments	77	
<b>19.29 Equipment Provisioning</b>	77	
<b>19.30 Repair of Equipment</b>	77	
<b>19.31 Maintenance of Equipment</b>	78	
<b>19.32 Alarm Collection</b>	78	
<b>19.33 Termination of Virtual Collocation</b>	78	
<b>19.34 Revisions</b>	79	
<b>19.35 Dispute Resolution Process for Revisions or Implementation of Technical Publications</b>	79	(T)

Issued:  
Effective:  
Advice:

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE


C19-A. COLLOCATION SERVICES (LOCAL ACCESS) (Cont'd)

TABLE OF CONTENTS

	<u>Sheet</u>
<b>19.36 Rate Regulations</b>	79
19.36.1 Rate Elements for THE UTILITY Central Offices	80
19.36.2 Rate Elements for THE UTILITY CEVs, Huts and Cabinets	88
19.36.3 Rates and Charges for Central Offices	91
19.36.4 Rates and Charges for CEVs, Huts and Cabinets	94
<b>19.37 Alternative Virtual Collocation Arrangement Description</b>	96
<b>19.38 Obligations of the Collocator</b>	97
19.38.1 Indemnification of THE UTILITY	97
19.38.2 Insurance	98
19.38.3 Conduct While in THE UTILITY Eligible Structures	100
<b>19.39 Cooperative Responsibilities</b>	101
19.39.1 Qualification of Collocators	101
<b>19.40 Rate Regulations</b>	101
19.40.1 Rate Elements for THE UTILITY Offices	101
19.40.2 Rate Elements for CEV, Huts, and Cabinets	102
19.40.3 rates and Charges for Central Offices	103
A. Security Escorts	103
19.40.4 Rate and Charges CEVs, Huts and Cabinets	103
A. Security Escorts	103
<b>19.41 CLECs Doing Own Work (COW) - Virtual Collocation     - Collocator Responsibilities</b>	104
19.41.1 Interconnection Cable	104
19.41.2 Power Cable	104
19.41.3 Intervals and Provisioning	105
19.41.3.1 Implementation Intervals	105
19.41.3.2 Payment Prior to Turnover of Space	107
19.41.3.3 Cable Augments	108
19.41.3.4 Other Augments	109
19.41.3.5 Walk-Through Visit	109

Issued:  
 Effective:  
 Advice:

Issued by  
 M. J. Lindsey  
 President



(T)

(T)

(N)

(N)

ACCESS SERVICE

(N)

C19-A. COLLOCATION SERVICES (LOCAL ACCESS) (Cont'd)


TABLE OF CONTENTS

	<u>Sheet</u>
19.41.4 Rate Elements for THE UTILITY Central Offices	110
19.41.4.A Power Arrangement	110
19.41.4.B Voice Grade Interconnection	110
19.41.4.C DS-1 Interconnection Arrangement to DCS	110
19.41.4.D DS-1 Interconnection Arrangement to DXS	110
19.41.4.E DS-3 Interconnection Arrangement to DCS	110
19.41.4.F DS-3 Interconnection Arrangement to DXS	111
19.41.4.G Fiber Interconnection arrangement	111
19.41.4.H Collocation-to-Collocation Arrangement	111
14.41.4.H.1 Fiber Cable	111
14.41.4.H.2 Copper cable	111
14.41.4.H.3 Coax Cable	112
14.41.4.H.4 Cable Racking and Hole	112
14.41.4.H.5 Route Design	112
<b>19.42 Rates and Charges for CDOW</b>	<b>113</b>
19.42.1 Rates and Charges for CLEC Doing Own Work	113
19.42.1.A Power Arrangements	113
19.42.1.B Voice Grade Interconnection	113
19.42.1.C DS-1 Interconnection Arrangement to DCS	113
19.42.1.D DS-1 Interconnection Arrangement to DXS	113
19.42.1.E DS-3 Interconnection Arrangement to DCS	114
19.42.1.F DS-3 Interconnection Arrangement to DXS	114
19.42.1.G Fiber Interconnection arrangement	114

(N)

Issued:  
Effective:  
Advice:

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE


C19-A. COLLOCATION SERVICES (LOCAL ACCESS) (Cont'd)

TABLE OF CONTENTS

	<u>Sheet</u>	(N)
19.42 Rates and Charges for CDOW (cont.)		
19.42.1.H Collocation-to-Collocation Connection	115	
19.42.1.H.1 Fiber Cable (12 fibers)	115	
19.42.1.H.2 Copper Cable (28 DS1s)	115	
19.42.1.H.3 Coax Cable (1 DS3)	115	
19.42.1.H.4 Cable Racking and Hole	115	
19.42.1.H.5 Route Design	115	(N)

Issued:  
Effective:  
Advice:

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.1 GENERAL DESCRIPTION - PHYSICAL COLLOCATION**

**19.1.1 Process**

This Tariff provides for the placing of Collocator telecommunications equipment and facilities on THE UTILITY property for the purposes set forth in Paragraph 19.1.3, following.

**19.1.2 Scope**

Physical collocation provides actual space (hereinafter referred to as Dedicated Space) within THE UTILITY Eligible Structure as defined in Paragraph 19.2 Definitions, following. The Collocator will lease the Dedicated Space from THE UTILITY and install certain of its own telecommunications equipment within the Dedicated Space that is necessary for the purposes set forth in Paragraph 19.1.3, following. THE UTILITY will provide caged, shared caged, cageless, and other physical collocation arrangements within its Eligible Structures. When space is Legitimately Exhausted inside an Eligible Structure, THE UTILITY will permit collocation in Adjacent Structures located on THE UTILITY's property in accordance with this Tariff so that Collocators will have a variety of collocation options from which to choose.

**19.1.3 Purpose**

Physical collocation is available for the placement of telecommunications equipment as provided for in this Tariff for the purposes of (i) transmitting and routing telephone exchange service or exchange access pursuant to 47 U.S.C. 251(c)(2) if FTA96, or (ii) obtaining access to THE UTILITY's unbundled network elements pursuant to 47 U.S.C. 251(c)(3) of FTA96. The terms "telephone exchange service", "exchange access" and "network element" are used as defined in 47 U.S.C. 153(47), 47 U.S.C. 153(16), and 47 U.S.C. 153(29) of FTA96, respectively. Nothing contained in this tariff shall prohibit a Collocator from exercising its rights under the Telecommunications Act of 1996 ("Act"). Specifically, a Collocator may exercise its rights under sections 252(a)(1) and Section 252(i) of the Act at any time.

**19.2 DEFINITIONS**


Active Collocation Space - Denotes the space within an Eligible Structure that can be designated for physical collocation which has sufficient telecommunications infrastructure systems, including power. Space within CEVs, huts and cabinets and similar Eligible Structures that can be designated for physical collocation is considered to be Active Collocation Space.

Adjacent Off-site Arrangement - Where Physical Collocation space within THE UTILITY Eligible Structure is Legitimately Exhausted, and the Collocator's Adjacent On-site space is not within 50 ft. of the Eligible Structure's outside perimeter wall, the Collocator has the option and THE UTILITY shall permit an Adjacent Structure Off-site Arrangement, to the extent technically feasible. The Adjacent Off-site Arrangement is available if the Collocator's site is located on a property that is contiguous to or within one standard city block of THE UTILITY's Central Office or Eligible Structure.

Material on this page has been relocated to Page No. 1.1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.2 DEFINITIONS (Cont'd)

Adjacent Off-site Arrangement (Cont'd)

Such arrangement shall be used for interconnection or access to unbundled network elements. When the Collocator elects to utilize an Adjacent Off-site Arrangement, the Collocator shall provide both the AC and DC power required to operate such facility. The Collocator may provide its own facilities to THE UTILITY's premises or to a mutually agreeable meet point from its Adjacent Off-site location for interconnection purposes. The Collocator may subscribe to facilities available in the UNE rate schedule of the Collocator's interconnection agreement or, the Collocator may subscribe to the applicable rates established in this tariff for access to unbundled network elements. The interim rates, subject to true up, established in this tariff for adjacent off-site arrangement apply only if collocator's adjacent off-site is located on a property that is contiguous to or within one standard city block of THE UTILITY's Central Office or Eligible Structure.

At the time the Collocator requests this arrangement, the Collocator must provide information as to the location of the Adjacent Off-site facility, the proposed method of interconnection, and the time frame needed to complete provisioning of the arrangement. THE UTILITY shall provide a response to Collocator within ten (10) days of receipt of the application, including a price quote, provisioning interval, and confirmation of the manner in which the Adjacent Off-site Facility will be interconnected with THE UTILITY's facilities. THE UTILITY shall make best efforts to meet the time intervals requested by Collocator and, if it cannot meet the Collocator's proposed deadline, shall provide detailed reasons, as well as proposed provisioning intervals.

In the event that interior space in an Eligible Structure becomes available, THE UTILITY will provide the option to the Collocator to relocate its equipment from an Adjacent or an Adjacent Off-site Facility into the interior space. In the event the Collocator chooses to relocate its equipment into the interior space, appropriate charges applicable for collocation within the Eligible Structure will apply.


Adjacent Structure - A Collocator-provided structure placed on THE UTILITY property (Adjacent On-site) or non THE UTILITY property (Adjacent Off-site) adjacent to an Eligible Structure. This arrangement is only permitted when space is legitimately exhausted inside the Eligible Structure and to the extent technically feasible. THE UTILITY and CLEC will mutually agree on the location of the designated space on THE UTILITY premises where the adjacent structure will be placed. THE UTILITY will not unreasonably withhold agreement as to the site desired by Collocator.

Augment - A request from a Collocator to add equipment and/or cable to an existing physical collocation arrangement.

Material on this page has been relocated from Page No. 1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



(N)

(N)

(L)

(C)

(C)

(L)

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.2 DEFINITIONS (Cont'd)

Custom Work Charge - Denotes the charge(s) developed solely to meet the construction requirements of the Collocator, (e.g., painting a cage). Custom work may not be charged to a collocator for any work performed which will benefit or be used by Nevada Bell or other collocators. Nevada Bell also may not impose a Custom Work Charge without the collocator's approval and agreement that the custom work is not included in the provision of collocation as provided for in the rate elements contained in this tariff. THE UTILITY shall follow the procedures established in paragraph 20.1 of this Tariff for imposition of Custom Work Charges. In the event an agreement between the Collocator and THE UTILITY is not reached regarding the Custom Work Charge, THE UTILITY shall complete construction of the Collocator's space pending resolution of the issue by the Commission and the Collocator may withhold payment for the disputed charges while the issue remains unresolved; however, any disputed Custom Work Charges paid by the Collocator or owed to THE UTILITY shall accrue interest at the rate established by the Public Utility Commission of Nevada. All Custom Work Charges that are approved by the Public Utility Commission of Nevada will be the basis for calculating a refund to a Collocator that has overpaid or the amount due to THE UTILITY that was not paid or underpaid. These overpaid or underpaid amounts will accrue at the above-stated interest rate on a monthly basis from the date of completion of the work or the date of payment of the disputed amount, as appropriate. In the event that the requested work will benefit all or most Collocators, such work shall not be considered custom work; instead, THE UTILITY shall file the appropriate tariff amendment. However, THE UTILITY shall not delay completion of such work during the tariff approval process. THE UTILITY shall perform such work based upon interim rates, subject to true up. If the Collocator and THE UTILITY cannot agree on interim rates, either party may seek informal dispute resolution at the Commission.

(N)

(N)

Day - For purposes of application and/or installation intervals, "day" denotes calendar days unless otherwise specified. However, any time period equal to or less than five days, day denotes business day.

Dedicated Space - Denotes the space dedicated for the Collocator's physical collocation arrangement located in THE UTILITY Eligible Structure.

Eligible Structure - Eligible Structure refers to THE UTILITY's central offices and serving wire centers, as well as all buildings or similar structures owned or leased by THE UTILITY that house its network facilities, and all structures that house THE UTILITY's facilities on public rights-of-way, including but not limited to vaults containing loop concentrators or similar structures.

Infrastructure Systems - The structural components, such as floors capable of supporting equipment loads, heating, ventilating and air conditioning (HVAC) systems, electrical systems, power, high efficiency filtration, humidity controls, remote alarms, compartmentation and smoke purge.

(L)

Material on this page has been relocated to Page 2.1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED  
EFFECTIVE (L)  
NOV 20 2001  
PUBLIC UTILITIES COMMISSION  
OF NEVADA

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.2 DEFINITIONS (Cont'd)

Legitimately Exhausted - Denotes when all space in a Central Office (CO) or other Eligible Structure that can be used to locate telecommunications equipment in any of the methods of collocation available under this Tariff is exhausted or completely occupied. Before THE UTILITY may make a determination that space in an Eligible Structure is legitimately exhausted, THE UTILITY must have removed all unused obsolete equipment from the Eligible Structure and made such space available for collocation; however, removal of the equipment shall not cause a delay in THE UTILITY's response to a Collocator's application or in provisioning collocation arrangements. The determination of exhaustion is subject to dispute resolution as provided in Section 19.6.2 of this Tariff. In making this determination, THE UTILITY may reserve space for transport equipment for current year plus two years. Additionally, THE UTILITY may not reserve space for equipment for itself, or advanced or interLATA services affiliates or other affiliates of THE UTILITY or for future use by THE UTILITY or its affiliates under conditions that are more favorable than those that apply to other telecommunications carriers seeking to reserve collocation space for their own use. THE UTILITY may reserve space for Switching, Power, Main Distribution Frame (MDF), and Digital Crossconnect System (DCS) up to anticipated customer growth over a 10-year life expectancy of the ultimate footprint of the equipment.

(L)

(L)


Other (Inactive) Collocation Space - Denotes the space within the central office that can be designated for physical collocation where infrastructure systems do not currently exist and must be constructed. The designation of Other (Inactive) Collocation Space is applicable to space within central offices only; other Eligible Structures such as CEVs, Huts, and Vaults are considered Active Collocation Space for purposes of this Tariff.

Preparation Charges - Denotes those charges associated with the initial preparation of the Collocator's Dedicated Space.

Material on this page has been relocated from Page No. 2.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.2 DEFINITIONS (Cont'd)

Technically Feasible - A collocation arrangement is technically feasible if, in accordance with either national standards or industry practice, there is no significant technical impediment to its establishment. A rebuttable presumption that a collocation arrangement is technically feasible shall arise if the arrangement has been deployed by any incumbent local exchange carrier in the country.

Telecommunications Infrastructure Space - Denotes the square footage or linear footage of space, including common areas, used to house telecommunications infrastructure equipment necessary to support collocation space used for interconnection with or access to unbundled network elements of THE UTILITY's network.

19.3 LIMITATION OF LIABILITY AND FORCE MAJEURE EVENTS

19.3.1 Limitation

With respect to any claim or suit for damages arising in connection with the mistakes, omissions, interruptions, delays or errors, or defects in transmission occurring either in the course of furnishing service pursuant to this Tariff, the liability of either THE UTILITY or the Collocator, if any, shall not exceed an amount equivalent to the proportionate monthly charge to the Collocator for the period during which such mistake, omission, interruption, delay, error, or defect in transmission or service occurs and continues.

Neither THE UTILITY nor the Collocator shall be responsible to the other for any indirect, special, consequential, lost profit or punitive damages, whether in contract or tort.

Both THE UTILITY and the Collocator shall be indemnified and held harmless by the other against claims and damages by any third party arising from provision of the other ones' services or equipment except those claims and damages directly associated with the provision of services to each other which are governed by the provisioning party's applicable Tariffs.


The liability of either THE UTILITY or the Collocator for its willful misconduct or gross negligence is not limited by this Tariff.

19.3.2 Third Parties

THE UTILITY also may provide space in or access to the Eligible Structure to other persons or entities ("Others"), which may include competitors of the Collocator's; that such space may be close to the Dedicated Space, possibly including space adjacent to the Dedicated Space and/or with access to the outside of the Dedicated Space within the collocation area; and that if caged, the cage around the Dedicated Space is a permeable boundary that will not prevent the Others from observing or even damaging the Collocator's equipment and facilities.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE

(N)

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.3 LIMITATION OF LIABILITY AND FORCE MAJEURE EVENTS (Cont'd)

19.3.2 Third Parties (Cont'd)

In addition to any other applicable limitation, neither THE UTILITY nor the Collocator shall have any liability with respect to any act or omission by any Other, regardless of the degree of culpability of any Other, except in instances involving willful actions by either THE UTILITY or the Collocator or their agents or employees.

19.3.3 Force Majeure Events

THE UTILITY shall not be responsible for delays or failures in performance under this Tariff resulting from acts or occurrences beyond the reasonable control of THE UTILITY including acts of nature, acts of civil or military authority, any law, order, regulation, ordinance of any government or legal body, embargoes, epidemics, terrorists acts, riots, insurrections, fires, explosions, earthquakes, nuclear accidents, floods, work stoppages, power blackouts, volcanic action, other major environmental disturbance or the inability to secure products or services of other persons or transportation facilities or acts or omissions of transportation carriers.

19.4 RESPONSIBILITIES OF THE UTILITY

19.4.1 Right to Use; Multiple Dedicated Spaces

In accordance with this Tariff, THE UTILITY grants to the Collocator the right to use a Dedicated Space. Each Dedicated Space within an Eligible Structure will be considered a single Dedicated Space for the application of rates according to this Tariff.

19.4.2 Contact Numbers


THE UTILITY is responsible for providing the Collocator personnel a contact number for THE UTILITY technical personnel who are readily accessible twenty-four (24) hours a day, seven (7) days a week. In addition, for all activities requiring verbal and written notification per this Tariff, the parties will provide the contact numbers included in the application process. Notwithstanding the requirements for contact numbers, the Collocator will have access to its collocated equipment in the Eligible Structure twenty-four (24) hours a day, seven (7) days a week and THE UTILITY will not delay a Collocator's entry into an Eligible Structure.

19.4.3 Trouble Status Reports

THE UTILITY is responsible for making best efforts to provide prompt verbal notification to the Collocator of significant outages or operations problems which could impact or degrade the Collocator's network, switches or services, with an estimated clearing time for restoral. In addition, THE UTILITY will provide written notification within twenty-four (24) hours. When trouble has been identified, THE UTILITY is responsible for providing trouble status reports consistent with paragraph 19.5.3, when requested by the Collocator.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.4 RESPONSIBILITIES OF THE UTILITY (Cont'd)**

**19.4.4 Service Coordination**

THE UTILITY is responsible for coordinating with the Collocator to ensure that services are installed in accordance with the service request.

**19.4.5 Casualty Loss**

**19.4.5.1 Damage to Dedicated Space**

If the Dedicated Space is damaged by fire or other casualty that is not the result of the Collocator's actions, and (1) the Dedicated Space is not rendered untenable in whole or in part, THE UTILITY shall repair the same at its expense (as hereafter limited) and the monthly charge shall not be abated, or (2) the Dedicated Space is rendered untenable in whole or in part and such damage or destruction can be repaired within ninety (90) business days, THE UTILITY has the option to repair the Dedicated Space at its expense (as hereafter limited) and the monthly charges shall be proportionately abated while the Collocator was deprived of the use. If the Dedicated Space cannot be repaired within ninety (90) business days, or THE UTILITY opts not to rebuild, then THE UTILITY shall notify the Collocator within thirty (30) business days following such occurrence that the Collocator's use of the Dedicated Space will terminate as of the date of such damage. Upon the Collocator's election, THE UTILITY must provide to the Collocator, a comparable substitute collocation arrangement at another mutually agreeable location at the applicable nonrecurring charges for that arrangement and location.


Any obligation on the part of THE UTILITY to repair the Dedicated Space shall be limited to repairing, restoring and rebuilding the Dedicated Space as prepared for the Collocator by THE UTILITY.

**19.4.5.2 Damage to Eligible Structure**

In the event that the Eligible Structure in which the Dedicated Space is located shall be so damaged by fire or other casualty that closing, demolition or substantial alteration or reconstruction thereof shall, in THE UTILITY's opinion be advisable, then, notwithstanding that the Dedicated Space may be unaffected thereby, THE UTILITY, at its option, may terminate services provided via this Tariff by giving the Collocator ten (10) business days prior written notice within thirty (30) business days following the date of such occurrence, if at all possible.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.4 RESPONSIBILITIES OF THE UTILITY (Cont'd)

19.4.6 Construction Notification

THE UTILITY will notify the Collocator prior to the scheduled start dates of all major construction activities (including power additions or modifications) in the general area of the Collocator's Dedicated Space with potential to disrupt the collocator's services. THE UTILITY will provide such notification to the Collocator at least twenty (20) business days before the scheduled start date of such major construction activity. THE UTILITY will inform the Collocator as soon as practicable by telephone of all emergency-related activities that THE UTILITY or its subcontractors are performing in the general area of the Collocator's Dedicated Space, or in the general area of the AC and DC power plants which support the Collocator's equipment. If possible, notification of any emergency-related activity will be made immediately prior to the start of the activity so that the Collocator may take reasonable actions necessary to protect the Collocator's Dedicated Space.

19.4.7 Construction Inspections

During the construction of all forms of physical collocation space required under this tariff, Collocators shall be permitted up to four (4) inspections during the construction in an Eligible Structure during normal business hours with a minimum of two (2) hours advance notification. If the construction interval is extended beyond the tariffed or agreed upon interval, collocators will be granted two (2) additional visits per thirty (30) day extension. Requests for construction inspections shall be given to the contact number as specified in paragraph 4.2. If any travel expenses are incurred, the collocator will be charged for the time THE UTILITY's employees spend traveling and will be based on fifteen (15) minute increments.

(N)

(N)

19.5 OBLIGATIONS OF THE COLLOCATOR

19.5.1 Certification

The Collocator requesting physical collocation is responsible for obtaining any necessary certifications or approvals from the Commission prior to provisioning of telecommunications service by using the physical collocation space. THE UTILITY shall not refuse to process an application for collocation space and shall not refuse to provision the collocation space submitted by a CLEC while that CLEC's state certification is pending or prior to a final approved interconnection agreement.

19.5. Contact Numbers

The Collocator is responsible for providing to THE UTILITY personnel a contact number for Collocator technical personnel who are readily accessible 24 hours a day, 7 days a week. In addition, for all activities requiring verbal and written notification per this Tariff, the parties will provide the contact numbers included in the application process.

(L)

Material on this page has been relocated to Page No. 6.1

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED EFFECTIVE
NOV 20 2001
PUBLIC UTILITIES COMMISSION OF NEVADA

(L)

**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.5 OBLIGATIONS OF THE COLLOCATOR (Cont'd)**

**19.5.3 Trouble Report**

The Collocator is responsible for making best efforts to provide prompt verbal notification to THE UTILITY of significant outages or operations problems which could impact or degrade THE UTILITY's network, switches or services, with an estimated clearing time for restoral. In addition, Collocator will provide written notification within 24 hours. When trouble has been identified, Collocator is responsible for providing trouble status reports, consistent with paragraph 19.4.3, when requested by THE UTILITY.

**19.5.4 Removal**

The Collocator is responsible for removing any equipment, property or other items that it brings into the Dedicated Space or any other part of the Eligible Structure in which the Dedicated Space is located within thirty (30) business days after discontinuance or termination of the physical collocation arrangement. After such time, THE UTILITY may remove the abandoned

(L)

(L)

Material on this page has been relocated from Page No. 6.1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED EFFECTIVE
NOV 20 2001
PUBLIC UTILITIES COMMISSION OF NEVADA

ACCESS SERVICE

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.5 OBLIGATIONS OF THE COLLOCATOR (Cont'd)**

(N)

**19.5.4 Removal (Cont'd)**

and the Collocator is responsible for payment of any and all claims, expenses, fees or other costs associated with any such removal by THE UTILITY, including any materials used in the removal and the time spent on such removal, at the hourly rate for custom work. The Collocator will hold THE UTILITY harmless from the failure to return any such equipment, property or other items.

**19.5.5 Hazardous Waste & Materials**

The Collocator and its vendors shall adhere to all federal, state and local regulations regarding hazardous material/waste. In addition, the CLEC's Installation Supplier shall adhere to all SBC LEC requirements. The Installation Supplier shall coordinate with the SBC LEC Representative before any activity relating to hazardous material/waste is started. (Refer to Interconnector's Guide for Collocation for further details.)

**19.5.6 Safety**

The Installation Supplier shall be entirely responsible for the safety and instruction of its employees or representatives. The Installation Supplier shall take precautions to avoid harm to personnel, equipment, and building (e.g., cutting installed threaded rod) of THE UTILITY or other CLECs. The Installation Supplier shall immediately report to the SBC LEC Representative any accident, outside agency inspection or hazardous condition, such as any accident or injury that occurs to employees or subcontractors of the Installation Supplier while on SBC LEC premises or any OSHA inspection or citations issued to the Installation Supplier while on SBC LEC premises. (Refer to Interconnector's Guide for Collocation for further details.)

**19.5.7 Collocator's Equipment and Facilities**

The Collocator is solely responsible for the design, engineering, testing, performance and maintenance of the telecommunications equipment and facilities used in the Dedicated Space. The Collocator will be responsible for servicing, supplying, repairing, installing and maintaining the following within the Dedicated Space or optional POT frame located in the Common Area:

- A. its fiber optic cable(s) or other permitted transmission media as specified in paragraph 19.8.1;
- B. its equipment;
- C. required point of termination cross connects in the Dedicated Space or the optional POT Frame/Cabinet located in the Common Area;

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED EFFECTIVE
JAN 19 2001
PUBLIC UTILITIES COMMISSION OF NEVADA

(N)

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.5 OBLIGATIONS OF THE COLLOCATOR (Cont'd)

19.5.7 Collocator's Equipment and Facilities (Cont'd)

- D. POT frame maintenance, including replacement power fuses and circuit breaker restoration, to the extent that such fuses and circuit breakers are within the Dedicated Space or in the optional POT Frame/Cabinet located in the Common Area and accessible by the Collocator and only if and as required; and
- E. the connection cable and associated equipment which may be required within the Dedicated Space(s) or in the optional POT Frame/Cabinet located in the Common Area to the point(s) of termination.

THE UTILITY neither accepts nor assumes any responsibility whatsoever in any of the areas so designated in this paragraph.

19.5.8 Insurance

19.5.8.1 Coverage Requirements

The Collocator agrees to maintain, at all times, the following minimum insurance coverage and limits and any additional insurance and/or bonds required by law:

- A. Workers' Compensation insurance with benefits afforded under the laws of the State of Nevada and Employers Liability insurance with minimum limits of \$100,000 for Bodily Injury-each accident, \$500,000 for Bodily Injury by disease-policy limits and \$100,000 for Bodily Injury by disease-each employee.
- B. Commercial General Liability insurance with minimum limits of: \$2,000,000 General Aggregate limit; \$1,000,000 each occurrence sub-limit for all bodily injury or property damage incurred in any one occurrence; \$1,000,000 each occurrence sub-limit for Personal Injury and Advertising; \$2,000,000 Products/Completed Operations Aggregate limit, with a \$1,000,000 each occurrence sub-limit for Products/Completed Operations. Fire Legal Liability sub-limits of \$300,000 are required for lease agreements. THE UTILITY will be named as an Additional Insured on the Commercial General Liability policy.
- C. If use of an automobile is required, Automobile Liability insurance with minimum limits of \$1,000,000 combined single limits per occurrence for bodily injury and property damage, which coverage shall extend to all owned, hired and non-owned vehicles.
- D. All Risk Property coverage on a full replacement cost basis insuring all of Collocator's personal property situated on or within the Eligible Structure or the Dedicated Space. Collocator releases THE UTILITY from and waives any and all right of recovery, claim, action or cause of action against The Utility, its agents, directors, officers, employees, independent contractors, and other representatives for any loss or damage that may

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED  
EFFECTIVE

JAN 19 2001

PUBLIC UTILITIES COMMISSION  
OF NEVADA

**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.5 OBLIGATIONS OF THE COLLOCATOR (Cont'd)**

**19.5.8 Insurance (Cont'd)**

**19.5.8.1 Coverage Requirements (Cont'd)**

**D. (Cont'd)**

occur to equipment or any other personal property belonging to Collocator or located on or in the space at the request of Collocator when such loss or damage is by reason of fire or water or the elements or any other risks that would customarily be included in a standard all risk casualty insurance policy covering such property, regardless of cause or origin, including negligence of The Utility, its agents, directors, officers, employees, independent contractors, and other representatives. Property insurance on Collocator's fixtures and other personal property shall contain a waiver of subrogation against The Utility, and any rights of Collocator against The Utility for damage to Collocator's fixtures or personal property are hereby waived. Collocator may also elect to purchase business interruption and contingent business interruption insurance, knowing that The Utility has no liability for loss of profit or revenues should an interruption of service occur that is attributable to any Physical Collocation arrangement provided under this Tariff.

THE UTILITY requires that companies affording insurance coverage have a B+ VII or better rating, as rated in the A.M. Best Key rating Guide for Property and Casualty Insurance Companies.

A certificate of insurance stating the types of insurance and policy limits provided the Collocator must be received prior to commencement of any work. The insurance provisions and requirements are reciprocal to THE UTILITY as well. If a certificate is not received, THE UTILITY will notify the Collocator and the Collocator will have five (5) business days to cure the deficiency. If the Collocator does not cure the deficiency within five (5) business days, Collocator hereby authorizes THE UTILITY, and THE UTILITY may, but is not required to, obtain insurance on behalf of the Collocator as specified herein. THE UTILITY will invoice Collocator for the costs incurred to so acquire insurance.


The cancellation clause on the certificate of insurance will be amended to read as follows:

"SHOULD ANY OF THE ABOVE-DESCRIBED POLICIES BE CANCELLED OR MATERIALLY CHANGED, THE ISSUING COMPANY WILL MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER."

The Collocator shall also require all contractors who may enter the Eligible Structure to maintain the same insurance requirements listed above.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.5 OBLIGATIONS OF THE COLLOCATOR (Cont'd)

19.5.8 Insurance (Cont'd)

19.5.8.2 Self-Insured

Self-insurance in lieu of the insurance requirements listed preceding shall be permitted if the Collocator 1) has a tangible net worth of Fifty (50) Million dollars or greater, and 2) files a financial statement annually with the Securities and Exchange Commission and/or having a financial strength rating of 4A or 5A assigned by Dun & Bradstreet. The ability to self-insure shall continue so long as the Collocator meets all of the requirements of this Paragraph. If the Collocator subsequently no longer satisfies this Paragraph, 19.5.8.1, Coverage Requirements, shall immediately apply.

19.6 ORDERING AND PROVISIONING

19.6.1 Dedicated Space

19.6.1.1 Types of Available Physical Collocation Arrangements

THE UTILITY will make each of the arrangements outlined below available within its Eligible Structures in accordance with this Tariff so that Collocators will have a variety of collocation options from which to choose:

- A. Caged Physical Collocation - The caged collocation option provides the Collocator with an individual enclosure (not including a top). This enclosure is an area designated by THE UTILITY within an Eligible Structure to be used by the Collocator for the sole purpose of installing, maintaining and operating the Collocator-provided equipment.


THE UTILITY will provide Floor Space, floor space site conditioning, Cage Common Systems Materials, Cage Preparation, and Safety and Security charges in increments of one (1) square foot. For this reason, Collocators will be able to order space and a cage enclosure in amounts as small as that sufficient to house and maintain a single rack or bay of equipment, (i.e., 50 square feet of cage space for a single bay) and will ensure that the first Collocator in a THE UTILITY premises will not be responsible for the entire cost of site preparation and security. Rates and charges are as found in paragraph 19.20 following.

When a Collocator constructs its own cage and related equipment, the Collocator will not be subject to the Cage Preparation Charges as set forth in paragraph 19.20 following. The Collocator must comply with all methods, procedures and guidelines followed by THE UTILITY in constructing such an arrangement. The Collocator may provide a cage enclosure (which shall not include a top), cable rack and support structure inside the cage, lighting, receptacles, cage grounding, cage sign and door key set. In addition, terms and conditions for contractors performing cage construction activities as set forth in Paragraph 19.16 following will apply. If the collocator elects to install or requests that the Utility provide and install a point of termination (POT) frame in the dedicated collocation area rather than inside its cage, the floor space rate for cageless collocation found in paragraph 21.3 following applies.

(N)  
|  
(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.6 ORDERING AND PROVISIONING (Cont'd)**

**19.6.1 Dedicated Space**

**19.6.1.1 Types of Available Physical Collocation Arrangements**

B. Caged Shared Collocation - The Utility will provide Caged Shared Collocation as set forth in paragraph 19.7 entitled "Use by Other Local Service Providers." Two or more collocators may initially apply at the same time to share a caged collocation space as set forth in paragraph 19.7.1. Charges to each collocator will be based upon the percentage of total space utilized by each collocator.

(C)  
(C)  
(D)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED  
EFFECTIVE  
NOV 20 2001  
PUBLIC UTILITIES COMMISSION  
OF NEVADA

ACCESS SERVICE


C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.6 ORDERING AND PROVISIONING (Cont'd)

(D)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

---

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.6 ORDERING AND PROVISIONING (Cont'd)**

(D)

**Issued:**  
**Effective:**  
**Advice: No. 1861**

**Issued by**  
**M. J. Lindsey**  
**President**

FILED ACCEPTED (D)  
EFFECTIVE  
NOV 20 2001  
PUBLIC UTILITIES COMMISSION  
OF NEVADA

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.1 Dedicated Space (Cont'd)

19.6.1.1 Types of Available Physical Collocation Arrangements  
(Cont'd)

C. Caged Common Collocation - THE UTILITY will provide Caged Common Collocation as set forth in paragraph 19.7.1.1.

(D)

(D)

(N)  
(N)

D. Cageless Collocation - THE UTILITY will provide cageless collocation in any collocation space that is supported by the existing telecommunications infrastructure (Active Collocation Space), or in the event that all such space is exhausted or completely occupied, will provide in any collocation space that requires additional telecommunications infrastructure (Other (Inactive) Collocation Space), as further defined in Section 19.2. Under this arrangement, THE UTILITY will provide space in single bay increments, including available space adjacent to or next to THE UTILITY's equipment. Collocators will have direct access to their equipment twenty-four (24) hours a day, seven (7) days a week without need for a security escort. THE UTILITY will not require Collocators to use an intermediate interconnection arrangement such as a POT frame. THE UTILITY may take reasonable steps to protect its own equipment as provided in Section 19.6.1.2.

(C)


(C)

Accordingly, THE UTILITY will not provide a Collocator's personnel or agents with direct access to THE UTILITY's main distribution frame.

(C)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.1 Dedicated Space (Cont'd)

19.6.1.1 Types of Available Physical Collocation Arrangements (Cont'd)

D. Adjacent Space Collocation - Where Physical Collocation space within THE UTILITY Eligible Structure is Legitimately Exhausted, as that term is defined in Section 19.2 of this Tariff, THE UTILITY will permit Collocators to physically collocate on THE UTILITY's property in adjacent controlled environmental vaults or similar structures that THE UTILITY uses to house telecommunication equipment, to the extent technically feasible. THE UTILITY and CLEC will mutually agree on the location of the designated space on THE UTILITY premises where the adjacent structure will be placed. THE UTILITY will not unreasonably withhold agreement as to the site desired by Collocator. Safety and maintenance requirements, zoning and other state and local regulations are all reasonable grounds to withhold agreement as to the site desired by the Collocator. THE UTILITY will offer the following increments of power to the Adjacent On-site structure: THE UTILITY will provide a standard offering of 100 AMPS of AC power to the adjacent structure when Central Office Switchboard AC capacity exists. THE UTILITY will provide DC power within two cable options that allow increments of 2-100 Amp Power Feeds, 2-200 Amp Power Feeds, 2-300 Amp Power Feeds, and 2-400 Amp Power Feeds to the adjacent structure from the Central Office Power source. At its option, the Collocator may choose to provide its own AC and DC power to the adjacent structure. THE UTILITY will provide physical collocation services to such adjacent structures, subject to the same requirements as other collocation arrangements in this Tariff. THE UTILITY shall permit Collocators to place their own equipment, including, but not limited to, copper cables, coaxial cables, fiber cables and telecommunications equipment, in adjacent facilities constructed by either THE UTILITY or the Collocator. Collocator shall be responsible for securing all required licenses and permits, the required site preparations and shall further retain responsibility for securing and/or constructing the adjacent structure and any building and site maintenance associated with the placement of such adjacent structure.

(C)


(N)

(N)

(D)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



(D)

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.1 Dedicated Space (Cont'd)

19.6.1.1 Types of Available Physical Collocation Arrangements (Cont'd)

Where Physical Collocation space within THE UTILITY Eligible Structure is Legitimately Exhausted, and Collocator's Adjacent On-site space is not within 50 ft. of the Eligible Structure's outside perimeter wall, the Collocator has the option and THE UTILITY shall permit an Adjacent Structure Off-site Arrangement, to the extent technically feasible. The Adjacent Off-site Arrangement is available if the Collocator's site is located on a property that is contiguous to or within one standard city block of THE UTILITY'S Central Office or Eligible Structure. Such arrangement shall be used for interconnection and access to unbundled network elements. When the Collocator elects to utilize an Adjacent Off-site Arrangement, the Collocator shall provide both the AC and DC power required to operate such facility. The Collocator may provide its own facilities to THE UTILITY'S premises or to a mutually agreeable meet point from its Adjacent Off-site location for interconnection purposes. The Collocator may subscribe to facilities available in the UNE rate schedule of the Collocator's interconnection agreement or, the Collocator may subscribe to the applicable rates established in this tariff for access to unbundled network elements. The interim rates, subject to true up, established in this tariff for adjacent off-site arrangement apply only if collocator's adjacent off-site is located on a property that is contiguous to or within one standard city block of THE UTILITY'S Central Office or Eligible Structure.

At the time the Collocator requests this arrangement, the Collocator must provide information as to the location of the Adjacent Off-site facility, the proposed method of interconnection, and the time frame needed to complete provisioning of the arrangement. THE UTILITY shall provide a response to Collocator within ten (10) days of receipt of the application, including a price quote, provisioning interval, and confirmation of the manner in which the Adjacent Off-site Facility will be interconnected with THE UTILITY'S facilities. THE UTILITY shall make best efforts to meet the time intervals requested by Collocator and, if it cannot meet the Collocator's proposed deadline, shall provide detailed reasons, as well as proposed provisioning intervals.

In the event that interior space in an Eligible Structure becomes available, THE UTILITY will provide the option to the Collocator to relocate its equipment from an Adjacent On-site or an Adjacent Off-site Facility into the interior space. In the event the Collocator chooses to relocate its equipment into the interior space, appropriate charges applicable for collocation within the Eligible Structure will apply.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED EFFECTIVE (N)
NOV 20 2001
PUBLIC UTILITIES COMMISSION OF NEVADA

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.1 Dedicated Space (Cont'd)

19.6.1.1 Types of Available Physical Collocation Arrangements  
(Cont'd)

F. THE UTILITY will provide other collocation arrangements that have been demonstrated to be technically feasible. Deployment by any incumbent LEC of a collocation arrangement gives rise to a rebuttable presumption in favor of a CLEC seeking collocation in THE UTILITY'S Eligible Structures that such an arrangement is technically feasible. (C)

19.6.1.1.1 Space Determination

As provided in Section 19.6.2 of this Tariff, THE UTILITY shall notify the Collocator in writing as to whether its request for collocation has been granted or denied within ten (10) calendar days of submission of the completed application.


19.6.1.2 Security

Protection of THE UTILITY'S equipment is crucial to its ability to offer service to its customers and to the integrity of the entire network. Therefore, THE UTILITY may impose the following reasonable security measures on Collocators to assist in protecting its network and equipment from harm. THE UTILITY may impose security arrangements as stringent as the security arrangements THE UTILITY maintains at its own Eligible Structures either for its own employees or for authorized contractors. To the extent security arrangements are more stringent for one group than the other, THE UTILITY may impose the more stringent requirements. Except as provided by the FCC's Order released March 31, 1999, in CC Docket No. 98-147 (FCC 99-48), THE UTILITY will not impose more stringent security requirements than these. Stated differently, the incumbent will not impose discriminatory security requirements that result in increased collocation costs without the concomitant benefit of providing necessary protection of the incumbent's equipment. THE UTILITY will not use any information collected in the course of implementing or operating security arrangements for any marketing or other purpose in aid of competing with Collocators.

A. Collocators will conduct background checks of their personnel and technicians who will have access to the collocation space. Collocator technicians will be security-qualified by the Collocator and will be required to be knowledgeable of THE UTILITY security standards. Collocator personnel and technicians will undergo the same level of security training or its equivalent that THE UTILITY'S own employees and authorized contractors must undergo. THE UTILITY will not, however, require Collocators to receive security training from THE UTILITY, but will provide information to Collocators on the specific type of training required.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

(N)

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**


**19.6 ORDERING AND PROVISIONING (Cont'd)**

**19.6.1.2 Security (Cont'd)**

Collocators can then provide their employees with their own security training. Qualification program and security training details shall be included in THE UTILITY'S Technical Publications.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President





**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.6 ORDERING AND PROVISIONING (Cont'd)**

**19.6.1 Dedicated Space (Cont'd)**

**19.6.1.2 Security (Cont'd)**

B. Collocators and THE UTILITY will each establish disciplinary procedures up to and including dismissal or denial of access to the Eligible Structure and other property of THE UTILITY for certain specified actions that damage, or place the equipment, facilities, or the network or personnel of the Collocators or THE UTILITY in jeopardy. The following are actions that could damage or place the Eligible Structure, or the network or the personnel of the Collocators or THE UTILITY in jeopardy and may justify disciplinary action up to and including dismissal or the denial of access to the Eligible Structure and other THE UTILITY property:

- a. Theft or destruction of THE UTILITY's or Collocator's property;
- b. Use/sale or attempted use/sale of alcohol or illegal drugs on THE UTILITY property;
- c. Threats or violent acts against other persons on THE UTILITY property;
- d. Knowing violations of any local, state or federal law on THE UTILITY property;
- e. Permitting unauthorized persons access to THE UTILITY or Collocator's equipment on THE UTILITY property; and
- f. Carrying a weapon on THE UTILITY property.

In addition, Collocator and THE UTILITY will take appropriate disciplinary steps as determined by each party to address any violations reported by THE UTILITY or the Collocator of THE UTILITY's policies and practices on security, safety, network reliability, and business conduct as defined in THE UTILITY's Interconnector's Collocation Services Handbook for Physical Collocation in Nevada, provided the Handbook and any and all updates to it are timely provided to Collocator at no charge.

C. Collocators will provide indemnification as set forth in Section 19.12 of this Tariff and insurance as set forth in Section 19.5.8 of this Tariff to cover any damages caused by the Collocator's technicians at a level commensurate with the indemnification and insurance provided by THE UTILITY-authorized contractors with equivalent access. The indemnification provisions and requirements are reciprocal to THE UTILITY as well.

D. THE UTILITY may use reasonable security measures to protect its equipment. In the event THE UTILITY elects to erect an interior security partition in a given Eligible Structure to separate its equipment, THE UTILITY may recover the costs of the partition in lieu of the costs of other reasonable security measures if the partition costs are lower than the costs of any other reasonable security measure for such Eligible Structure. In no event shall a CLEC be required to pay for both an interior security partition to separate THE UTILITY's equipment in an Eligible Structure and any other reasonable security measure for such Eligible Structure.

(C)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED (C) EFFECTIVE
NOV 20 2001
PUBLIC UTILITIES COMMISSION OF NEVADA

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.1 Dedicated Space (Cont'd)

19.6.1.2 Security (Cont'd)

D. (Cont'd)

THE UTILITY's construction of an interior security partition around its own equipment shall not interfere with a CLEC's access to its equipment, including equipment collocated directly adjacent to THE UTILITY's equipment. THE UTILITY's construction of an interior security partition around its own equipment shall not impede a CLEC's ability to collocate within THE UTILITY's space. To the extent that THE UTILITY is required to install additional security measures within its interior security partition because a CLEC has access to its own equipment within the area, such security measures shall be constructed and maintained at THE UTILITY's expense.

(N)  
|  
(N)

THE UTILITY's enclosure of its own equipment will not be a basis for a claim that space is Legitimately Exhausted, nor will it be a basis for a claim that Active Collocation Space is exhausted.

THE UTILITY's enclosure of its own equipment will not unreasonably increase a CLEC's cost nor shall it result in duplicative security costs. The cost of an interior security partition around THE UTILITY's equipment cannot include any embedded costs of any other security measures for the Eligible Structure. If THE UTILITY chooses to enclose its own equipment, THE UTILITY will be entitled to recover the cost of the cage ONLY to the extent that the price of such construction is lower than that of other reasonable security measures.

(N)

THE UTILITY has the burden to demonstrate that the cost of security measures alternative to its partitioning of its own equipment is higher than the cost of enclosing its own equipment. If THE UTILITY cannot prove that other reasonable security methods cost more than an interior security partition around THE UTILITY's equipment, THE UTILITY cannot elect to erect an interior security partition in a given Eligible Structure to separate its equipment and then recover the cost from collocators.


If THE UTILITY elects to erect an interior security partition and recover the cost, it must demonstrate to the collocator that other reasonable security methods cost more than an interior security partition around THE UTILITY's equipment at the time the price quote is given. Any disputes can be brought before the Commission for resolution through its expedited dispute resolution process.

(N)  
(L)

Material on this page has been relocated to Page No. 18.1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.6 ORDERING AND PROVISIONING (Cont'd)**

**19.6.1 Dedicated Space (Cont'd)**

**19.6.1.2 Security (Cont'd)**

E. Collocators will have access to their physically collocated equipment twenty-four (24) hours a day, seven (7) days a week, without a security escort. THE UTILITY will not delay a Collocator's entry into an Eligible Structure or access to its collocated equipment. THE UTILITY will provide Collocators with reasonable access to restroom facilities and parking. Collocators will also have reasonable access to their selected collocation space during construction.

(L)

**19.6.1.3 Interval**


A. THE UTILITY will provide physical collocation arrangements in Eligible Structures on a "first-come, first-served" basis. To apply for a Dedicated Space in a particular Eligible Structure, the Collocator will provide a completed physical collocation application form found in THE UTILITY's Interconnector's Collocation Services Handbook for Physical Collocation in Nevada and will pay an initial Planning Fee. A Collocator wishing THE UTILITY to consider multiple methods for collocation in an Eligible Structure on a single application will need to include in each application a prioritized list of its preferred methods of collocating, e.g., caged, shared, cageless, or other, as well as adequate information, (e.g., specific layout requirements, cage size, number of bays, requirements relative to adjacent bays, etc.) for THE UTILITY to process the application for each of the preferred methods. If a Collocator provides adequate information and its preferences with its application, THE UTILITY would not require an additional application, nor would the Collocator be required to restart the quotation interval should its first choice not be available in an Eligible Structure. Collocators who only wish THE UTILITY to consider one collocation method need not provide preferences and associated specific information for multiple methods. However, if THE UTILITY is unable to provide the Collocator's requested collocation method due to space constraints and the Collocator determines that it wishes THE UTILITY to consider an alternative method of collocation, the Collocator would be required to submit an additional application. This would not result in incremental application costs to the Collocator as its initial Planning Fee would be returned due to the denial. However, it would restart the collocation quotation intervals. Upon receipt of the Collocator's application and initial planning fee payment, THE UTILITY will begin development of the quotation. Nevada Bell will advise the Collocator of any known deficiencies in its collocation application within 10 calendar days (unless multiple applications are received; section 19.6.1.4 will apply where multiple applications are received). Nevada Bell will allow the Collocator to retain its place in the collocation queue so long as the Collocator cures the deficiencies and resubmits the application within 10 calendar days after being advised of the deficiencies.

(L)

Material on this page has been relocated from Page No. 18.  
Material on this page has been relocated to Page No. 18.1.1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.6 ORDERING AND PROVISIONING (Cont'd)**

**19.6.1 Dedicated Space (Cont'd)**

**19.6.1.3 Interval (Cont'd)**

B. In responding to an application request, if space is available, THE UTILITY shall advise the Collocator that their request for physical collocation is granted, and confirm the applicable nonrecurring and recurring Tariff rates, and the provisioning interval. THE UTILITY will not select for Collocator the type of physical collocation to be ordered. The Collocator has sixty-five (65) calendar days. After sixty-five (65) calendar days, a new application and Planning Fee are required. The Collocator has sixty-five (65) calendar days to remit a signed confirmation form along with a check for fifty percent (50%) of all the applicable non-recurring charges.

(L)

(L)

C. THE UTILITY will provide a reduced interval for Collocators with existing physical collocation space that request the following interconnection augments. The Collocator must submit to THE UTILITY's Collocation Service Center (CSC) a complete and accurate application for a subsequent job. For a reduced build-out interval to apply, this application must include an up-front payment of the nonrecurring Planning Fee from paragraph 19.20 (A) of this tariff and 50% of tariff nonrecurring charges. In addition, the application must include an accurate front equipment view (a.k.a. rack elevation drawing) specifying bay(s) for the Collocator's point of termination. Applications received with the up-front payment and meeting the criteria below will not require a quote.

(N)


A sixty (60) calendar day interval will apply only when the Collocator requests any of the following augments; 1) THE UTILITY will perform a cage expansion of 300 square feet or less immediately adjacent to a collocator's existing cage within the collocation area (where Overhead Iron/Racking exists) and as long as the collocation area does not have to be reconfigured and does not involve HVAC work, 2) power cable additions to accommodate greater DC amperage requests within existing power panels, 3) Direct cable pull within the same collocation area between one Collocator and another Collocator provided the Collocators are interconnected with THE UTILITY's network, 4) interconnection cable arrangements (where Overhead Iron/Racking are existing) limited up to and not more than the following quantities; 400 copper (shielded or nonshielded) cable pairs up to 400 feet, 168 DS1s, 48 DS3s, and fiber interconnections up to 12 fiber pairs up to 400 feet.

(N)

Material on this page has been relocated from Page No. 18.1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.6 ORDERING AND PROVISIONING (Cont'd)**

**19.6.1 Dedicated Space (Cont'd)**

**19.6.1.3 Interval (Cont'd)**

Other augments such as power requests that exceed current capacity ratings, additional bay spaces, THE UTILITY bays, THE UTILITY cable racks and/or cage expansions within Active Central Office space different than described above will require the collocator to submit an inquiry for quote. The price quote will contain the charges and the construction interval for that application. The construction interval for these other augments will not exceed 90 days. THE UTILITY will work cooperatively with Collocators to negotiate a mutually agreeable construction interval for other augments not specifically provided for above.


The second fifty percent (50%) payment must be received by THE Utility no more than one week prior to the scheduled augment completion date. On the scheduled completion date, the Actual Point of Termination (APOT) Connections will be provided to the Collocator by THE UTILITY.

(N)

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.1 Dedicated Space (Cont'd)

19.6.1.4 Application Quotation Interval for Physical Collocation

A. Should multiple applications be submitted by a Collocator within a ten (10) calendar day period, the following quotation intervals will apply:

<u>Number of Applications by one Collocator</u>	<u>Quotation Interval</u>
1 - 5	10 calendar days
6 - 10	15 calendar days
11 - 15	20 calendar days
16 - 20	25 calendar days

Should the Collocator submit 21 or more applications within ten (10) calendar days, the response interval will be increased by five (5) business days for every five (5) additional applications or Fraction thereof.

The Collocator may obtain a shorter response interval than are set forth above by scheduling a meeting with THE UTILITY at least twenty (20) calendar days prior to submission of the first application to discuss, coordinate, and prioritize the Collocator's applications.


B. Any major revision to an application will be treated as a new application following the guidelines in Section 19.6.1.9 and will be subject to the time intervals set forth above. (C)

19.6.1.5 Caged, Caged Common Physical Collocation and Shared Caged Collocation Installation Interval (C)

- (1) Dedicated Space for Caged physical collocation and Shared Caged Collocation is not reserved until the quotation is accepted.
- (2) Where space suitable for central office equipment (Active Central Office Space) is available, THE UTILITY will deliver Caged Physical or Shared Caged Collocation within ninety (90) calendar days from the completion of the application process (when the Collocator has remitted a signed confirmation form along with a check for 50% of all applicable non-recurring charges.) If the available space is not suitable for central office equipment (Other Central Office Space) and must be converted to Active Central Office Space, thirty (30) calendar days will be added to the provisioning interval to allow for the conversion process to be completed.
- (3) Any material revision to a completed application will be treated as a new application following revision guidelines set forth in section 19.6.1.9 following.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.1 Dedicated Space (Cont'd)

19.6.1.6 Cageless Physical Collocation Installation Interval

- (1) Dedicated space for Cageless physical collocation is not reserved until the quotation is accepted.
- (2) Where space suitable for central office equipment (Active Central Office Space) is available, THE UTILITY will deliver Cageless physical collocation within ninety (90) calendar days from the completion of the application process (when the Collocator has remitted a signed confirmation form along with a check for 50% of all applicable non-recurring charges.) If the available space is not suitable for central office equipment (Other Central Office Space) and must be converted to Active Central Office Space, thirty (30) calendar days will be added to the provisioning interval to allow for the conversion process to be completed.
- (3) Any material revision to a completed application will be treated as a new application following revision guidelines set forth in section 19.6.1.9 following. (C)


19.6.1.6 The Utility will complete construction of cageless collocation in Eligible Structures such as CEVs, Huts and Vaults in 90 days from the receipt of the Collocator's acceptance of the quotation where THE UTILITY will be installing all or some of the bays. These construction intervals for cageless collocation in Active Collocation Space in a CEV, HUT, or Cabinet Eligible Structure apply where the Collocator is requesting maximum DC power of 50AMPs, either in a single or in multiple feeds of 50 AMPs (maximum 50 AMPs per feed). For Cageless Collocation in Active Collocation Space in a CEV, hut, or Cabinet Eligible Structure where a Collocator is requesting DC power greater than 50 AMPs (e.g., 100 AMPs) per feed, THE UTILITY will add thirty (30) calendar days to the provisioning interval.

19.6.1.7. Adjacent Space or Other Physical Collocation Arrangement Installation Intervals

Installation Intervals for Adjacent Space Collocation and Other Physical Collocation Arrangements as defined in Sections 19.6.1.1 (D) and (E) above will be reasonably related to the complexity of accommodating the requested arrangement.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.6 ORDERING AND PROVISIONING (Cont'd)**

**19.6.1 Dedicated Space (Cont'd)**


**19.6.1.9 Revisions**

All revisions to an initial request for a physical collocation arrangement submitted by the Collocator must be in writing via a new application form. A new interval for the physical collocation arrangement will be established which shall not exceed the original "major" as defined herein. A major revision includes: adding telecommunications equipment that requires additional electrical power; changes in the configuration of the cage; an increase of 10% or more of the square footage of the cage area requested; adding design and engineering requirements above those which THE UTILITY normally deploys and practices (i.e., redundancy of certain mechanical and electrical systems); and accelerating the project schedule. However, minor revisions will not require that a new interval be established. Examples of minor revisions include: adding bays of equipment that do not significantly impact the existing/proposed electrical systems; adding light fixtures and outlets which do not exceed the capacity of the existing/proposed electrical system; changes in the configuration of the cage which do not significantly impact the overall design of the space; and adjustments to the heat release projection which do not cause a change in the proposed/existing mechanical system. The Collocator will be required to pay any applicable planning fees. No additional planning fees shall be applicable if the revision is minor. All engineering design work that is determined not to be major is deemed to be minor.

(C)  
(C)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.6 ORDERING AND PROVISIONING (Cont'd)**

**19.6.2 Space Availability Determination and Resolution**

- A. In responding to an application request if space is not available, THE UTILITY will notify the Collocator that their application for Dedicated Space is denied due to the lack of space within ten (10) calendar days of THE UTILITY's receipt of a completed application.

The notification will also include a possible future space relief date, if applicable. At that time, any nonrecurring charges collected with the application, except the planning fee, will be returned to the Collocator. (C)

THE UTILITY will file a copy of the notification letter denying the Collocator's request with the Public Utilities Commission of Nevada. In the event of a denial, THE UTILITY will concurrently submit to both the Public Utilities Commission of Nevada and the Collocator, in support of its denial, provided under seal and subject to proprietary protections: Central office common language identifier, where applicable, the identity of the requesting Collocator, including amount of space requested by the Collocator, the total amount of space at the premises, floor plans documented as provided for in Section 3.8 of the Interconnector's Collocation Services Handbook, identification of switch turnaround plans and other equipment removal plans and timelines, if any, central office rearrangement/expansion plans, if any, and description of other plans, if any, that may relieve space exhaustion


In the event THE UTILITY denies a Collocator's request and the Collocator disputes the denial, the Collocator may request a tour of the Eligible Structure to verify space availability or the lack thereof. The request shall be submitted to THE UTILITY's designated representative in writing. The inspection tour shall be scheduled within five (5) business days of receipt of the written request for a tour and the tour shall be conducted within ten (10) calendar days of the request or some other mutually agreed on date.

Prior to the inspection tour, a "Reciprocal Non-disclosure Agreement" shall be signed by the designated Utility representative and the designated agent for the Collocator, who will participate in the tour.

THE UTILITY will provide all relevant documentation to the Collocator agent including blueprints and plans for future facility expansions or enhancements, subject to executing the non-disclosure agreement. THE UTILITY's representative will accompany and supervise the Collocator agent on the inspection tour.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.2 Space Availability Determination and Resolution (Cont'd)

A. (Cont'd)

If the Collocator agent believes, based on the inspection tour of the Eligible Structure facilities, that the denial of physical collocation space is insupportable, the Collocator agent shall promptly so advise THE UTILITY. The Collocator and THE UTILITY shall then each concurrently prepare a report detailing its own findings of the inspection tour. The Collocator and THE UTILITY reports shall be concurrently served on each other and submitted to the Public Utilities Commission of Nevada no later than forty-five (45) calendar days following the filing of the request for space. The burden of proof shall be on THE UTILITY to justify the basis for any denial of collocation requests.

B. THE UTILITY will submit to a requesting carrier a report indicating THE UTILITY's available collocation space in a particular Eligible Structure upon request. This report will specify the amount of collocation space available at each requested Eligible Structure, the number of Collocators, and any modifications in the use of the space since the last report. The report will also include measures that THE UTILITY is taking to make additional space available for collocation. The intervals for delivering the reports are as follows:


<u>Number of Report Requests By One Collocator</u>	<u>Report Delivery Interval</u>
1 - 5	10 Calendar Days
6 - 10	15 Calendar Days
11 - 15	20 Calendar Days
16 - 20	25 Calendar Days

Should the Collocator submit twenty-one (21) or more report requests within five (5) business days, the report delivery interval will be increased by five (5) business days for every five (5) additional report requests or fraction thereof.

THE UTILITY shall maintain a publicly available document for viewing on the Internet indicating its Eligible Structures, if any, that have no space available for physical collocation. THE UTILITY will update this document within ten (10) calendar days of the date at which an Eligible Structure runs out of physical collocation space. In addition, for central offices where Collocators are currently located or applications for collocation are pending, if space availability information is readily available to THE UTILITY, such information will be placed on the website. THE UTILITY will update the public document on the first day of each month to include all newly available information.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.2 Space Availability Determination and Resolution (Cont'd)

B. (Cont'd)


To the extent THE UTILITY has the information readily available, the public document should specify the amount of active and other (inactive) collocation space available at each Eligible Structure, the number of Collocators, any modifications in the use of the space since the last update, and should also include measures that THE UTILITY is taking to make additional space available for collocation. In order to increase the amount of space available for collocation, THE UTILITY will remove obsolete unused equipment from its Eligible Structures that have no space available for Physical Collocation upon reasonable request by a Collocator or upon Order of the Commission. THE UTILITY shall reserve space for switching, MDF and DCS to accommodate access line growth as outlined in Section 19.2 under the definition of the term "Legitimately Exhausted Space".

19.6.3 Relocation

When THE UTILITY determines because of zoning changes, condemnation, or government order or regulation that it is necessary for the Dedicated Space to be moved within an Eligible Structure to another Eligible Structure, from an adjacent space collocation structure to a different adjacent space collocation structure, or from an adjacent space collocation structure to an Eligible Structure, the Collocator is required to move its dedicated space or adjacent space collocation structure. THE UTILITY will notify the resident Collocator(s) in writing within five days of the determination to move the location. If the relocation occurs for reasons other than an emergency, THE UTILITY will provide the resident Collocator(s) with at least one hundred eighty (180) days advance written notice prior to the relocation. If the Collocator is required to relocate under this Section, the Collocator will not be required to pay any application fees associated with arranging for new space. The Collocator shall be responsible for the preparation of the new Telecommunications Equipment Space and Dedicated Space at the new location or an adjacent space collocation structure if such relocation arises from circumstances beyond the reasonable control of THE UTILITY, including zoning changes, condemnation or government order or regulation that makes the continued occupancy or use of the Dedicated Space or the Eligible Structure in which the Dedicated Space is located or the adjacent space collocation structure for the purpose then used, uneconomical in THE UTILITY's reasonable discretion. In addition, a Collocator's presence in THE UTILITY central offices or adjacent space collocation structures should not prevent THE UTILITY from making a reasonable business decision regarding building expansions or additions the number of central offices required to conduct its business or their locations. If THE UTILITY determines that a Collocator must relocate due to any of the above reasons, THE UTILITY will make all reasonable efforts to minimize disruption of the Collocator's services. In addition, the costs of the move will be shared equally by THE UTILITY and the Collocator, unless the parties agree to a different financial arrangement.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.6 ORDERING AND PROVISIONING (Cont'd)**

**19.6.3 Relocation (Cont'd)**


If the Collocator requests that the Dedicated Space be moved within the Eligible Structure in which the Dedicated Space is located, to another Eligible Structure, from an adjacent space collocation structure to a different adjacent space collocation structure or to an Eligible Structure, THE UTILITY shall permit the Collocator to relocate the Dedicated Space or adjacent space collocation structure, subject to availability of space and technical feasibility. The Collocator shall be responsible for all applicable charges associated with the move, including the reinstallation of its equipment and facilities and the preparation of the new Telecommunications Equipment Space, and Dedicated Space, or adjacent space collocation structure as applicable. In any such event, the new Dedicated Space shall be deemed the Dedicated Space and the new Eligible Structure (where applicable) shall be deemed the Eligible Structure in which the Dedicated Space is located and the new adjacent space collocation structure shall be deemed the adjacent space collocation structure.

**19.6.4 Occupancy**

Unless there are unusual circumstances, THE UTILITY will notify the Collocator that the Dedicated Space is ready for occupancy within five (5) business days after THE UTILITY completes preparation of the Dedicated Space. Operational telecommunications equipment must be placed in the Dedicated Space and interconnect to THE UTILITY's network or obtain access to THE UTILITY unbundled network elements within one hundred eighty (180) days after receipt of such notice. In the event that THE UTILITY has refused to interconnect with the Collocator, the one hundred eighty (180) day deadline shall be extended until THE UTILITY allows the Collocator to interconnect. THE UTILITY, however, may extend beyond the one hundred eighty (180) days provided the Collocator demonstrates a best effort to meet that deadline and shows that circumstances beyond its reasonable control prevented the Collocator from meeting that deadline. If the Collocator fails to do so and the unused collocation space is needed to meet customer demand (filed application for space, accompanied by all fees) for another Collocator or to avoid construction of a building addition, collocation in the prepared Dedicated Space is terminated on the tenth (10) business day after THE UTILITY provides the Collocator with written notice of such failure and the Collocator does not place operational telecommunications equipment in the Dedicated Space and interconnect with THE UTILITY or obtain access to THE UTILITY unbundled network elements by that tenth (10) business day. In any event, the Collocator shall be liable in an amount equal to the unpaid balance of the applicable charges.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.4 Occupancy (Cont'd)

For purposes of this Paragraph, the Collocator's telecommunications equipment is considered to be operational and interconnected when connected to either THE UTILITY's network or interconnected to another Collocator's equipment that resides within the same structure, provided the Collocator's equipment is used for interconnection with THE UTILITY's network or to obtain access to THE UTILITY's unbundled network elements, for the purpose of providing this service.

If the Collocator causes THE UTILITY to prepare the Dedicated Space and then the Collocator does not use the Dedicated Space (or all the Dedicated Space), the Collocator will pay THE UTILITY the monthly recurring and other applicable charges as if the Collocator were using the Dedicated Space.

19.6.5 Cancellation Prior to Due Date

In the event that the Collocator cancels its order after THE UTILITY has begun preparation of the Telecommunications Infrastructure Space and Dedicated Space, but before THE UTILITY has been paid the entire amounts due under this Tariff, then in addition to other remedies that THE UTILITY might have, the Collocator shall be liable in the amount equal to the nonrecoverable costs less estimated net salvage, the total of which is not to exceed the Preparation Charges. Nonrecoverable costs include the nonrecoverable cost of equipment and material ordered, provided or used; the nonrecoverable cost of installation and removal, including the costs of equipment and material ordered, provided or used; labor; transportation and any other associated costs. THE UTILITY shall provide the Collocator with a detailed invoice showing the costs it incurred associated with preparation.

19.6.6 Billing


Billing shall occur on or about the 25th day of each month, with payment due thirty (30) days from the bill date. THE UTILITY may change its billing date practices upon thirty (30) day's notice to the Collocator.

19.6.6.1 Billing Dispute Resolution

In the event of a bona fide dispute between a Collocator and THE UTILITY regarding any bill for anything ordered from this Tariff, Collocator shall, prior to the Bill Due Date, give written notice to THE UTILITY of the amounts it disputes ("Disputed Amounts") and include in such written notice the following information: (a) the date of the bill in question, (b) the Billing Account Number (BAN) number of the bill in question, (c) any USOC information questioned, (d) the amount billed, (e) the amount in question and (f) the reason that Collocator disputes the billed amount. To be deemed a "dispute" under this Section 19.6.6.1, Collocator must provide proof (in the form of a copy of the executed written agreement with the financial institution) that it has established an interest bearing escrow account that complies with all of the requirements set forth in Section 19.6.6.2 of this Tariff and proof (in the form of deposit slip(s)) that Collocator has deposited all

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.6 Billing (Cont'd)

19.6.6.1 Billing Dispute Resolution (Cont'd)

unpaid charges into that escrow account. Failure to provide the information and proof of compliance and deposit required by this Section 19.6.6.1 not later than twenty-nine (29) days following the Bill Due Date shall constitute Collocator's irrevocable and full waiver of its right to dispute the subject charges.

19.6.6.2 Third Party Escrow Agent


Collocator shall pay all undisputed amounts to THE UTILITY when due and shall pay all Disputed Amounts when due into an interest bearing escrow account with a Third Party escrow agent mutually agreed upon by the Parties. To be acceptable, the Third Party escrow agent must meet all of the following criteria:

- a. The financial institution proposed as the Third Party escrow agent must be located within the continental United States;
- b. The financial institution proposed as the Third Party escrow agent may not be an affiliate of Collocator; and
- c. The financial institution proposed as the Third Party escrow agent must be authorized to handle Automatic Clearing House (ACH) (credit transactions) (electronic funds) transfers.
- d. In addition to the foregoing requirements for the Third Party escrow agent, the Collocator and the financial institution proposed as the Third Party escrow agent must enter into a written agreement that the escrow account meets all of the following criteria:
- e. The escrow account is an interest bearing account;

All charges associated with opening and maintaining the escrow account will be borne by the Collocator; That none of the funds deposited into the escrow account or the interest earned thereon may be subjected to the financial institution's charges for serving as the Third Party escrow agent; All interest earned on deposits to the escrow account shall be disbursed to Collocator and THE UTILITY in the same proportion as the principal; and Disbursements from the escrow account shall be limited to those: authorized in writing by both Collocator and THE UTILITY (that is, signature(s) from representative(s) of Collocator only are not sufficient to properly authorize any disbursement); or made in accordance with the final, non-appealable order of the arbitrator appointed pursuant to the provisions of Section 19.6.6.7 of this Tariff; or made in accordance with the final, non-appealable order of the court that had jurisdiction to enter the arbitrator's award pursuant to Section 19.6.6.7 of this Tariff.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.6 ORDERING AND PROVISIONING (Cont'd)**

**19.6.6 Billing (Cont'd)**

**19.6.6.3 Disputed Amounts**

Disputed Amounts in escrow shall be subject to Late Payment Charges as set forth in Section 19.6.7 of this Tariff.

**19.6.6.4 Investigation Report**


Upon receipt of the notice and both forms of proof required by Section 19.6.6.1 of this Tariff, THE UTILITY shall make an investigation as shall be required to report the results to the Collocator. Provided that Collocator has furnished all of the information and proof required by Section 19.6.6.1 on or before the Bill Due Date, THE UTILITY will report the results of its investigation within 60 calendar days following the Bill Due Date. If the Collocator is not satisfied by the resolution of the billing dispute under this Section 19.6.6.4, the Collocator must notify THE UTILITY in writing within thirty days following receipt of the results of THE UTILITY's investigation that it wishes to invoke the informal resolution of billing disputes afforded under Section 19.6.6.5 of this Tariff.

**19.6.6.5 Informal Resolution of Billing Disputes**

Upon receipt by THE UTILITY of written notice of a billing dispute from Collocator made in accordance with the requirements of Section 19.6.6.1 of this Tariff, each party will appoint a knowledgeable, responsible representative to meet and negotiate in good faith to resolve any billing dispute arising under this Tariff. The location, form, frequency, duration and conclusion of these discussions will be left to the discretion of the representatives. Upon agreement, the representatives may utilize other alternative dispute resolution procedures such as mediation to assist in the negotiations. Discussions and the correspondence among the representatives for purposes of resolution are exempt from discovery and production and will not be admissible in the arbitration described below or in any lawsuit without the concurrence of both parties. Documents identified in or provided with such communications that were not prepared for purposes of the negotiations are not so exempted, and, if otherwise admissible, may be admitted in evidence in the arbitration or any lawsuit.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.6 Billing (Cont'd)

19.6.6.6 Formal Resolution of Billing Disputes

If the parties are unable to resolve the billing dispute through the informal procedure described in Section 19.6.6.5, then either party may invoke the formal dispute resolution procedures described in this Section 19.6.6.6. Unless agreed by both parties, formal dispute resolution procedures, including arbitration or other procedures as appropriate, may be invoked not earlier than sixty (60) calendar days after receipt of the notice initiating dispute resolution required by Section 19.6.6.4 of this Tariff and not later than one hundred eighty (180) calendar days after receipt of the notice initiating dispute resolution required by Section 19.6.6.4 of this Tariff.

Billing Disputes Subject to Mandatory Arbitration - If not settled through informal dispute resolution, each unresolved billing dispute involving one percent (1%) or less of the amounts charged to Collocator under this Tariff during the twelve (12) months immediately preceding receipt of the notice initiating Dispute Resolution required by Section 19.6.6.4 of this Tariff will be subject to mandatory arbitration in accordance with Section 19.6.6.7, below. If the Collocator has not been billed for a minimum of twelve (12) months immediately preceding receipt of the notice initiating Dispute Resolution required by Section 19.6.6.4 of this Tariff, the parties will annualize the actual number of months billed.


Billing Disputes Subject to Elective Arbitration - If not settled through informal dispute resolution, each unresolved billing dispute involving more than one percent (1%) of the amounts charged to Collocator under this Tariff during the twelve (12) months immediately preceding receipt of the notice initiating Dispute Resolution required by Section 19.6.6.4 of this Tariff will be subject to elective arbitration pursuant to Section 19.6.6.7 if, and only if, both parties agree to arbitration. If the Collocator has not been billed for a minimum of twelve (12) months immediately preceding receipt of the notice initiating Dispute Resolution required by Section 19.6.6.4 of this Tariff, the parties will annualize the actual number of months billed. If both parties do not agree to arbitration, then either party may proceed with any remedy available to it pursuant to law, equity or agency mechanism.

19.6.6.7 Arbitration

Disputes subject to mandatory or elective arbitration under the provisions of this Tariff will be submitted to a single arbitrator pursuant to the Commercial Arbitration Rules of the American Arbitration Association or pursuant to such other provider of arbitration services or rules as the parties may agree. The arbitrator shall be knowledgeable of telecommunications issues. Each arbitration will be held in Reno, Nevada, unless the parties agree otherwise. The arbitration hearing will be requested to commence within sixty (60) calendar days of the demand for arbitration.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.6 ORDERING AND PROVISIONING (Cont'd)

19.6.6 Billing (Cont'd)

19.6.6.7 Arbitration (Cont'd)

The arbitrator will control the scheduling so as to process the matter expeditiously. The parties may submit written briefs upon a schedule determined by the arbitrator. The parties will request that the arbitrator rule on the dispute by issuing a written opinion within thirty (30) calendar days after the close of hearings. The Federal Arbitration Act, 9 U.S.C. Secs. 1-16, not state law, shall govern the arbitrability of all disputes. The arbitrator will have no authority to award punitive damages, exemplary damages, consequential damages, multiple damages, or any other damages not measured by the prevailing party's actual damages, and may not, in any event, make any ruling, finding or award that does not conform to the terms and conditions of this Tariff.

The times specified in this Section 19.6.6.7 may be extended or shortened upon mutual agreement of the parties or by the arbitrator upon a showing of good cause. Each party will bear its own costs of these procedures, including attorneys' fees. The parties will equally split the fees of the arbitration and the arbitrator. The arbitrator's award shall be final and binding and may be entered in any court having jurisdiction thereof. Judgment upon the award rendered by the arbitrator may be entered in any court having jurisdiction.


19.6.6.8 Cooperation Between Parties

Immediately upon resolution of any billing dispute, THE UTILITY and the Collocator shall cooperate to ensure that all of the following actions are taken within the time(s) specified:

THE UTILITY shall credit Collocator's bill for any portion of the Disputed Amount(s) resolved in favor of Collocator, together with any portion of any Late Payment Charges assessed with respect thereto no later than the second Bill Due Date after the resolution of the dispute; within fifteen (15) calendar days after resolution of the dispute, any portion of the escrowed Disputed Amounts resolved in favor of the Collocator shall be disbursed to Collocator by the Third Party escrow agent, together with any interest accrued thereon; within fifteen (15) calendar days after resolution of the dispute, any portion of the Disputed Amounts resolved in favor of THE UTILITY shall be disbursed to THE UTILITY by the Third Party escrow agent, together with any interest accrued thereon; and no later than the third Bill Due Date after the resolution of the dispute regarding the Disputed Amount(s), the Collocator shall pay THE UTILITY any difference between the amount of accrued interest THE UTILITY received from the escrow disbursement and the amount of Late Payment Charges THE UTILITY billed and is entitled to receive pursuant to Section 19.6.7 of this Tariff.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.6 ORDERING AND PROVISIONING (Cont'd)**

**19.6.6 Billing (Cont'd)**

**19.6.6.9 Failure to Make Payment**

Failure by the Collocator to pay any charges determined to be owed to THE UTILITY within the time specified in Section 19.6.6.7 shall be grounds for immediate re-entry and termination of services provided under this Tariff.

**19.6.6.10 Billing for Caged Shared and Caged Common Collocation Arrangements**

Except for certain charges identified as related to Caged Shared Collocation, each collocator shall be billed separately and shall be able to order and provision separately. In the case of Caged Shared Collocation, THE UTILITY shall bill the original collocator for space. However, THE UTILITY shall bill the other Collocators in the shared cage for use of network elements and interconnection separately as required. Collocators located in a Caged Common Collocation area shall have direct billing arrangements with THE UTILITY for floor space and all other applicable interconnection arrangements.

(N)

(N)

**19.6.7 Late Payment Charge**

If the Collocator fails to remit payment for any Tariff charges by the Bill Due Date, or if a payment or any portion of a payment is received from Collocator after the Bill Due Date, or if a payment or any portion of a payment is received in funds which are not immediately available to THE UTILITY as of the Bill Due Date, then a late payment charge shall be assessed as follows: the unpaid amounts shall bear interest from the Bill Due Date until paid at the lesser of (a) the rate used to compute the Late Payment Charge in THE UTILITY's Nevada intrastate access services Tariff and (b) the highest rate of interest that may be charged under Nevada law, compounded daily from the Bill Due Date to and including the date that the payment is actually made and available.


**19.6.8 Allowances for Interruptions**

An interruption period begins when an inoperative condition of a physical collocation arrangement is reported to THE UTILITY's designated contact point and ends when the physical collocation arrangement is operative and reported to the Collocator's designated contact. No allowance for an interruption period will be provided for physical collocation where the interruption is due to the actions or negligence of the Collocator. A credit allowance will be made to the Collocator where the interruption is due to the actions or negligence of THE UTILITY.

Material on this page has been relocated to Page No. 30.1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.6 ORDERING AND PROVISIONING (Cont'd)**

19.6.6 Billing (Cont'd) When a credit allowance does apply, such credit will be determined based on the monthly recurring rates applicable to the specific item(s) causing the interruption; however, the credit allowance for an interruption or for a series of interruptions shall not exceed the applicable monthly recurring rate for the item(s) involved.

(L)

For calculating credit allowances, every month is considered to have thirty (30) days. No credit shall be allowed for an interruption of less than thirty (30) minutes. The Collocator shall be credited for an interruption of thirty (30) minutes or more at the rate of 1/1440 of the monthly recurring rate.


When a third party vendor maintains and repairs a Collocator's designated termination equipment, a credit allowance will not apply to any interruption of the items maintained and repaired by the third party vendor.

(L)

Material on this page has been relocated from Page No. 30.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.7 USE BY OTHER LOCAL SERVICE PROVIDERS

The Collocator shall not assign or otherwise transfer, either in whole or in part, or permit the use of any part of the Dedicated Space by any other person or entity, without the prior written consent of THE UTILITY, which consent shall not be unreasonably withheld. Any purported assignment or transfer made without such consent shall be voidable at the sole discretion of THE UTILITY.


19.7.1 THE UTILITY will make shared collocation cages available to all collocators. A shared collocation cage is a caged collocation space shared by two (2) or more Collocators pursuant to the terms and conditions agreed to and between the Collocators. In making shared cage arrangements available, THE UTILITY may not increase the cost of site preparation or nonrecurring charges above the cost of provisioning such a cage of similar dimensions and material to a single collocating party. In those instances where THE UTILITY receives applications simultaneously from multiple collocators who desire construction of a cage to be shared, THE UTILITY will prorate the charge for site conditioning and preparation undertaken to construct the shared collocation cage or condition the space, and allocate that charge to each collocator based upon the percentage of total space utilized by each Collocator.

19.7.1.1 THE UTILITY will make Caged Common Collocation available to all collocators. The Caged Common Collocation option provides the collocators with an enclosure (not including a top). This enclosure is an area designated by THE UTILITY within an Eligible Structure to be used by the collocators for the sole purpose of installing, maintaining and operating the collocator-provided equipment. Caged Common Collocation space will be provided where space permits when five (5) or more Collocators have provided THE UTILITY with their forecasted space requirements accompanied with a firm order and 25% of non-recurring charges for the forecasted space as deposit. When these criteria have been met, THE UTILITY will construct a common cage minimum of 550 sq. ft. of space unless Collocators' combined forecasted space needs for the initial year exceed 550 sq. ft., in which case, THE UTILITY will construct the cage to the Collocators' combined forecasts for the initial year. Charges to each collocator will be based on its forecasted linear footage of floor space and adjusted by the occupancy factor as approved by the Commission. Subsequent additions to the Caged Common Collocation area will be based on firm orders with the Collocator(s) requesting additional space bearing the costs for such expansion. Billing for Caged Common Collocation is addressed in paragraph 19.6.6.10.

Material on this page has been relocated to Page No. 31.1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.7 USE BY OTHER LOCAL SERVICE PROVIDERS**

(N)

19.7.2 THE UTILITY will not place unreasonable restrictions on a collocator's use of a cage, and as such will allow a collocator to contract with other collocators to share the cage in a sublease-type arrangement. In a sublease-type arrangement, the initial collocator(s) shall charge any such co-collocator no more than the prorated share (based upon square footage used exclusively or in common) of THE UTILITY's charges to the initial collocator(s). If two (2) or more collocators who have interconnection agreements with THE UTILITY utilize a shared collocation cage, THE UTILITY will permit each collocator to order UNEs to and provision service from that shared collocation space, regardless of which collocator was the original collocator.

All collocators, including those who are subleasing the caged space, are bound by the terms and conditions of this tariff. The terms contained in paragraph 6.4, Occupancy, preceding shall continue to apply.

(N)

**19.8 FIBER OPTIC CABLE AND DEMARCATION POINT**

(L)

**19.8.1 Fiber Optic Cable Entrances**

The Collocator shall use a dielectric fire retardant fiber cable as the transmission medium to the Dedicated Space or, where technically and structurally feasible, may use microwave. Collocation requests utilizing facilities other than fiber will be provided as an Individual Case Basis (ICB). THE UTILITY will only permit copper or coaxial cable as the transmission medium where the Collocator can demonstrate to THE UTILITY that use of such cable will not impair THE UTILITY's ability to service its own customers or subsequent Collocators.

THE UTILITY shall provide a minimum of two separate points of entry into the Eligible Structure in which the Dedicated Space is located wherever there are at least two entry points for THE UTILITY cable. THE UTILITY will also provide nondiscriminatory access to any entry point into Eligible Structures in excess of two points in those locations where THE UTILITY also has access to more than two such entry points. Where such dual points of entry are not immediately available, THE UTILITY shall perform work as is necessary to make available such separate points of entry for the Collocator at the same time that it makes such separate points of entry available for itself. In each instance where THE UTILITY performs such work in order to accommodate its own needs and those specified by the Collocator in the Collocator's written request, the Collocator and THE UTILITY shall share the costs incurred by prorating those costs using the number of cables to be placed in the entry point by both THE UTILITY and the Collocator(s) in the first twelve (12) months.

The Collocator is responsible for bringing its facilities to the entrance manhole(s) designated by THE UTILITY, and leaving sufficient length in the cable in order for THE UTILITY to fully extend the Collocator-provided facilities through the cable vault to the Dedicated Space.

**19.8.2 Demarcation Point**


A Point of Termination (POT) Frame is not required as the demarcation point. However, the Collocator may, at its election, provide its own Point of Termination (POT) frame either in its dedicated cage space or in the THE UTILITY-designated area within the Eligible Structure. If the Collocator elects not to provide a POT Frame, THE UTILITY will hand off the Interconnection Arrangement(s) cables to the Collocator at their equipment.

(L)

Material on this page has been relocated from Page No. 30.1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.9 USE OF DEDICATED SPACE

19.9.1 Nature of Use


In accordance with Section 251(c)(6) of the Act, the Collocator may collocate equipment for Physical Collocation if such equipment is necessary for interconnection to THE UTILITY under 47.U.S.C. 251(C) (2) or accessing THE UTILITY's UNEs under 47.U.S.C. 251(C) (3) of the FTA 96. For purposes of this section, "necessary" means directly related to and thus necessary, required, or indispensable to interconnection or access to unbundled network elements. Such uses are limited to interconnection to the THE UTILITY's network "for the transmission and routing of telephone exchange service or exchange access," or for access to THE UTILITY's unbundled network elements "for the provision of a telecommunications service." Equipment that may be collocated solely for these purposes includes: (1) transmission equipment including, but not limited to, optical terminating equipment and multiplexers; and (2) equipment being collocated to terminate basic transmission facilities pursuant to sections 64.1401 and 64.1402 of 47 C.F.R. (Expanded Interconnection) as of August 1, 1996. THE UTILITY'S not required nor shall it permit the collocation of stand-alone switches or enhanced services equipment.

In addition, THE UTILITY voluntarily permits Collocator collocation of certain Multifunctional Equipment included in the definition of "advanced services equipment" in section 1.3.d of the SBC/Ameritech Merger Conditions. Under the SBC/Ameritech Merger Condition, "advanced services equipment" is defined as follows: "(1) DSLAMs or functionally equivalent equipment; (2) spectrum splitters that are used solely in the provision of Advanced Services; (3) packet switches and multiplexers such as ATMs and Frame Relay engines used to provide Advanced Services; (4) modems used in the provision of packetized data; and (5) DACS frames used only in the provision of Advanced Services. Spectrum splitters (or the equivalent functionality) used to separate the voice grade channel from the Advanced Services channel shall not be considered Advanced Services Equipment; any such splitters installed after the Merger Closing Date that are located at the customer premises shall be considered network terminating equipment."

THE UTILITY does not allow collocation of other Multifunctional Equipment, except that THE UTILITY will voluntarily allow collocation of RSMs solely under the following conditions: (1) the RSM may not be used as a stand-alone switch; it must report back to and be controlled by a Collocator identified host switch and direct trunking to the RSM will not be permitted; (2) the RSM equipment must be used only for the purpose of interconnection with THE UTILITY's network for the transmission and routing of telephone exchange service or exchange access or for access to the THE UTILITY's unbundled network elements for the provision of a telecommunications service. THE UTILITY voluntarily will allow Collocator to collocate, on a non-discriminatory basis, other multi-functional equipment only if THE UTILITY and Collocator mutually agree to such collocation.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.9 USE OF DEDICATED SPACE (Cont'd)

19.19.1 Nature of Use (Cont'd)

For purposes of this section, "Multifunctional Equipment" means equipment that has (1) functions that make the equipment "necessary for interconnection or access to Unbundled Network Elements" and (2) additional functions that are not "necessary" for these purposes. Such additional functions include, but are not limited to, switching and enhanced service functions. THE UTILITY will not allow collocation of stand-alone switching equipment or any enhanced services equipment. THE UTILITY voluntarily allows Collocators to place ancillary equipment, including cross-connect and other simple frames, routers, portable test equipment, equipment racks and bays, and other ancillary equipment on a non-discriminatory basis only if THE UTILITY and Collocator mutually agree to such placement, in THE UTILITY's premises solely to support and be used with equipment that the Collocator has legitimately collocated in the same premises.

Pending the FCC's reasonably timely remand proceedings in accordance with the Court's Opinion in *GTE Service Corporation v. FCC*, No. 99-1176, 2000 U.S. App. LEXIS 4111 (D.C. Cir. March 17, 2000) ("GTE Opinion"), THE UTILITY voluntarily will not disturb (1) equipment and (2) connection arrangements between different Collocators' equipment in THE UTILITY's Eligible Premises, that prior to the May 11, 2000 effective date of the GTE Opinion, were (1) in place in THE UTILITY or (2) requested by Collocator and accepted by THE UTILITY on the same basis as under the FCC's original, pre-vacated Collocation Order (*Deployment of Wireline Services Offering Advanced Telecommunications Capability*, CC Docket No. 98-147, First Report and Order (FCC 99-48), 14 FCC Rcd 4761 (1999)). THE UTILITY's agreement not to disturb these collocation arrangements pending timely completion of the remand proceedings will immediately expire if a federal or state court or regulatory agency attempts to apply any of the most favored nation provisions of the Act, of any state Merger Conditions, or of the FCC SBC/Ameritech Merger Conditions to such arrangements or deems such arrangements to be discriminatory vis-à-vis other carriers.

THE UTILITY does not assume any responsibility for the installation, furnishing, designing, engineering, or performance of the Collocator's equipment and facilities.

When the Collocator's physical collocation arrangement is within the Eligible Structure, the Collocator may not provide its own DC power plant equipment (with rectifiers or chargers and batteries) or AC power backup equipment (e.g., Uninterruptable Power System with batteries, or standby engine). THE UTILITY will provide the necessary backup power to ensure against power outages.

Consistent with the environment of the Dedicated Space, the Collocator shall not use the Dedicated Space for office, retail, or sales purposes. No signage or marking of any kind by the Collocator shall be permitted on the Eligible Structure in which the Dedicated Space is located or on THE UTILITY grounds surrounding the Eligible Structure in which the Dedicated Space is located. The Collocator may place signage and markings on the inside of its dedicated space.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED (N)  
EFFECTIVE

JAN 19 2001

PUBLIC UTILITIES COMMISSION  
OF NEVADA

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.9 USE OF DEDICATED SPACE (Cont'd)

19.9.2 Equipment List

A list of all the equipment and facilities that the Collocator will place within its Dedicated Space must be included on the application for which the Dedicated Space is prepared including the associated power requirements, floor loading, and heat release of each piece. The Collocator's equipment and facilities shall be compliant with the standards set out in Paragraph 19.10.1 Minimum Standards, following. The Collocator warrants and represents that the List is complete and accurate, and acknowledges that any incompleteness or inaccuracy would be a violation of the rules and regulations governing this Tariff. The Collocator shall not place or leave any equipment or facilities within the Dedicated Space not included on the List without the express written consent of THE UTILITY, which consent shall not be unreasonably withheld.

19.9.2.1 Subsequent Requests to Place Equipment

The Collocator shall furnish THE UTILITY a written list in the form of an attachment to the original equipment list for the subsequent placement of equipment in its Dedicated Space.

19.9.2.2 Limitations


THE UTILITY's obligation to purchase additional plant or equipment, relinquish occupied space or facilities, or to undertake the construction of new building quarters or to construct building additions to existing quarters in order to satisfy a subsequent request for additional space or the placement of additional equipment of facilities by a Collocator, is limited only to the extent that THE UTILITY would undertake such additions, modifications or construction on its own behalf, on behalf of any subsidiary or affiliate, or any other party to which it provides interconnection. THE UTILITY will ensure that the Collocator is provided collocation space at least equal in quality to that provided to THE UTILITY, its affiliates or other parties to which it provides interconnection.

19.9.3 Dedicated Space Use and Access

The Collocator may use the Dedicated Space for placement of telecommunications equipment and facilities necessary (as defined by the FCC) for interconnection to THE UTILITY or access to THE UTILITY's unbundled network elements. The Collocator's employees, agents and contractors shall be permitted access to their collocated equipment seven (7) days a week, twenty-four (24) hours a day without a security escort. Collocators shall provide THE UTILITY with notice at the time of dispatch of its own employee or contractor, to an Eligible Structure and, if possible, no less than thirty (30) minutes notice for a manned structure and sixty (60) minutes notice for an unmanned structure. THE UTILITY will not delay a Collocator employee's entry into an Eligible Structure containing its collocated equipment or its access to its collocated equipment. THE UTILITY will provide Collocators with reasonable access to restroom facilities and parking. All access is provided subject to compliance by the Collocator's employees, agents and contractors with THE UTILITY's policies and practices pertaining to fire, safety and security (i.e., the Collocator must comply with Section 19.6.1.2 (B.) of this Tariff).

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.9 USE OF DEDICATED SPACE (Cont'd)

19.9.3 Dedicated Space Use and Access (Cont'd)

The Collocator agrees to comply promptly with all laws, ordinances and regulations affecting the use of the Dedicated Space. Upon the discontinuance of service, the Collocator shall surrender the Dedicated Space or land for an adjacent structure to THE UTILITY, in the same condition as when first occupied by the Collocator, except for ordinary wear and tear.

THE UTILITY will not accept delivery of nor responsibility for any correspondence and/or equipment delivered to the Collocator at the Eligible Structure. However, through agreement between THE UTILITY and the Collocator, a Collocator may make arrangements for receipt and/or securing of its equipment at the Eligible Structure by Collocator's or THE UTILITY's personnel.

19.9.4 Threat to Personnel, Network or Facilities

Regarding safety, Collocator equipment or operating practices representing a significant demonstrable technical or physical threat to THE UTILITY's personnel, network or facilities, including the Eligible Structure, or those of others are strictly prohibited.

19.9.5 Interference or Impairment


Regarding safety and notwithstanding any other provision hereof, the characteristics and methods of operation of any equipment or facilities placed in the Dedicated Space shall not create hazards for or cause damage to those facilities, the Dedicated Space, or the Eligible Structure in which the Dedicated Space is located; impair the privacy of any communications carried in, from, or through the Eligible Structure in which the Dedicated Space is located; or create hazards or cause physical harm to any individual or the public. Any of the foregoing would be in violation of this Tariff.

19.9.6 Personal Property and Its Removal

In accordance with and subject to the conditions of this Tariff, the Collocator may place or install in or on the Dedicated Space such personal property or fixtures (Property) as it shall deem desirable for the conduct of business. Property placed by the Collocator in the Dedicated Space shall not become a part of the Dedicated Space even if nailed, screwed or otherwise fastened to the Dedicated Space. Such Property must meet THE UTILITY standards for flame and smoke ratings, e.g., no combustibles. Such Property shall retain its status as personalty and may be removed by the Collocator at any time. Any damage caused to the Dedicated Space or land occupied by an adjacent structure by the removal of such Property shall be promptly repaired by the Collocator at its expense pursuant to Paragraph 19.9.7 following.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.9 USE OF DEDICATED SPACE (Cont'd)**

**19.9.7 Alterations**

In no case shall the Collocator or any person acting through or on behalf of the Collocator make any rearrangement, modification, improvement, addition, repair, or other alteration to the Dedicated Space or the Eligible Structure in which the Dedicated Space is located without the advance written permission and direction of THE UTILITY. THE UTILITY shall consider a modification, improvement, addition, repair or other alteration requested by the Collocator, provided that THE UTILITY has the right to reject or modify any such request except as required by state or federal regulators. The cost of any THE UTILITY provided construction shall be paid by the Collocator in accordance with THE UTILITY's custom work order process.

**19.10 STANDARDS**


**19.10.1 Minimum Standards**

All types of network equipment placed in THE UTILITY network equipment areas of Eligible Structures by THE UTILITY or Collocators must meet THE UTILITY's minimum safety standards. The minimum safety standards are as follows: (1) Collocator's equipment must meet Telcordia Level 1 safety requirements as set forth in Telcordia documents SR-3580 and GR-63-CORE, Network Equipment Building Systems (NEBS); or, (2) Collocator must demonstrate that its equipment has a history of safe operation defined by installation in an ILEC (including THE UTILITY) prior to January 1, 1998 with no known history of safety problems. The Collocator will be expected to conform to the same accepted procedures and standards utilized by including THE UTILITY and its contractors when engineering and installing equipment.

In the event that THE UTILITY denied Collocation of Collocator's equipment, citing Safety Standards, THE UTILITY will provide within five (5) business days of Collocator's written request to THE UTILITY representative(s), a list of UTILITY equipment which Nevada Bell locates within the premises of the Eligible Structure for which Collocation was denied together with an affidavit attesting that all of such UTILITY equipment met or exceeded the same Safety Standards for which Collocator's equipment was denied.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)


**19.10 STANDARDS**

**19.10.1 Minimum Standards (Continued)**

In the event THE UTILITY believes that collocated equipment is not necessary for interconnection or access to UNES or determines that the Collocator's equipment does not meet the minimum safety standards, the Collocator must not collocate the equipment unless and until the dispute is resolved in its favor. The Collocator will be given ten (10) business days to to comply with the requirements and/or remove the equipment from the collocation space if the equipment was already improperly collocated. Dispute resolution procedures are covered in the General Terms & Conditions (GTC) for this tariff. If the Parties do not resolve the dispute, THE UTILITY or Collocator may file a complaint at the Commission seeking a formal resolution of the dispute. If it is determined that the Collocator's equipment does not meet the minimum safety standards above, the Collocator must not collocate the equipment and will be responsible for removal of the equipment and all resulting damages if the equipment already was collocated improperly.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.10 STANDARDS (Cont'd)

19.10.1 Minimum Standards (Cont'd)

Collocation equipment or operating practices representing a significant demonstrable technical or physical threat to The UTILITY personnel, network or facilities, including the Eligible Structure or those of others is strictly prohibited. Notwithstanding any other provision herein, the characteristics and methods of operation of any equipment or facilities placed in the Physical Collocation space shall not create hazards for or cause damage to those facilities, the Physical Collocation space, or the Eligible Structure in which the Physical Collocation space is located; impair the privacy of any communications carried in, from, or through the Eligible Structure in which the Physical Collocation space is located; or create hazards or cause physical harm to any individual or the public. Any of the foregoing would be in violation of this Tariff.

19.10.2 Revisions

Within forty-five (45) days of approval of this revised Tariff by the Nevada Public Utilities Commission, THE UTILITY shall revise its Interconnector's Collocation Services Handbook for Physical Collocation in Nevada and its Technical Publication(s) for Physical Collocation. Any revision to THE UTILITY's Interconnector's Collocation Services Handbook for Physical Collocation in Nevada or its Technical Publication(s) for Physical Collocation shall become effective and thereafter applicable under this Tariff.

19.10.2.1 Dispute Resolution Process for Revisions or Implementation of Technical Publications


Disputes that cannot be resolved by the parties regarding revisions to or implementation of THE UTILITY technical publications that apply to physical collocation arrangements will be resolved by use of (1) mediation, (2) any dispute resolution process promulgated by the Commission, or (3) any other method mutually agreed to by the parties. Either party may use any of these options to obtain a resolution of the dispute.

19.10.3 Compliance Certification

The Collocator also warrants and represents that any equipment or facilities that may be placed in the Dedicated Space pursuant to Paragraph 19.9.2 Equipment List; Paragraph 19.9.2.1 Subsequent Requests to Place Equipment; or otherwise, shall be compliant with minimum safety standards set forth in Paragraph 19.10.1.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.11 RE-ENTRY

If the Collocator shall default in performance of any Tariff provision herein, and the default shall continue for sixty (60) calendar days after receipt of THE UTILITY's written notice, or if the Collocator is declared bankrupt or insolvent or makes an assignment for the benefit of creditors, THE UTILITY may, immediately or at any time thereafter, without notice or demand, enter and repossess the Dedicated Space, expel the Collocator and any claiming under the Collocator, remove the Collocator's property, forcibly if necessary, and services provided pursuant to this Tariff will be terminated without prejudice to any other remedies THE UTILITY might have.

THE UTILITY may also refuse additional applications for service and/or refuse to complete any pending orders for additional space or service for the Collocator at any time after sending the notice required by the preceding paragraph.

In the case of any dispute and at the written request of a Party, each Party will appoint a knowledgeable, responsible representative to meet and negotiate in good faith to resolve any dispute arising under this Tariff. The location, form, frequency, duration, and conclusion of these discussions will be left to the discretion of the representatives. Upon agreement, the representatives may utilize other alternative informal dispute resolution procedures such as mediation to assist in the negotiations. Discussions and the correspondence among the representatives for purposes of settlement are exempt from discovery and production and will not be admissible in the arbitration described below or in any lawsuit without the concurrence of both parties. Documents identified in or provided with such communications, which are not prepared for purposes of the negotiations, are not so exempted and, if otherwise admissible, may be admitted in evidence in the arbitration or lawsuit. To the extent negotiations do not resolve the dispute, and thirty (30) days have passed since the date of the request for resolution under this paragraph, parties may seek more formal dispute resolution procedures.


19.12 INDEMNIFICATION OF THE UTILITY

Except as otherwise provided herein, the indemnity provisions of the Interconnection Agreement between THE UTILITY and the Collocator shall apply and are incorporated herein by this reference. However, in no event will the provisions in this section supersede or override the indemnification provisions contained in the interconnection agreement between THE UTILITY and Collocator. Additionally, in the event of a conflict between indemnification provisions in the interconnection agreement and the Tariff, the provisions in the interconnection agreement will control.

Collocators shall indemnify and hold harmless THE UTILITY the agents, employees, officers, directors and shareholders of any of them ("Indemnities"), from and against any and all liabilities, obligations, claims, causes of action, fines, penalties, losses, costs, expenses (including court costs and reasonable attorneys' fees), damages, injuries, of any kind, (individually and collectively "Liabilities"), including but not limited to, Liabilities as a result of (a) injury to or death of any person; (b) damage to or loss or destruction of any property; or (c) Liabilities related in any manner to employee benefits, workers compensation, payroll tax, and other employer obligations which may be asserted against THE UTILITY where such liabilities arise in connection with Collocator's use of persons that it classifies as an independent contractor or subcontractor to perform obligations under this Tariff; (d) attachments, liens or claims of

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.12 INDEMNIFICATION OF THE UTILITY (Cont'd)

material persons or laborers arising out of or resulting from or in connection with this Tariff or the performance of or failure to perform and directly or indirectly caused, in whole or part, by acts of omissions, negligent or otherwise, of Collocator or a contractor or a representative of Collocator or an employee of any one of them, except to the extent such Liabilities arise from the negligence or willful or intentional misconduct of THE UTILITY or its employees. The provisions in this section are reciprocal and applicable also to THE UTILITY.

THE UTILITY shall, make reasonable efforts to promptly notify Collocator of any suit or other legal proceeding asserting a claim for Liabilities. Upon request, Collocator shall, at no cost or expense to any Indemnitee, defend any such suit or legal proceeding asserting a claim for Liabilities, and Collocator shall pay any costs and attorneys' fees that may be incurred by any Indemnitee in connection with any such claim, proceeding or suit. Collocator shall also (a) keep THE UTILITY and any other Indemnitee subject to any such claim fully informed as to the progress of such defense, and (b) afford THE UTILITY and such Indemnitee, each at its own expense, an opportunity to participate on an equal basis with Collocator in the defense or settlement of any such claim.

19.13 SERVICES AND MAINTENANCE

19.13.1 Operating Services

THE UTILITY shall maintain for the Eligible Structure customary building services, utilities (excluding telephone facilities), including janitorial and elevator services, twenty-four (24) hours a day, seven (7) days a week. Any business telephone services ordered by the Collocator for its administrative use within its Dedicated Space will be provided in accordance with applicable THE UTILITY Tariffs.

19.13.2 Maintenance


THE UTILITY shall maintain the exterior of the Eligible Structure and grounds, and all entrances, stairways, passageways, and exits used by the Collocator to access the Dedicated Space.

19.13.3 Equipment Staging and Storage

No storage or staging area will be provided outside of the licensed space. Collocation areas may not be used for office administrative space (i.e. filing cabinet, desk, etc.). Fire standards and regulations prohibit the storage of flammable material, e.g. cardboard boxes, paper, packing material, etc. Safety standards prohibit the storage of chemicals of any kind. (Refer to Interconnector's Guide for Collocation for further details.)

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.13 SERVICES AND MAINTENANCE (Cont'd)**

**19.13.4 Legal Requirements**


Except for Paragraph 19.15, THE UTILITY agrees to make, at its expense, all changes and additions to the Dedicated Space required by laws, ordinances, orders or regulations of any municipality, county, state or other public authority including the furnishing of required sanitary facilities and fire protection facilities, except fire protection facilities specially required because of the installation of telephone or electronic equipment and fixtures in the Dedicated Space.

**19.14 THE UTILITY'S RIGHT OF ACCESS**

THE UTILITY, its agents, employees, and other THE UTILITY-authorized persons shall have the right to enter Dedicated Space at any reasonable time on three (3) days advance notice of the time and purpose of the entry to examine its condition, make repairs required to be made by THE UTILITY hereunder, and for any other purpose deemed reasonable by THE UTILITY. THE UTILITY may access the Dedicated Space for purpose of averting any threat of harm imposed by the Collocator or its equipment or facilities upon the operation of THE UTILITY equipment, facilities and/or personnel located outside of the Dedicated Space; in such case, THE UTILITY will notify the Collocator by telephone of that entry and will leave written notice of entry in the Dedicated Space. If routine inspections are required, they shall be conducted at a mutually agreeable time.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.15 GENERAL**

The rates and charges in this Tariff are applicable only for physical collocation arrangements in Eligible Structures as defined in Paragraph 19.2 of this Tariff. THE UTILITY allocates the charges for space preparation and security charges on a prorated basis so the first Collocator in a premises will not be responsible for the entire cost of site preparation. However, ancillary charges for unique Collocator requests for collocation options directly attributable to the requesting Collocator will not be prorated. Examples include power arrangements, remote switch module related options and POT bay-related options.

Parking at Eligible Structures will be provided on a first-come, first-served basis if there is no commercial parking or curbside parking available within a reasonable radius of the Eligible Structure. THE UTILITY will rent parking spaces to Collocators on a first-come, first-served basis if such space is available. Collocators may not park in spaces that are reserved for THE UTILITY vehicles and which are designated as reserved. THE UTILITY shall not unreasonably reserve for its own use all parking at the Eligible Structure. Collocators shall be allowed to have reasonable use of and access to loading docks. Collocators and THE UTILITY are required to follow all posted traffic and THE UTILITY signs and follow all applicable parking and traffic laws and ordinances.

The rates and charges in this Tariff do not include costs for any Americans with Disability Act (ADA) construction generated or caused by the physical collocation space request. If required, ADA construction will be provided on an ICB.

If THE UTILITY is required to upgrade an Eligible Structure, or portion of the structure to comply with the Americans with Disability Act (ADA) which arises as a direct result of Collocator's collocation arrangement, THE UTILITY will prorate the total forward-looking economic cost of the upgrade, and allocate the charge to each Collocator located within the Eligible Structure, based on the total space utilized by each Collocator.

Should THE UTILITY benefit in any way from the ADA upgrades, it shall absorb half of the cost when there is one benefiting Collocator, one-third when there are two, and so on.


Should THE UTILITY be the sole beneficiary of an upgrade (e.g., an upgrade would have had to be made regardless of whether or not a Collocator was collocated in the CO), THE UTILITY shall absorb all of the costs related to such an upgrade.

The rates and charges set forth herein are for physical collocation arrangements, while charges for interconnection and access to unbundled network elements are as set forth in negotiated interconnection agreement and any applicable THE UTILITY Tariffs.

The term of the Collocation agreement shall be concurrent with the terms of the interconnection agreement unless the Collocator chooses a month-to-month term.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.16 PREPARATION CHARGES

Preparation charges apply for preparing the Dedicated Space for use by the Collocator as outlined in this section. These rates and charges are found in Section 19.20, Rates and Charges, following.

THE UTILITY will contract for and perform the construction and other activities underlying the preparation of the Telecommunications Infrastructure Area and Dedicated Space, and any Custom Work Charges using the same or consistent practices that are used by THE UTILITY for other construction and preparation work performed in the Eligible Structure in which the Dedicated Space is located. THE UTILITY will permit Collocators to review the contractor invoices. To insure efficient use of space, THE UTILITY will provide a physical collocation area supporting as many square foot units of collocation space as is reasonably available in each specific Eligible Structure where space is available. THE UTILITY will provide collocation space within Active Collocation Space, if available. If Active Collocation Space is not available, Other (Inactive) Collocation Space may be provided. THE UTILITY will not utilize unreasonable segregation requirements to impose unnecessary additional cost on Collocators.

The Collocator will be permitted to contract its own work for the preparation activities within the Collocator's cage including the construction of physical security arrangements. However, any such contractor shall be subject to the approval of THE UTILITY, such Dedicated Space preparation activities shall be in accordance with all approved plans and specifications and coordinated with THE UTILITY, and the Collocator shall be solely responsible for all charges of any such contractor. Use of any such contractor shall not nullify the construction interval with respect to the preparation of the Telecommunications Infrastructure Area and Custom Work.

The Collocator may elect to install its own Point of Termination (POT) Frame, or request that THE UTILITY provide and install a POT Frame, to be placed in the Collocator's cage or in the collocation area. When the Collocator elects to install its own POT frame/cabinet, THE UTILITY must still provide and install the required DC power panel.


19.17 CHARGES

19.17.1 Monthly Charges

The flat-rate monthly recurring charges shall begin the earlier of when the first circuit is turned up or five (5) days after the Collocator has been notified that the preparation of the Dedicated Space is complete, and shall apply each month or fraction thereof that physical collocation is provided. For billing purposes, each month is considered to have thirty (30) days. The applicable recurring charges are set forth in Section 19.20 Rates and Charges, following, for use of the Dedicated Space.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.17 CHARGES (Cont'd)**

**19.17.2 Nonrecurring Charges**

Nonrecurring charges are one-time charges that apply for specific work activity associated with providing physical collocation, per request, per Eligible Structure.

With respect to any preparation of the Dedicated Space, the Collocator shall pay THE UTILITY fifty percent (50%) of the estimated nonrecurring Preparation Charges as specified for in Paragraph 19.16, Preparation Charges, preceding the commencement of work and fifty percent (50%) of any Custom Work Charges at the time that 50% of the work is completed.

The remaining portion of any Custom Work Charge is due upon completion. The remaining portion of the Preparation Charge shall be paid by the Collocator either (1) when the Dedicated Space is complete and prior to occupancy, or (2) in six (6) equal monthly installments. In the event the Collocator vacates the Dedicated Space during the six (6) month period, all outstanding nonrecurring charges will become due immediately and payable by the Collocator.

**19.17.3 Individual Case Basis (ICB)**

THE UTILITY may seek to impose Individual Case Basis (ICB) charges for requirements based on requests from a Collocator that are beyond the terms, conditions, and rates established in this Tariff.

**19.17.4 Outstanding Balances**


All outstanding balances, including monthly recurring charges and electrical power consumption, will be included in the final bill to the Collocator.

**19.18 REGENERATION**

Regeneration is required for collocation in an Adjacent Structure if the cabling distance between the Collocator's POT bay or termination point located in an adjacent structure and THE UTILITY's cross-connect bay exceeds ANSI limitations. Regeneration is not required in any other circumstances except where the Collocator specifically requests regeneration. Required regeneration and Collocator-requested regeneration will be provided at the Collocator's expense.

Issued: July 7, 2000  
Effective:  
Advice: No. 1835

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.19 RATE REGULATIONS**

**19.19.1 Determination of Charges Not Established in Tariff (Custom Work Charges)**

Rate Elements - In the event that THE UTILITY seeks to impose a rate element or charge to a Collocator that is not specifically provided for in this Tariff, THE UTILITY shall be required to provide the quote for the rate element within the same time frames provided for in this Tariff. When THE UTILITY provides the price quote containing rate elements or charges that are not established in this Tariff, THE UTILITY shall also provide all cost support for the proposed rate element or charge, and shall rely on the total long-run incremental cost methodology as used by the Commission in setting rates for this Tariff.

In the event the Collocator disputes the rate element or charge proposed by THE UTILITY that is not specifically provided for in this Tariff, the Collocator shall notify THE UTILITY of its dispute with the proposed charge in writing. In the event the dispute is not resolved within fifteen (15) days from the date of the Collocator's notification, then the Collocator may file a request for dispute resolution with the Commission. In its request, the Collocator should provide a copy of THE UTILITY's price quote, a detailed explanation of the charges in dispute, and the Collocator's proposed charges and requested relief. The Commission shall resolve the complaint. Any Commission resolution or agreement reached by the Collocator and THE UTILITY after the dispute has been filed with the Commission shall be made public.

**19.19.2 Rate Elements**

All rates and charges for the following rate elements can be found in Section 19.20.

(C)

(D)

(D)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED EFFECTIVE
NOV 20 2001
PUBLIC UTILITIES COMMISSION OF NEVADA

**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.19 RATE REGULATIONS**

**19.19.2 Determination of Charges Not Established in Tariff (Custom Work Charges) (Cont'd)**

**(A) Planning Fees (Cont'd)**


The Planning Fee, as specified in THE UTILITY's Interconnector's Collocation Services Handbook for Physical Collocation in Nevada, recovers THE UTILITY's costs incurred to estimate the quotation of charges, project management costs, engineering costs, and other related planning activities for the Collocator's request for the physical collocation arrangements. The initial Planning Fee will apply to the Collocator's physical collocation request. In addition, a nonstandard Planning Fee will apply when a request includes DC power requirements other than 2-20, 2-50, or 2-100 Amp power feeds for Caged, Cageless, or Caged Common Collocation, or 2-100, 2-200, 2-300, or 2-400 Amp power feeds for Adjacent On-Site Collocation, or other than integrated ground plane, or when floor space requirements are greater than four hundred (400) square feet. Requests for additions to the initial request, such as the addition of Collocator provided equipment that requires THE UTILITY to engineer and purchase additional equipment will result in a Subsequent Planning Fee. A major revision to the initial request for physical collocation that changes floor space requirements, cable entrance facilities requirements, or changes DC Power Distribution will be considered a total revision and result in the reapplication of an initial Planning Fee. Rates and charges are as found in paragraph 21.1 following.

(N)

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.19 RATE REGULATIONS (Cont'd)**

**(B) Floor Space Charges**

(C)

**(1) Caged Collocation**

The caged collocation option provides the Collocator with an individual enclosure (not including a top). This enclosure is an area designated by THE UTILITY within an Eligible Structure to be used by the Collocator for the sole purpose of installing, maintaining and operating the Collocator-provided equipment.

(C)

THE UTILITY will provide Floor Space, floor space site conditioning, Cage Common Systems Materials, Cage Preparation and Safety and Security charges in increments of one (1) square foot. For this reason, Collocators will be able to order space and a cage enclosure in amounts as small as that sufficient to house and maintain a single rack or bay of equipment, (i.e., 50 square feet of cage space for a single bay) and will ensure that the first Collocator in THE UTILITY premises will not be responsible for the entire cost of site preparation and security. When a Collocator constructs its own cage and related equipment, the Collocator will not be subject to the Cage Preparation Charge as set forth in paragraph 19.19.2 (c) following. The Collocator may provide a cage enclosure (not including a top), cable rack and support structure inside the cage, lighting, receptacles, cage grounding, cage sign and door key set.

In addition, terms and conditions for contractors performing cage construction activities as set forth in paragraph 19.16 preceding will apply.

If the Collocator elects to install, or requests that THE UTILITY provide and install a point of termination (POT) frame in the dedicated collocation area rather than inside its cage, the floor space rate for cageless collocation found in paragraph 19.21.3 following applies.

(C)

(C)

**(a) Eligible Structure Floor Space Charges**


(C)

Consists of the following elements which are based on the average cost for THE UTILITY within Nevada:

- Construction costs
- Operating costs

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.19 RATE REGULATIONS (Cont'd)**

**9.19.2 Rate Elements (Cont'd)**

**(B) Floor Space Charges (Cont'd)**

(C)

**(1) Caged Collocation (Cont'd)**

**(b) Site Conditioning Charge, per square foot**

(C)

Consists of the following and represents costs necessary to condition basic floor space to accommodate telecommunications equipment:

- New floor tile
- General lighting
- House service receptacles
- Exit lights
- Emergency lighting
- Pullbox for fiber optic cable
- Electrical panel for lights and receptacles
- 4" conduit (initial placement) for fiber optic cable from vault to the common pullbox
- Cable slots for routing of power and transmission cables
- Fire-rated partitions where required
- HVAC where not existing
- Demolition work where required

**(c) Common Systems Materials Charge**


(C)

Consists of the following elements per square foot and represents the following charges:

- Installation and maintenance of iron work, racking, and lighting above the cage

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.19 RATE REGULATIONS (Cont'd)

19.19.2 Rate Elements (Cont'd)

(B) Floor Space Charges (Cont'd)

(C)

(1) Caged Collocation (Cont'd)

(d) Safety and Security, per square foot

This charge represents reasonable costs incurred by THE UTILITY to secure its equipment contained within Eligible Structure. This charge is expressed as a recurring rate on a per square foot basis and was developed based on implementation of varying combinations of the following security measures and devices. This rate may include only the costs associated with the most cost-effective reasonable method of security, which may consist of a sub set of the following:

- Interior Security Partition separating THE UTILITY equipment
- Provisioning of door locks and keying of existing doors
- Door access controller and network controller necessary for a card reader system
- Security camera systems
- Locking cabinets for network equipment
- Combination door locks
- Cable locks for computer terminals and test equipment
- Secure ID/password protection for computer systems
- Emergency exit door alarms

(e) Cage Preparation

(N)

Consists of the following elements and represents charges unique to the Collocator making the request. Rates and charges are as found in paragraph 21.2 following.

- Grounded wire partition
- Door key Set
- Lights
- Outlets
- Cable rack and support structure inside the cage
- Cage sign


(f) RSM Option

The additional Dedicated Heating Ventilating and Air Conditioning (HVAC) Charge consists of the necessary dedicated ductwork extensions from the branch duct to the caged common collocation area including downturns and diffusers required to handle the additional heat load created by the RSM option. The Dedicated Power Plant Space Charge is a floor space rental charge based on the square footage required for a power plant layout with batteries.

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.19 RATE REGULATIONS (Cont'd)**

**19.19.2 Rate Elements (Cont'd)**

**(B) Floor Space Charges (Cont'd)**

(N)

**(2) Cageless Collocation**

The Cageless Collocation charges consists of floor space, bay and aisle lighting and the design and placement of common systems materials in an area designated by THE UTILITY within an Eligible Structure to be used by the Collocator for the sole purpose of installing, maintaining and operating the Collocator-provided equipment.

THE UTILITY will provide Floor Space, floor space site conditioning, Safety and Security, and Common Systems Materials charges per relay rack, bay, or frame. Collocators shall be able to order space in amounts as small as that sufficient to house and maintain a single rack or bay of equipment, (i.e., ten (10) square feet). The first Collocator in THE UTILITY premises will be responsible only for its pro rata share of the common systems materials, cost of site preparation and security charges. Charges to each Collocator will be based upon the number of frames used by each Collocator.

**(a) Floor Space Charges**

Consists of the following elements which are based on the average cost for THE UTILITY within Nevada:

- Construction costs
- Operating costs

**(b) Site Conditioning Charge**


(C)

Consists of the following and represents costs necessary to condition basic floor space to accommodate telecommunications equipment per rack, bay or frame:

- New floor tile
- General lighting
- House service receptacles
- Exit lights
- Emergency lighting
- Pullbox for fiber optic cable
- Electrical panel for lights and receptacles
- 4" conduit (initial placement) for fiber optic cable from vault to the common pullbox
- Cable slots for routing of power and transmission cables
- Fire-rated partitions where required
- HVAC where not existing
- Demolition work where required

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.19 RATE REGULATIONS (Cont'd)

19.19.2 Rate Elements (Cont'd)

(B) Floor Space Charges (Cont'd)

(2) Cageless Collocation (Cont'd)

(c) Cageless Common Systems Materials Charge

Consists of the following elements per rack, bay, or frame and represents the following charges:

- Support materials for overhead lighting
- Bay and aisle lights
- AC electrical access for bay framework
- Central Office ground bar assembly and termination materials
- Extension of Central Office ground cables
- Auxiliary framing for support of cable racking materials
- Horizontal fiber protection duct system
- All associated mounting hardware and fabrication materials

(d) Safety and Security

This charge represents reasonable costs incurred by THE UTILITY to secure its equipment contained within the used space of the Eligible Structure. This charge is expressed as a recurring rate on a rack, bay, or frame basis and was developed based on implementation of varying combinations of the following security measures and devices:


- Interior Security Partition separating THE UTILITY equipment
- Provisioning of door locks and keying of existing doors
- Door access controller and network controller necessary for a card reader system
- Security camera systems
- Locking cabinets for network equipment
- Combination door locks
- Cable locks for computer terminals and test equipment
- Secure ID/password protection for computer systems
- Emergency exit door alarm

(3) Caged Common Collocation Nevada

The Caged Common Collocation option provides the collocators with an enclosure (not including a top). This enclosure is an area designated by THE UTILITY within an Eligible Structure to be used by the collocators for the sole purpose of installing, maintaining and operating the collocator-provided equipment.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

(N)

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.19 RATE REGULATIONS (Cont'd)**

**19.19.2 Rate Elements (Cont'd)**

**(B) Floor Space Charges (Cont'd)**

**(3) Caged Common Collocation Nevada (Cont'd)**

Caged Common Collocation space will be provided where space permits when five (5), or more Collocators have provided THE UTILITY with their forecasted space requirements accompanied with a firm order and 25% of non-recurring charges for the forecasted space as deposit. When these criteria have been met, THE UTILITY will construct a common cage minimum of 550 sq. ft. of space unless Collocators' combined forecasted space needs for the initial year exceed 550 sq. ft., in which case, THE UTILITY will construct the cage to the Collocators' combined forecasts for the initial year. Charges to each collocator will be based on its forecasted linear footage of floor space and adjusted by the occupancy factor. Subsequent additions to the Caged Common Collocation area will be based on firm orders with the Collocator(s) requesting additional space bearing the costs for such expansion.

THE UTILITY will provide a caged enclosure (without a top), cable rack and support structure inside the cage, lighting, receptacles, cage grounding, cage sign and door key set. Terms and conditions for contractors performing cage construction activities are set forth in paragraph 19.16.

THE UTILITY will provide floor space site conditioning and Safety and Security charges per rack, bay, or frame and Floor Space, Caged Common Systems Materials, and Cage Preparation in increments of one linear foot. The first collocator in THE UTILITY's premises will be responsible only for its pro rata share of the cost of site preparation and security. Charges to each collocator will be based per rack, bay, or frame and linear foot of rack space used by each collocator. Rates and charges are contained in paragraphs 19.22.1.

Establishing and maintaining a 550 sq. ft. floor space minimum requirement for Caged Common Collocation, where applicable, will not be a basis for a claim that space is Legitimately Exhausted.


**(a) Eligible Structure Floor Space Charges**

Consists of the following elements which are based on the average cost for THE UTILITY within Nevada.

- Construction costs
- Operating costs

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.19 RATE REGULATIONS (Cont'd)**

**19.19.2 Rate Elements (Cont'd)**

**(B) Floor Space Charges (Cont'd)**

**(3) Caged Common Collocation (Cont'd)**

**(b) Site Conditioning Charge**

Consists of the following and represents costs necessary to condition basic floor space to accommodate telecommunications equipment per rack, bay, or frame:

- New floor tile
- General lighting
- House service receptacles
- Emergency lighting
- Pullbox for fiber optic cable
- Electrical panel for lights and receptacles
- 4" conduit (initial placement) for fiber optic cable from vault to the common pullbox
- Cable slots for routing of power and transmission cables
- Fire-rated partitions where required
- HVAC where not existing
- Demolition work where required

**(c) Common Systems Materials Charge**


Consists of the following elements per linear foot and represents the following charges:

- Installation and maintenance of iron work, racking, and lighting above the Common Cage.

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.19 RATE REGULATIONS (Cont'd)

19.19.2 Rate Elements (Cont'd)

(B) Floor Space Charges (Cont'd)

(3) Caged Common Collocation Nevada (Cont'd)

(d) Safety and Security

This charge represents reasonable costs incurred by THE UTILITY to secure its equipment contained within the Eligible Structure. This charge is expressed as a recurring rate on a per rack, bay or frame and was developed based on implementation of varying combinations of the following security measures and devices:

- Interior Security Partition separating THE UTILITY equipment
- Provisioning of door locks and keying of existing doors
- Door access controller and network controller necessary for a card reader system
- Security camera systems
- Locking cabinets for network equipment
- Combination door locks
- Cable locks for computer terminals and test equipment
- Secure ID/password protection for computer systems
- Emergency exit door alarms

In the event THE UTILITY elects to erect an interior security partition in a given Eligible Structure to separate its equipment, the lesser of the costs of the partition or a security camera system for such Eligible Structure shall be applicable. In no event shall a CLEC be required to pay for both an interior security partition to separate THE UTILITY's equipment in an Eligible Structure and a security camera system for such Eligible Structure. Construction of interior security partition shall not impair access to CLECs equipment that is collocated under cageless option.

(e) Cage Preparation


Consists of the following elements and represents charges unique to the Collocator making the request. Rates and charges are as found in paragraph 21.3.1 following.

Grounded wire partition

- Door key set
- Lights
- Outlets
- Cable rack and support structure inside the cage
- Cage sign

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.19 RATE REGULATIONS (Cont'd)

19.19.2 Rate Elements (Cont'd)

(B) Floor Space Charges (Cont'd)

(3) Caged Common Collocation Nevada (Cont'd)

(f) RSM Option

The additional Dedicated Heating Ventilating and Air Conditioning (HVAC) Charge consists of the necessary dedicated ductwork extensions from the branch duct to the caged common collocation area including downturns and diffusers required to handle the additional heat load created by the RSM option. The Dedicated Power Plant Space Charge is a floor space rental charge based on the square footage required for a power plant layout with batteries.

(C) DC Power Consumption

The DC Power Charge consists of use of the DC power system, with AC input and AC backup for redundant DC power expressed on a per amp basis. The cost for HVAC to support DC Power Consumption is recovered as a separate but related rate element on a per 10-amp basis. DC Transmission Energy Charge provided per 2" mounting space consists of the AC energy to provide redundant DC power to an CEV/HUT/Cabinet arrangement expressed in a monthly rate.

(D) Power Arrangement Provisioning

The Power Arrangement is the cable and the cable rack including support and fabrication material expressed as a combination of a nonrecurring and monthly rate for either 2-20 AMP, 2- 50 AMP, or 2-100 AMP feeds.

(E) DC Power Panel (Maximum 50 AMP) (Optional)


This DC power panel is optional with each application requiring DC power designed to provide up to 50 (maximum) AMPS per feed of DC current. This rate element may be provided by THE UTILITY.

(F) DC Power Panel (Maximum 200 AMP) (Optional)

At least one (1) DC power panel is required with each application requiring DC Power when designed to provide between 50 and 200 AMPS per feed of DC current however the Collocator may substitute the required power panel with an equivalent power panel subject to meeting NEBS Level 1 Safety and review by THE UTILITY technical support. This rate element may be provided by THE UTILITY.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.19 RATE REGULATIONS (Cont'd)**

**19.19.2 Rate Elements (Cont'd)**

**(G) Eligible Structure Ground Cable Arrangement, Each**

(C)

The ground cable arrangement is the cabling arrangement designed to provide grounding for equipment within the Collocator's Dedicated Space. Separate Ground Cable Arrangements are required for Integrated and Isolated Ground Planes. Isolated Ground Planes require a Ground Cable Arrangement in the Collocator's Dedicated Space.

**(H) Security Cards**

(C)

The Security Cards Charge consists of a charge per five (5) new cards or replacement cards, for access cards, and ID cards. Rates and charges are as found in paragraph 21.8 following. THE UTILITY will issue access cards and/or ID cards within twenty-one (21) days of receipt of a complete and accurate SBC Photo ID Card and Electronic Access For Collocators and Associated Contractors form, which is located on the CLEC ONLINE website. In emergency or other extenuating circumstances (but not in the normal course of business), collocators may request that the twenty-one (21) day interval be expedited, and THE UTILITY will issue the access and/or ID cards as soon as reasonably practical.

(C)  
(N)

(N)

**(I) Standard Frame or Cabinet, Each (Optional)**

(C)

The Collocator may elect to provide its own bay or cabinet in either its cage space or in a cageless space designated by THE UTILITY or may request that THE UTILITY provide and install the bay or cabinet in the cageless space only. If the Collocator elects for THE UTILITY to provide a bay or cabinet, the rates and charges are as found in Paragraph 19.21.13. When, at the Collocator's option, a bay or cabinet is placed in space designated by THE UTILITY, appropriate floor space charges will apply. The bay or cabinet may be designated as the physical point of termination for interconnection between the Collocator's facilities and THE UTILITY facilities, previously referred to as "Point of Termination (POT) bay."

**(J) Entrance Facility Conduit to Vault, Per Cable Sheath**

(C)

Any reinforced passage or opening placed for the Collocator provided facility in, on, under/over or through the ground between THE UTILITY designated manhole and the cable vault of the Eligible Structure.


**(K) Entrance Fiber Charge, Per Cable Sheath**

(C)

The Entrance Fiber Charge reflects the time interval spent by THE UTILITY in pulling the Collocator's cable facilities from THE UTILITY designated manhole, through THE UTILITY cable vault and through the THE UTILITY cable support structure to the collocator's equipment.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.19 RATE REGULATIONS (Cont'd)

19.19.2 Rate Elements (Cont'd)

(L) Interconnection Arrangement Options

Collocators will select one or more of the interconnection arrangements listed below.

(1) DS1 Interconnection Arrangement (DSX or DCS), Each

THE UTILITY-provided arrangement of twenty eight (28) DS1 connections per arrangement between the Collocator's optional POT Frame or equipment bay and THE UTILITY network. This rate element may not be provided by the Collocator. The Collocator will not be permitted access to THE UTILITY Main Distribution Frame. If regeneration is required because the cabling distance between the Collocator's POT bay or termination point located in an Adjacent Structure and THE UTILITY's cross-connect bay exceeds ANSI limitations or where the Collocator specifically requests regeneration, it will be at the Collocator's expense. Regeneration is not required in any other circumstance. Rates and charges are as found in paragraph 19.21.16(A) following.

(C)

(D)

(D)

(2) DS3 Interconnection Arrangement (DSX or DCS), Each

THE UTILITY-provided arrangement of one (1) DS3 connection per arrangement between the Collocator's optional POT Frame or equipment bay and THE UTILITY network. This rate element may not be provided by the Collocator. The Collocator will not be permitted access to THE UTILITY Main Distribution Frame. If regeneration is required because the cabling distance between the Collocator's POT bay or termination point located in an Adjacent Structure and THE UTILITY's cross-connect bay exceeds ANSI limitations or where the Collocator specifically requests regeneration, it will be at the Collocator's expense. Regeneration is not required in any other circumstance. Rates and charges are as found in paragraph 19.21.16(B) following.

(C)

(D)

(D)


(3) Copper Cable Interconnection Arrangement, Each

THE UTILITY provided arrangement that provides one hundred (100) copper (non-shielded) or (shielded) connections between the Collocator's optional POT frame or equipment bay and THE UTILITY network. These rate elements may not be provided by the Collocator. The Collocator will not be permitted access to THE UTILITY Main Distribution Frame.

(C)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.19 RATE REGULATIONS (Cont'd)

19.19.2 Rate Elements (Cont'd)

(M) Optical Circuit Arrangement

This sub-element provides for the cost associated with providing twelve (12) fiber connection arrangements to THE UTILITY network. This rate element may not be provided by the Collocator. The Collocator will not be permitted access to THE UTILITY Main Distribution Frame.

(D)  
(D)  
(D)

(C)

(D)  
(D)  
(D)

(N) Bits Timing (Per two circuits) (Optional)

THE UTILITY provided single signal from THE UTILITY timing source to provide synchronization between a Collocator's single network element and THE UTILITY's equipment.

(C)

(C)

(O) Timing Interconnection Arrangement (Optional)

Timing lead (1 pair) of wires provided by THE UTILITY to the Collocator's dedicated Collocator's physical collocation space or optional POT frame or equipment bay.

(N)

(N)

(P) Collocation Availability Space Report Fee

This rate element provides for costs associated with providing a reporting system and associated reports indicating the amount of collocation space available, the number of Collocators, any modifications in the use of space since the generation of the last available report, and measures that THE UTILITY is undertaking to make additional space available for collocation.

(C)

(Q) Pre-visits

General Applications

Prior to submitting an application, the prospective collocator may elect to arrange with THE UTILITY to visit an Eligible Structure for the purpose of permitting the collocator to determine if the structure meets the potential collocator's business needs and if space is available in the structure for the potential collocator's physical collocation arrangement. Prospective collocators electing to pre-visit THE UTILITY's Eligible Structures must submit their request in writing ten (10) business days in advance. Pre-visits will be scheduled for a date that is mutually agreeable to both parties. Prospective collocators will not be allowed to take photographs, make copies of THE UTILITY site-specific drawings or make any notations.


(N)

(N)

Material on this page has been relocated to Page No. 53.1.  
Material on this page has been relocated to Page No. 53.2.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.19 RATE REGULATIONS (Cont'd)

19.19.2 Rate Elements (Cont'd)

(Q) Pre-visits (Cont'd)

For pre-visits, THE UTILITY will limit the number of THE UTILITY employees attending the pre-visit to one of THE UTILITY's employee, unless a different number of THE UTILITY employees is mutually agreed upon. The Collocator will only be billed for the times of the employee approved by the collocator and not for additional employees not mutually agreed upon to attend the pre-visit. If any travel expenses are incurred, the collocator will be charged for the time THE UTILITY employees spend traveling and will be based on fifteen-minute increments.

(R) Construction Inspections

During the construction of all forms of physical collocation space required under this tariff, Collocators shall be permitted up to four (4) inspections during the construction in an Eligible Structure during normal business hours with a minimum of two (2) hours advance notification. If the construction interval is extended beyond the tariffed or agreed upon interval, collocators will be granted two (2) additional visits per thirty (30)-day extension. Requests for construction inspections shall be given to the contact number as specified in paragraph 19.4.2. If any travel expenses are incurred, the collocator will be charged for the time THE UTILITY employees spend traveling and will be based on fifteen (15)-minute increments.

(N)

(S) Adjacent On-Site Structure Arrangements

(L) (C)

(1) Adjacent On-Site Structure Arrangements

If a Collocator elects to provide an adjacent On-site structure as described in paragraph 6.1.1 E. preceding, when all available space is Legitimately Exhausted inside THE UTILITY Eligible Structure, THE UTILITY will charge Planning Fees to recover the costs incurred to estimate the quotation of charges for the Collocator's Adjacent On-Site Structure Arrangement request. Rates and charges are found in Paragraph 19.20.20 following. In addition, should the Collocator elect to have THE UTILITY provision an extension of DC Power Service from the Eligible Structure to the Adjacent Structure, a DC Power Panel will be required.

(C)  
(C)

(L)

(2) Adjacent On-Site Planning Fee

(L) (C)

An initial Planning Fee will apply when a Collocator is requesting any Interconnection Terminations between the Collocator's Adjacent on-site structure and the ILEC on an Adjacent On-site initial or subsequent collocation application. This fee recovers the design route of the Interconnection Terminations as well as the design route of the power arrangement to the Collocator's Adjacent on-site structure.


(L)

(L)

Material on this page has been relocated from Page No. 53.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.19 RATE REGULATIONS (Cont'd)**

**19.19.2 Rate Elements (Cont'd)**

**(T) Adjacent Off-Site Arrangement**

**(1) Adjacent Off-Site Structure Arrangements**

If the collocator elects to provide an adjacent off-site structure as defined in paragraph 2.0. of this tariff and as described in paragraph 6.1.1 (E) preceding, when all available space is Legitimately Exhausted inside THE UTILITY Eligible Structure and Collocator's Adjacent On-Site Space is not within 50 feet of the Eligible Structure's outside perimeter wall, THE UTILITY will provide the following sub-elements to the extent technically feasible. The Adjacent Off-Site Arrangement is available if the Collocator's site is located on a property that is contiguous to or within one standard city block of THE UTILITY's Central Office or Eligible Structure. When the Collocator elects to collocate by Adjacent Off-Site Arrangement, the Collocator shall provide both AC and DC Power required to operate such facility. Rates and charges for these sub-elements are as found in paragraph 19.20(S)

**(2) Planning Fee Adjacent Off-site Arrangement**

Planning Fee will apply when a Collocator is requesting any Interconnection Terminations between the Collocator's Adjacent off-site structure and the ILEC on Adjacent Off-site initial or subsequent collocation application. This fee recovers the design route of the Interconnection Terminations to the Collocator's Adjacent off-site structure. Rates and charges are found in paragraph 19.20(T) following.


**(U) Conduit Space for Adjacent Off-site Arrangement**

Any reinforced passage or opening placed for the Collocator provided facility in, on, under/over or through the ground between the THE UTILITY designated manhole and the cable vault of the eligible structure. Rates and charges are as found in paragraph 19.20(U) following

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

9.19 RATE REGULATIONS (Cont'd)

19.19.2 Rate Elements (Cont'd)

- (V) Two Inch Vertical Mounting space in CEVs, Huts and Cabinets (C) (L)

A two-inch vertical mounting space in a standard equipment mounting in a CEV, Hut or cabinet for the placement of equipment. The number of two-inch vertical mounting spaces required is determined by the size of the equipment to be placed plus additional space required for heat dissipation and ventilation of the equipment to be placed in adjacent equipment.

- (W) Miscellaneous Charges (Optional) (C)

Consists of charges for miscellaneous construction-related items associated with Cageless Pot Bay or Cabinet. (C) (L)

- (X) Collocation to Collocation Connection (N) (D)

This rate element includes physical-to-physical, cageless-to-cageless, and physical-to-virtual connection options. (D)

- (1) Fiber Cable (12 Fibers)

This rate element provides for direct cabling using fiber cable (12 fibers) between two (2) collocation arrangements at an Eligible Structure expressed as a combination of a non-recurring and recurring rate.

- (2) Copper Cable (28 DS1s)

This rate element provides for direct cabling using copper cable (28 DS1s) between two (2) collocation arrangements at an Eligible Structure expressed as a combination of a non-recurring charge and a monthly rate.

- (3) Coax Cable (1 DS3)

This rate element provides for direct cabling using coaxial cable (1 DS3) between two (2) collocation arrangements at an Eligible Structure expressed as a combination of a non-recurring charge and a monthly rate.

- (4) Cable Racking and Hole


This sub-element provides for cable rack space for copper, coax and optical cabling between two collocation arrangements and the required terminations at each physical collocation arrangement(s) at an Eligible Structure.

- (5) Route Design

This sub-element provides the route design for collocation-to-collocation connections. This sub-element is expressed as a nonrecurring charge.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.20 RATES AND CHARGES


The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Monthly Rate</u>	<u>Nonrecurring Charge</u>	(D)
(A) Planning Fees				(D)
(1) Caged Collocation				(N) (L)
- Planning - Central Office (per SF used by CLEC)	XXXXX	\$0.09	\$7.55	
- Initial	NRBCE	None	5,244.43	
- Subsequent - Inter. Cabling	NRBZD	None	2,267.04	
- Subsequent - Power Cabling	XXXXX	None	2,306.10	
- Subsequent - Inter./Power Cabling	XXXXX	None	2,884.60	
(2) Cageless Collocation				
- Planning - Central Office (per frame used by CLEC)	XXXXX	1.13	75.54	
- Initial	XXXXX	None	4,601.93	
- Subsequent - Inter. Cabling	XXXXX	None	2,267.04	
- Subsequent - Power Cabling	XXXXX	None	2,306.10	
- Subsequent - Inter./Power Cabling	XXXXX	None	2,884.60	
(3) Cage Common Collocation				
Planning - Central Office				
- Per Linear Foot	XXXXX	0.44	29.24	
- Initial				
Per Request	XXXXX	None	4,601.93	
- Subsequent Inter. Cabling Only				
Per Request	XXXXX	None	2,267.04	
- Subsequent Power Cabling Only				
Per Request	XXXXX	None	2,306.10	
- Subsequent Inter./Power Cabling				
Per Request	XXXXX	None	2,884.60	
(4) Non-standard Planning Fee				
Caged, Cageless, and Caged Common				
Per Request	XXXXX	None	1,436.00	
(5) CEVs, Huts, Cabinets				
Planning -Standard	NRBIG	None	631.17	(D)

Material on this page has been relocated to Page No. 56.

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

**19.20 RATES AND CHARGES**


The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Monthly Rate</u>	<u>Nonrecurring Charge</u>	
<b>(B) Floor Space Charges</b>				
<b>(1) Caged Collocation</b>				
(a) Floor Space Charges (per square foot)	XXXXX	\$5.97	None	(L)
(b) Site Conditioning Space Charge (per square foot)	XXXXX	00.00	9.28	(C)
(c) Cage Common Systems Material Charge (per square foot)	XXXXX	00.44	59.86	(C)
(d) Safety and Security (per square foot)	XXXXXX	00.00	19.56	(C)
(e) -Cage Preparation (Per square foot)	XXXXXX	00.27	19.70	(N)
(f) - RSM Option				
Additional Dedicated HVAC Charge	XXXXX	None	\$3,100.00	(N)
Dedicated Power Plant Floor Space Charge	XXXXX	394.00	None	(L)
Augments are same as above per square foot				
<b>(2) Cageless Collocation</b>				
(a) Floor Space Charges per frame	XXXXXX	64.21	00.00	(L)
				(D)
(b) Site Conditioning Space Charge	XXXXXX	00.00	92.81	(C)
				(D)
(c) Cageless Common Systems Material Charge Per frame	XXXXXX	9.35	760.45	(C)
(d) Safety and Security Per frame	XXXXXX	00.00	195.57	(C)

Material on this page has been relocated from Page No. 55.

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.20 RATES AND CHARGES (Cont'd)**


The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Monthly Rate</u>	<u>Nonrecurring Charge</u>
<b>(B) Floor Space Charges (Cont'd)</b>			
<b>(3) Caged Common Collocation</b>			
(a) -Floor Space Charges Caged Common per linear foot of rack space	XXXXX	\$24.87	none
(b) -Site Conditioning Per Bay	XXXXX	None	\$92.81
(c) -Common Systems Materials Charge Per Linear Foot of Rack Space	XXXXX	3.62	294.37
(d) -Safety & Security, Caged Common per Frame	XXXXX	None	195.57
(e) -Cage Preparation Charge Per Linear Foot of Rack Space	XXXXX	1.00	157.40
(f) -RSM Option Additional Dedicated HVAC Charge	XXXXX	None	3,100.00
Dedicated Power Plant Floor Space Charge	XXXXX	394.00	None

(N)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.20 RATES AND CHARGES (Cont'd)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Monthly Rate</u>	<u>Nonrecurring Charge</u>
<b>(C) DC Power Consumption</b>			
<b>(1) (Caged, Cageless, and Caged Common Arrangements)</b>			
- Per AMP	SP1PT	\$10.61	None
- HVAC (Per 10 Amps)	XXXXX	14.62	None
<b>(2) Adjacent On-site Arrangements</b>			
DC Power, Standard Power Consumption Arrangements (Adjacent On-site)			
- Per AMP	SP1PT	10.61	None
<b>(3) CEV, Hut, and Cabinet</b>			
DC Power Consumption, (CEV, Hut, and Cabinet)			
- Per 2" Mounting Space	SP1QK	1.27	None
<b>(D) Power Arrangement Provisioning</b>			
<b>(1) (Caged, Caged Common) Collocation</b>			
- 2-20 Amp Power Feeds	SP1QU	7.74	\$1,570.84
- 2-50 Amp Power Feeds	SP1QW	9.57	1,954.85
- 2-100 Amp Power Feeds	SP1QX	11.39	2,344.44
<b>(2) (Cageless) Collocation</b>			
- 2-20 Amp Power Feeds	SP1QU	\$7.74	\$2,262.52
- 2-50 Amp Power Feeds	SP1QW	9.57	2,749.10
- 2-100 Amp Power Feeds	SP1QX	11.39	3,236.32
<b>(3) (Adjacent On-site Collocation)</b>			
Power Delivery Provisioning Charge			
- 2-100 Amp Power Feeds	XXXXX	13.84	7,853.86
- 2-200 Amp Power Feeds	XXXXX	13.84	14,584.00
- 2-300 Amp Power Feeds	XXXXX	13.84	20,338.00
- 2-400 Amp Power Feeds	XXXXX	13.84	28,143.00


For Augments the Power Delivery Charge Same As Above.

(E) DC Power Panel (Max. 50 Amp) (Optional)	XXXXX	15.77	3,079.47
(F) DC Power Panel (Max. 200 Amp) (Optional)	XXXXX	18.75	3,659.46

Material on this page has been relocated from Page No. 58.

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



(C)

(L)

(C)

(D)

(D)

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.20 RATES AND CHARGES (Cont'd)

(L)

(L)

(D)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED  
EFFECTIVE (D)  
NOV 20 2001  
PUBLIC UTILITIES COMMISSION  
OF NEVADA



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.20 RATES AND CHARGES (Cont'd)**

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Monthly Rate</u>	<u>Nonrecurring Charge</u>
(G) Eligible Structure Ground Cable Arrangement			
Per square foot (Caged)		\$ 00.03	\$0.92
Per frame (For Cageless)		00.33	15.32
per linear foot			
(For Caged Common)	XXXXX	\$0.13	\$5.93
(H) Security Cards			
Access Cards,			
per 5 cards, new & replacement		00.00	123.35
Expedite Request			
per 5 cards, new & replacement		00.00	203.35
(I) Optional Standard Frame or Cabinet, each			
Standard Bay		8.89	721.28
cabinet/Large Bay		17.78	3,470.81
(J) Entrance Facility Conduit to vault (per cable sheath)		08.76	00.00
(K) Entrance Fiber Charge, (per cable sheath)			
(1) Caged, Cageless, and Caged Common Collocation		04.85	1,619.88
(2) Adjacent On-Site Collocation			
(a) Fiber Cable Placement per cable sheath		2.13	976.96
(b) Entrance Fiber Racking per fiber cable sheath		1.55	None
(3) CEV HUT and Cabinet			
(a) Fiber Cable Placement per sheath		00.00	53.58
(b) Entrance Conduit per sheath		2.61	None
(L) Interconnection Arrangement Options (ILEC to CLEC)			
(1) DSL Arrangements			

(C)


(D)  
(D)  
(D)

(C)

(D)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**


**19.20 RATES AND CHARGES (Cont'd)**

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Monthly Rate</u>	<u>Nonrecurring Charge</u>	
(L) Interconnection Arrangement Options (ILEC to CLEC) (Cont'd)				(C)
(1) DS1 Arrangements (Cont'd)				
(a) (Caged, Cageless, Caged Common) - DS1 Arrangement (28 DS1s) - DCS Utility provides cabling and terminations		\$ 297.44	\$ 3,613.06	
(b) Adjacent On-site Collocation - DS1 Arrangement (28 DS1s) - DCS Utility provides cabling and terminations		439.98	2,341.45	
(c) Adjacent Off-site Collocation - DS1 Arrangement (28 DS1s) - DCS - Utility provides cabling and terminations	XXXXX	439.96	1,830.99	
(d) (Caged, Cageless, Caged Common) - DS1 Arrangement (28 DS1s) - DSX Utility provides cabling and terminations		9.79	1,346.48	
(e) Adjacent On-site Collocation - (1) DS1 Arrangement (28 DS1s) - DSX Utility provides cabling and terminations		35.04	2,341.45	(C)
(f) Adjacent Off-site Collocation - DS1 Arrangement (28 DS1s) - DSX - Utility provides cabling and terminations	XXXXX	35.03	1,830.99	(N)
(g) Adjacent Off-site Collocation - DS1 Arrangement (450 DS1s) - MDF - Connection to MDF - - THE UTILITY places and terminates cable	XXXXX	311.43	485.31	(N)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.20 RATES AND CHARGES (Cont'd)**

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Monthly Rate</u>	<u>Nonrecurring Charge</u>
<b>(L) Interconnection Arrangement Options (ILEC to CLEC) (Cont'd)</b>			
<b>(2) DS3 Arrangements</b>			
(a) Caged, Cageless, Caged Common - DS3 Arrangement (1 DS3) - DCS Utility provides cabling and terminations	\$ 115.59		\$ 2,181.58
(b) Adjacent On-site Collocation - (1) DS3 Arrangement (1 DS3) - DCS Utility provides cable and terminations	242.36		598.33
(c) Caged, Cageless, Caged Common - DS3 Arrangement (1 DS3) - DSX Utility provides cable and terminations	7.14		603.89
(d) Adjacent On-site Collocation - (1) DS3 Arrangement (1 DS3) - DSX Utility provides cable	12.36		598.33

(C)

(C)


(D)

(D)

(D)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



(D)

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.20 RATES AND CHARGES (Cont'd)


The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Monthly Rate</u>	<u>Nonrecurring Charge</u>	
(L) Interconnection Arrangement Options (ILEC to CLEC) - (Cont'd)				
(3) Copper Cable Interconnection, Non-Shield and Shielded Cable Arrangement (100 pairs)				
(a) Caged, Cageless, and Caged Common Collocation, Utility provides cabling and terminations \$	4.92		\$ 1,027.16	
				(D)
				(D)
(b) Adjacent On-Site Collocation, Utility provides cabling and terminations		6.19	1,371.93	(C)
				(N)
(c) Adjacent Off-site (900 Pairs) Utility places and terminates cable				(N)
	XXXXX	311.43	485.31	(N)
(M) Optical Circuit Arrangement (12 Fibers),				
(1) Caged, Cageless, Caged Common Collocation		6.55	1,779.78	
				(L)
(2) Adjacent On-Site Collocation Utility provides cables and terminates				(L)
	XXXXX	8.25	3,751.22	(L)
				(N)
(3) Adjacent Off-site Collocation) Utility places and terminates cable				(N)
	XXXXX	9.023	3,370.20	(N)

Material on this page has been relocated from Page No. 63.

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



**ACCESS SERVICE**


**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.20 RATES AND CHARGES (Cont'd)**

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Monthly Rate</u>	<u>Nonrecurring Charge</u>	
(N) Bits Timing (Optional) - per two circuits	SP1QT	\$3.58	\$698.82	(L) (N) (N)
(O) Timing Interconnection Arrangement - (2 Timing Leads per Linear ft.)	SP1QS	00.08	14.81	(C) (C)
(P) Collocation Space Availability Report Charge - Report Fee, per Report and per Eligible Structure Requested	XXXXX	None	\$168.04	(C)
(Q) Pre-visits				(N)
- Collocation Ser. Mgr. - 2nd Level per 15 minutes	NRB11	None	\$23.23	
- Comm. Tech - Craft per 15 minutes	NRB12	None	19.60	
- CO Manager - 1st Level per 15 minutes	NRB13	None	19.72	
- Floor Space Planning - 1 <sup>st</sup> Level per 15 minutes	NRB14	None	19.24	
(R) Construction Inspections				
- Project Manager - 1st Level per 15 minutes	NRB15	None	\$19.24	
- Collocation Ser. Mgr. - 2nd Level per 15 minutes	NRB16	None	\$23.23	
(S) Adjacent On-Site Structure Arrangements				(C)
(1) - Planning Fees				
- Initial (per request)	XXXXX	None	9,268.73	(C) (L)
- Subsequent	XXXXX	None	1,606.77	(C) (L)
(2) - Land Rental, per square foot	XXXXX	00.44	None	(C)
(3) - Extension of 100 AMP AC Service from C.O. Switchboard (optional)	XXXXX	None	6,447.00	(C)
(4) - AC Usage, per KWh	XXXXX	00.05	None	(C)
(5) - Cable Rack				
- DC Power Cable Rack	XXXXX	13.64	2,667.22	(N)
- Fiber Cable Rack	XXXXX	20.63	None	
- Interconnection Arrangements (Copper) Racking	XXXXX	30.63	None	

Material on this page has been relocated to Page No. 62.  
 Material on this page has been relocated from Page No. 64.



Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.20 RATES AND CHARGES (Cont'd)

The following rates and charges apply for physical collocation requests:

	<u>USOC</u>	<u>Monthly Rate</u>	<u>Nonrecurring Charge</u>	
(S) Adjacent On-Site Structure Arrangements (Cont'd)				(L)
(6) - Conduit Placement				(L)
- DC Power Conduit (Per 2-Ducts)	XXXXX	None	7,386.71	(D)
- Fiber Conduit (Per 1-Duct)	XXXXX	None	4,711.89	(D)
- Interconnection Arrangements Conduit (Per 2-Duct)	XXXXX	None	5,545.50	(D)
(T) Adjacent Off-Site Arrangement - Planning Fee	XXXXX	None	1,254.32	(N)
(U) Conduit Space Adjacent Off-Site Arrangement - Per Innerduct	XXXXX	\$1.17	None	(N)
(V) Rack Mounting Plate (CEV, Hut, or Cabinet)				(C)
(1) Space in cabinets (2" Mounting Space)				
- Large cabinet size	SP1QZ	\$1.63	None	
- Medium cabinet size	SP1Q1	2.19	None	
- Small cabinet size	SP1Q2	3.29	None	
(2) In Huts				
- Maxihut	SP1Q3	0.77	None	
- Minihuts	SP1Q4	1.33	None	
(3) In CEVs				
- 24 foot	SP1Q5	1.64	None	
- 16 foot	SP1Q6	1.77	None	(C)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President

FILING ACCEPTED  
 EFFECTIVE  
 NOV 20 2001  
 PUBLIC UTILITIES COMMISSION  
 OF NEVADA

Nevada Bell Telephone Company  
645 East Plumb Lane, Reno, Nevada  
Tariff P.U.C.N. No. C19-A

1st Revised Page No. 64  
Canceling Original Page No. 64

**ACCESS SERVICE**


---

Material on this page has been relocated to Page No. 63.

---

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.21 CDOW (CLECs Doing Own Work) - Collocator Responsibilities


When the Collocator selects the option to provide, install, and terminate their interconnection and power cabling with THE UTILITY Approved Vendor, the following paragraphs will apply. However, the terms and conditions within CDOW are not comprehensive. There are terms and conditions from the preceding sections of this same tariff that still apply for CDOW for rate elements that are not specifically addressed within Sections 22 and 23 following.

19.21.1 The Collocator has the option to provide, install and terminate their interconnection cabling between the Collocator's Dedicated Space and THE UTILITY Main Distribution Frame or its equivalent by THE UTILITY Approved Vendor. This option is only available if Collocator does all three (3) activities associated with interconnection cabling: provide, install and terminate. The Collocator may not elect to do some but not all the activities. Collocator must indicate on its Physical Collocation application that it has selected this option to apply to all interconnection cabling requested on the application. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its power cable leads described in Section 19.21.2 below. If Collocator selects this option, THE UTILITY will install and stencil termination blocks or panels at THE UTILITY Main Distribution Frame or its equivalent for the handoff of the Actual Point of Termination (APOT) Connection(s) to the Collocator. Intervals and provisioning for this option are found in Section 19.21.3 (A-G). The Collocator's THE UTILITY Approved Vendor must obtain an approved Method Procedures (MOP) from THE UTILITY and follow THE UTILITY's Technical Publication TP 76300MP for installation of equipment and facilities;

19.21.2 The Collocator has the option to provide, install, and terminate their power cable leads between Collocator's Dedicated Space and THE UTILITY's Battery Distribution Fuse Bay (BDFB) by THE UTILITY Approved Power Installation Vendor. When THE UTILITY designated power termination point is at the Power Plant Primary Distribution, the Collocator's THE UTILITY Approved Power Installation Vendor will provide and install the power cable leads, but not terminate. The Collocator must contact THE UTILITY Project manager five (5) business days prior to scheduling a request for the termination of the Collocator's power cable leads to THE UTILITY Power Plant Primary Distribution, which will be performed by THE UTILITY. This option is only available if the Collocator does all three (3) activities associated with the power cable lead unless described otherwise within this Section. The Collocator may not elect to do some but not all the activities unless otherwise permitted in this section. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its interconnection cabling described in Section 19.21.1 above. Intervals and provisioning for this option are found in Section 19.21.3 (A-G). The Collocator's THE UTILITY Approved Power Installation Vendor must obtain an approved Method of Procedures (MOP) from THE UTILITY and follow THE UTILITY's Technical Publication TP 76300MP for installation of equipment and facilities.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)


19.21 CDOW (CLEGs Doing Own Work) - Collocator Responsibilities (Continued)

19.21.3 Interval (Collocator Installs Interconnection and Power Cabling)

- A. The intervals set forth in this section 19.21.3 apply only when Collocator installs interconnection and power cabling. THE UTILITY will notify Collocator as to whether its request for space is been granted or denied due to a lack of space within ten (10) calendar days from receipt of a Collocator's accurate and complete Physical Collocation Application. If THE UTILITY determines that Collocator's Physical Collocation Application is unacceptable, THE UTILITY shall advise Collocator of any deficiencies within this ten (10) calendar day period. THE UTILITY shall provide Collocator with sufficient detail so that Collocator has a reasonable opportunity to cure each deficiency. To retain its place in the queue to obtain the Physical Collocation arrangement, Collocator must cure any deficiencies in its Application and resubmit such Application within ten (10) calendar days after being advised of deficiencies. Any changes to the amount or type of floor space, interconnection terminations, and power requested from the originally submitted Physical Collocation Application will not be considered a deficiency, but rather as a new Physical Collocation Application with a new ten (10) calendar day space notification and delivery interval.
- B. The delivery interval relates to the period in which THE UTILITY shall construct and turnover to the Collocator's the requested Physical Collocation Space. The delivery interval begins on the date THE UTILITY receives an accurate and complete Physical Collocation Application from the Collocator. The Collocator must provide THE UTILITY, within seven (7) calendar days from the date of notification granting the application request, a confirmatory response in writing to continue construction along with the 50% payment of non-recurring charges (unless payment was received with application) or the delivery interval provided will not commence until such time as THE UTILITY has received such response and payment. If the Collocator has not provided THE UTILITY such response and payment by the twelfth (12) calendar day after the date THE UTILITY notified Collocator its request has been granted, the application will be canceled. Dedicated Space is not reserved until THE UTILITY's receipt of the confirmatory response in writing from the Collocator with applicable fees.
- C. The delivery interval for Caged or Cageless Physical Collocation is determined by THE UTILITY taking into consideration the various factors set forth in Table (1) below including, without limitation, the number of all Physical Collocation Applications submitted by Collocator, the type of Dedicated Space available for collocation, and the need for additional preparation of the space such as overhead racking, additional power or HVAC.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.21 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (Continued)**

**19.21.3 Interval (Collocator Installs Interconnection and Power Cabling) (Continued)**

**C. (Continued)**

The delivery interval assigned will be provided to the Collocator by THE UTILITY with the ten (10) calendar day space notification. Each complete and accurate Physical Collocation Application received by THE UTILITY from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

**Table (1)**


Number of All Applications submitted by One Collocator per state or metering region	Overhead Iron/Rackin g Exists for Active Collocation Space Use	Overhead Iron/Rackin g Does Not Exist for Active Collocation Space Use	Additional Power or HVAC is not Required for the assigned Inactive Collocation Space Use	Additional Power or HVAC is Required for the assigned Inactive Collocation Space Use
1 - 10	60 calendar days	80 calendar days	140 calendar days	180 calendar days
11-20	65 calendar days	85 calendar days	145 calendar days	185 calendar days

Should the Collocator submit twenty-one (21) or more applications within ten (10) business days, the above delivery intervals will be increased by five (5) days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and will be subject to the time intervals set forth above. All Physical Collocation Applications (except requests for Adjacent Structure Collocation) received by THE UTILITY from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above staggering intervals. The Caged and Cageless collocation delivery interval ends when roughed in and the assigned space has been distinctly marked by THE UTILITY.

For example, but not by way of limitation, if a Collocator submits twelve (12) Caged/Cageless Physical Collocation Applications in a state, the delivery intervals assigned by THE UTILITY will depend on which variables apply within each Eligible Structure Physical Collocation is requested:

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.21 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (Continued)**

**19.21.3 Interval (Collocator Installs Interconnection and Power Cabling)  
(Continued)**

**C. (Continued)**

If Applications (1-4) are for Physical Collocation Space where Active Collocation Space is available and overhead iron/racking exists, the delivery intervals assigned will be sixty (60) days. If Applications (5-6) are for Physical Collocation Space and only Inactive Collocation Space exists and additional power or HVAC is not required, the delivery interval assigned will be one hundred forty (140) calendar days. If Applications (7-12) are for Physical Collocation Space where Active Collocation Space is available and overhead iron/racking does not exist, the delivery intervals assigned to Applications (7-10) will be eighty (80) calendar days and for Applications (11-12) will be assigned eighty five (85) calendar days.

D. The second fifty percent (50%) payment must be received by THE UTILITY prior to the space being turned over to the Collocator. At space turnover, the Actual Point of Termination (APOT) Connection(s) will be provided to the Collocator by THE UTILITY.

E. For the following interconnection cabling Augments, the Collocator must submit a complete and accurate Physical Collocation Application:


- 168 DS1 connections and/or
- 48 DS3 connections and/or
- 400 Copper (shielded or nonshielded) cable pair connections
- 12 fiber pair connections

This application must include an up-front payment of the Planning Fee and fifty percent (50%) of all applicable non-recurring charges.

The delivery interval for the above Augments is determined by THE UTILITY taking into consideration the various factors set forth in Table (2) below including, without limitation, the number of all Physical Collocation Applications for the above Augments submitted by Collocator, the type of infrastructure available for collocation, and the need for additional preparation of the infrastructure such as overhead iron/racking and additional power. The delivery interval assigned will be provided to the Collocator by THE UTILITY with the ten (10) calendar day Augment notification. Each complete and accurate Physical Collocation Application received by THE UTILITY from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.21 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (Continued)**

**19.21.3 Interval (Collocator Installs Interconnection and Power Cabling)  
(Continued)**

E. (Continued)

**Table (2)**

Number of All Applications submitted by One Collocator per state or metering region	Necessary Elements such as Iron/Racking and Power exist for Physical Collocation Use	Necessary Elements such as Iron/Racking and Power does not exist for Physical Collocation Use
1 - 10	30 calendar days	60 calendar days
11-20	35calendar days	65 calendar days


Should the Collocator submit twenty-one (21) or more Physical Collocation Applications for cabling Augments within ten (10) business days, the above delivery intervals will be increased by five (5) days for every five (5) additional application or fraction thereof. Any material revision to a Physical Collocation Application for cabling Augments will be treated as a new application and will be subject to the delivery intervals set forth in Table (2) above. All applications received by THE UTILITY from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above staggering intervals.

For example, but not by way of limitation, if a Collocator submits twelve (12) Physical Collocation Applications for cabling Augments in a state, the delivery intervals assigned will depend on which variables apply within each Eligible Structure requested:

If Applications (1-4) are for Physical Collocation cabling Augments where necessary elements such as overhead iron/racking and power exists, the delivery interval assigned will be thirty (30) days. If Applications (5-12) are for Physical Collocation where necessary elements such as overhead iron/racking and power does not exists, the delivery interval assigned to Applications (5-10) will be sixty (60) calendar days and for Applications (11-12) sixty five (65) calendar days.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

19.21 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (Continued)

19.21.3 Interval (Collocator Installs Interconnection and Power Cabling) (Continued)

F. For all Augments other than provided above, THE UTILITY will work cooperatively with Collocator to negotiate a mutually agreeable delivery interval.

G. Within twenty (20) calendar days or mutually agreed upon time, from THE UTILITY's receipt of the confirmatory response in writing to continue construction on the Physical Collocation job requested along with the 50% payment of non-recurring charges (unless payment was received with application), Network Support and/or appropriate departments will schedule a walk through visit with the CLEC and/or vendor to provide floor plans of space and the preliminary route design for the interconnection and power cabling.

19.21.4 Rates Elements for THE UTILITY Central Offices

A. Caged Collocation

When a collocator constructs its own cage and related equipment, the collocator will be subject to the AC Circuit Placement charge, which includes 4" conduit and wiring from the electrical panel to cage as set forth in paragraph 19.22 (A) following. This is expressed as a non-recurring charge per sq. ft. of floor space requested.


B. Power Arrangement

When the Collocator selects the option to provide and install their power cable by THE UTILITY Approved Power Installation vendor, only the rack occupancy and on-going maintenance of the rack charge will apply. The Collocator will not be permitted access to THE UTILITY Battery Distribution Fuse Bay or Power Plant Primary Distribution, but THE UTILITY approved power installation vendor will have access. Rates for extension of power cables to the Adjacent On-Site structure will not apply when provided and installed by CLECs THE UTILITY Approved Vendor. This is expressed as a monthly rate as specified in 19.22 (B).

C. When the Collocator options to pull the Collocator's provided fire retardant entrance fiber optic cable under THE UTILITY observation, through THE UTILITY cable vault to the Collocator's equipment with THE UTILITY approved vendor, only the construction and route design charge will apply. The Collocator will not be permitted access to the cable vault, but THE UTILITY approved vendor will have access. Rates and charges are as found in paragraph 19.22 (C) following.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.21 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (Continued)**

**19.21.4 Rates Elements for THE UTILITY Central Offices (Continued)**

**D. Voice Grade Interconnection**

When the Collocator selects the option to provide and install their interconnection cabling by an THE UTILITY approved vendor, the Voice Grade Terminal blocks at the MDF, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but THE UTILITY approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.22 (D).

**E. DS-1 Interconnection Arrangement to DCS**

When the Collocator selects the option to provide and install the interconnection cabling by an THE UTILITY approved vendor, the DS-1 Port, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but THE UTILITY approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.22 (E).

**F. DS-1 Interconnection Arrangement to DSX**


When the Collocator selects the option to provide and install the interconnection cabling by THE UTILITY approved vendor, the DSX at the MDF, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but THE UTILITY approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.22 (F).

**G. DS-3 Interconnection Arrangement to DCS**

When the Collocator selects the option to provide and install the interconnection cabling by THE UTILITY approved vendor, the DS-3 Port, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but THE UTILITY approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.22 (G).

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**9.21 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (Continued)**

**19.21.4 Rates Elements for THE UTILITY Central Offices (Continued)**

**H. DS-3 Interconnection Arrangement to DSX**

When the Collocator selects the option to provide and install the interconnection cabling by THE UTILITY approved vendor, the DSX at the MDF, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but the THE UTILITY approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.22 (H).

**I Fiber Interconnection Arrangement**

When the Collocator selects the option to provide and install the interconnection cabling by THE UTILITY approved vendor, the Fiber terminating panel at the FDF-1 Port, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but the THE UTILITY approved installation vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.22 (I).

**J. Collocation to Collocation Connection**

This rate element includes virtual to virtual and virtual to physical connection options.

**1. Fiber Cable**

When the Collocator selects the option to provide and install the interconnection cabling by THE UTILITY approved vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.22 (J) (1).


**2. Copper Cable**

When the Collocator selects the option to provide and install the interconnection cabling by THE UTILITY approved vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.22 (J) (2).

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.21 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (Continued)**

**19.21.4 Rates Elements for THE UTILITY Central Offices (Continued)**

**J. Collocation to Collocation Connection (Continued)**

**3. Coax Cable**

When the Collocator selects the option to provide and install the interconnection cabling by THE UTILITY approved vendor, the charge for on-going maintenance will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.22 (J) (3).

**4. Cable Racking and Hole**


This sub-element provides for cable rack space and hole for copper, coax and optical cabling between two collocation arrangements and the required terminations at each virtual collocation arrangement(s) at an Eligible Structure. This sub-element is expressed as a monthly rate specified in 19.22 (J) (4).

**5. Route Design**

This sub-element provides the route design for collocation-to-collocation connections. This sub-element is expressed as a non-recurring charge and this charge is specific in 19.22 (J) (5)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)

**19.22 CENTRAL OFFICES**

**19.22.1 Rates and Charges for CLECs Doing Own Work**

The rate elements below represent the charges associated with CLEC's providing, installing, and terminating their interconnection and power cabling, as well as placing entrance fiber by THE UTILITY Approved Vendor. When the Collocator selects the option to build their own cage by THE UTILITY Approved Vendor, the AC Circuit Placement Charge in 19.22.1 (A) will apply. However, the rates and charges within CDOW are not comprehensive. There are rates and charges from the preceding sections of this same tariff that still apply for CDOW for rate elements that are not specifically addressed within Section 19.22 following.

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
<b>Caged Collocation</b>			
A. AC Circuit Placement Charge (CLEC Approved Vendor installs Cage) (Per square foot of floor space requested)		\$0.00	\$5.29
<b>B. Power Arrangement Provisioning</b>			
Caged, Cageless, and Caged Common (CLEC Approved Vendor provides and installs)			
2-20 AMP Power Feeds		.25	48.23
2-50 AMP Power Feeds		.25	48.23
2-100 AMP Power Feeds		.25	48.23

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President

FILING ACCEPTED (N)  
 EFFECTIVE

NOV 20 2001

PUBLIC UTILITIES COMMISSION  
 OF NEVADA

**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)


**19.22 CENTRAL OFFICES (Cont'd)**

**19.22.1 Rates and Charges for CLECs Doing Own Work (Cont'd)**

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
(Adjacent On-site Collocation) Extension of Power Cables			
Power Delivery Provisioning Charge (CLEC Approved Vendor provides and installs)			
- 2-100 Amp Power Feeds		0.00	0.00
- 2-200 Amp Power Feeds		0.00	0.00
- 2-300 Amp Power Feeds		0.00	0.00
- 2-400 Amp Power Feeds		0.00	0.00
C. Entrance Fiber Charge, per cable sheath Caged, Cageless, and Caged Common (CLEC Approved Vendor places)			
- CLEC places Entrance Fiber		4.85	809.13
Adjacent On-site (CLEC Approved Vendor places)			
- Fiber Cable Placement per fiber cable sheath		2.13	488.48
- per Rack/Conduit Duct		1.55	None
D. Voice Grade Interconnection (Collocator provides and installs)			

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



(N)

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)

**19.22 CENTRAL OFFICES**

19.22.1 Rates and Charges for CLECs Doing Own Work

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
Caged, Cageless, and Caged Common Arrangement (Non-Shielded and Shielded) (Per 100 Pairs)		\$3.86	156.02
Adjacent On-site Collocation Arrangement (Non-Shielded and Shielded) (Per 100 Pairs)		3.86	156.02
Adjacent Off-site (Per 900 Pairs)		311.43	None
E. DS1 Interconnection (Collocator provides and installs cabling)			
Caged, Cageless, and Caged Common Arrangement to DCS (Per 28 DS1s)		\$295.42	\$3,105.79
Adjacent On-site Collocation Arrangement to DCS (Per 28 DS1s)		295.42	3,105.79
Adjacent Off-site Collocation Arrangement to DCS (Per 28 DS1s)		439.96	None

(N)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President

FILING ACCEPTED  
 EFFECTIVE  
 NOV 20 2001  
 PUBLIC UTILITIES COMMISSION  
 OF NEVADA

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)


19.22 CENTRAL OFFICES

19.22.1 Rates and Charges for CLECs Doing Own Work

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
F. DS1 Interconnection (Collocator provides and installs cabling) Caged, Cageless, and Caged Common Arrangement to DSX (Per 28 DS1s)		\$6.07	\$486.89
Adjacent On-site Collocation Arrangement to DSX (Per 28 DS1s)		6.07	486.89
Adjacent Off-site Collocation Arrangement to DSX (Per 28 DS1s)		35.03	None
DS1 Arrangement (450 DS1s) - MDF - Connection to MDF		311.43	None

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)


19.22 CENTRAL OFFICES

19.22.1 Rates and Charges for CLECs Doing Own Work

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
G. DS3 Interconnection (Collocator provides and installs cabling)			
Caged, Cageless, and Caged Common Arrangement to DCS (Per DS3)		\$115.30	\$1,809.40
Adjacent On-site Collocation Arrangement to DCS (Per DS3)		115.30	1,809.40
H. DS3 Interconnection (Collocator provides and installs cabling)			
Caged, Cageless, and Caged Common Arrangement to DSX (Per DS3)		\$5.69	\$116.67
Adjacent On-site Collocation Arrangement to DSX (Per DS3)		5.69	116.67

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(N)


19.22 CENTRAL OFFICES

19.22.1 Rates and Charges for CLECs Doing Own Work

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
I. Fiber Interconnection (Collocator provides and installs cabling) Caged, Cageless, and Caged Common Arrangement (12 Fibers)		3.76	495.49
Adjacent On-site Collocation Arrangement (Per 12 Fiber)		3.76	495.49
Adjacent Off-site Collocation Arrangement (Per 12 Fiber)		9.02	None
J. Collocation to Collocation Connection			
1. Fiber Cable (12 Fibers) - CLEC Provides Cable and Installs		.31	None

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

(N)


**19.22 CENTRAL OFFICES**

**19.22.1 Rates and Charges for CLECs Doing Own Work**

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
2. Copper Cable (28 DS1s) - CLEC Provides Cable and Installs		.18	None
3. Coax Cable (1 DS3) - CLEC Provides Cable and Installs		.12	None
4. Cable Racking and Hole For Optical (Per Cable)		.82	None
DS1 (Per Cable)		.57	None
DS3 (Per Cable)		.50	None
5. Route Design		None	424.88

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.23 GENERAL DESCRIPTION - VIRTUAL COLLOCATION**

(T)

This Section of the Access Service Tariff provides for Virtual Collocation for the purpose of interconnecting to THE UTILITY for the transmission and routing of telephone exchange service and exchange access pursuant to 47 U.S.C. §251 (c)(2), and for access to THE UTILITY's Unbundled Network Elements ("UNEs") pursuant to 47 U.S.C. §251 (c)(3) of the FTA 96 when the virtually collocated telecommunications equipment (hereafter referred to as equipment) is provided by the Collocator.

Upon request from a Collocator, THE UTILITY will provide one of the following maintenance alternates for its virtual collocation offering:

1. In all of THE UTILITY's premises, THE UTILITY will offer virtual collocation wherein THE UTILITY maintains and repairs the virtually collocated equipment consistent with the rates, terms and conditions as provided for in Paragraphs 19.24 through 19.36 of this Tariff section.

(T)

2. In CEVs, huts and cabinets where physical collocation space is not available, a Collocator may opt for virtual collocation wherein the Collocator maintains and repairs the virtually collocated equipment as described in Paragraph 19.37 following and consistent with the rates, terms and conditions as provided for throughout this entire tariff section. THE UTILITY may at its option, elect to offer this maintenance alternative in one or more of its central offices, and in one or more of its CEVs, huts and cabinets where physical collocation space is available. As described in Paragraph 19.37, this maintenance alternative is contingent on the provision of a security escort paid for by the Collocator. In the event the FCC determines that THE UTILITY may not require a security escort paid for by the Collocator, then this virtual collocation maintenance alternative as described in this Paragraph and in Paragraph 19.37 is null and void and all virtual collocation will be maintained as described in Paragraph 1. above.

(T)

(T)

(T)

Virtual Collocation in the Central Office is available for interconnection with THE UTILITY for the transmission and routing of telephone exchange service and exchange access as well as THE UTILITY-provided UNEs. Virtual Collocation in CEVs, Huts and Cabinets is available for interconnection with THE UTILITY-provided UNEs.

Rates for the individual UNEs the Collocator wants to gain access to for virtual collocation purposes can be found in the individual Collocator's Interconnection Agreement with THE UTILITY.


A description of the rate categories applicable to Virtual Collocation for the purpose of interconnecting to THE UTILITY within THE UTILITY's Central Offices is contained in 19.36.1. (Rate Elements for THE UTILITY Central Offices). A description of the rate categories applicable to Virtual Collocation for the purpose of interconnecting to THE UTILITY within THE UTILITY's CEVs, Huts and Cabinets is contained in 19.36.2 (Rate Elements for THE UTILITY CEVs, Huts and Cabinets).

(T)

(T)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.23 GENERAL DESCRIPTION - VIRTUAL COLLOCATION(Cont'd)**

(T)  
(T)

19.23.1 Virtual Collocation for Interconnection to THE UTILITY for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with THE UTILITY-Provided UNEs when the Equipment is Provided by the Collocator.

Virtual Collocation provides for interconnection between THE UTILITY and the facilities of a virtual Collocator and is available for the transmission and routing of telephone exchange service and exchange access in THE UTILITY Central Offices and for interconnection with THE UTILITY-provided UNEs in THE UTILITY Central Offices and CEVs, Huts and Cabinets.

Virtual Collocation is available at THE UTILITY wire centers as specified in the National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4 and in THE UTILITY CEVs, Huts and Cabinets. Upon request, THE UTILITY will provide a listing of locations of THE UTILITY's CEVs, Huts or Cabinets.

The rate elements provided in this tariff section are required when Collocators use virtual collocation equipment to access UNEs. Such access is provided through cross connects purchased from the Collocator/THE UTILITY Interconnection Agreement. Unbundled network elements including associated cross connects are obtained from the Interconnection Agreement between the Collocator and THE UTILITY. Crossconnects associated with UNEs establish the circuit between the virtually collocated equipment and these cross connects are the point at which services provided and purchased from THE UTILITY/Collocator Interconnection Agreement begin. Virtually collocated equipment is available as follows:

- (A) A Collocator shall purchase from the vendor the equipment to be virtually collocated subject to the provisions as set forth in (B) below and the equipment conforming to industry safety standards as described in THE UTILITY's Technical Publication.
- (B) In accordance with Section 251(c)(6) of the Act, the Collocator may collocate equipment for Virtual Collocation if such equipment is necessary for interconnection to THE UTILITY under 47.U.S.C. 251(C) (2) or accessing THE UTILITY's UNEs under 47.U.S.C. 251(C) (3) of the FTA 96. For purposes of this section, "necessary" means directly related to and thus necessary, required, or indispensable to interconnection or access to unbundled network elements. Such uses are limited to interconnection to THE UTILITY's network "for the transmission and routing of telephone exchange service or exchange access," or for access to THE UTILITY's unbundled network elements "for the provision of a telecommunications service." Equipment that may be collocated solely for these purposes includes: (1) transmission equipment including, but not limited to, optical terminating equipment and multiplexers; and (2) equipment being collocated to terminate basic transmission facilities pursuant to sections 64.1401 and 64.1402 of 47 C.F.R. (Expanded Interconnection) as of August 1, 1996. THE UTILITY is not required nor shall it permit the collocation of stand-alone switches or enhanced services equipment.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED  
EFFECTIVE

NOV 20 2001

PUBLIC UTILITIES COMMISSION  
OF NEVADA

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.23 GENERAL DESCRIPTION - VIRTUAL COLLOCATION(Cont'd)

(T)

19.23.1 Virtual Collocation for Interconnection to THE UTILITY for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with THE UTILITY-Provided UNES when the Equipment is Provided by the Collocator. (Cont'd)

(T)

(B) (Cont'd)


In addition, THE UTILITY voluntarily permits Collocator collocation of certain Multifunctional Equipment included in the definition of "advanced services equipment" in section 1.3.d of the SBC/Ameritech Merger Conditions. Under the SBC/Ameritech Merger Condition, "advanced services equipment" is defined as follows: "(1) DSLAMs or functionally equivalent equipment; (2) spectrum splitters that are used solely in the provision of Advanced Services; (3) packet switches and multiplexers such as ATMs and Frame Relay engines used to provide Advanced Services; (4) modems used in the provision of packetized data; and (5) DACS frames used only in the provision of Advanced Services. Spectrum splitters (or the equivalent functionality) used to separate the voice grade channel from the Advanced Services channel shall not be considered Advanced Services Equipment; any such splitters installed after the Merger Closing Date that are located at the customer premises shall be considered network terminating equipment."

THE UTILITY does not allow collocation of other Multifunctional Equipment, except that THE UTILITY will voluntarily allow collocation of RSMs solely under the following conditions: (1) the RSM may not be used as a stand-alone switch; it must report back to and be controlled by a Collocator identified host switch and direct trunking to the RSM will not be permitted; (2) the RSM equipment must be used only for the purpose of interconnection with THE UTILITY's network for the transmission and routing of telephone exchange service or exchange access or for access to THE UTILITY's unbundled network elements for the provision of a telecommunications service. THE UTILITY voluntarily will allow Collocator to collocate, on a non-discriminatory basis, other multi-functional equipment only if THE UTILITY and Collocator mutually agree to such collocation.

For purposes of this section, "Multifunctional Equipment" means equipment that has (1) functions that make the equipment "necessary for interconnection or access to Unbundled Network Elements" and (2) additional functions that are not "necessary" for these purposes. Such additional functions include, but are not limited to, switching and enhanced service functions. THE UTILITY will not allow collocation of stand-alone switching equipment or any enhanced services equipment.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**9.23 GENERAL DESCRIPTION - VIRTUAL COLLOCATION(Cont'd)**

(T)

19.23.1 Virtual Collocation for Interconnection to THE UTILITY for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with THE UTILITY- Provided UNEs when the Equipment is Provided by the Collocator. (Cont'd)

(T)

(B) (Cont'd)


THE UTILITY voluntarily allows Collocators to place ancillary equipment, including cross-connect and other simple frames, routers, portable test equipment, equipment racks and bays, and other ancillary equipment on a non-discriminatory basis only if THE UTILITY and Collocator mutually agree to such placement, in THE UTILITY's premises solely to support and be used with equipment that the Collocator has legitimately collocated in the same premises.

Pending the FCC's reasonably timely remand proceedings in accordance with the Court's Opinion in *GTE Service Corporation v. FCC*, No. 99-1176, 2000 U.S. App. LEXIS 4111 (D.C. Cir. March 17, 2000) ("GTE Opinion"), THE UTILITY voluntarily will not disturb (1) equipment and (2) connection arrangements between different Collocators' equipment in an THE UTILITY Eligible Premises, that prior to the May 11, 2000 effective date of the GTE Opinion, were (1) in place in THE UTILITY or (2) requested by Collocator and accepted by THE UTILITY on the same basis as under the FCC's original, pre-vacated Collocation Order (*Deployment of Wireline Services Offering Advanced Telecommunications Capability*, CC Docket No. 98-147, First Report and Order (FCC 99-48), 14 FCC Rcd 4761 (1999)). THE UTILITY's agreement not to disturb these collocation arrangements pending timely completion of the remand proceedings will immediately expire if a federal or state court or regulatory agency attempts to apply any of the most favored nation provisions of the Act, of any state Merger Conditions, or of the FCC SBC/Ameritech Merger Conditions to such arrangements or deems such arrangements to be discriminatory vis-à-vis other carriers.

All types of network equipment placed in THE UTILITY network equipment areas of Eligible Structures by THE UTILITY or Collocators must meet THE UTILITY minimum safety standards. The minimum safety standards are as follows: (1) Collocator's equipment must meet Telcordia Level 1 safety requirements as set forth in Telcordia documents SR-3580 and GR-63-CORE, Network Equipment Building Systems (NEBS); or, (2) Collocator must demonstrate that its equipment has a history of safe operation defined by installation in an ILEC (including THE UTILITY) prior to January 1, 1998 with no known history of safety problems. The Collocator will be expected to conform to the same accepted procedures and standards utilized by including THE UTILITY and its contractors when engineering and installing equipment.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.23 GENERAL DESCRIPTION - VIRTUAL COLLOCATION (Cont'd)

(T)

19.23.1 Virtual Collocation for Interconnection to THE UTILITY for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with THE UTILITY-Provided UNES when the Equipment is Provided by the Collocator. (Cont'd)

(T)

(B) (Cont'd)


In the event that THE UTILITY denied Collocation of Collocator's equipment, citing Safety Standards, THE UTILITY will provide within five (5) business days of Collocator's written request to THE UTILITY representative(s), a list of THE UTILITY equipment placed since January 1, 1998 within the network areas of the Eligible Premise for which Collocation was denied together with an affidavit attesting that all of such THE UTILITY equipment met or exceeded the then current Safety Standards when such equipment was placed in the Eligible Premise.

In the event THE UTILITY believes that collocated equipment is not necessary for interconnection or access to UNES or determines that the Collocator's equipment does not meet the minimum safety standards, the Collocator must not collocate the equipment unless and until the dispute is resolved in its favor. The Collocator will be given ten (10) business days to comply with the requirements and/or remove the equipment from the collocation space if the equipment already improperly was collocated. If the Parties do not resolve the dispute, THE UTILITY or Collocator may file a complaint at the Commission seeking a formal resolution of the dispute. If it is determined that the Collocator's equipment does not meet the minimum safety standards above, the Collocator must not collocate the equipment and will be responsible for removal of the equipment and all resulting damages if the equipment already was collocated improperly.

Regarding safety, Collocator equipment or operating practices representing a significant demonstrable technical or physical threat to THE UTILITY's personnel, network or facilities, including the Eligible Structure, or those of others are strictly prohibited. Regarding safety, and notwithstanding any other provision hereof, the characteristics and methods of operation of any equipment or facilities placed in the virtual collocation space shall not create hazards for or cause damage to those facilities, the virtual collocation space, or the Eligible Structure in which the virtual collocation space is located; impair the privacy of any communications carried in, from, or through the Eligible Structure in which the virtual collocation space is located; or create hazards or cause physical harm to any individual or the public. Any of the foregoing would be in violation of this Tariff.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.23 GENERAL DESCRIPTION - VIRTUAL COLLOCATION (Cont'd)**

(T)

19.23.1 Virtual Collocation for Interconnection to THE UTILITY for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with THE UTILITY-Provided UNES when the Equipment is Provided by the Collocator. (Cont'd)

(T)

(C) A Collocator may arrange for a mutually agreed upon vendor/contractor to engineer and install the virtually collocated equipment the Collocator purchases and the Collocator may pay the vendor/contractor directly. The installation contractor and their activity will be under the direction and control of Collocator who will ensure that the installation contractor meets all standards and requirements for installation of equipment, as required under this Tariff. If THE UTILITY chooses to have its personnel present when the CLEC equipment is installed, then THE UTILITY's presence will be at its own expense. However, if THE UTILITY demonstrates that the CLEC contractor has or would have violated any standard or requirement for installation of equipment, as required under this tariff, the CLEC is responsible for the quantifiable expense incurred by THE UTILITY.

19.23.2 Federal Telecommunications Act of 1996

(T)

THE UTILITY provides virtual collocation for interconnection to THE UTILITY for the transmission and routing of telephone exchange service and exchange access pursuant to 47 U.S.C. §251(c)(2), and for access to THE UTILITY's unbundled network elements pursuant to 47 U.S.C. §251(c)(3).

The use of virtual collocation for (1) interconnection to THE UTILITY or (2) access to THE UTILITY's unbundled network elements, in either case pursuant to 47 U.S.C. §251(c), is available at THE UTILITY wire centers as specified in the National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4, and in THE UTILITY CEVs, Huts and Cabinets.

In addition, the following terms and conditions contained in the Nevada Bell Telephone Company's Physical Collocation Tariff shall apply to virtual collocation arrangements provided under this Tariff, and are incorporated herein by reference: Section 19.2-Definitions, Section 19.3-Limitation of Liability and Force Majeure Events, Section 19.4.5-Casualty Loss, Paragraph 19.5.1-Certification, Paragraph 19.5.5-Hazardous Waste & Materials, Paragraph 19.5.6-Safety, Paragraph 19.6.5-Cancellation Prior to Due Date, Section 19.6.6-Billing, Paragraph 19.6.7- Late Payment Charge, Paragraph 19.6.8- Allowance for Interruptions, Paragraph 19.9.4-Threat to Personnel, Network, or Facilities, Paragraph 19.9.5-Interference or Impairment, Paragraph 19.9.7-Alterations, Paragraph 19.11-Re-entry.


19.24 DEFINITIONS

(T)

See Definitions Section 19.2, preceding.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.25 PROVISIONING**

(T)

Virtual collocation for Interconnection to THE UTILITY or access to THE UTILITY-provided UNES is ordered as set forth in THE UTILITY'S Interconnector's Collocation Services Handbook for Virtual Collocation in Nevada. THE UTILITY will designate the location or locations within its wire centers, CEVs, Huts and Cabinets for the placement of all equipment and facilities associated with virtual collocation. Virtual collocation does not involve the reservation of segregated central office or CEV, Hut and Cabinet space for the use of Collocators.

THE UTILITY will provide Virtual Collocation for comparable equipment as it provides to itself in the central office, wire center, CEV, Hut or Cabinet, as the case may be.

**19.26 COLLOCATOR RESPONSIBILITIES**

(T)

The customer will provide, under this section of the tariff, at its expense, all facilities and equipment required to facilitate interconnection and access to THE UTILITY'S UNES. The customer will, at its expense, provide the following:

- All plug-ins and/or circuit packs (working, spare, and replacements),
- All unique tools and test equipment,
- Any ancillary equipment and cabling used for remote monitoring and control,
- Any technical publications and updates associated with all Collocator-owned and provided equipment,
- All training as described in Section 19.36.1(P),

(T)

The Collocator will provide, at its expense, replacements for any recalled, obsolete, defective or damaged facilities, equipment, plug-ins, circuit packs, unique tools, test equipment, or any other item or material provided by the Collocator for placement in/on THE UTILITY property. Suitable replacements are to be immediately provided to THE UTILITY to restore equipment.

The Collocator will provide at least the minimum number of usable equipment spares specified by the manufacturer. Replacements must be delivered to THE UTILITY central office using the equipment spare within five (5) days of notification that a spare was used or tested defective.

**19.27 COOPERATIVE RESPONSIBILITIES**


(T)

THE UTILITY will work cooperatively with the Collocator to develop implementation plans including timelines associated with:

- Placement of Collocator's fiber into the central office vault,
- Location and completion of all splicing,
- Completion of installation of equipment and facilities,

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**9-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.27 COOPERATIVE RESPONSIBILITIES (Cont'd)**

(T)

- Removal of above facilities and equipment,
- To the extent known, the Collocator can provide forecasted information to THE UTILITY on anticipated additional Virtual Collocation requirements,
- To the extent known, the Collocator is encouraged to provide THE UTILITY with a listing of the equipment types that they plan to virtually collocate in THE UTILITY's central offices or CEVs, Ruts and Cabinets. This cooperative effort will insure that THE UTILITY personnel are properly trained on Collocator equipment.

**19.28 INTERVALS AND PROVISIONING**

(T)

**19.28.1 Quote Intervals**

(T)

Upon receipt of the Collocator's application and initial Planning Fee payment, THE UTILITY will begin development of the quotation. THE UTILITY will notify the Collocator as to whether its request for a virtual collocation arrangement has been granted or denied due to a lack of interconnection facilities or space within ten (10) calendar days of submission of the completed application.

(C)

In responding to an application request, THE UTILITY shall provide the quotation of the applicable nonrecurring and recurring tariff rates, and the estimated construction interval no later than as specified below. The Collocator has forty-five (45) calendar days from receipt of the quotation to accept the quotation. The quotation expires after forty-five (45) calendar days. After forty-five (45) calendar days, a new application and Planning Fee are required.

(C)

Price quote intervals are as follows and will run concurrent with the ten (10) calendar day notification interval for availability of virtual collocation interconnection:


Number of Applications by One Collocator	Quotation Interval
1 - 5	10 Calendar Days
6 - 10	15 Calendar Days
11 - 15	20 Calendar Days
16 - 20	25 Calendar Days

Should the Collocator submit twenty-one (21) or more applications within five (5) business days, the quotation interval will be increased by five (5) business days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and will be subject to the time intervals set forth above.

A Collocator may obtain a shorter quote interval by scheduling a meeting with THE UTILITY at least twenty (20) calendar days prior to submission of the first application to discuss, coordinate and prioritize the Collocator applications.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

19-A. COLLOCATION SERVICES (LOCAL ACCESS)

9.28 INTERVALS AND PROVISIONING (T)

19.28.1 Quote Intervals (Cont'd) (T)

Once THE UTILITY has completed its review of the virtual collocation application form inquiry, the entire completed quote package will be forwarded to the potential interconnector in writing with a cover letter. The interconnector has forty-five (45) calendar days to remit a signed confirmation form along with a check for fifty (50%) of all the applicable nonrecurring charges.

If the interconnector fails to respond within the forty-five (45) calendar day interval, should the interconnector decide at a later time to proceed with virtual collocation, a new application and Planning Fee will be required. (C)


19.28.2 Implementation Intervals (T)

A virtual collocation arrangement is not reserved until the quotation is accepted. When the quotation is accepted, unless otherwise mutually agreed to by the Parties in writing, THE UTILITY will allow the Collocator's vendor to begin equipment installation no later than ninety (90) calendar days from acceptance of the quotation. The virtual collocation interval ends when roughed in, unterminated DC power and interconnection cabling is provided to the virtual collocation area.

The construction intervals for virtual collocation arrangements are noted in Table 2-1. For Virtual Collocation in Active Collocation Space where the Collocator is requesting maximum DC Power of fifty (50) amps, either in a single or in multiple feeds of fifty (50) amps (maximum fifty (50) amps per feed), the Virtual Collocation construction intervals remain as stated below. For Virtual Collocation in Active Collocation Space where a Collocator is requesting DC Power that exceeds fifty (50) amps from a single source (e.g., 100 amps) per feed, the construction interval is ninety (90) calendar days. These same construction intervals apply for virtual collocation in Eligible Structures such as CEVs (Vaults), Huts and Cabinets.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.28 INTERVALS AND PROVISIONING (Cont'd) (T)

19.28. 2 Implementation Intervals (Cont'd) (T)

When the quotation is accepted, unless otherwise mutually agreed to by the Parties in writing, the construction intervals for virtual are as follows:

Type	Description	Interval	Exception
Virtual	Active collocation space	90 calendar days	With THE UTILITY installation of bays/racks/frames (C)
Virtual	Active collocation space	90 calendar days	With CLEC installation of bays/racks/frames (C)

Table 2-1

Where space is not suitable for central office equipment (e.g., it is not Active collocation space), THE UTILITY shall have an additional thirty (30) calendar days to prepare the space. Virtual collocation space is not reserved until the quotation is accepted. When the quotation is accepted unless otherwise mutually agreed to by the Parties in writing, THE UTILITY will complete construction of Active Collocation Space requests for virtual collocation in ninety (90) calendar days from the receipt of the Collocator's acceptance of the quotation where power is available and the Collocator is installing all of its own bays. The virtual collocation construction interval ends when roughed in, unterminated DC power and interconnection cabling is provided to the collocation area. THE UTILITY will complete construction of Active Collocation Space requests for virtual collocation in ninety (90) calendar days from the receipt of the Collocator's acceptance of the quotation where THE UTILITY will be installing all or some of the bays. THE UTILITY considers power to be available if sufficient power plant capacity exists, the BDFB (if used) is within 100 feet of the Collocator's space and sufficient termination capacity on the power plant and/or BDFB exists. (T)

If a completion date outside the time period required herein is not agreed to by the parties, the issue may be presented by either party to the Public Utilities Commission of Nevada for determination.


19.28.3 Installation of Virtual Collocation Equipment (T)

THE UTILITY does not assume any responsibility for the design, engineering, testing, or performance of the end-to-end connection of the Collocator's equipment, arrangement, or facilities.

THE UTILITY will be responsible for using the same engineering practices as it does for its own similar equipment in determining the placement of equipment and engineering routes for all connecting cabling between collocation equipment.

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



**ACCESS SERVICE**

**19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.28 INTERVALS AND PROVISIONING (Cont'd)**

(T)

**19.28.3 Installation of Virtual Collocation Equipment (Cont'd)**

(T)

In this arrangement, telecommunications equipment (hereafter referred to as equipment) is furnished by the Collocator and engineered and installed by a mutually agreed upon vendor for the Collocator. The Collocator will have the authority to select installation vendors. All installations of equipment will be in accordance with the Collocator-provided installation design and must comply with manufacturer's specifications and applicable published national standards approved by the FCC, and other governmental authorities that have jurisdiction.

The Collocator and THE UTILITY must jointly accept the installation of the equipment and facilities prior to the installation of any services using the equipment. As part of this acceptance, THE UTILITY will cooperatively test the collocated equipment and facilities with the Collocator.

The UTILITY will provide TIRKS and/or SWITCH print out of actual point of termination/connection facilities assignment (APOT/CFA) to the CLECs at collocation space turnover. This information is used to request access and line sharing services. The CLEC is responsible for payment of all non-recurring charges, where applicable, prior to receiving APOT/CFA information.

(N)

(N)

**19.28.4 Revisions**

(T)

All Revisions to an initial request for a virtual collocation arrangement submitted by the Collocator must be in writing via a new application form.

Major Revisions:

Major revisions include:

- adding telecommunications equipment that requires additional electrical power
- accelerating the project schedule
- adding additional Collocator bays or equipment that impact the existing/proposed floor-space area provided to the Collocator in their quote package.

If the revision is major, a new interval for the virtual collocation arrangement will be established which shall not exceed two months.

(L)

Material formerly on this page has been relocated to page 76.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED EFFECTIVE
NOV 20 2001
PUBLIC UTILITIES COMMISSION OF NEVADA

**ACCESS SERVICE**

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

(L)

19.28 INTERVALS AND PROVISIONING (Cont'd)

(L,T)

19.28.4 Revisions (cont.)

(L,T)

Minor Revisions

(L)

Minor revisions include:

- adding bays of equipment that do not significantly impact the existing/proposed electrical systems
- adding light fixtures and outlets which do not exceed the capacity of the existing/proposed electrical system
- adjustments to the heat release projection which do not cause a change in the proposed/existing mechanical system

However, minor revisions will not require that a new interval be established. No additional Planning Fees shall be applicable if the revision is minor.

(L)

(C,L)


(L)

Material formerly on Original page 76 has been relocated to this page 76.1.

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.28 INTERVALS AND PROVISIONING (Cont'd)**

(T)

**19.28.4 Revisions (Cont'd)**

(T)

This list is not all-inclusive. Any revisions to the Collocators application not specified above must be reviewed by THE UTILITY to determine whether the revision is major or minor.

**19.28.5 Augments**

(T)

In order to request an augment, the Collocator must submit a Virtual Collocation Application Form to THE UTILITY Collocation Service Center (CSC) indicating in Section 3 of the application that this is an "Augmentation to an Existing Arrangement." The price quote will contain the charges and the construction interval for that application.

THE UTILITY will work cooperatively with Collocators to negotiate mutually agreeable implementation intervals for augments.

**19.29 EQUIPMENT PROVISIONING**

(T)

The Collocator will arrange to deliver to THE UTILITY central office where the equipment is located a reasonable number, as recommended by the manufacturer, of all appropriate plug-ins, circuit packs and cards and any other equipment, plus all necessary circuit design and provisioning information on an agreed-upon date which is no later than two (2) business days prior to the scheduled turn-up of the Collocator's equipment.

For the disconnection of circuits, the Collocator will provide all circuit information no later than two (2) business days prior to the scheduled disconnection of the Collocator's circuit.

THE UTILITY does not assume any responsibility for the design, engineering, testing, or performance of the end-to-end connection of the Collocator's circuits.

**19.30 REPAIR OF EQUIPMENT**

(T)

Except in emergency situations, the Collocator-owned fiber optic facilities and central office terminating equipment will be repaired only upon the request of the customer. In an emergency, THE UTILITY may perform necessary repairs without prior notification. The labor rates specified in Section 19.36.3(Q) apply to THE UTILITY central offices and THE UTILITY CEVs, Huts and Cabinets and are applicable for all repairs performed by THE UTILITY on the Collocator's facilities and equipment.

(T)


(D)

When initiating repair requests on Collocator owned equipment, the Collocator must provide THE UTILITY with the location and identification of the equipment and a detailed description of the trouble.

Upon notification by the Collocator and availability of spare parts as provided by the Collocator, THE UTILITY will be responsible for repairing the Virtually Collocated equipment at the same standards that it repairs its own equipment.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.31 MAINTENANCE OF EQUIPMENT**

(T)

The Collocator will request any and all maintenance by THE UTILITY on its Virtually Collocated facilities or equipment. When initiating requests for maintenance on collocated equipment, the Collocator must provide THE UTILITY with the location and identification of the equipment and a detailed description of the maintenance requested.

Upon notification by the Collocator and availability of spare parts as provided by the Collocator, THE UTILITY will be responsible for maintaining the Virtually Collocated equipment at the same standards that it maintains its own equipment.

**19.32 ALARM COLLECTION**

(T)

The Collocator has the ability to purchase its own remote monitoring and alarming equipment.

Since the maintenance of the Collocator's equipment is at the direction and control of the Collocator, THE UTILITY will not be responsible for responding to alarms and will only conduct maintenance and repair activities at the direction of the Collocator.

**19.33 TERMINATION OF VIRTUAL COLLOCATION**


(T)

Upon termination of the Virtual Collocation arrangement, the Collocator will work cooperatively with THE UTILITY to remove the Collocator's equipment and facilities from THE UTILITY's property subject to the condition that the removal of such equipment can be accomplished without damaging or endangering other equipment located in the central office. THE UTILITY is not responsible for and will not guarantee the condition of such equipment. The Collocator is responsible for arranging for and paying for the removal of virtually collocated equipment including all costs associated with equipment removal, packing and shipping. Arrangements for and the removal of the Collocator virtually collocated equipment must be made within thirty (30) business days after termination of the virtual collocation arrangement, unless a different time period is mutually agreed upon. THE UTILITY shall be responsible for exercising reasonable caution when removing virtually collocated equipment. THE UTILITY will only be responsible for damage done to such equipment caused by gross negligence on the part of THE UTILITY or its contractors during the removal process. However, Collocators will indemnify and hold THE UTILITY harmless for any damage done to virtually collocated equipment if THE UTILITY permits the Collocator to hire a contractor approved by THE UTILITY to remove virtually collocated equipment. Any equipment not removed in this time frame may be removed by THE UTILITY and stored in a non-UTILITY location, at the expense of the Collocator.

Upon termination of the Virtual Collocation, the Collocator must remove the fiber entrance cable used for the Virtual Collocation. If the entrance cable is not scheduled for removal within seven (7) days, THE UTILITY may arrange for the removal, and the Collocator will be responsible for any charges incurred to remove the cable. THE UTILITY and the Collocator will cooperatively manage the removal process. The Collocator is only responsible for physically removing entrance cables housed in conduits or inner-ducts and will only be required to do so when THE UTILITY instructs the Collocator that such removal can be accomplished without damaging or endangering other cables contained in common duct or other equipment residing in the central office.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.34 REVISIONS**

(T)

Any revision to THE UTILITY's Interconnector's Collocation Services Handbook for Virtual Collocation in Nevada, or its Technical Publication TP 76300MP, shall become effective and thereafter applicable under this tariff forty five (45) business days after such revision is released by THE UTILITY except for those particular revisions to which the Collocator specifically objects within thirty (30) business days of receipt, providing an explanation for each objection. Upon each such objections, THE UTILITY and the Collocator shall attempt to negotiate a resolution, either party may request resolution by the Nevada Public Utilities Commission. Any revision made to address potentially harmful situations shall become effective and applicable immediately, pending resolution of the objections by the Public Utilities Commission of Nevada.

**19.35 DISPUTE RESOLUTION PROCESS FOR REVISIONS OR IMPLEMENTATION OF TECHNICAL PUBLICATIONS**

(T)

Disputes that cannot be resolved by the parties regarding revisions to or implementation of THE UTILITY's technical publications that apply to virtual collocation arrangements will be resolved by use of (1) mediation, (2) any dispute resolution process promulgated by the Commission, or (3) any other method mutually agreed to by the parties. Either party may use any of these options to obtain a resolution of the dispute.

**19.36 RATE REGULATIONS**

(T)

This section contains specific regulations governing the rates and charges that apply to Virtual Collocation for the purpose of interconnecting to THE UTILITY and for Access to THE UTILITY provided UNES when the Collocator provides the equipment.

There are two types of rates and charges that apply to the various rate elements for Virtual Collocation for interconnecting to THE UTILITY and for Access to THE UTILITY provided UNES. These are non-recurring charges and monthly recurring rates.


Rates and charges specific to Virtual Collocation for interconnection with THE UTILITY for the transmission and routing of telephone exchange service and exchange access, and for access to THE UTILITY provided UNES in THE UTILITY's Central Offices are set forth in 19.36.3 (Rates and Charges for THE UTILITY Central Offices). Rates and charges specific to Virtual Collocation for access to THE UTILITY provided UNES in THE UTILITY CEVs, Huts and Cabinets are set forth in 19.36.4 (Rates and Charges for THE UTILITY CEVs, Huts and Cabinets).

(T)

(T)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

9-A. COLLOCATION SERVICES (LOCAL ACCESS)

.36 RATE REGULATIONS (Cont'd)

(T)

19.36.1 Rate Elements for THE UTILITY Central Offices

(T)

Consistent with provisions in Section 19.23.1, the following provides a list of the specific rate elements for virtual collocation for interconnection with THE UTILITY for the transmission and routing of telephone exchange service and exchange access, and for access to THE UTILITY's provided UNES to be used in conjunction with virtual collocation in THE UTILITY's Central Offices.

(T)

A. Planning Fee

(C)

(D)

The Planning Fee recovers THE UTILITY costs incurred to estimate the quotation of charges, project management costs, engineering costs, and other related planning activities for the Collocator's request for a virtual collocation arrangement. The Planning Fee also provides for THE UTILITY personnel to survey each requested location for availability of space for the placement of entrance cables as well as to determine floor space to physically place Collocator-designated equipment expressed as a non-recurring charge. The Planning Fee is applied on an initial and subsequent basis. The initial charge will apply to the Collocator's request for a virtual collocation arrangement or the addition of cable. The subsequent planning charge will apply to any additional interconnection or power arrangements. Charges for this sub-element are specified in 19.36.3(A)(1).

(C)

(N)

(N)

(N)

(C)

(C)

(C)

(C)

(T)

(D)

(D)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED  
EFFECTIVE  
NOV 20 2001  
PUBLIC UTILITIES COMMISSION  
OF NEVADA

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

(T)

19.36.1 Rate Elements for THE UTILITY Central Offices (Cont'd)

(T)

B. Floor Space

This sub-element provides for the "occupancy" cost per bay framework associated with using the floor space in THE UTILITY's central offices expressed as a monthly rate. Charges for the sub-elements are specified in section 19.36.3(B).

(C)

(T, D)

(D)

(D)

(C)

(C)

(C)

(C)

In those cases where an individual relay rack and its associated floor space are shared by THE UTILITY and the Collocator or among Collocators, the floor space and relay rack associated charges will be apportioned on a quarter rack basis.

C. Relay Rack (Optional)

(C)

This sub-element provides the cost per Standard Bay relay rack when provided by THE UTILITY expressed as a monthly rate. THE UTILITY's Standard Bay dimensions are 7' 0" high, and have a 23" interior width, 25" exterior width, and up to 15" deep. In those cases where an individual relay rack and associated floor space are shared by THE UTILITY and the Collocator or among Collocators, the floor space and relay rack associated will be apportioned on a quarter rack basis. When the standard bay relay rack is provided by the Collocator this rate element will not apply. Charges for this element are specified in section 19.36.3(C).

(C)

(C)

(C)

(C)

(C)

(C)

(C)

(N)

(N)

(T)

D. Common Systems Materials

This sub-element provides the infrastructure installation and maintenance of ironwork, racking, and lighting above the equipment bays. Charges for the sub-elements are specified in section 19.36.3(D). The common systems sub-element is distinct for standard and non-standard. In those cases where common systems materials for an individual relay rack and associated floor space are shared with the Collocator or among Collocators, the common systems materials for the floor space and relay rack associated will be apportioned on a quarter rack basis.

(C)

(C)

(C)

(C)


(C)

(C)

(C)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE

9-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

(T)

19.36. 1 Rate Elements for THE UTILITY Central Offices (Cont'd)

(T)

E. Real Estate

(C)

These rate elements provide for THE UTILITY to recover the costs associated with preparing the Eligible Structure for telecommunications equipment (Site Conditioning) and securing this space (Safety and Security).

(N)

(N)

(N)

(N)

(D)

Charges for the sub-elements

(D)

are specified in 19.36.3(E)(2).

(C)

(T)

(1) Site Conditioning

(N)

Permits THE UTILITY to recover costs associated with preparing space within the Eligible Structure for telecommunications equipment. The nonrecurring charge for this sub-element is specified in 19.36.3(E)(1).

(2) Safety and Security

Permits THE UTILITY to recover costs associated with securing the telecommunications area used for Virtual Collocation. The nonrecurring charge for this sub-element is specified in 10.36.3(E)(2).

(N)

F. Entrance Fiber


This sub-element provides for THE UTILITY pulling and splicing fiber cable between the manhole and cable vault, and the subsequent routing of fiber riser cable between the cable vault and FDF. (Note: Virtually Collocated Equipment may also be connected to dedicated transport facilities provided as Unbundled Network Elements in lieu of the entrance fiber. When Virtually Collocated Equipment is connected to dedicated transport facilities in lieu of the entrance fiber, the terms, conditions and charges for such dedicated transport facilities are pursuant to the Collocator/THE UTILITY Interconnection Agreement. No recurring or non-recurring charges for dedicated transport facilities provided as used are applicable pursuant to this Tariff). Charges for this rate element are in 19.36.3(F)(1).

(N)

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

19.36.1 Rate Elements for THE UTILITY Central Offices (Cont'd)

F. (Cont'd)

1. Entrance Conduit, per sheath


This sub-element represents any reinforced passage or opening in, on, under, over or through the ground between the first manhole and the cable vault through which the fiber optic cable is placed. Charges for this element are specified in 19.36.3(F)(2).

G. Power Arrangement

This sub-element is the cable and cable rack including support and fabrication material necessary to support the virtually collocated equipment expressed as a monthly rate for either 2-20 AMP feeds or 2-50 AMP feeds. Fuse panels necessary for terminating power feeds are provided by the Collocator. In the event that a Collocator requires a power arrangement that exceeds 50 AMPS from a single source, THE UTILITY will cooperatively work with the Collocator using comparable rate elements as the basis for such arrangements. Cable sizing is based on list 2 design loads. Charges for this sub-element are specified in 19.36.3(G)(1)-(2).

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



(T)

(T)

(D)

(D)

(D)

(C)

(T)

(C)

(D)

(D)

(N)

(T)

ACCESS SERVICE

19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

(T)

19.36.1 Rate Elements for THE UTILITY Central Offices (Cont'd)

(T)

H. Power Consumption

1. D.C. Power Per AMP

(C)

The DC power charge consists of use of the DC power system, with AC input and AC backup for redundant power expressed as a monthly rate. This rate element also includes the AC Power Usage to provide DC power to the virtually collocated equipment. DC Power Charge is on a per AMP basis. Charges for this element are specified in section 19.36.3(H)(1).

(C)

(N)

(N)

(N)

(C)

(T)

2. Heating, Ventilating, and Air Conditioning (HVAC)

(N)

This sub-element consists of the elements necessary to provide HVAC within the Eligible Structure to the collocation arrangement and is based on the heat dissipation required for each 10 AMPS of DC Power. Charges for this sub-element are specified in 19.36.3(H)(3).

(N)

3. Ground Cable Arrangement

(C)

The Ground Cable Arrangement is the cabling arrangement designed to provide grounding for equipment per frame expressed as a monthly rate. Separate Ground Cable Arrangements are required for Integrated and Isolated Ground Planes. Charges for this element are specified in section 19.36.3(H)(1).

(C)

(C)

(T)

(D)

(D)

(C)


I. Voice Grade Interconnection Arrangement

This sub-element provides for the cost associated with providing 100 voice grade pairs Non-Shielded or Shielded between THE UTILITY's Distributing Frame and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for these sub-elements are specified in section 19.36.3(I).

(T)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

19-A. COLLOCATION SERVICES (LOCAL ACCESS)

9.36 RATE REGULATIONS (Cont'd)

9.37 19.36.1 Rate Elements for THE UTILITY Central Offices (Cont'd)

J. DS-1 Interconnection Arrangement to DCS

This sub-element provides for the cost associated with providing 28 DS-1 circuits between THE UTILITY's DCS functionality purchased from the Collocators interconnection agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate.

Charges for this sub-element are specified in section 19.36.3(J).

K. DS-1 Interconnection Arrangement to DSX

This sub-element provides for the cost associated with providing 28 DS-1 circuits between THE UTILITY's DSX functionality purchased from the Collocators interconnection agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified in section 19.36.3(K).

L. DS-3 Interconnection Arrangement to DCS

This sub-element provides for the cost associated with providing one DS-3 circuit between THE UTILITY's DCS functionality purchased from the Collocators interconnection agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified in section 19.36.3(L).

M. DS-3 Interconnection Arrangement to DSX

This sub-element provides for the cost associated with providing one DS-3 circuit between THE UTILITY's DSX functionality purchased from the Collocators interconnection agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified in section 19.36.3(M).

(T)

(T)

(T)

(D)

(D)

(T)

(T)

(T)

(T)


(T)

(T)

(T)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

(T)

19.36.1 Rate Elements for THE UTILITY Central Offices (Cont'd)

(T)

N. Fiber Interconnection Arrangement

(C)

This sub-element provides for the cost associated with providing 12 fibers between THE UTILITY's FDF and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified in section 19.36.3(N).

(C)

(T)

O. Timing Source Arrangement (Optional)

(C)

THE UTILITY provided single signal from THE UTILITY's timing source to provide synchronization between a Collocator's single network element and THE UTILITY's equipment expressed as a recurring and non-recurring rate. Charges for this sub-element, if requested by the Collocator. Charges for these sub-elements are specified in section 13.36.3(O).

(C)

(T)

P. Training

(T)

THE UTILITY is responsible for determining when training is necessary and how many of THE UTILITY's employees require training to provide 24 hour a day, seven day a week coverage for the installation, maintenance and repair of Collocator's designated equipment not currently used in a wire center selected by the Collocator for virtual collocation. THE UTILITY will be limited to request training for four (4) of THE UTILITY's personnel per location, unless a different number is mutually agreed upon by THE UTILITY and Collocator.

The Collocator may have THE UTILITY arrange for the required training of THE UTILITY's personnel. The non-recurring charges applicable for training are listed in Section 19.36.3(P) (Rates and Charges).

(T)

If THE UTILITY chooses not to coordinate the required training, the Collocator will assume the responsibility for providing the training. It is then the responsibility of the Collocator to:

1. arrange and pay to the supplier all costs for training sessions, including the cost of the trainer(s), transportation and lodging of such trainer(s), and required course material, and
2. arrange and pay to each individual supplier all costs associated with lodging and other than local transportation, such as airfare, required for THE UTILITY employee training.
3. arrange and pay all costs associated with THE UTILITY employee(s) attendance at the training, including lodging and other than local transportation, such as airfare, and employee(s) labor rate for time away from the job, required for THE UTILITY employee training.

(C)


(C)

(C)

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

(T)

19.36.1 Rate Elements for THE UTILITY Central Offices (Cont'd)

(T)

P. (Cont'd)

(T)

THE UTILITY will work cooperatively with the Collocator to schedule THE UTILITY's personnel training time required for the installation, maintenance and repair of the Collocator's designated equipment. The Collocator will be assessed two hours of the technician additional labor charge for THE UTILITY's personnel time required to coordinate training activities with the Collocator. The Collocator will be responsible for reimbursement of applicable UTILITY contractual compensation obligations for time spent as a result of the necessary training. All other charges, if applicable, specified in 19.36.3(P) (Training) will be assessed to the Collocator.

(T)

Q. Maintenance and Repair Labor Rates

(C)

1. Maintenance of Equipment

This rate element is a labor rate charged by THE UTILITY to the Collocator for ongoing maintenance of the Collocator's equipment. Any maintenance requirements will be initiated by the Collocator. Labor rates are based upon a 1/4 hour basis and are dependent upon day of week and time of day. For purposes of this Tariff, normal week day is defined as 8:00 a.m. through 5:00 p.m., Monday through Friday, excluding holidays. Non-recurring charges for this sub-element are specified in 19.36.3(Q).

(C)

(T)

2. Repair of Equipment

This rate element is a labor rate charged by THE UTILITY to the Collocator for repair of the Collocator's equipment. All repair will be at the direction of the Collocator.


Labor rates are based upon a charge for Network Operations Center (NOC) personnel to take the trouble report, create a trouble ticket, and dispatch a technician. Labor rates for actual repair of the trouble are based upon a 1/4 hour basis and are dependent upon day of week and time of day. For purposes of this Tariff, normal week day is defined as 8:00 a.m. through 5:00 p.m., Monday through Friday excluding holidays. Non-recurring charges for this sub-element are specified in 19.36.3(Q).

(C)

(T)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.36 RATE REGULATIONS (Cont'd)**

**19.36.1 Rate Elements for THE UTILITY Central Offices (Cont'd)**

**R. Collocation-to-Collocation Connection**

(N)

This rate element includes virtual-to-virtual and virtual-to-physical connection options.

**1. Fiber Cable (12 Fiber)**

This sub-element provides for direct cabling using fiber cable (12 fibers) between two collocation arrangements at an Eligible Structure. This sub-element is expressed as a combination of a non-recurring charge and a monthly rate and these charges are specified in 19.36.3(R)(1).

**2. Copper cable (28 DS1s)**

This sub-element provides for direct cabling using copper cable (28 DS1s) between two collocation arrangements at an Eligible Structure. This sub-element is expressed as a combination of a non-recurring charge and a monthly rate and these charges are specified in 19.36.3(R)(2).

**3. Coax Cable (1 DS3)**

This sub-element provides for direct cabling using coaxial cable (1 DS3) between two collocation arrangements at an Eligible Structure. This sub-element is expressed as a combination of a non-recurring charge and a monthly rate and these charges are specified in 19.36.3(R)(3).

**4. Cable Racking and Hole**

This sub-element provides for cable rack space and hole for copper, coax and optical cabling between two collocation arrangements at an Eligible Structure. This sub-element is expressed as a monthly rate specified in 19.36.3(R)(4).


**5. Route Design**

This sub-element provides the route design for collocation-to-collocation connections. This sub-element is expressed as a non-recurring charge and this charge is specific in 19.36.3(R)(5).

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

**19.36 RATE REGULATIONS (Cont'd)**

(T)

**19.36.1 Rate Elements for THE UTILITY Central Offices (Cont'd)**

(T)

**S. Equipment Evaluation Cost**

(T)

This rate element is a labor rate charged by THE UTILITY to the Collocator for evaluating the Collocator's equipment when not meeting Level 1 Safety requirements as set forth in Bellcore Network Equipment - Building Systems (NEBS). Charges for this element are specified in 19.36.3(S).

(T)

(D)

(D)

**T. Test and Acceptance**

(T)

This rate element is a labor rate charged by THE UTILITY to the Collocator for cooperative assisting the Collocator's approved vendor in testing and accepting the installed virtually collocated equipment. Charges for this element are specified in 19.36.3(T).

(T)

**19.36.2 Rate Elements for THE UTILITY's CEVs, Huts and Cabinets**

(T)

The following provides a list of the specific rate elements for virtual collocation for access to THE UTILITY's provided UNES in THE UTILITY's CEVs, Huts and Cabinets.

**A. Entrance Cable Fiber**

(C)

This sub-element provides for the engineering of a point of appearance cable termination, preparation of work order drawings, postings of the work order and cable data in the appropriate databases for inventory and provisioning purposes, excavation to expose existing subsurface facilities, pulling the Collocator-provided cable into the eligible structure, routing, securing and preparing the end for splicing or termination.

(D)

Charges for these sub-elements are specified in section 19.36.4(A).

(D)

(T)


**B. Entrance Conduit**

(N)

Any reinforced passage or opening placed for the Collocator provided facility in, on, under/over or through the ground between THE UTILITY CEV, Hut, or Cabinet and the Collocator structure. Rates and charges are as found in Paragraph 19.36.4(B) following.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

19.36.2 Rate Elements for THE UTILITY'S CEVs, Huts and Cabinets  
(Cont'd)

(T)

(T)

(D)

(D)

(D)

C. Power Consumption

(N)

This sub-element provides for the use of power in the Hut, CEV, or cabinet based on the amount of mounting space that is used by the Collocator as measured in 2-inch increments. Charges for this sub-element are expressed as a recurring charge and can be found in 19.36.4(C).


(N)

(D)

(D)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

19.36.2 Rate Elements for THE UTILITY'S CEVs, Huts and Cabinets (Cont'd)

(T)

D. 24-Foot CEV


(N)

This sub-element provides for the use of mounting space within a 24-foot CEV. This element is expressed as a monthly rate. The charge for this sub-element is specified in 19.36.4(D).

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

19.36.2 Rate Elements for THE UTILITY CEVs, Huts and Cabinets (Cont'd)

(T)

(T)

(D)

(D)

(L)

(L)

(D)

(D)

(N)

E. 16-Foot CEV

This sub-element provides for the use of mounting space within a 16-Foot CEV. This element is expressed as a monthly rate. The charge for this sub-element is specified in 19.36.4(E).

F. Maxi-Hut


This sub-element provides for the use of mounting space within a Maxi-Hut. This element is expressed as a monthly rate. The charge for this sub-element is specified in 19.36.4(F)

(N)

al formerly on this page has been relocated to page 90.1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.36 RATE REGULATIONS (Cont'd)**

(T)

**19.36.2 Rate Elements for THE UTILITY CEVs, Huts and Cabinets (Cont'd)**

(T)

**G. Mini-Hut**

(N)

This sub-element provides for the use of mounting space within a Mini-Hut. This element is expressed as a monthly rate. The charge for this sub-element is specified in 19.36.4(G).

**H. Large Cabinet**

This sub-element provides for the use of mounting space within a Large Cabinet. This element is expressed as a monthly rate. The charge for this sub-element is specified in 19.36.4(H)

**I. Medium Cabinet**

This sub-element provides for the use of mounting space within a Medium Cabinet. This element is expressed as a monthly rate. The charge for this sub-element is specified in 19.36.4(I).

**J. Small Cabinet**

This sub-element provides for the use of mounting space within a Small Cabinet. This element is expressed as a monthly rate. The charge for this sub-element is specified in 19.36.4(J).

(N)

**K. Project Coordination Fee**

(L,C)

The project coordination fee provides for THE UTILITY personnel to survey each requested CEV, Hut and Cabinet for availability of space for placement of copper or fiber cables as well as to determine space for any Collocator-designated equipment. This sub-element is expressed as a non-recurring charge and is specified in 19.36.4(K).

(L,C)

(L)

(L)


(L,T)

(N)

Material formerly on Original page 90 has been relocated to this page 90.1.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE


C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

19.36.3 Rates and Charges	USOCs	Rate Per Month	Nonrecurring Charge	(T)
Central Offices				
A. Planning				
1. Planning Fee		\$00.00	\$5,555.76	(C)
- Initial		00.00	2,224.49	(C)
- Subsequent (Interconnection Cabling)		00.00	2,303.84	(N)
- Subsequent (Power cabling)				(N)
- Subsequent (Interconnection and Power Cabling)		00.00	2,882.61	(N)
B. Floor Space				
-Per Bay Framework		28.91	00.00	(D)
C. Relay Rack				
Per Rack		22.19	00.00	(D)
D. Common Systems Material				
-Per Standard Bay		10.75	00.00	(D)
-Per Non Standard Bay		19.36	00.00	(D)
E. Real Estate				
(1) Site Conditioning (Per Frame)		00.00	92.81	(D)
(2) Safety and Security (Per Frame)		00.00	195.57	(D)
F. Entrance Fiber Placement				
(1) Fiber Cable Placement per sheath		11.01	1,971.42	(D)
(2) Entrance Conduit per sheath		8.17	00.00	(D)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



**ACCESS SERVICE**


**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.36 RATE REGULATIONS (Cont'd)**

19.36.3 Rates and Charges	<u>USOCs</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>	(T)
Central Offices (Cont'd)				(D)
<b>G. Power Arrangement</b>				(N)
(1) 2-20 AMP Feeds (Per 2-20 AMP Power Feeds)		\$7.74	\$1,570.84	(N)
(2) 2-50 AMP Feeds (Per 2-50 AMP Power Feeds)		9.57	1,954.85	(N)
<b>H. Power Consumption</b>				(N)
1. DC Power Per AMP		10.61	00.00	(C)
2. Ground Cable Arrangement (Per Frame)		00.36	00.00	(C)
3. Heating, Ventilating, and Air Conditioning (Per 10 AMPS)		14.62	00.00	(N)
Interconnection Arrangement Options				(D)
<b>I. Voice Grade Interconnection Arrangement (Non-shielded or Shielded) (Per 100 Pairs)</b>		4.94	1,481.37	(T)
<b>J. DS1 Interconnection Arrangement to DCS (Per 28 DS1s)</b>		297.44	4,067.27	(T)
<b>K. DS1 Interconnection Arrangement to DSX (Per 28 DS1s)</b>		9.79	1,800.69	(T)
<b>L. DS3 Interconnection Arrangement to DCS (Per DS3)</b>		115.59	2,635.79	(T)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President





ACCESS SERVICE

19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

(T)

19.36.3 Rates and Charges	USOCs	Rate Per Month	Nonrecurring Charge	(T)
---------------------------	-------	----------------	---------------------	-----

Central Offices (Cont'd)


R. Collocation-to-Collocation Connection

(N)

1. Fiber Cable (12 Fibers)				
- THE UTILITY Provides Cable and Installs		\$3.32	\$1,095.09	
2. Copper Cable (28 DS1s)				
- THE UTILITY Provides Cable and Installs		3.34	930.53	
3. Coax Cable (1 DS3)				
- THE UTILITY Provides Cable and Installs		3.26	706.77	
4. Cable Racking and Hole				
- For Optical (Per Cable)		00.90	00.00	
- DS1 (Per Cable)		00.49	00.00	
- DS3 (Per cable)		00.35	00.00	
5. Route Design		00.00	463.36	(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)


19.36 RATE REGULATIONS (Cont'd)

19.36.3 Rates and Charges	<u>USOCs</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>	
Central Offices (Cont'd)				(T)
				(L)
				(L)
				(L)
S. Equipment Evaluation Cost Per 1/2 hour		00.00	38.47	(C)
				(D)
				(D)
T. Test and Acceptance Communications Technician, per 1/2 hour		00.00	39.21	(T)
				(C)
19.36.4 Rates and Charges				(T)
CEVs, Huts and Cabinets				
A. Entrance Fiber Cable Placement Fiber (per Cable)		00.00	53.58	(C)
				(C)
				(D)
				(D)
				(D)
B. Entrance Conduit (per Fiber Cable Sheath)		2.61	00.00	(N)
				(N)
C. Power Consumption (per 2-inch mounting space)		1.27	00.00	(N)
				(N)
				(D)
				(D)
				(D)
				(D)

Material formerly on this page has been relocated to page 93

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



ACCESS SERVICE


C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.36 RATE REGULATIONS (Cont'd)

19.36.4 Rates and Charges	USOCs	Rate Per Month	Nonrecurring Charge	(T)
Central Offices (Cont'd)				
D. 24-Foot CEV (per 2-inch mounting space)		\$1.64	\$00.00	(N)
E. 16-Foot CEV (per 2-inch mounting space)		1.77	00.00	
F. Maxi-Hut (per 2-inch mounting space)		00.77	00.00	
G. Mini-Hut (per 2-inch mounting space)		1.33	00.00	
H. Large Cabinet (per 2-inch mounting space)		1.63	00.00	
I. Medium Cabinet (per 2-inch mounting space)		2.19	00.00	
J. Small Cabinet (per 2-inch mounting space)		3.29	00.00	
K. Project Coordination Fee (per CLEC Application/Augment)		00.00	631.17	(N)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



Nevada Bell Telephone Company  
645 East Plumb Lane, Reno, Nevada  
Tariff P.U.C.N. No. C19-A

1<sup>st</sup> Revised Page No. 95

Canceling Original Page No. 95

ACCESS SERVICE

(D)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED  
EFFECTIVE  
NOV 20 2001  
PUBLIC UTILITIES COMMISSION  
OF NEVADA

(D)

ACCESS SERVICE

19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.37 ALTERNATIVE VIRTUAL COLLOCATION ARRANGEMENT DESCRIPTION

(T)

Virtual collocation wherein the Collocator maintains and repairs the virtually collocated equipment.

For purposes of virtually collocating equipment, THE UTILITY shall determine which Eligible Structures require access to CEVs, Huts, or manholes containing concentrated cabling and other forms of equipment that requires drawings, schematics, or other engineering documents that aid in the prevention of accidental network outages. The drawings, schematics, or other engineering documents shall denote the location of the requesting Collocator's equipment and cabling without disclosing identity of equipment and cabling belonging to THE UTILITY and other Collocators.

After Collocator has been provided with written notification by THE UTILITY that access to CEVs, Huts, or manholes containing concentrated cabling and other forms of equipment requires drawings, schematics, or other engineering documents that aid in the prevention of accidental network outages, Collocators may not enter an Eligible Structure without obtaining undated copies of drawings, schematics, or other engineering documents. Upon request, THE UTILITY shall immediately make available to Collocators those drawings, schematics, or other engineering documents that identify the location of the requesting Collocator's equipment and cabling. In the event the requested documents are not immediately available, THE UTILITY shall not prevent the Collocator from entering the Eligible Structure. If THE UTILITY does not immediately make the requested documents available to a Collocator and the Collocator enters the Eligible Structure, THE UTILITY shall deliver the requested documents to Collocator immediately upon locating same.

THE UTILITY will provide a security escort with the Collocator paying the expense for the escort. THE UTILITY will provide the security escort as soon as reasonably possible, or within the time frame agreed to by the parties, at the time of notice. In the event the FCC determines that THE UTILITY may not require a security escort paid for by the Collocator, then this virtual collocation maintenance alternative as described in this Paragraph 19.37 and in Paragraph 19.23 (2) is null and void, and all virtual collocation will be maintained by THE UTILITY as described in Paragraph 19.23 (1).

(T)

(T)


Prior to entering an Eligible Structure that requires drawings, schematics, or other engineering documents, Collocators must provide THE UTILITY with reasonable notice of the entry. Notice will be provided to THE UTILITY's Local Operations Center, which will be available to receive notice twenty-four (24) hours a day, seven (7) days a week. Collocators providing notice to THE UTILITY's Local Operations Center must specify the title and date of all drawings, schematics, or other engineering documents that will be used while in the Eligible Structure.

The Collocator shall conduct background checks of the technicians who have access to the collocation space. Collocator technicians will be security qualified by the Collocator and will be required to be knowledgeable of THE UTILITY security standards. Disciplinary procedures shall be established in accordance with Section 19.38.3 to ensure the safety and integrity of the Eligible Structure, including, e.g., procedures that require the responsible employee to be terminated for certain specified actions that damage or place the equipment of THE UTILITY or other Collocators in jeopardy.

(T)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.37 ALTERNATIVE VIRTUAL COLLOCATION ARRANGEMENT DESCRIPTION (Cont'd)**

(T)

THE UTILITY may use security devices, e.g., identification swipe cards, keyed access, and/or logs, as appropriate for the Eligible Structure where collocation will take place.

The Commission will permit THE UTILITY to recover the cost of such security devices from the Collocators in a reasonable manner. The Collocator shall provide indemnification and insurance to cover any damages caused by the Collocator's technicians at a level commensurate with the indemnification and insurance provided by THE UTILITY's equipment suppliers with equivalent access.

Provisioning of equipment required for virtual collocation, e.g., power arrangements and interconnection arrangements will be provided in accordance with this tariff and interconnection agreements.

**19.38 OBLIGATIONS OF THE COLLOCATOR**

**19.38.1 Indemnification of THE UTILITY**

(T)


(T)

Except as otherwise provided, the indemnity provisions of the Interconnection Agreement between THE UTILITY and the Collocator shall apply and are incorporated herein by this reference. However, in no event will the provisions in this section supersede or override the indemnification provisions contained in the interconnection agreement between THE UTILITY and Collocator. Additionally, in the event of a conflict between indemnification provisions in the interconnection agreement and the Tariff, the provisions in the interconnection agreement will control.

Collocator shall indemnify and hold harmless THE UTILITY, the agents, employees, officers, directors and shareholders of any of them ("Indemnitities"), from and against any and all liabilities, obligations, claims, causes of action, fines, penalties, losses, costs, expenses (including court costs and reasonable attorney's fees), damages, injuries, of any kind, (individually and collectively "Liabilities"), including but not limited to, Liabilities as a result of (a) injury to or death of any person; (b) damage to or loss or destruction of any property; or (c) Liabilities related in any manner to employee benefits, workers compensation, payroll tax, and any other employer obligations which may be asserted against THE UTILITY where such liabilities arise in connection with Collocator's use of persons that it classifies as an independent contractor or subcontractor to perform obligations under this Tariff; (d) attachments, liens or claims of material persons or laborers arising out of or resulting from or in connection with this Tariff or the performance of or failure to perform and directly or indirectly caused, in whole or part, by acts of omissions, negligent or otherwise, of Collocator or a contractor or a representative of Collocator or an employee of any one of them, except to the extent such Liabilities arise from the negligence or willful or intentional misconduct of THE UTILITY or its employees. The provisions in this section are reciprocal and applicable also to THE UTILITY.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.38 OBLIGATIONS OF THE COLLOCATOR (Cont'd)**

(T)

**19.38.1 Indemnification of THE UTILITY (Cont'd)**

(T)

THE UTILITY shall make best efforts to promptly notify Collocator of any suit or other legal proceeding asserting a claim for Liabilities. Upon request, Collocator shall, at no cost or expense to the Indemnitee, defend any such suit or legal proceeding asserting a claim for Liabilities, and Collocator shall pay any costs and attorneys' fees that may be incurred by any Indemnitee in connection with any such claim, proceeding or suit. Collocator shall also (a) keep THE UTILITY and any other Indemnitee subject to any such claim fully informed as to the progress of such defense, and (b) afford THE UTILITY and such Indemnitee, each at its own expense, an opportunity to participate on an equal basis with Collocator in the defense or settlement of any such claim.

**19.38.2 Insurance**

(T)

The Collocator agrees to maintain, at all times, the following minimum insurance coverages and limits and any additional insurance and/or bonds required by law:

- A. Workers' Compensation insurance with benefits afforded under the laws of the State of Nevada and Employers Liability insurance with minimum limits of \$100,000 for Bodily Injury-each accident, \$500,000 for Bodily Injury by disease-policy limits and \$100,000 for Bodily Injury by disease-each employee.
- B. Commercial General Liability insurance with minimum limits of: \$2,000,000 General Aggregate limit; \$1,000,000 each occurrence sub-limit for all bodily injury or property damage incurred in any one occurrence; \$1,000,000 each occurrence sub-limit for Personal Injury and Advertising; \$2,000,000 Products/Completed Operations Aggregate limit, with a \$1,000,000 each occurrence sub-limit for Products/Completed Operations. Fire Legal Liability sub-limits of \$300,000 are required for lease agreements. THE UTILITY will be named as an Additional Insured on the Commercial General Liability policy.
- C. If use of an automobile is required, Automobile Liability insurance with minimum limits of \$1,000,000 combined single limits per occurrence for bodily injury and property damage, which coverage shall extend to all owned, hired and non-owned vehicles. All Risk Property coverage on a full replacement cost basis insuring all of Collocator's personal property situated on or within the Eligible Structure.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

FILING ACCEPTED  
EFFECTIVE

NOV 20 2001

PUBLIC UTILITIES COMMISSION  
OF NEVADA

ACCESS SERVICE

19-A. COLLOCATION SERVICES (LOCAL ACCESS)

9.38 OBLIGATIONS OF THE COLLOCATOR (Cont'd)

(T)

19.38.2 Insurance (Cont'd)

C. (Cont'd)

Collocator releases THE UTILITY from and waives any and all right of recovery, claim, action or cause of action against THE UTILITY, its agents, directors, officers, employees, independent contractors, and other representatives for any loss or damage that may occur to equipment or any other personal property belonging to Collocator or located on or in the space at the request of Collocator when such loss or damage is by reason of fire or water or the elements or any other risks that would customarily be included in a standard all risk casualty insurance policy covering such property, regardless of cause or origin, including negligence of THE UTILITY, its agents, directors, officers, employees, independent contractors, and other representatives. Property insurance on Collocator's fixtures and other personal property shall contain a waiver of subrogation against THE UTILITY, and any rights of Collocator against THE UTILITY for damage to Collocator's fixtures or personal property are hereby waived. Collocator may also elect to purchase business interruption and contingent business interruption insurance, knowing that THE UTILITY has no liability for loss of profit or revenues should an interruption of service occur that is attributable to any Virtual Collocation arrangement provided under this Tariff.

THE UTILITY requires that companies affording insurance coverage have a B+ VII or better rating, as rated in the A.M. Best Key rating Guide for Property and Casualty Insurance Companies.

A certificate of insurance stating the types of insurance and policy limits provided the Collocator must be received prior to commencement of any work. The insurance provisions and requirements are reciprocal to THE UTILITY as well. If a certificate is not received, THE UTILITY will notify the Collocator and the Collocator will have five (5) business days to cure the deficiency. If the Collocator does not cure the deficiency within five (5) business days, Collocator hereby authorizes THE UTILITY, and THE UTILITY may, but is not required to, obtain insurance on behalf of the Collocator as specified herein. THE UTILITY will invoice Collocator for the costs incurred to so acquire insurance.


The cancellation clause on the certificate of insurance will be amended to read as follows:

"SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED OR MATERIALLY CHANGED, THE ISSUING COMPANY WILL MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER."

The Collocator shall also require all contractors who may enter the Eligible Structure to maintain the same insurance requirements listed above.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.38 OBLIGATIONS OF THE COLLOCATOR (Cont'd)

(T)

19.38.2 Insurance (Cont'd)

C. (Cont'd)

Self-insurance in lieu of the insurance requirements listed preceding shall be permitted if the Collocator 1) has a tangible net worth of Fifty (50) Million dollars or greater, and 2) files a financial statement annually with the Securities and Exchange Commission and/or having a financial strength rating of 4A or 5A assigned by Dun & Bradstreet. The ability to self-insure shall continue so long as the Collocator meets all of the requirements of this Paragraph. If the Collocator subsequently no longer satisfies this Paragraph, the coverage requirements described above shall immediately apply.

(T)

19.38.3 Conduct While in THE UTILITY Eligible Structures


Collocators and THE UTILITY will each establish disciplinary procedures up to and including dismissal or denial of access to the Eligible Structure and other property of THE UTILITY for certain specified actions that damage, or place the equipment, facilities, or the network or the personnel of the Collocators or THE UTILITY in jeopardy. The following are actions that could damage or place the Eligible Structure, or the network or the personnel of the Collocators or THE UTILITY in jeopardy and may justify disciplinary action up to and including dismissal or the denial of access to the Eligible Structure and other property of THE UTILITY:

- a. Theft or destruction of THE UTILITY's or Collocator's property;
- b. Use/sale or attempted use/sale of alcohol or illegal drugs on THE UTILITY's property;
- c. Threats or violent acts against other persons on THE UTILITY's property;
- d. Knowing violations of any local, state or federal law on THE UTILITY's property;
- e. Permitting unauthorized persons access to THE UTILITY or Collocator's equipment on THE UTILITY's property; and
- f. Carrying a weapon on THE UTILITY's property.

In addition, Collocator and THE UTILITY will take appropriate disciplinary steps as determined by each party to address any violations reported by THE UTILITY or the Collocator of THE UTILITY's policies and practices on security, safety, network reliability, and business conduct as defined in THE UTILITY's Interconnector's Collocation Services Handbook for Virtual Collocation in Nevada, provided the Handbook and any and all updates to it are timely provided to Collocator at no charge.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.38 OBLIGATIONS OF THE COLLOCATOR (Cont'd)** (T)

**19.38.3 Conduct While in THE UTILITY Eligible Structures (Cont'd)**

Collocator technicians will be security qualified by the Collocator and will be required to be knowledgeable of THE UTILITY security standards. Collocator personnel and technicians will undergo the same level of security training, or its equivalent that THE UTILITY's own employees and authorized contractors must undergo. THE UTILITY will not, however, require Collocators to receive security training from THE UTILITY, but will provide information to Collocators on the specific type of training required. Collocators can then provide their employees with their own security training. Qualification program and security training details shall be included in THE UTILITY's Interconnector's Collocation Services Handbook for Virtual Collocation in Nevada.

(T)

**19.39 COOPERATIVE RESPONSIBILITIES** (T)

**19.39.1 Qualification of Collocators** (T)

Collocator technicians will be security qualified by the Collocator and will be required to be knowledgeable of THE UTILITY's security standards. Collocator personnel and technicians will undergo the same level of security training, or its equivalent that THE UTILITY's own employees and authorized contractors must undergo. THE UTILITY will not, however, require Collocators to receive security training from THE UTILITY, but will provide information to Collocators on the specific type of training required. Collocators can then provide their employees with their own security training. Qualification program and security training details shall be included in THE UTILITY's Interconnector's Collocation Services Handbook for Virtual Collocation in Nevada.

(T)

**19.40 RATE REGULATIONS** (T)

The rate regulations, rate element descriptions and rates and charges included in 19.36 preceding apply to this virtual collocation alternative wherein the Collocator maintains and repairs the virtually collocated equipment. Additional rate elements and rates apply to this alternative as provided for below.

(T)

**19.40.1 Rate Elements for THE UTILITY's Offices** (T)


- A. This security escort charge consists of the charges for THE UTILITY-provided security escorts for Collocator Vendor's access to their virtual collocation space in Staffed and Unstaffed Central Offices. Any escort requirements will be initiated by the Collocator. Labor rates are based upon a ¼ hour basis and are dependent upon day of week and time of day. For purposes of this tariff, normal week day is defined as 8:00 a.m. through 5:00 p.m., Monday through Friday, excluding holidays. The billing period will start at the time the technician is contacted. This will allow for travel time to reach the agreed meet point. Access requests outside of normal business hours or for unstaffed Central Offices which are cancelled will be subject to the minimum four (4) hour call out charge. Non-recurring charges for this sub-element are specified in 19.40.3(A)(1-2) following. (T)

(C)

(T)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.40 RATE REGULATIONS (Cont'd)

(D)

19.40.2. Rate Element for THE UTILITY's CEV, HUT, and Cabinets


(D)  
(T)  
(N)

- A. The security escort charge consists of the charges for THE UTILITY provided security escorts for Collocator Vendor's access to their virtual collocation space in CEVs, Huts and Cabinets. Any escort requirements will be initiated by the Collocator. Labor rates are based upon a 1/4 hour basis. The billing period will start at the time the technician is contacted. This will allow for travel time to reach the agreed upon meet point. Access requests which are cancelled will be subject to the minimum four (4) hour call-out charge. Rates and charges are as found in 19.40.4(A).

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.40 RATE REGULATIONS (Cont'd)

19.40.3 Rates and Charges	<u>USOCs</u>	<u>Rate per Month</u>	<u>Nonrecurring Charge</u>	
Central Offices				
A. Security Escorts, per visit				
1. Staffed Building				
- Access during normal business hours				
- Each 1/4 hour		\$00.00	\$15.15	(C)
- Each additional 1/4 hour		00.00	15.15	(C)
- Access outside normal business hours				
- 4 hour minimum		00.00	242.35	(C)
- Each additional 1/4 hour		00.00	15.15	(C)
2. Unstaffed Building,				
Access during normal business hours				
-per 1/4 hour		00.00	15.15	(C)
-Each additional 1/4 hour		00.00	15.15	(C)
Access outside normal business hours				
-4 hour minimum		00.00	242.35	(N)
-Each additional 1/4 hour		00.00	15.15	(N)
				(D)
				(D)

19.40.4 Rates and Chargers

CEVs, Huts and Cabinets


A. Security Escorts, per visit				
- 4 hour minimum		00.00	242.35	(C)
- Each additional 1/4 hour		00.00	15.15	(C)

(D)

(D)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



**ACCESS SERVICE**

**COLLOCATION SERVICES (LOCAL ACCESS)**

**19.41. CDOW (CLECs Doing Own Work) - Collocator Responsibilities**

(N)

When the Collocator selects the option to provide, install, and terminate their interconnection and power cabling with an THE UTILITY Approved Vendor, the following paragraphs will apply. However, the terms and conditions within CDOW are not comprehensive. There are terms and conditions from the preceding sections of this same tariff that still apply for CDOW for rate elements that are not specifically addressed within Section 41.0 following.

**19.41.1 Interconnection Cable**

The Collocator has the option to provide, install and terminate its interconnection cabling between the Collocator's Dedicated Space and THE UTILITY Main Distribution Frame or its equivalent by THE UTILITY Approved Vendor. This option is only available if Collocator does all three (3) activities associated with interconnection cabling: provide, install and terminate. The Collocator may not elect to do some but not all the activities. Collocator must indicate on its virtual collocation application that it has selected this option to apply to all interconnection cabling requested on the application. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its power cable leads described in Section 19.41.2. If Collocator selects this option, THE UTILITY will install and stencil termination blocks or panels at THE UTILITY Main Distribution Frame or its equivalent for the handoff of the Actual Point of Termination (APOT) Connection(s) to the Collocator's THE UTILITY Approved Vendor. Intervals and provisioning for this offering are found in Section 19.41.3.1 through 19.41.3.5. The Collocator's THE UTILITY Approved Vendor must obtain an approved Method Procedures (MOP) from THE UTILITY and follow THE UTILITY's Technical Publication TP 76300MP for installation of equipment and facilities;


**19.41.2 Power Cable**

The Collocator has the option to provide, install and terminate its power cable leads between the Collocator's Dedicated Space and THE UTILITY's Battery Distribution Fuse Bay (BDFB) by THE UTILITY Approved Power Installation Vendor. When THE UTILITY designated power termination point is at the Power Plant Primary Distribution, the Collocator's THE UTILITY Approved Power Installation Vendor will provide and install the power cable leads, but not terminate.

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.41 CDOW (CLECs Doing Own Work) - Collocator Responsibilities cont'd**

(N)

**19.41.2 (cont.)**

The Collocator must contact THE UTILITY Project manager five (5) business days prior to scheduling a request for the termination of the Collocator's power cable leads to THE UTILITY Power Plant Primary Distribution, which will be performed by THE UTILITY. This option is only available if the Collocator does all three (3) activities associated with the power cable lead unless described otherwise within this Section. The Collocator may not elect to do some but not all the activities unless otherwise permitted in this section. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its interconnection cabling described in Section 19.41.1. Intervals and provisioning for this offering are found in Section 19.41.3.1 through 19.41.3.5. The Collocator's THE UTILITY Approved Power Installation Vendor must obtain an approved Method of Procedures (MOP) from THE UTILITY and follow THE UTILITY's Technical Publication TP 76300MP for installation of equipment and facilities.

**19.41.3 Intervals and Provisioning**


**19.41.3.1 Implementation Intervals (Collocator Installs Interconnection and Power Cabling)**

THE UTILITY will provide Virtual Collocation arrangements in Eligible Structures on a "first-come, first-served" basis. The determination whether there is sufficient space to accommodate Virtual Collocation at a particular Eligible Structure will be made initially by THE UTILITY. THE UTILITY will notify Collocator as to whether its request for space has been granted or denied due to a lack of space within ten (10) calendar days from receipt of a Collocator's accurate and complete Virtual Collocation Application. If THE UTILITY determines that Collocator's Virtual Collocation Application is unacceptable, THE UTILITY shall advise Collocator of any deficiencies within this ten (10) calendar day period. THE UTILITY shall provide Collocator with sufficient detail so that Collocator has a reasonable opportunity to cure each deficiency. To retain its place in the queue to obtain the Virtual Collocation arrangement, Collocator must cure any deficiencies in its Application and resubmit such Application within ten (10) calendar days after being advised of the deficiencies. Any changes to the amount or type of floor space, interconnection terminations, and power requested from the originally submitted Virtual Collocation Application will not be considered a deficiency, but rather as a new Virtual Collocation Application with a new ten (10) calendar day space notification and a new delivery interval. The delivery intervals set forth in this Section 19.41.3 is for new and augment Virtual Collocation Applications and apply only when the Collocator installs interconnection and power cabling.

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.41 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)**

**19.41.3 Intervals and Provisioning (cont'd)**

**19.41.3.1 Implementation Intervals (Collocator Installs Interconnection and Power Cabling) (cont'd)**


The delivery interval relates to the period in which THE UTILITY shall construct and turnover to the Collocator's THE UTILITY Approved Vendor the requested Virtual Collocation Space. The delivery interval begins on the date THE UTILITY receives a complete and accurate Virtual Collocation Application from the Collocator. The Collocator must provide THE UTILITY, within seven (7) calendar days from the date of notification granting the application request, a confirmatory response in writing to continue construction along with the fifty percent (50%) payment of non-recurring charges (unless payment was received with application) or the delivery interval provided in table below will not commence until such time as THE UTILITY has received such response and payment. If the Collocator has not provided THE UTILITY such response and payment by the twelfth (12th) calendar day after the date THE UTILITY notified Collocator its request has been granted, the application will be canceled. Dedicated space is not reserved until THE UTILITY's receipt of the confirmatory response in writing from the Collocator with applicable fees. The delivery interval for Virtual Collocation is determined by THE UTILITY taking into consideration the various factors set forth in Table (1) below including, without limitation, the number of all Virtual Collocation Applications submitted by Collocator and the need for additional preparation of the space such as overhead racking, additional power or HVAC. The delivery interval assigned will be provided to the Collocator by THE UTILITY with the ten (10) calendar day space notification. Each complete and accurate Virtual Collocation Application received by THE UTILITY from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

**Table (1)**

Number of All Applications submitted by One Collocator per state or metering region	Overhead Iron/Racking Exists for Virtual Collocation Space Use	Overhead Iron/Racking Does Not Exist for Virtual Collocation Space Use	Additional Power or HVAC is Required for Virtual Collocation Space Use
1 - 10	60 calendar days	80 calendar days	180 calendar days
11-20	65 calendar days	85 calendar days	185 calendar days

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President



(N)

(N)  
 (N)

(N)

**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.41 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)**

**19.41.3 Intervals and Provisioning (cont'd)**

**19.41.3.1 Implementation Intervals (Collocator Installs  
Interconnection and Power Cabling) (cont'd)**

Should the Collocator submit twenty-one (21) or more applications within ten (10) business days, the above delivery intervals will be increased by five (5) days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and the delivery intervals set forth in Table (1) above will be re-started. All Virtual Collocation Applications received by THE UTILITY from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above staggering intervals. The Virtual Collocation delivery interval ends when roughed in and the assigned space has been distinctly marked by THE UTILITY.

For example, but not by way of limitation, if a Collocator submits twelve (12) complete and accurate Virtual Collocation Applications in a state, the delivery intervals assigned by THE UTILITY will depend on which variables apply within each Eligible Structure Virtual Collocation is requested:


If Applications (1-4) are for Virtual Collocation Space where overhead racking exists, the delivery intervals assigned will be sixty (60) days. If Applications (5-11) are for Virtual Collocation Space where overhead racking does not exist, the delivery intervals assigned to Applications (5-10) will be eighty (80) calendar days and Application (11) will be assigned eighty five (85) calendar days. The Virtual Collocation Application (12) was requested in an Eligible Structure that needs additional HVAC added and would be assigned one hundred and eight five (185) calendar days.

**19.41.3.2 Payment**

The second fifty percent (50%) payment must be received by THE UTILITY prior to the space being turned over to the Collocator's THE UTILITY Approved Vendor. At space turnover, the Actual Point of Termination (APOT) Connection(s) will be provided to the Collocator's THE UTILITY Approved Vendor by THE UTILITY.

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A COLLOCATION SERVICES (LOCAL ACCESS)**

**19.41 CDOW (CLECs Doing Own Work) - Collocator Responsibilities cont'd**

**19.41.3 Intervals and Provisioning (cont'd)**

**19.41.3.3 Cable Augments**

For the following interconnection cabling Augments, the Collocator must submit a complete and accurate Virtual Collocation Application:

- 168 DS1 connections and/or
- 48 DS3 connections and/or
- 400 Copper (shielded or nonshielded) cable pair connections and/or
- 12 fiber pair connections

This application must include an up-front payment of the Application Fee and fifty percent (50%) of all applicable non-recurring charges.


The cabling Augment interval is determined by THE UTILITY taking into consideration the various factors set forth in Table (2) below including, without limitation, the number of all Virtual Collocation Applications for the above Augments submitted by Collocator, the type of infrastructure available for collocation, and the need for additional preparation of the infrastructure such as overhead racking and additional power. The cabling Augment interval assigned will be provided to the Collocator by THE UTILITY with the ten (10) calendar day Augment notification. Each complete and accurate Virtual Collocation Application received by THE UTILITY from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

**Table (2)**

Number of All Applications submitted by One Collocator per state or metering region	Necessary Elements such as Iron/Racking and Power exist for Virtual Collocation Use	Necessary Elements such as Iron/Racking and Power does not exist for Virtual Collocation Use
1 - 10	30 calendar days	60 calendar days
11-20	35calendar days	65 calendar days

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President





**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.41 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)**

**19.41.3 Intervals and Provisioning (cont'd)**

**19.41.3.3 cable Augments (cont'd)**

Should the Collocator submit twenty-one (21) or more Virtual Collocation Applications for cabling Augments within ten (10) business days, the above cabling Augment intervals will be increased by five (5) days for every five (5) additional application or fraction thereof. Any material revision to a Virtual Collocation Application for cabling Augments will be treated as a new application and the cabling Augment delivery intervals set forth in Table (2) above. All cabling Augment applications received by THE UTILITY from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above staggering intervals.

For example, but not by way of limitation, if a Collocator submits twelve (12) Virtual Collocation Applications for cabling Augments in a state, the delivery intervals assigned will depend on which variables apply within each Eligible Structure requested:

If Applications (1-4) are for Virtual Collocation cabling Augments where necessary elements such as overhead racking and power exists, the delivery interval assigned will be thirty (30) calendar days. If Applications (5-12) are for Physical Collocation where necessary elements such as overhead racking and power does not exist, the delivery interval assigned to Applications (5-10) will be sixty (60) calendar days and for Applications (11-12) sixty five (65) calendar days.

**19.41.3.4 All Other Augments**

For all Augments other than provided above, THE UTILITY will work cooperatively with Collocator to negotiate a mutually agreeable delivery intervals.

**19.41.3.5 Walk-Through Visit**


Within twenty (20) calendar days or mutually agreed upon time, from THE UTILITY's receipt of the confirmatory response in writing to continue construction on the Virtual Collocation job requested along with the 50% payment of non-recurring charges (unless payment was received with application), Network Support and/or appropriate departments will schedule a walk through visit with the CLEC and/or vendor to provide floor plans of space and the preliminary route design for the interconnection and power cabling.

(N)

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.41 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)**

**19.41.4 Rates Elements for THE UTILITY Central Offices**

**A. Power Arrangement**

When the Collocator selects the option to install the power cable by an THE UTILITY Approved Power Installation vendor, only the rack occupancy and on-going maintenance of the rack charge will apply. This is expressed as a monthly rate as specified in 19.42.1 (A).

**B. Voice Grade Interconnection**

When the Collocator selects the option to provide and install the interconnection cabling by an THE UTILITY approved vendor, the Voice Grade Terminal blocks at the MDF, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.42.1 (B).

**C. DS-1 Interconnection Arrangement to DCS**

When the Collocator selects the option to provide and install the interconnection cabling by an THE UTILITY approved vendor, the DS-1 Port, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.42.1 (C).

**D. DS-1 Interconnection Arrangement to DSX**

When the Collocator selects the option to provide and install the interconnection cabling by an THE UTILITY approved vendor, the DSX at the MDF, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.42.1 (D).

**E. DS-3 Interconnection Arrangement to DCS**


When the Collocator selects the option to provide and install the interconnection cabling by an THE UTILITY approved vendor, the DS-3 Port, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.42.1 (E).

(N)

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.41 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)

(N)

19.41.4 Rates Elements for THE UTILITY Central Offices (cont'd)

F. DS-3 Interconnection Arrangement to DSX

When the Collocator selects the option to provide and install the interconnection cabling by an THE UTILITY approved vendor, the DSX at the MDF, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.42.1 (F).

G. Fiber Interconnection Arrangement

When the Collocator selects the option to provide and install the interconnection cabling by an THE UTILITY approved vendor, the Fiber terminating panel at the FDF-1 Port, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.42.1 (G).

H. Collocation to Collocation Connection

This rate element include virtual to virtual and virtual to physical connection options.

1. Fiber Cable

When the Collocator selects the option to provide and install the interconnection cabling by an THE UTILITY approved vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.42.1(H) (1).


2. Copper Cable

When the Collocator selects the option to provide and install the interconnection cabling by an THE UTILITY approved vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.42.1(H) (2).

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



**ACCESS SERVICE**

**C19-A. COLLOCATION SERVICES (LOCAL ACCESS)**

**19.41 CDOW (CLECs Doing Own Work) - Collocator Responsibilities (cont'd)**

**19.41.4 Rates Elements for THE UTILITY Central Offices (cont'd)**

**3. Coax Cable**

When the Collocator selects the option to provide and install the interconnection cabling by an THE UTILITY approved vendor, the charge for on-going maintenance will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in 19.42.1(H)(3).

**4. Cable Racking and Hole**

This sub-element provides for cable rack space and hole for copper, coax and optical cabling between two collocation arrangements and the required terminations at each virtual collocation arrangement(s) at an Eligible Structure. This sub-element is expressed as a monthly rate specified in 19.42.1(H)(4).

**5. Route Design**


This sub-element provides the route design for collocation-to-collocation connections. This sub-element is expressed as a non-recurring charge and this charge is specific in 19.42.1(H)(5).

(N)

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.42 Rates and Charges for CDOW

19.42.1 Rates and Charges for CLECs Doing Own Work

The rate elements below represent the charges associated with CLEC's providing, installing, and terminating their interconnection and power cabling. However, the rates and charges within CDOW are not comprehensive. There are rates and charges from the preceding sections of this same tariff that still apply for CDOW for rate elements that are not specifically addressed within Section 42 following.

(N)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
<b>A. Power Arrangements</b>			
(Collocator provides and installs Power Cables)			
2-20 AMP Feeds (Per 2-20 AMP power Feeds)		\$0.52	\$0.00
2-50 AMP Feeds (Per 2-50 AMP power Feeds)		\$0.52	\$0.00
<b>B. Voice Grade Interconnection</b>			
(Collocator provides and installs Power Cabling)			
Arrangement (Non-Shielded and Shielded)			
(Per 100 Pairs)		\$3.86	\$225.02
<b>C. DS1 Interconnection</b>			
(Collocator provides and installs cabling)			
Arrangement to DCS			
(Per 28 DS1s)		\$295.42	\$3,496.22
<b>D. DS1 Interconnection</b>			
(Collocator provides and installs cabling)			
Arrangement to DSX			
(Per 28 DS1s)		\$6.07	\$651.13

(N)

Issued:  
 Effective:  
 Advice: No. 1861

Issued by  
 M. J. Lindsey  
 President

NOV 20 2001  
 PUBLIC UTILITIES COMMISSION  
 OF NEVADA

ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.42 Rates and Charges for CDOW (cont'd)

19.42.1 Rates and Charges for CLECs Doing Own Work (cont'd)


	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
E. DS3 Interconnection (Collocator provides and installs cabling) Arrangement to DCS (Per DS3)		\$115.30	\$2,186.12
F. DS3 Interconnection (Collocator provides and installs cabling) Arrangement to DSX (Per DS3)		\$5.69	\$204.42
G. Fiber Interconnection (Collocator provides and installs cabling) Arrangement (12 Fibers)		\$10.47	\$152.71

(N)

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President



ACCESS SERVICE

C19-A. COLLOCATION SERVICES (LOCAL ACCESS)

19.42 Rates and Charges for CDOW (cont'd)

19.42.1 Rates and Charges for CLECs Doing Own Work (cont'd)

	<u>USOC</u>	<u>Rate Per Month</u>	<u>Nonrecurring Charge</u>
H. Collocation to Collocation Connection			
1. Fiber Cable (12 Fibers)			
Collocator Provides Cable and Installs		\$0.81	\$0.00
2. Copper Cable (28 DS1s)			
Collocator Provides Cable and Installs		\$0.41	\$0.00
3. Coax Cable (1 DS3)			
Collocator Provides Cable and Installs		\$0.27	\$0.00
4. Cable Racking and Hole			
- For Optical, per cable		\$0.90	\$0.00
- DS1, per cable		\$0.49	\$0.00
- DS3, per cable		\$0.35	\$0.00
5. Route Design		\$0.00	\$463.36

(N)

(N)

Issued:  
Effective:  
Advice: No. 1861

Issued by  
M. J. Lindsey  
President

