# **TARIFF DISTRIBUTION**

FILE PACKAGE NO.: SC-15-0050

DATE: March 11, 2015

STATE: SOUTH CAROLINA

EFFECTIVE DATE: 03/11/2015

TYPE OF DISTRIBUTION: Approved

PURPOSE: General Exchange Guidebook Cleanup -- Sections A15, A17 and

A18

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
G015	1	0001
G015	2	0001
G015	3	0001
G015	3.1	0001
G015	4	0001
G015	5	0002
G015	6	0001
G015	7	0001
G015	8	0001
G015	9	0001
G015	10	0001
G015	11	0001
G015	12	0001
G015	13	0001
G015	14	0001
G015	15	0001
G015	16	0001
G015	17	0001
G015	18	0001
G015	19	0001
G015	20	0001
G015	21	0001
G015	22	0001
G015	23.2	0001
G015	24	0001
G015	25	0001
G015	26	0001
G017	1	0001
G017	2	0001
G018	1	0001

G018	21	0001
G018	30	0002
G018	36.5	0001
G018	36.6	0001
G018	37	0002
G018	38	0001
G018	40	0001
G15 Cont. (pg)	1	0001
G15 Cont. (pg)	2	0001
G17 Cont. (pg)	1	0001
G18 Cont. (pg)	2	0001

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

#### **CONTENTS**

A15.1 Te	erms and Conditions	1	(T)
A15.1.1	General Provisions	1	
A15.1.2	Connections of Registered Equipment	4	
A15.1.3	Connections of Grandfathered Terminal Equipment and Grandfathered Communications Systems	7	
A15.1.4	Acoustic or Inductive Connections	11	
A15.1.5	Accessories	11	
A15.1.6	Equipment-to-Equipment Connections	12	
A15.1.7	Connections of Communications Systems Not Subject to Part 68 of FCC Rules and Regulations	12	
A15.1.8	Connections of Terminal Equipment Specifically Exempted from the FCC Registration Program	14	
A15.1.9	Connections of Certain Facilities of Power, Pipe Line and Railroad Companies	16	
A15.1.10	Connections of Certain Facilities of the National Aeronautics and Space Administration	18	
A15.1.11	Connections of Certain Facilities of the U.S. Army, Navy and Air Force	18	
A15.1.12	Connections of Station Lines and Facilities in Hazardous or Inaccessible Locations	18	
A15.1.13	U.S. Coast Guard	19	
A15.1.14	Connection of Test Equipment	19	
A15.2 Te	rminal Equipment	21	
A15.2.1	Reserved for Future Use	21	
A15.2.2	U.S. Government Executive Departments and Agencies	21	
A15.2.3	Voice Transmitting and/or Receiving Terminal Equipment	22	(M)
A15.2.4	Reserved for Future Use	22	(M)
A15.2.5	Channel Derivation Devices	22	(M)

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

#### **CONTENTS**

			(M)
A15.3.1	ommunications Systems Application	22 22	
A15.3.2	Public Address and Loudspeaker or Radio Paging Systems	22	
A15.3.3	Reserved for Future Use	22	
A15.3.4	Reserved for Future Use	22	
A15.3.5	Connecting Arrangements-Voice Communications-Automatic	22	
	ELETED)	23	
•	onnections of Other Carrier-Provided Communications	23.1	
Sy	estems		
A15.5.1	General Provision	23.1	
A15.5.2	Responsibility of the Customer	23.2	
A15.5.3	Network Control Signaling	23.2	
A15.5.4	Conditions for Connection of OC-Provided Communications Systems	24	
A15.5.5	OC Service	24	
A15.5.6	Other Carriers	24	
A15.5.7	Responsibility of Company	24	
A15.5.8	Violation of <i>Terms and Conditions</i>	25	(T)
A15.5.9	Reserved for Future Use	25	
A15.5.10	Reserved for Future Use	25	
A15.5.11	Individual Line and PBX Trunk Connections at Other Carrier Terminal Locations	25	
A15.6 (D	ELETED)	26	

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions

#### (T)

#### **A15.1.1 General Provisions**

#### A. General

Terminal equipment and communications systems provided by the customer may be connected at the customer's premises to telecommunications services furnished by the Company where such connections are made in accordance with the provisions of this *Section*. Telecommunications services as used herein includes exchange service, Long Distance Message Telecommunications Service (LDMTS) and Wide Area Telecommunications Service (WATS).

#### **B.** Responsibility of the Customer

1. The customer shall be responsible for the installation, operation and maintenance of any terminal equipment or communications system. No combinations of terminal equipment or communications systems shall require change in or alteration of the equipment or services of the Company, cause electrical hazards to Company personnel, damage to Company equipment, malfunction of Company billing equipment, or degradation of service to persons other than the user of the subject terminal equipment or communications system, his calling or called party. Upon notice from the Company that the terminal equipment or communications system is causing such hazard, damage, malfunction or degradation of service, the customer shall make such changes as shall be necessary to remove or prevent such hazard, damage, malfunction or degradation of service.

#### **C.** Responsibility of The Company

- 1. Telecommunications services are not represented as adapted to the use of terminal equipment or communications systems. Where terminal equipment or communications systems are used with telecommunications services, the Company will only be responsible for furnishing service components suitable for telecommunications services and to design, maintain and operate those service components accordingly. Subject to that responsibility, the Company will not be responsible for (1)the quality or the through transmission of signals generated by the terminal equipment or communications system, or (2) the reception of signals by terminal equipment or communications systems, or (3) address signaling performed by terminal signaling equipment.
- 2. The Company will, at the customer's request, provide information concerning interface parameters, including the number of ringers which may be connected to a particular telephone line, needed to permit the terminal equipment to operate in a manner compatible with telecommunications services.

#### A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

#### A15.1.1 General Provisions (Cont'd)

- C. Responsibility of The Company (Cont'd)
  - 3. The Company may make changes in its telecommunications services, equipment, operations or procedures, where such action is consistent with Part 68 of the Federal Communications Commission's Rules and Regulations. If such changes can be reasonably expected to render any terminal equipment or communications system incompatible with telecommunications services, or require modification or alteration of such terminal equipment or communications systems, or otherwise materially affect its use or performance, the customer will be given adequate notice, in writing, to allow the customer an opportunity to maintain uninterrupted service.
  - 4. The Company will provide facilities to the point of demarcation on the customer's premises. The location of the point of demarcation will be determined by the Company's reasonable and nondiscriminatory standard operating practices and in compliance with Part 68 of the Federal Communication Commission's Rules and Regulations. The point of demarcation is the point where the Company communications facilities interconnect with the terminal equipment, protective apparatus or wiring at a subscriber's premises. Company-installed facilities at, or constituting, the demarcation point shall consist of wire or a jack conforming to Subpart F of Part 68 of the Federal Communications Commission's rules. "Premises" as used herein generally means a dwelling unit, other building or a legal unit of real property such as a lot on which a dwelling unit is located, as determined by the Company's reasonable and nondiscriminatory standard operating practices.
- **D.** Recording of Two-Way Telephone Conversations

Telecommunications services are not represented as adapted to the recording of two-way telephone conversations. However, customer-provided voice recording equipment may be directly, acoustically or inductively connected with telecommunications services, in accordance with A15.1.2 or A15.1.3 following, subject to the following conditions. When such connections are made, the customer-provided voice recording equipment shall be so arranged that at the will of the user it can be activated or deactivated. In addition, one of the following conditions must apply.

- 1. All parties to the telephone conversation must give their prior consent to the recording of the conversation, and the prior consent must be obtained in writing or be part of, and obtained at the start of the recording, or
- A distinctive recorder tone that is repeated at intervals of approximately fifteen seconds is required to alert all parties when recording equipment is in use.
- 3. Requirements for one of the conditions as specified in D.1. or D.2. preceding are not required:
  - a. When used by a Federal Communications Commission licensed broadcast station customer for recording of two-way telephone conversations solely for broadcast over the air.
  - b. When used by the United States Secret Service of the Department of Treasury for recording of two-way telephone conversations which concern the safety and security of the person of the President of the United States, members of his immediate family, or the White House and its grounds.
  - c. When used by a broadcast network or by a cooperative programming effort composed exclusively of Federal Communications Commission broadcast licensees to record two-way telephone conversations solely for broadcast over the air by a licensed broadcast station.
  - d. When used for recording at United States Department of Defense Command Centers of emergency communications transmitted over the Department of Defense's private line system when connected to telecommunications services.

#### A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

#### A15.1.1 General Provisions (Cont'd)

**D.** Recording of Two-Way Telephone Conversations (Cont'd)

#### 3. (Cont'd)

- e. When used by law enforcement agencies, fire departments, and Public Safety Answering Points in connection with all service for use on central office lines assigned exclusively for the receipt of local or intrastate law enforcement, fire, or other emergency calls and attended at all times for such purpose provided that the fire and police departments certify these conditions will be observed.
- f. When used by the United States Nuclear Regulatory Commission of the Department of Energy with respect to the telephone systems located at its Operations Center for recording of two-way telephone conversations.

#### E. Violation of Terms and Conditions

When any terminal equipment or communications system is used with telecommunications services in violation of any of the provisions in this Section, the Company will take such immediate action as necessary for the protection of the telecommunications network and Company employees, and will promptly notify the customer of the violation. The customer shall discontinue such use of the terminal equipment or communications system or correct the violation and shall confirm in writing to the Company within 10 days, following the receipt of written notice from the Company, that such use has ceased or that the violation has been corrected. Failure of the customer to discontinue such use or to correct the violation and to give the required written confirmation to the Company within the time stated above shall result in suspension of the customer's service until such time as the customer complies with the provisions of this *Guidebook*.

#### F. Definitions

#### 1. Test Equipment

The term "Test Equipment" as used in this Section, denotes test equipment located at the premises of the Customer that is used by the Customer for the detection and/or isolation of a communications service fault.

#### 2. Grandfathered Communications Systems

The term "Grandfathered Communications Systems" as used in this Section denotes communications systems (including their equipment, premises wiring and protective circuitry if any) connected at the customer's premises, in accordance with any telephone company's tariffs, and that are considered to be grandfathered under Part 68 of the Federal Communications Commission's Rules and Regulations because, such systems are connected to the telecommunications network prior to January 1, 1980 and are of a type of system which was directly connected (i.e. without telephone company provided connecting arrangements) to the telecommunications network as of June 1, 1978.

#### 3. Grandfathered Connections of Communications Systems

The term "Grandfathered Connections of Communications Systems" as used in this Section denotes connections via Company-provided connecting arrangements of communications systems (including their equipment and premises wiring) at the customer's premises, in accordance with any Company's tariffs, and that are considered to be grandfathered under Part 68 of the Federal Communications Commission's Rules and Regulations because, such connections to the telecommunications network are made via Company- provided connecting arrangements prior to January 1, 1980 and such connecting arrangements are of a type of connecting arrangement connected to the telecommunications network as of June 1, 1978.

(T)

(T)

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

# A15.1.1 General Provisions (Cont'd)

- **F.** Definitions (Cont'd)
  - 4. Grandfathered Terminal Equipment

The term "Grandfathered Terminal Equipment" as used in this Section denotes terminal equipment (including protective circuitry if any) connected at the customer's premises, in accordance with any telephone company's tariffs, and that is considered to be grandfathered under Part 68 of the Federal Communications Commission's Rules and Regulations because, such terminal equipment was connected to the telecommunications network prior to July 1, 1979 and is of a type of terminal equipment which was directly connected (i.e. without telephone company-provided connecting arrangements) to the telecommunications network as of October 17, 1977.

### A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

#### A15.1.1 General Provisions (Cont'd)

- **F.** Definitions (Cont'd)
  - 5. Grandfathered Connections of Terminal Equipment

The term "Grandfathered Connections of Terminal Equipment" as used in this *Section* denotes connections via telephone company provided connecting arrangements of terminal equipment connected at the customer's premises, in accordance with any telephone company's tariffs, and that are considered to be grandfathered under Part 68 of the Federal Communications Commission's Rules and Regulations because, such connections to the telecommunications network were made via telephone company provided connecting arrangements prior to July 1, 1979 and such connecting arrangements are the same type of connecting arrangement connected to the telecommunications network as of October 17, 1977.

6. Registered Equipment

The term "Registered Equipment" as used in this *Section* denotes equipment which complies and has been approved within the Registration provisions of Part 68 of the Federal Communications Commission's Rules and Regulations.

7. Equipment-to-Equipment Connection

The term "Equipment-to-Equipment Connection", as used in *this Section*, denotes the connection of add-on or substitute equipment to host terminal equipment or communications systems. These connections are not within the scope of the Federal Communication Commission's Registration Program. The resulting combination of host and add-on or substitute equipment may be registered and must comply with Part 68 of the Federal Communications Commission Rules and Regulations in order to be directly connected to the telecommunications network.

**G.** Connection of equipment shall not require any change or alteration in Company-provided equipment or services, unless that change or alteration is specifically permitted under the provisions of A15.1.6.

#### **A15.1.2 Connections of Registered Equipment**

A. Registered Terminal Equipment, Registered Protective Circuitry and Registered Communications Systems

Registered terminal equipment, registered protective circuitry, and registered communications systems may be directly connected at the customer's premises to the telecommunications network, subject to Part 68 of the Federal Communications Commission's Rules and Regulations, A15.1 preceding and the following:

- All combinations of registered equipment and associated non-registered terminal equipment (including but not limited to wiring) shall be installed, operated and maintained so that the requirements of Part 68 of the Federal Communications Commission's Rules and Regulations are continually satisfied.
  - The Company may discontinue service or impose other remedies as provided for in Part 68 of the Federal Communications Commission's Rules and Regulations for failure to comply with these provisions.
- 2. The customer shall notify the Company of each line to which registered equipment is to be connected in advance of such connection and shall notify the Company when such registered equipment is permanently disconnected. The customer shall provide the Company the Registration Number and Ringer Equivalence Number for the registered equipment. The customer shall also provide, when appropriate, the off-premises station port signaling capability of a PBX system.

(T)

(T)

(T)

(T)

#### A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

#### A15.1.2 Connections of Registered Equipment (Cont'd)

- A. Registered Terminal Equipment, Registered Protective Circuitry and Registered Communications Systems (Cont'd)
  - 3. The customer shall not connect registered equipment to a Company line if:
    - a. The Ringer Equivalence of such equipment in combination with the total Ringer Equivalence of other equipment connected to the same line exceeds the allowable maximum of five or as otherwise determined by the Company, or
    - b. the ringer type is not a ringer type designated by the Company as suitable for that particular line.
  - 4. Unless a specific waiver has been granted by the Federal Communications Commission or except as otherwise provided in 5. following, all connections of registered equipment to services furnished by the Company shall be made through standard jacks; or, in the case of registered communications systems, through standard jacks wired in other than a standard manner, when such nonstandard wiring is agreed to by the Company.
  - 5. The requirement for use of standard jacks as described in 4. preceding is waived for registered equipment which is located in hazardous or inaccessible locations.
  - 6. Such telecommunications service or communications system is utilized for the origination or termination of communications at the customer's premises where the connection is made.
  - 7. The connection of registered terminal equipment and registered PBX systems may be made only at the customer's premises to a Series 2000 or 2100, private line service that presents an interface for either two or four wire transmission, with separate E and M signaling leads conventionally known as Type I (battery/ground) or Type II (contact closure type). Such E and M signaling leads are those terminal equipment or PBX leads (other than voice or data communications leads) used for the purpose of transferring supervisory or address signals across the interface.
  - 8. A Type 2006 channel (including its appropriate Series 5000 equivalents) may be utilized with registered terminal equipment, registered protective circuitry and registered communications systems which are connected to the exchange telephone service associated with such channels.
- B. Premises Wiring Associated With Registered Communications Systems
  - Premises Wiring is wiring which connects separately-housed equipment entities or system components to one another, or wiring which connects an equipment entity or system component with the telephone network interface, located at the customer's premises and not within an equipment housing.
    - a. Fully-Protected Premises Wiring is premises wiring which is:
      - (1) No greater than 25 feet in length (measured linearly between the point where it leaves equipment or connector housings) and registered as a component of and supplied to the user with the registered terminal equipment or protective circuitry with which it is to be used.
      - (2) A cord which complies with (1) preceding and which is extended once by a registered extension cord. Extension cords may not be used as a substitute for wiring which for safety reasons should be affixed to or embedded in a building's structure.
      - (3) Wiring located in an equipment room with restricted access, provided that this wiring remains exposed for inspection and is not concealed or embedded in the building's structure, and that it conforms to Part 68 of the Federal Communications Commission's Rules and Regulations.

#### A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

#### A15.1.2 Connections of Registered Equipment (Cont'd)

- **B.** Premises Wiring Associated With Registered Communications Systems (Cont'd)
  - 1. (Cont'd)
    - a. Fully-Protected Premises Wiring is premises wiring which is: (Cont'd)
      - (4) Electrically behind registered equipment, system components or protective circuitry which assure that electrical contact between the wiring and commercial power wiring or earth ground will not result in hazardous voltages or excessive longitudinal imbalance at the telephone network interface.
    - b. Protected Premises Wiring Requiring Acceptance Testing for Imbalance is premises wiring which is electrically behind registered equipment, system components or circuitry which assure that electrical contact between the wiring and commercial power wiring will not result in hazardous voltages at the telephone network interface.
    - c. Unprotected Premises Wiring is all other premises wiring.
  - Customers who intend to connect premises wiring other than Fully-protected Premises Wiring to the telephone network shall give advance notice to the Company, in accordance with the procedures specified in Part 68 of the Federal Communications Commission's Rules and Regulations as authorized by the Federal Communications Commission.
  - 3. The Company may invoke extra-ordinary procedures specified in Part 68 of the Federal Communications Commission's Rules and Regulations where one or more of the following conditions are present:
    - a. Advance notice information provided in accordance with A15.1.2.B.2. preceding gives reason to believe that a violation of Part 68 of the Federal Communications Commission's Rules and Regulations is likely.
    - b. A failure has occurred during acceptance testing for imbalance.
    - c. Harm has occurred, and there is reason to believe that this harm was a result of wiring operations performed under Part 68 of the Federal Communications Commission's Rules and Regulations.
      - In addition, the Company may monitor or participate in acceptance testing for imbalance, or may inspect other than Fully-Protected Premises Wiring installations as set forth in Part 68 of the Federal Communications Commission's Rules and Regulations.
- C. Connections Involving National Defense and Security
  - 1. In certain cases Part 68 of the Federal Communications Commission's Rules and Regulations permit the connection of non-Registered terminal equipment or communications systems to the telecommunications network, provided that:
    - a. The Secretary of Defense; the head of any other governmental department (having requisite Federal Communications Commission approval); or their authorized representative certifies in writing to the Company that:
      - (1) The connection is required in the interest of national defense and security;
      - (2) The equipment to be connected either complies with the technical requirements of Part 68, or will not cause harms to the telecommunications network or Company employees; and
      - (3) The work is supervised by an installation supervisor who meets the qualifications stated in Part 68.

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

# A15.1.3 Connections of Grandfathered Terminal Equipment and Grandfathered Communications Systems

#### A. Direct Connections

1. Grandfathered Terminal Equipment

Grandfathered terminal equipment may remain directly connected and be moved and reconnected to the telecommunications network for the life of the equipment without registration and may be modified only in accordance with Part 68 of the Federal Communications Commission's Rules and Regulations, subject to the following:

- a. The customer shall notify the Company when such grandfathered terminal equipment is to be connected and shall notify the Company when such grandfathered terminal equipment is to be permanently disconnected; such notification shall include a description of the equipment including the manufacturer's name, model number, and type of equipment;
- b. All such connections are made through standard jacks; and
- c. All such connections shall comply with the minimum protection criteria set forth in C. following.
- 2. Grandfathered Communications Systems
  - a. Grandfathered communications systems, may remain directly connected and be moved and reconnected to the telecommunications network for the life of the equipment without registration, and may be modified only in accordance with Part 68 of the Federal Communications Commission's Rules and Regulations, subject to the following:
    - (1) The customer shall notify the Company when such communications systems are to be connected and shall notify the Company when such communications systems are to be permanently disconnected; such notification shall include a description of the equipment including the manufacturer's name, model number, and type of equipment;
    - (2) All such connections are made through standard jacks;
    - (3) All such connections shall comply with the minimum protection criteria set forth in A15.1.3.C following;
    - (4) Premises wiring shall conform to Part 68 of the Federal Communications Commission's Rules and Regulations;
    - (5) No changes may be made to equipment so connected except by the manufacturer thereof, or a duly authorized agent of the manufacturer;
    - (6) Additions to grandfathered communications systems may be made without registration of any additional equipment involved if:
      - Equipment so added is being reconnected, i.e., was previously directly connected prior to January 1, 1980, in accordance with Company *Guidebooks*; and
      - Such additions comply with the provisions of 2. a. (1) through (5) preceding.
    - (7) Additions of registered equipment to grandfathered communications systems are subject to A15.1.2 preceding.

(T)

#### A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

# A15.1.3 Connections of Grandfathered Terminal Equipment and Grandfathered Communications Systems (Cont'd)

- A. Direct Connections (Cont'd)
  - 2. Grandfathered Communications Systems (Cont'd)
    - b. Until January 1, 1980, new installations of communications systems of a type which have been grandfathered may be connected to the telecommunications network, subject to the following:
      - (1) Premises wiring shall conform to Part 68 of the Federal Communication's Rules and Regulations;
      - (2) The customer shall notify the Company when such communications systems are to be connected and shall notify the Company when such communications systems are to be permanently disconnected: such notification shall include a description of the equipment including the manufacturer's name, model number, and type of equipment;
      - (3) All such connections are made through standard jacks;
      - (4) All such connections shall comply with the minimum protection criteria set forth in C. following;
      - (5) No changes may be made to equipment so connected except by the manufacturer thereof, or a duly authorized agent of the manufacturer.
  - 3. Terminal equipment and communications systems connected to the telecommunications network via grandfathered protective circuitry are subject to the provisions of l. and 2. preceding.
- **B.** Connections Through Connecting Arrangements Provided by the Company
  - General
    - a. Basis of Connection
      - (1) Grandfathered connections of terminal equipment and grandfathered connections of communications systems made in accordance with A15.1.3.B.2 and 3. respectively may remain connected and be moved and reconnected for the life of the equipment and may be modified only in accordance with Part 68 of the Federal Communications Commission's Rules and Regulations. Connecting arrangements used for such moves and reconnections will continue to be provided by the Company subject to their availability at the rates and charges specified in A15.2. and 3.
      - (2) Communications systems which are not subject to Part 68 of the Federal Communications Commission's Rules and Regulations may be connected in accordance with A15.1.7 following. Company-provided connecting arrangements are furnished for the connection of such systems at the rates and charges specified in A15.2 and 3.
      - (3) Terminal equipment may be connected in accordance with A15.1.8 following to services of the Company specifically exempted from the Federal Communications Commission's Registration Program. Company-provided connecting arrangements are furnished for the connection of such equipment at the rates and charges specified in A15.2 and 3.
      - (4) Separate, identifiable and discrete protective circuitry (i.e., connecting arrangements) used for grandfathered connections of communications systems to the telecommunications network may be removed or replaced with apparatus of lesser protective function, provided that any equipment, and any premises wiring whose classification is changed thereby, conforms to Part 68 of the Federal Communications Commission's Rules and Regulations.

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

# A15.1.3 Connections of Grandfathered Terminal Equipment and Grandfathered Communications Systems (Cont'd)

- B. Connections Through Connecting Arrangements Provided by the Company (Cont'd)
  - General (Cont'd)
    - b. Network Control Signaling

Network control signaling shall be performed by equipment furnished, installed and maintained by the Company, except that:

- (1) Tone-type address signaling is permissible through a Company-provided connecting arrangement. When the customer has the capability to originate calls by means of such instruments and special central office facilities exist, the rates and charges for Touch-Tone<sup>®</sup> Calling Service specified in A13.2.3. apply.
- (2) Signaling functions may be performed by Conforming Answering Devices
- 2. Grandfathered Connections of Terminal Equipment
  - a. Data Terminal Equipment

Subject to the provisions of 1.a.(1) and (3) preceding, data terminal equipment (including telephotograph equipment) may be connected at the customer's premises to the telecommunications network through a network control signaling unit and a data access arrangement provided by the Company in accordance with the following:

- (1) The customer shall furnish the equipment which performs the functions of:
  - Conditioning the data signals generated by the terminal equipment to signals suitable for transmission by means of Company services, and
  - Conditioning signals transmitted by means of Company services to data signals suitable for reception by equipment.
- (2) The data terminal equipment must comply with the minimum protection criteria specified in C. following.
- (3) Where a data access arrangement is furnished in connection with terminal equipment and such terminal equipment is used for both voice and data communication, the data access arrangement may be used to connect the terminal equipment for voice communication.
- b. Voice Terminal Equipment

Subject to the provisions of 1.a.(1) and (3) preceding, voice terminal equipment may be connected at the customer's premises to the telecommunications network in accordance with the following:

- (1) The connection shall be made through a network control signaling unit and a connecting arrangement furnished by the Company. In accordance with D. following, a connecting arrangement is not required for the connection of Attested Equipment or Conforming Answering Devices.
- (2) Where a data access arrangement is furnished in connection with terminal equipment and such terminal equipment is used for both voice and data communication, the data access arrangement may be used to connect the terminal equipment for voice communication.
- (3) The voice terminal equipment must comply with the minimum protection criteria specified in C. following.

Registered Service Mark of American Telephone and Telegraph Company

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

# A15.1.3 Connections of Grandfathered Terminal Equipment and Grandfathered Communications Systems (Cont'd)

- B. Connections Through Connecting Arrangements Provided by the Company (Cont'd)
  - 3. Grandfathered Connections of Communications Systems
    - Subject to the provisions of 1.a.(1) preceding, communications systems may be connected at the customer's premises to telecommunications services in accordance with the following:
    - a. Such telecommunications service or communications system is utilized for the origination or termination of communications at the customer's premises where the connection is made.
    - b. The connection shall be through a network control signaling unit and connecting arrangement furnished by the Company.
    - The provisions relating to minimum protection criteria set forth in C. following shall apply to the connection of communications systems.
- C. Minimum Protection Criteria for Electrical Connections
  - 1. To prevent excessive noise and crosstalk in the network, it is necessary that the power of the signal at the central office not exceed 12dB below one milliwatt when averaged over any three second interval. To insure that this limit is not exceeded, the power of the signal which may be applied by the terminal equipment to the Company interface located on the customer's premises will be specified for each customer location but in no case shall it exceed one milliwatt.
  - 2. To protect other services, it is necessary that the signal which is applied by the equipment to the Company interface located on the customer's premises meet the following limits:
    - a. The power in the band from 3,995 Hertz to 4,005 Hertz shall be at least 18dB below the power of the signal as specified in l. above.
    - b. The power in the band from 4,005 Hertz to 10,000 Hertz shall not exceed 16dB below one milliwatt.
    - c. The power in the band from 10,000 Hertz to 25,000 Hertz shall not exceed 24dB below one milliwatt.
    - d. The power in the band from 25,000 Hertz to 40,000 Hertz shall not exceed 36dB below one milliwatt.
    - e. The power in the band above 40,000 Hertz shall not exceed 50dB below one milliwatt.
  - 3. To prevent the interruption or disconnection of a call, or interference with network control signaling, it is necessary that the signal applied by the customer-provided equipment to the Company interface located on the customer's premises at no time have energy solely in the 2450 to 2750 Hertz band. If signal power is in the 2450 to 2750 Hertz band, it must not exceed the power present at the same time in the 800 to 2450 Hertz band.
- **D.** Connections Under Certification Programs
  - 1. Equipment that was connected under the following programs is also considered grandfathered as of their expiration date.
    - a. Attestation Program, which expired July 1, 1980.
    - b. Conformance Program, which expired July 1, 1979.

#### A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

#### **A15.1.4** Acoustic or Inductive Connections

#### A. General

- Voice or data terminal equipment (including telephotograph equipment), multiline terminating systems and customer or Other Carrier-provided communications systems may be acoustically or inductively connected at the customer's premises to the telecommunications network provided the acoustic or inductive connection is made externally to the network control signaling unit when such unit is provided by the Company.
- Tone-type address signaling is permitted through such connections, however, the services of the Company are not designed for such use and the Company makes no representation as to the reliability of address signaling which is performed in such manner.

#### B. Minimum Protection Criteria

- 1. To prevent excessive noise and crosstalk in the network, it is necessary that the power of the signal which is applied by the terminal equipment to the network control signaling unit located on the customer's premises be limited so that the signal power at the output of the network control signaling unit (i.e., at the input to the Company line) does not exceed 9dB below one milliwatt when averaged over any three second interval. However, to permit each customer, independent of distance from the central office, to supply signal power which at the central office approximates 12dB below one milliwatt when averaged over any three second interval, the Company, at the customer's request, will specify, for each customer location, the signal power at the output of the network control signaling unit, which shall in no case exceed one milliwatt
- 2. To protect other services, it is necessary that the signal which is applied by the terminal equipment to the network control signaling unit located on the customer's premises meet the following limits at the output of the network control signaling unit:
  - a. The power in the band from 3,995 Hertz to 4,005 Hertz shall be at least l8dB below the power of the signal as specified in l. preceding.
  - b. The power in the band from 4,005 Hertz to 10,000 Hertz shall not exceed 16dB below one milliwatt.
  - c. The power in the band from 10,000 Hertz to 25,000 Hertz shall not exceed 24dB below one milliwatt.
  - d. The power in the band from 25,000 Hertz to 40,000 Hertz shall not exceed 36dB below one milliwatt.
  - e. The power in the band above 40,000 Hertz shall not exceed 50dB below one milliwatt.
- 3. To prevent the interruption or disconnection of a call, or interference with network control signaling, it is necessary that the signal applied by the customer-provided equipment to the network control signaling unit located on the customer's premises be limited so that the signal at the output of the network control signaling unit shall at no time have energy solely in the 2450 to 2750 Hertz band. If there is signal power at the output of the network control signaling unit in the 2450 to 2750 Hertz band, it must not exceed the power present at the same time in the 800 to 2450 Hertz band.

#### A15.1.5 Accessories

Accessories may be used with Telecommunications services provided such accessories comply with the provisions of A15.1.1.B and A15.1.3.B.1.b. preceding.

#### A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

#### A15.1.6 Equipment-to-Equipment Connections

Equipment-to-Equipment Connections, as defined in A15.1.1.F preceding, may be connected to the telecommunications network when such arrangements are in compliance with Part 68 of the Federal Communications Commission's Rules and Regulations and *this Section*.

#### A15.1.7 Connections of Communications Systems Not Subject to Part 68 of FCC Rules and Regulations

#### A. Direct Electrical Connection

Communications systems not subject to Part 68 of the Federal Communications Commission's Rules and Regulations may be connected with telecommunications services on a direct electrical basis at the customer's premises provided that:

- The connection is made through:
  - a. a connecting arrangement furnished by the Company, or
  - b. registered or grandfathered terminal equipment, protective circuitry, or communications system subject to Part 68 of the Federal Communications Commission's Rules and Regulations which, either singularly or in combination, assures that the requirements of Part 68 of the Federal Communications Commission's Rules and Regulations are met at the network interface.

In lieu of these requirements for total hardware protection, an optional, alternative method is available, as described in (B) following, for the control of signal power only.

- 2. The connection is:
  - a. through switching equipment, or
  - b. to a communications system not subject to Part 68 of the Federal Communications Commission's Rules and Regulations that is arranged to promptly return the network service to an idle (on hook) state should the communications system fail. In addition, the customer must notify the Company when the communications system
- 3. Minimum protection criteria set forth in A15.1.3.C. preceding are complied with when the connection is made through equipment or systems that are not registered.
- 4. When the connection is to WATS service, the customer has a requirement to communicate over a WATS line to or from premises of that customer located in the same rate state as that for which the WATS initial period rate applies. Communications systems not subject to Part 68 of the Federal Communications Commission's Rules and Regulations which are not connected through switching equipment must terminate only in that WATS rate state in terminal equipment or communications systems subject to Part 68 of the Federal Communications Commission's Rules and Regulations.

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

#### A15.1.7 Connections of Communications Systems Not Subject to Part 68 of FCC Rules and Regulations (Cont'd)

- **B.** Institutional Procedures for Signal Power Control
  - 1. When communications systems not subject to Part 68 of the Federal Communications Commission's Rules and Regulations are connected through (a) a Company-provided connecting arrangement or (b) registered or grandfathered terminal equipment, communications system or protective circuitry which assures that all of the requirements of Part 68 of the Federal Communications Commission's Rules and Regulations are met at the telecommunications network interface, no further action is required. However, when a customer elects to connect such a communications system to the telecommunications network and the registered or grandfathered equipment, system or protective circuitry through which the connection is made does not provide protection for signal power control, the customer must comply with the following institutional procedures:
    - a. The communications system must be installed, operated and maintained so that the signal power (within the frequency range of 200-4000 Hertz) at the telecommunications network interface continuously complies with Part 68 of the Federal Communications Commission's Rules and Regulations.
    - b. The operator(s)/maintainer(s) responsible for the establishment, maintenance and adjustment of the voice frequency signal power present at the telecommunications network interface must be trained to perform these functions by successfully completing one of the following:
      - (1) a training course provided by the manufacturer of the equipment used to control voice frequency signal power; or
      - (2) a training course provided by the customer or authorized representative, who has responsibility for the entire communications system, using training materials and instructions provided by the manufacturer of the equipment used to control the voice frequency signal power; or
      - (3) an independent training course (e.g., trade school or technical institution) recognized by the manufacturer of the equipment used to control the voice frequency signal power; or
      - (4) in lieu of the preceding training requirements, the operator(s)/maintainer(s) is under the control of a supervisor trained in accordance with (1) through (3) preceding.
    - Upon request, the customer is required to provide the proper documentation to demonstrate compliance with the requirements in this A15.1.7.B.
    - d. At least 10 days advance notice must be given to the Company in the form of a notarized affidavit before the initial connection of the communications system. A copy of the affidavit must also be maintained at the customer's premises. The affidavit must contain the following information:
      - (1) The full name, business address, business telephone number and signature of the customer or authorized representative who has responsibility for the operation and maintenance of the communications system.
      - (2) The line(s) which the communications system will be either connected to or arranged for connection to.
      - (3) A statement that all operations associated with establishment, maintenance and adjustment of the signal power present at the telecommunications network interface will comply with Part 68 of the Federal Communications Commission's Rules and Regulations.

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

# A15.1.7 Connections of Communications Systems Not Subject to Part 68 of FCC Rules and Regulations (Cont'd)

- **B.** Institutional Procedures for Signal Power Control (Cont'd)
  - 1. (Cont'd)
    - d. (Cont'd)
      - (4) A statement describing how each operator/maintainer of the communications system will meet and continue to meet the training requirements for persons installing, adjusting or maintaining the communications system.
  - 2. Extraordinary Procedures
    - a. The Company may invoke extraordinary procedures to protect the telecommunications network where one or more of the following conditions are present:
      - (1) Information provided in the affidavit gives reason to believe that a violation of Part 68 of the Federal Communications Commission's Rules and Regulations or the Institutional Procedures set forth in 1. preceding is likely.
      - (2) Harm has occurred and there is reason to believe this harm was a result of operations performed under the Institutional Procedures set forth in 1. preceding.
    - b. The extraordinary procedures which can be invoked by the Company include:
      - (1) Requiring the use of protective apparatus which either protects solely against signal power or which assures that all of the requirements of Part 68 are met at the telecommunications network interface. This protective apparatus may be provided by either the Company or the customer.
      - (2) Disconnecting service.

#### A15.1.8 Connections of Terminal Equipment Specifically Exempted from the FCC Registration Program

- A. (DELETED)
- **B.** Customers may connect registered and grandfathered equipment to party line services subject to the provisions of A15.1.1 preceding and in accordance with the following:
  - 1. The terminal equipment must comply with the network protection criteria of Part 68 of the FCC's Rules and Regulations.

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

# A15.1.8 Connections of Terminal Equipment Specifically Exempted from the FCC Registration Program (Cont'd)

#### **B.** (Cont'd)

- It shall be the responsibility of the customer to have their equipment modified to be compatible with party line services and to maintain the terminal equipment to ensure the continuing compatibility of such equipment with party line services.
- 3. Upon request, the Company will furnish the customer with specifications regarding ringing current and resistance of the ANI central office equipment, which would be required for terminal equipment to function properly.
- 4. Should the party position change as the result of a change by the Company in its facilities, this same customer would be required upon notification by the Company of the change to have the telephone(s) reconfigured at his expense.
- C. Upon customer request, the Company will provide field modification for terminal equipment for use with party line services when:
  - 1. The terminal equipment vendor or manufacturer has provided the customer with a written statement that the terminal equipment will meet the following criteria:
    - a. The terminal equipment is registered or grandfathered under Part 68 of the FCC's Rules for connection to single line service.
    - b. The terminal equipment is field modifiable to be compatible with party line services in South Carolina.
    - c. The manufacturer has supplied schematics (wiring diagrams) and all parts to the customer necessary for field modification of the terminal equipment for connection to party line services.
    - d. The terminal equipment meets all other party line *guidebook* conditions.
  - 2. Connections of terminal equipment to party line services are permitted when:
    - a. The owner of the terminal equipment signs a Waiver of Liability and grants permission to the Company to modify the equipment to make it compatible.
    - b. Allows the Company to remodify the terminal equipment in the event of changes to Company facilities.
    - c. Such permission does not necessitate disclosure by the Company of information which is proprietary in nature.
  - In compliance with the Registration Program, the customer must notify the Company in advance of the connection of
    eligible terminal equipment and agrees to notify the Company when the terminal equipment is permanently
    disconnected.
  - 4. Modification of terminal equipment is limited to rearranging or changing terminations of existing leads contained within the equipment, without special training or special tools from the manufacturer, to achieve compatibility with party line services. The Company is not responsible for, and will not supply, parts for use with terminal equipment to be used on party line services.

(T)

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

# A15.1.8 Connections of Terminal Equipment Specifically Exempted from the FCC Registration Program (Cont'd)

#### C. (Cont'd)

- 5. The customer shall be responsible for payment of Service Charges as specified in Section A4. if the Company is requested to modify terminal equipment to achieve compatibility of the equipment with a particular configuration of party line services. A minimum Service Charge consisting of a Secondary Service Charge and an Initial Premises Work Charge as specified in Section A4. will apply in the event that a visit made to the customer's premises solely for modification purposes reveals the terminal equipment to be incompatible with party line services.
- 6. The Company may make changes to their facilities without first obtaining customer approval so long as the Company is willing to remodify the terminal equipment as set forth in C.2 above when necessary and without charge.
- The Company has the right to make a test of service connected with terminal equipment to assure proper operations and compatibility.
- 8. The Company shall be indemnified and saved harmless and free from any and all claims, demands, or causes of action, which arise directly or indirectly because of modification of terminal equipment for party line services.
- **D.** The Company reserves the right to not allow, or to require disconnection of, a terminal equipment connection to any party line service for reasons including:
  - Incompatibility of terminal equipment with the party line services provided by the Company.
  - 2. Connection of the terminal equipment to the party line services would require modifications of the service, which, in the opinion of the Company, are unwarranted.
  - 3. Connection of the terminal equipment causes harm to the network and there is reason to believe this harm was a result of the connection of the terminal equipment.
  - 4. Connection of terminal equipment violates other *Guidebook* provisions.

#### A15.1.9 Connections of Certain Facilities of Power, Pipe Line and Railroad Companies

#### A. General

- 1. Except as otherwise provided in B. following, telephone facilities of an electric power company, an oil, oil products or natural gas pipe line company, or a railroad company provided primarily to communicate with points located along a right-of-way (including premises of such company anywhere in cities, towns or villages along the right-of-way) owned or controlled by such company may, in lieu of the provisions of A15.1.3 and A15.1.7 preceding, be connected with the telecommunications network, for the following purposes:
  - a. in cases of emergency involving safety of life or property;

(T)

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

# A15.1.9 Connections of Certain Facilities of Power, Pipe Line and Railroad Companies (Cont'd)

#### **A.** General (Cont'd)

- (Cont'd)
  - in cases of calls originated by railroad employees under circumstances indicating need for prompt action to secure or maintain the safety, continuity, or reliability of railroad service to the public, and related to the movement of passengers, mail, property, or equipment by railroad, or the repair, maintenance, or construction of railroad rights-of-way, structures or equipment;
  - c. in cases where the customer facilities serve locations where it is impracticable because of hazard or inaccessibility for the Company to furnish its facilities; and
  - d. during an interim period in cases where the customer has arranged for replacement of said customer facilities with facilities of the Company.
  - e. Such customer telephone facilities will be connected to PBX switchboards or other telephone switching or terminal equipment of the Company, located in the same or different local service areas, for communications with stations and private line facilities associated with said switching or terminal equipment; provided, however, that within the same local service area, a PBX switchboard or other telephone switching or terminal equipment furnished by the Company for telecommunications service will not be connected with telephones of the customer except telephones associated with party line right-of-way circuits requiring line termination at the PBX, nor with private telephone switching equipment of the customer except where such private telephone switching equipment is used exclusively for dispatching or line switching equipment not connected with telephones within the same local service area.
  - f. Facilities of the Company, when connected with facilities of the customer, will not be used for communications of other than the customer, except that such facilities may be used for the communications of, and be connected with facilities furnished by the Company to, other companies which:
    - (1) Are operated with the customer as part of an integrated electric power, oil, oil products, or natural gas system or railroad system under direct or common ownership or control; or
    - (2) Own or operate electric power or pipe line or railroad system jointly with the customer; or
    - (3) Own or operate electric power or pipe line or railroad facilities interconnected with those of the customer.
- 2. Telecommunications circuits of such companies will be connected to a local or toll central office line to form a through connection only through manual switching equipment, or an attendant's position of dial PBX equipment furnished to the customer by the Company. Such equipment or position may be located at either or both ends of the customer's circuit.
- 3. Connection of a telecommunications circuit of such companies as specified in l.b.,c., or d. preceding may be established at either end of such circuit, but shall not be established at both ends simultaneously.
- **B.** Terminal equipment and communications systems connected to the telecommunications network in accordance with A. preceding prior to January 1, 1980 may remain connected and be moved and reconnected for the life of the equipment without registration unless subsequently modified. New installations of terminal equipment and communications systems subject to Part 68 of the Federal Communications Commission's Rules and Regulations must be connected to the telecommunications network in accordance with A15.1.2 preceding.

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

## A15.1 Terms and Conditions (Cont'd)

#### A15.1.10 Connections of Certain Facilities of the National Aeronautics and Space Administration

- A. Except as otherwise provided in B. following, telecommunications facilities of the National Aeronautics and Space Administration may, in lieu of the provisions of A15.1.3 and A15.1.7 preceding, be connected by means of switching or connecting equipment to a PBX switchboard or other switching or terminal equipment of the Company, for communication with stations and private line facilities associated with said switching or terminal equipment, where the Administrator of the National Aeronautics and Space Administration or his authorized representative notifies the Company in writing that such connection is required for the control of space vehicles. Such Department facilities will be connected to the telecommunications network only in cases of emergency involving safety of life or property, unless the aforesaid Department facilities are in locations where it is impracticable for the Company to furnish its facilities.
- **B.** Terminal equipment and communications systems connected to the telecommunications network in accordance with A. preceding prior to January 1, 1980 may remain connected and be moved and reconnected for the life of the equipment without registration unless subsequently modified. New installations of terminal equipment and communications systems subject to Part 68 of the Federal Communications Commission's Rules and Regulations must be connected to the telecommunications network in accordance with A15.1.2, preceding.

#### A15.1.11 Connections of Certain Facilities of the U.S. Army, Navy and Air Force

#### A. General

- 1. Except as otherwise provided in B. following, facilities of a telecommunications system of the U. S. Department of the Army, Navy or Air Force which serves an establishment operated and administered under the direction of the Department and commanded by authorities of such establishment, may, in lieu of the provisions of A15.1.3 and A15.1.7 preceding, be connected to the telecommunications network where the Secretary of the appropriate Department certifies in writing that reasons of military necessity require that the establishment be served by a telecommunications system of the Department. In addition, the facilities of a temporary system of such Department located off a permanent establishment of the Department for maneuvers, mobilization tests or technical service tests will be so connected.
- 2. Except as otherwise provided in B. following, telecommunications facilities of the U. S. Department of the Army, Navy or Air Force, other than those described in l. preceding, may, in lieu of the provisions of A15.1.3 and A15.1.7 preceding, be connected by means of switching or connecting equipment to a PBX switchboard or other telecommunications switching or terminal equipment, where the Secretary of the appropriate Department or his authorized representative notifies the Company in writing that such connection is required for reasons of military necessity. Such Department telecommunications facilities will be connected to the telecommunications network only in cases of emergency involving safety of life or property, unless the aforesaid Department facilities are in locations where it is impracticable for the Company to furnish its facilities.
- **B.** Terminal equipment and communications systems connected to the telecommunications network in accordance with A. preceding prior to January 1, 1980 may remain connected and be moved and reconnected for the life of the equipment without registration unless subsequently modified. New installations of terminal equipment and communications systems subject to Part 68 of the Federal Communications Commission's Rules and Regulations must be connected to the telecommunications network in accordance with A15.1.2 preceding.

#### A15.1.12 Connections of Station Lines and Facilities in Hazardous or Inaccessible Locations

**A.** Except as otherwise provided in B. following, service station lines, and facilities furnished by the customer which involve hazardous or inaccessible locations, may be connected to the telecommunications network.

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

## A15.1 Terms and Conditions (Cont'd)

#### A15.1.12 Connections of Station Lines and Facilities in Hazardous or Inaccessible Locations (Cont'd)

**B.** Terminal equipment and communications systems connected to the telecommunications network in accordance with A. preceding prior to January 1, 1980 may remain connected and be moved and reconnected for the life of the equipment without registration unless subsequently modified. New installations of terminal equipment and communications systems subject to Part 68 of the Federal Communications Commission's Rules and Regulations must be connected to the telecommunications network in accordance with A15.1.2 preceding.

#### A15.1.13 U.S. Coast Guard

Telephone facilities of the U. S. Coast Guard, provided primarily to serve Coast Guard Stations in coastal areas as an aid in saving and protecting life and property, will be connected to facilities of the Company for telecommunications service. This service is subject to regulations specified in A15.1.12.

#### **A15.1.14 Connection of Test Equipment**

#### A. Totally Protective Connections

Test equipment may be connected to the telecommunications network at the premises of the customer through registered or grandfathered terminal equipment, protective circuitry, or communications systems subject to Part 68 of the Federal Communications Commission's Rules and Regulations which, either singularly or in combination, assures that all of the requirements of Part 68 of the Federal Communications Commission's Rules and Regulations (total protection) are met at the telecommunications network interface.

#### B. Interim Program for Connections of Test Equipment

Test equipment may also be connected at the premises of the customer either (1) directly at the telecommunications network interface, or (2) through terminal equipment, protective circuitry, or communications systems subject to Part 68 of the Federal Communications Commission's Rules and Regulations which does not provide protection for signal power control under the following Interim Program provided that:

- 1. The test equipment is limited to transmission signal power generating and/or detection devices, or similar devices, utilized by the Customer for the detection and/or isolation of a communications service fault.
- 2. The test equipment is of a type that was lawfully directly connected to the telecommunications network as of March 6, 1981. Such test equipment may remain connected, be moved or reconnected during the life of the test equipment unless it has been subequently modified.
- 3. Direct connections of test equipment or connections through Company-provided terminal equipment, or communications systems subject to Part 68 of the Federal Communications Commission's Rules and Regulations are made through Company-provided jacks or as otherwise authorized by the Company.
- 4. Test equipment must be operated in accordance with the Institutional Procedures for Signal Power Control as specified in (c) following.
- 5. The Customer notifies the Company of each telecommunications network service at each premises to which the test equipment will be connected in advance of the initial connection. The Customer must also notify the Company when such test equipment is permanently disconnected at each premises.

#### A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

#### A15.1.14 Connection of Test Equipment (Cont'd)

- **B.** Interim Program for Connections of Test Equipment (Cont'd)
  - 6. No test equipment or combination of test equipment with terminal equipment, protective circuitry or communications systems subject to Part 68 of the Federal Communications Commission's Rules and Regulations (including but not limited to wiring) may cause electrical hazards to Company personnel, damage to Company equipment, malfunction of Company billing equipment, or degradation of service to persons other than the user of the subject test equipment or the user's calling or called party.
- C. Institutional Procedures for Signal Power Control
  - 1. In accordance with B.4 preceding, the Customer must comply with the following Institutional Procedures:
    - a. The Customer must install, operate and maintain the test equipment so that its signal power at the telecommunications network interface complies with Subpart D of Part 68 of the Federal Communications Commission's Rules and Regulations.
    - b. The operator(s)/maintainer(s) responsible for the test equipment signal power present at the telecommunications network interface must be trained to perform these functions by successfully completing one of the following;
      - (1) a training course provided by the manufacturer of the test equipment, or
      - (2) a training course provided by the Customer, or authorized representative of the Customer, using training materials and instructions provided by the manufacturer of the test equipment, or
      - (3) an independent training course (e.g., trade school or technical institution) recognized by the manufacturer of the test equipment, or
      - (4) in lieu of the preceding training requirements, the operator(s)/maintainer(s) is under the control of a supervisor trained in accordance with (1) through (3) preceding.

Upon request, the Customer is required to provide proper documentation to demonstrate compliance with the requirements in this b.

- c. Advance notice must be given to the Company in the form of a notarized affidavit before the initial connection of the test equipment at each premises after April 9, 1981. A copy of the affidavit must also be maintained at the Customer's premises. The affidavit must contain the following information:
  - (1) The full name, business address, business telephone number and signature of the Customer or authorized representative who has responsibility for the operation of the test equipment.
  - (2) The line(s) to which the test equipment will be either connected to or arranged for connection to.
  - (3) A statement that all operations associated with the establishment, maintenance and adjustment of the test equipment signal power present at the telecommunications network interface will comply with Subpart D of Part 68 of the Federal Communications Commission's Rules and Regulations.
  - (4) A statement describing how each operator of the test equipment will meet and continue to meet the training requirements for persons installing, connecting, adjusting or maintaining the test equipment.

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.1 Terms and Conditions (Cont'd)

# A15.1.14 Connection of Test Equipment (Cont'd)

- C. Institutional Procedures for Signal Power Control (Cont'd)
  - 2. Extra-ordinary Procedures
    - a. The Company may invoke extra-ordinary procedures to protect the telecommunications network where one or more of the following conditions are present:
      - (1) Information provided in the affidavit gives reason to believe that a violation of Part 68 of the Federal Communications Commission's Rules and Regulations or the Institutional Procedures set forth in 1 preceding is likely.
      - (2) Harm has occurred and there is reason to believe this harm was a result of operations performed under the Institutional Procedures set forth in 1 preceding.
    - b. The extra-ordinary procedures, which can be invoked by the Company, include:
      - (1) Requiring the use of protective apparatus which either protects solely against excessive signal power or which assures that all of the requirements of Part 68 of the Federal Communications Commission's Rules and Regulations are met at the telecommunications network interface.
      - (2) Disconnecting service.

# A15.2 Terminal Equipment

#### A15.2.1 Reserved for Future Use

#### A15.2.2 U. S. Government Executive Departments and Agencies

- A. Equipment of a department or agency of the Executive Branch of the U. S. Government used for the purpose of disguising or concealing the contents or meaning of communications may be connected to equipment, or to Company facilities subject to the regulations and conditions stated below:
  - 1. The head of the department or agency whose equipment is to be connected, or his authorized representative, shall notify the Company in writing that such connection is necessary to safeguard official information which requires protection in the interests of national defense, or other confidential official information disclosure of which to unauthorized persons would be detrimental to the public interest.
  - The connection shall be made by means of connecting equipment or arrangements furnished by the Company.
- **B.** New installations of, or additions to terminal equipment and communications systems subject to Part 68 of the Federal Communications Commission's Rules and Regulations, connected to the telecommunications network in accordance with A. preceding, must conform with Part 68 of the Federal Communications Commission's Rules and Regulations.

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS

# A15.2 Terminal Equipment (Cont'd) A15.2.3 Voice Transmitting and/or Receiving Terminal Equipment

A. Electrical Connections Through Connecting Arrangements Provided By the Company

Voice transmitting and/or receiving terminal equipment which involves electrical connection through connecting arrangements to the facilities furnished by the Company for telecommunications service may be used with such facilities in accordance with A15.1.3.B.1.a., A15.1.3.B.2.b and A15.1.3.B.3.

Except as otherwise provided in A15.1.7 and A15.1.8, installations of new connecting arrangements will not be made for connection of terminal equipment, for connection of communications systems, and for equipment-to-equipment connections. Treatment with respect to grandfathered installations which include such connecting arrangements is covered in A15.1.3.B of this Tariff.

#### A15.2.4 Reserved for Future Use

#### A15.2.5 Channel Derivation Devices

Channel derivation devices may be connected with Company facilities for telecommunications service provided such devices comply with the provisions of A15.2.3.

# A15.3 Communications Systems

### A15.3.1 Application

**A.** Communication systems (including channels derived from such systems), not exceeding voice grade, may be connected with telecommunications service at the premises of the customer as provided in A15.1.1., A15.1.2, A15.1.3., and A15.1.7.

#### A15.3.2 Public Address and Loudspeaker or Radio Paging Systems

# A. Terms and Conditions

(T)

(T)

- 1. General
  - a. Connection with Company Facilities
    - (1) Except as otherwise provided in A15.1.7 and A15.1.8, installations of new connecting arrangements will not be made for connection of terminal equipment, for connection of communications systems and for equipment-to-equipment connections. Treatment with respect to grandfathered installations which include such connecting arrangements is covered in A15.1.3.B.

#### A15.3.3 Reserved for Future Use

# A15.3.4 Reserved for Future Use

# A15.3.5 Connecting Arrangements - Voice Communications - Automatic

#### A. General

Except as otherwise provided in A15.1.7 and A15.1.8, installations of new connecting arrangements will not be made for connection of terminal equipment, for connection of communications systems and for equipment-to-equipment connections. Treatment with respect to grandfathered installations which include such connecting arrangements is covered in A15.1.3.B.

(T)

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS A15.5 Connections of Other Carrier-Provided Communications Systems (Cont'd)

# A15.5.2 Responsibility of the Customer

Where telecommunication services are available under this *Guidebook* for use in connection with OC provided Communications systems, the operating characteristics of such systems shall be such as not to interfere with any of the services offered by the Company. Such use is subject to the further provision that the OC provided systems do not endanger the safety of Company employees or the public; damage, require change in or alteration of the equipment or other facilities; impair the operation of the telecommunications system or otherwise injure the public in its use of the Company's services. Upon notices from the Company that the OC provided system is causing or is likely to cause such hazard or interference the customer shall arrange with the OC to make such change as shall be necessary to remove or prevent such hazard or interference.

#### A15.5.3 Network Control Signaling

Satisfactory performance of the telecommunications network requires continuing functional compatibility of the network control signals and the switching equipment involved. To assure such continuing compatibility, network control signaling (except customer-provided tone-type address signaling through a Company-provided or OC-provided connecting arrangement) in the furnishing of telecommunications service shall be performed by equipment furnished, installed and maintained by the Company or the OC.

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS A15.5 Connections of Other Carrier-Provided Communications Systems (Cont'd)

# A15.5.4 Conditions for Connection of OC-Provided Communications Systems

- **A.** OC provided communications systems, including channels derived from such systems, not exceeding voice grade, may be connected with telecommunications services at the premises of the customer provided that:
  - 1. Such telecommunications services or OC provided communications systems are utilized for the origination or termination of communications at the customer's premises where the connection is made.
  - 2. The connection is either through equipment which effects such connections externally to a Company-provided network control signaling unit by means of an acoustic or inductive connection for transmitting and/or receiving or through direct electrical connection in accordance with (3) below.
  - 3. Where the connection with the OC-provided communications system involves direct electrical connection to the facilities furnished by the Company for telecommunications services, such connection shall be made through switching equipment. Where the connection is made by means of switching equipment provided by the customer, such switching equipment and the facilities provided by the OC shall be treated as a communications system and the *terms and conditions* applicable to the connection of communications systems shall apply.
  - Connection may be made only if the forms of electrical communication are the same as and consistent with those for which the Company-provided service is offered. Connections are not represented as being suitable for satisfactory transmission.
  - 5. The rates and charges for connection to OC-provided communications systems shall be the same as those that would apply if Company services were so connected. The rates and charges to the customer are in addition to the rates and charges made by the OC for the services and channels which it provides.

#### A15.5.5 OC Service

All arrangements for service provided by an OC shall be made by the customer with that carrier. The furnishing of telecommunications services by the Company is not part of a joint undertaking with the OC.

#### A15.5.6 Other Carriers

**A.** The OC's referred to in this section and their tariffs are:

CarrierTariff F.C.C. No.Western Union Telegraph Co.254Western Union Telephone Co.261AT&T Communications-

#### A15.5.7 Responsibility of Company

A. The Company shall not be responsible for the installation, operation or maintenance of any OC-provided communications equipment or system. Telecommunications services are not represented as adapted to the use of OC-provided equipment or systems and where such equipment or systems are connected to Company facilities the responsibility of the Company shall be limited to the furnishing of facilities suitable for telecommunications services and to the maintenance and operation of such facilities in a manner proper for such telecommunications services; subject to this responsibility the Company shall not be responsible for (1) the through transmission of signals generated by the OC-provided equipment or systems or for the quality of, or defects in, such transmission, or (2) the reception of signals by the OC-provided equipment or system, or (3) network control signaling where such signaling is performed by OC-provided network control signaling equipment.

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS A15.5 Connections of Other Carrier-Provided Communications Systems (Cont'd)

#### A15.5.7 Responsibility of Company (Cont'd)

**B.** The Company shall not be responsible to the customer or OC if changes in minimum network protection criteria, or in any of the facilities, operations or procedures of the Company render any facilities provided by an OC or any portion thereof obsolete or require modification or alteration of such equipment or otherwise affect its use or performance.

#### A15.5.8 Violation of Terms and Conditions

When any equipment or communications system provided by an OC is connected to facilities furnished by the Company for telecommunications service in violation of any of the provisions in this *Guidebook*, the Company will take such immediate action as necessary for the protection of the network and will promptly notify the customer of the violation. The customer shall discontinue such connection of the equipment or system or correct the violation and shall confirm in writing to the Company within ten days, following the receipt of written notice from the Company, that such connection has ceased or that the violation has been corrected. Failure of the customer to discontinue such connection or to correct the violation and to give the required written confirmation to the Company within the time stated above shall result in suspension of the customer's service until such time as the customer complies with the provisions of this *Guidebook*.

#### A15.5.9 Reserved for Future Use

#### A15.5.10 Reserved for Future Use

#### A15.5.11 Individual Line and PBX Trunk Connections at Other Carrier Terminal Locations

- A. Communications systems (including channels derived from such systems), not exceeding voice grade, which are provided by OCs specified in A15.5.6 preceding, (excluding International Record Carriers, listed therein) may, at the request of the customer, be directly connected with the same customer's individual line or PBX trunk exchange telephone service, or long distance telecommunications service furnished by the Company at the OC terminal location.
- **B.** The connection will be made in order to permit communications, via the OC-provided communications system, to or from the customer's premises located in an exchange foreign to the exchange in which the connection is made.
- C. Company-provided services, in accordance with A and B preceding, will be furnished at an OC terminal location in an area served by this Company and:
  - 1. Within the same central office area for the exchange from which the exchange service is furnished, or
  - 2. Within a different central office area for the exchange from which the exchange service is furnished when both the OC terminal location and the central office area are located within the same Local Distribution Area<sup>1</sup>.
    - **Note 1:** Effective July 1, 1974, in compliance with Decision of the Federal Communications Commission in Docket No. 19896 released April 23, 1974 (FCC 74-457), and shall terminate immediately at such time as the Decision is stayed or set aside, in whole or in part, by any court of competent jurisdiction.

(T)

(T)

# A15. CONNECTIONS OF TERMINAL EQUIPMENT AND COMMUNICATIONS SYSTEMS A15.5 Connections of Other Carrier-Provided Communications Systems (Cont'd)

#### A15.5.11 Individual Line and PBX Trunk Connections at Other Carrier Terminal Locations (Cont'd)

**D.** Where service is furnished in accordance with C. preceding, Company-provided special assembly arrangements may be necessary to maintain transmission criteria and to meet 4 wire interface requirements (including 2-4 wire hybrid arrangement) for connection of the exchange telephone service with the OC-provided communications system. Such arrangements may be furnished by the Company at the request of the customer. Also, where service is furnished in accordance with C.2. preceding, interoffice and/or interexchange channels are required. Charges to the customer for such special assembly arrangements and channels are at rates the same as specified in this Company's Private Line *Guidebook*; these charges are in addition to the charges for the exchange telephone service which will be billed by the Company to its customer at rates specified in the applicable *General Exchange Guidebook*.

# A15.6 (DELETED)

# A17. MOBILE TELEPHONE SERVICE

#### CONTENTS

A17.1	Terms and Conditions (Obsoleted, See Section A117.)	1	(T)
A17.2	Service Categories (Obsoleted, See Section A117.)	2	
A17.3	Service Areas (Obsoleted, See Section A117.)	2	
A17.4	Rates and Charges (Obsoleted, See Section A117.)	2	

# A17. MOBILE TELEPHONE SERVICE

A17.1 Terms and Conditions (Obsoleted, See Section A117.)

# A17. MOBILE TELEPHONE SERVICE

- A17.1 Terms and Conditions (Obsoleted, See Section A117.) (Cont'd)
- A17.2 Service Categories (Obsoleted, See Section A117.)
- A17.3 Service Areas (Obsoleted, See Section A117.)
- A17.4 Rates and Charges (Obsoleted, See Section A117.)

# A18. LONG DISTANCE MESSAGE TELECOMMUNICATIONS SERVICE

#### CONTENTS

A18.9	Reserved For Future Use	21	
A18.10	Reserved For Future Use	24	
A18.11	Reserved For Future Use	26	
A18.12	Reserved For Future Use	28	
A18.13	Calling Plans - Saver Service	30	
A18.13.1		30	
A18.13.2		30	Γ)
A18.13.3	Use of Service	30	
A18.13.4	Limitation of Service	30	
A18.13.5	Nonrecurring Charges	30	
A18.13.6		31	
A18.14	Toll Directory Assistance Call Completion Service	37	
A18.14.1		37	
A18.14.2	General <i>Terms and Conditions</i>	37	Γ)
A18.14.3	Use of the Service	37	
A18.14.4	Limitations of Service	37	
A18.14.5	Application of Charges and Exemptions	37	
A18.14.6	Rates and Charges	37	
A18.15	Reserved for Future Use	37	
A18.16	Reserved for Future Use	37	
A18.17	Reserved for Future Use	37	
A18.18	Easy Calling Plans	38	
	Plan No. 1	38	
A18.19	Reserved for Future Use	39	
A18.20	Reserved for Future Use	39	
	Custom Rate Plan	40	
_	Plan Details	40	

#### A18. LONG DISTANCE MESSAGE TELECOMMUNICATIONS SERVICE

# A18.1 Application

A. This *Guidebook* applies to long distance message telecommunications service furnished or made available by the Company and its connecting companies, between two or more points which are located in the same Local Access and Transport Area (LATA) within the State of South Carolina where the respective rate centers of such points also are located in said State.

#### A18.2 General

- A. Long distance message telecommunications service is that of furnishing facilities for communications between stations in different rate centers for either two-point or conference service.
- B. Rates for service between points are based on airline mileage between rate centers. In general, each point is designated as a rate center except that certain small towns or communities are assigned adjacent rate centers with which they are closely associated for communication purposes or by community of interest. Airline mileages between rate centers are determined as provided in A18.5. following.

#### A18.3 Two-Point Service

#### **A18.3.1 Service Between Land Wire Telephones**

A. Classes Of Service

Service is offered on a Dial Station-to-Station, Customer Dialed Calling Card, Operator Station-to-Station, or Person-to-Person basis. Charges for messages within these classes of service are based upon the day of the week and the time of the day when the connection is established.

- 1. Dial Station-to-Station
  - a. Dial Station-to-Station rates apply only to sent-paid, station-to-station dial type telephone communication.
  - b. Dial type telephone communication denotes a call dialed and completed by the customer without the assistance of an operator and the call is not billed to a number other than the originating number. The services of an operator will not be used in connection with completing a call, or in furnishing any information or assistance relating to billing or charges for such call, except that an operator will:
    - (1) Re-establish a call which has been interrupted after the called number has been reached or,
    - (2) Reach the called telephone number where facilities are not available for customer dial completion.
    - (3) Record the originating telephone number where no automatic recording equipment is available.
    - (4) Place a call for a calling party who identifies himself/herself as being visually or physically disabled and unable to dial the call due to the disability.
  - c. Dial Station-to-Station rates do not apply on calls placed from a pay telephone.
- 2. Customer Dialed Calling Card, Operator Station-to-Station and Person-to-Person
  - a. Operator Station-to-Station rates apply to station-to-station telephone communication where the completion of the call or a request for any information or assistance relating to billing or charges for such call requires the assistance of an operator, except for operator services used in connection with dial type telephone communication as noted above. Operator Station-to-Station calls include station-to-station calls placed from a pay telephone.

# A18. LONG DISTANCE MESSAGE TELECOMMUNICATIONS SERVICE

# A18.8 IntraLATA Long Distance Verification and Emergency Interrupt Service (Cont'd)

#### A18.8.1 General (Cont'd)

- A. Verification (Cont'd)
  - A subscriber originated request for verification of an intraLATA long distance number other than an emergency agency number is a chargeable verification request if a Company operator determines that the line is in use. No charge applies if the line is out of order.
- B. Emergency Interrupt Service
  - 1. The Company furnishes Emergency Interrupt Service when a subscriber who has originated a verification request to a line which has been found in a busy talking state informs the operator that an urgent or emergency situation exists and requests that the operator have the busy line cleared.
  - 2. A subscriber originated request for Emergency Interrupt to an intraLATA long distance number other than an emergency agency number is a chargeable Emergency Interrupt request.

#### A18.8.2 Application of Rates and Charges

- A. No charge will apply if the requesting customer identifies that the call is to or from an official public emergency agency. An official public emergency agency is defined as a government agency which is operated by the Federal, state or local government, and has the capability and legal authority to provide prompt and direct aid to the public in emergency situations. Such agencies include the local police, state police, fire department, etc.
- B. Charges may not be billed on a collect basis or on a third number basis to the number being verified or interrupted.
- C. If the number verified is not in use, or as a result of interrupt the line is cleared, and, at the calling party's request, the operator completes the call, the charges as specified in A18.3.1. H. apply in addition to the applicable verification and emergency interrupt charges.
  - 1. Verification Request

		Nonrecurring	
		Charge \$6.45	USOC
2.	(a) Each request Emergency Interrupt Request	\$0.45	NA
	(a) Each request <sup>1</sup>	6.45	NA

#### A18.9 Reserved For Future Use

**Note 1:** A charge for a Verification Request also applies.

# A18. LONG DISTANCE MESSAGE TELECOMMUNICATIONS SERVICE

## A18.13 Calling Plans - Saver Service

#### **A18.13.1 Description of Service**

- A. Saver service is a set of specially designed toll Optional Calling Plans applicable to intrastate long distance calls originated and terminated IntraState, IntraLATA.
- **B.** Individual message detail is included as part of this service.
- C. The service is offered in connection with outward customer dialed station-to-station calling plus automated or operator assisted Calling Card, station-to-station, person-to-person, or collect calls which are billed to the customer's account. Saver service discounts only apply to the message toll rates associated with such calls.
- **D.** The service is available to individual line, PBX, and Centrex Type Services Services.
- E. Two-Way WatsSaver service is offered in connection with outward dialed calling as described in C. preceding and with inward customer dialed station-to-station calling. By subscribing to Two-Way WatsSaver service, the customer agrees to be responsible for all outward toll calls (as described in C. preceding) and all incoming intrastate, intraLATA toll calls. The service is offered only where facilities and billing capabilities exist. (Reverse billing will not be applicable to inward dialed calls from customer provided public phones. In addition, reverse billing will apply only to inward dialed calls which originate and terminate within *Company* territory. When Two-Way WatsSaver service is available from other local exchange companies, reverse billing will apply for those exchanges.)

#### A18.13.2 General Terms and Conditions

- **A.** The service is not subject to concessions.
- **B.** A customer may subscribe to only one Section A18. Toll Optional Calling Plan.
- **C.** Except as otherwise stated, the minimum service period is one month.
- **D.** Suspension of the service is not allowed.

#### A18.13.3 Use of the Service

- A. Resale or shared use of Saver service is permitted. Use of the service is subject to regulations in this Section and in Section A2., with the exceptions of A2.2.1.A. and A2.2.1.B. which restrict the use of service and prohibit payment to the customer by another for use of the service.
- **B.** The service is offered on an account basis only which would include the number of individual lines, PBX trunks or Centrex Type Services main station lines and network access registers in the account. Remote Call Forwarding (RCF) is also available with this service.

#### A18.13.4 Limitation of Service

**A.** The service is not available for use with intraLATA only Outward WATS and combined Outward WATS in Section A19., Dormitory Communications Service, and Long Distance Trunk Service.

#### **A18.13.5 Nonrecurring Charges**

**A.** Service charges as specified in Section A4. apply as appropriate.

(T)

#### A18. LONG DISTANCE MESSAGE TELECOMMUNICATIONS SERVICE

# A18.13 Calling Plans - Saver Service (Cont'd)

#### A18.13.6 Saver Service Options (Cont'd)

- E. Aggregated Plan Two-Way (Cont'd)
  - 5. Monthly Settlement Amount<sup>1</sup> Two-Way

The following settlement amounts apply on a billing account basis as specified in E.3. preceding.

#### **Monthly Settlement Amounts**

		Settlement Amount	
Option	<b>Hours in Option</b>	Minimum	Maximum
AP110 - Two-Way	110	\$ 528.00	\$ 858.00
AP250 - Two-Way	250	\$ 1,140.00	\$ 1,875.00
AP500 - Two-Way	500	\$ 2,22000	\$ 3,600.00
AP1000 - Two-Way	1000	\$ 4,320.00	\$ 6,900.00
AP1500 - Two-Way	1500	\$ 6,300.00	\$ 9,900.00
AP2000 - Two-Way	2000	\$ 8,160.00	\$12,600.00
AP2500 - Two-Way	2500	\$ 9,750.00	\$15,000.00
AP5000 - Two-Way	5000	\$18,600.00	\$29,100.00
AP7500 - Two-Way	7500	\$26,500.00	\$42,750.00

- F. WatsSaver Service Term Discount Plan
  - 1. The WatsSaver service Term Discount Plan is available for all business customers who subscribe to WatsSaver service, Two-Way WatsSaver service, Aggregated Plans or Two-Way Aggregated Plans.
  - The WatsSaver service Term Discount Plan offers discounts off business rates shown in A18.13.6.B., A18.13.6.C., A18.13.6.D. and A18.13.6.E.
  - 3. A termination liability will be assessed to subscribers who terminate the service prior to the expiration of the term commitment. The amount to be assessed will be equal to the Minimum Monthly Settlement Amount in effect at the time of termination less the discount multiplied by the number of months remaining in the term commitment.
  - 4. A grace period of 90 days will apply to the initial contract. During the grace period, the customer may discount the service without termination liability.
  - 5. The WatsSaver service Term Discount Plan will automatically renew for an equivalent term and usage commitment at the percent discount in effect when the term expires unless the customer provides written notification to cancel or change the Term Discount Plan, with such notification being received by the Company not less than 60 days and not more than 90 days prior to expiration of the contract.
  - 6. The WatsSaver service Term Plan discount is available as follows:

Discount	Term
5%	12 Months
8%	24 Months
11%	36 Months

Note 1: The Minimum Monthly Settlement Amount is based on the option minutes multiplied by the peak rate. Additional usage charges at the appropriate rate (either peak or off peak) will be incurred only after the Settlement Amount has been satisfied. The Minimum Monthly Settlement Amount may be satisfied through any combination of peak and off peak calling. For example, if all minutes in the selected option are off peak, the minutes of use included in the Minimum Monthly Settlement Amount, would, in effect, be increased. See Minimum Monthly Settlement Amount table.

(T)

(T)

(T)

SC-15-0050 EFFECTIVE: March 11, 2015

#### A18. LONG DISTANCE MESSAGE TELECOMMUNICATIONS SERVICE

# A18.13 Calling Plans - Saver Service (Cont'd)

# A18.13.6 Saver Service Options (Cont'd)

- G. Business Saver Service
  - 1. Description
    - a. This plan is available to business customers only.
    - b. Customers who subscribe to Business Saver service may choose from three options with different term commitments which provide toll volume discounts. The amount of the discount is determined by the intrastate, intraLATA *Company* MTS charges on the customer's monthly bill as specified in 2. following. There is no additional charge to the customer for this service.
    - c. The discounts apply to Message Telecommunications Service (MTS) usage rates as specified in A18.3.1.H.1. and 3. The discounts do not apply to optional calling plans, operator surcharges, directory assistance charges, local exchange service charges or local exchange service calls.
    - d. The discounts are applied at the billing account level and are applied after the application of the time-of-day discounts as specified in A18.3.1.H.3.
    - e. The discounts apply only to usage incurred after the service effective date for the option.
    - f. If the subscriber terminates a plan option prior to the term commitment, a termination liability as specified in 2. following will apply. During a 90-day grace period after subscription, the customer may disconnect the service without termination liability.
    - g. No minimum monthly toll usage is required to subscribe to Business Saver service.
    - h. Neither a secondary service ordering charge nor a monthly rate will apply when subscribing to this service.
  - 2. Discounts and Charges

		<b>Total Monthly Usage</b>					
		\$0.01-	\$10.01-	\$50.01-	\$75.01-		
		\$10.00	\$50.00	\$75.00	+		
						Termination	
	Plan Option			Discou	nts	Charge	USOC
(a)	Month-to-Month	0%	5%	10%	15%	\$0.00	<b>TDFMM</b>
(b)	12-Month Term	5%	10%	15%	20%	10.00	TDF12
(c)	24-Month Term	15%	20%	25%	30%	25.00	TDF24

(T)

SC-15-0050 EFFECTIVE: March 11, 2015

# A18. LONG DISTANCE MESSAGE TELECOMMUNICATIONS SERVICE

# A18.14 Toll Directory Assistance Call Completion Service

#### **A18.14.1 Description of Service**

- A. Toll Directory Assistance Call Completion (DACC) is an optional service provided to users of Toll Directory Assistance (DA) Service. When dialing (555-1212), Toll DA customers may choose to have the telephone number they are requesting dialed by the DA System.
- B. The service is available to Business and Residence customers except as limited in A18.14.4 following.
- C. Individual message detail is not included as a part of this service.
- **D.** The service is available only where billing and terminal capability exists.
- E. Customers may request blocking of DACC Calls originating from their telephone lines by contacting the local Company Business Office.

#### A18.14.2 General Terms and Conditions

A. The service is not subject to concessions.

#### A18.14.3 Use of the Service

**A.** The service is furnished subject to all applicable regulations in section A2.

#### A18.14.4 Limitations of Service

- **A.** The service is not available for the following classes of service call categories:
  - 1. UniServ DA number requests
  - 2. Any Special Line Class Codes
  - 3. Alternately Billed Calls; e.g., Collect, Calling Card, or Billed to Third Number
  - 4. Any PBX type customer who requires real-time notification of charges, i.e., HOBIC
  - 5. Calls from tandems where the end user cannot be identified
  - 6. Calls from the Company and COCOT Coin Stations

#### A18.14.5 Application of Charges and Exemptions

- **A.** The charges specified in A18.14.6 following will be applicable to all subscribers.
- B. Chargeable Calls
  - . For charging purposes, a DACC completed call is as defined in Section A1.

#### A18.14.6 Rates and Charges

- A. Service Charges
  - (1) Directory Assistance Call Completion Charge

(a) Charge Per Completed Call

Rate USOC \$.00 NA

A18.15 Reserved for Future Use

A18.16 Reserved for Future Use

A18.17 Reserved for Future Use

(T)

(T)

SC-15-0050 EFFECTIVE: March 11, 2015

# A18. LONG DISTANCE MESSAGE TELECOMMUNICATIONS SERVICE

# A18.18 Easy Calling Plans

#### A18.18.1 Plan No. 1

#### A. Description of Service

1. Plan No. 1 is an optional calling plan that is available to residence customers only, subject to the criteria in B. following. Plan No. 1 allows all direct dialed sent paid (non-operator assisted) intrastate calls that originate and terminate in the customer's home Calling Zone/LATA to be rated at \$.10 per minute rather than the rate schedule shown in A18.3.1.H.

#### B. Limitations of Subscription

Plan No. 1 is only available to residential customers that meet one of the following criteria.

- 1. Averaged at least \$3.00 of intraLATA toll billing by *the Company* over the last three months.
- 2. Subscribe to Complete Choice service.

#### C. Application of Charges

- 1. The initial period for telephone connection between all points is thirty seconds. Additional periods are billed in one-tenth minute increments.
- 2. Time-of-day discounts specified in A18.3.1.H. do not apply to Plan No. 1 calls.
- 3. Plan No. 1 rates do not apply to the usage associated with other optional calling plans, operator assisted calls, or customer dialed calling card calls.
- 4. Subscription to Plan No. 1 is on a per line basis.
- 5. Normal service charges specified in Section A4. do not apply for subscribing to this plan, or canceling subscription to this plan.
- 6. The new rate applies only to calls made after the service effective date for this plan.

#### D. Rates and Charges

1. Rates per increment of time

		Each Additional	
		Initial Thirty One-Tenth	
		Mileage Band Seconds Minute	USOC
(a)	per call	All \$.05 \$.01	OC910

#### A18. LONG DISTANCE MESSAGE TELECOMMUNICATIONS SERVICE

#### A18.21 Custom Rate Plan

#### A18.21.1 Plan Details

#### A. Description of Service

- 1. Custom Rate Plan is an Optional Calling Plan offered to residential customers and is applicable to intrastate intraLATA long distance calls originated and terminated in the customer's home state. Eligible calls include those dialed on a Station-to-Station basis (as either Dial, Dial Calling Card, or Operator) or on a Person-to-Person basis.
- 2. Individual message detail is included as part of this service.
- 3. This service is available only in exchanges served by *the Company* where facilities and billing capabilities exist.

#### **B.** Timing of Messages

- 1. Initial thirty second rates given in the rate schedule in E.3. following are for connections of thirty seconds or any fraction thereof. All additional one-tenth minute rates given in the rate schedule in E.3. following are for each additional one-tenth minute or any fraction thereof that the connection continues beyond the first thirty seconds.
- 2. The time at the beginning of each billing increment determines the applicable rate period for that billing increment. The time observed at the rate center of the calling station applies, whether the call is originated as sent-paid or collect.
- 3. On Station-to-Station calls, chargeable time begins when connection is established between the calling station and the called station, Miscellaneous Common Carrier mobile radio system, or PBX system.
- 4. On Person-to-Person calls, chargeable time begins when connection is established between the calling person and the particular person or station specified or an agreed alternate.
- 5. Chargeable time ends when the calling station "hangs up" thereby releasing the network connection. If the called station "hangs up" but the calling station does not, chargeable time ends when the network connection is released either by automatic timing equipment in the telephone network or by the Company operator.
- 6. Chargeable time does not include time lost because of faults or defects in the service.

# C. Reversal of Charges (Collect Calls)

- 1. Collect calls are permissible for all telephone calls provided the charges are accepted at the called station.
- 2. The regularly established Operator Station-to-Station or Person-to-Person rates of A18.3.1.H.2 apply.

# **D.** Rates Applicable on Certain Holidays

On Christmas Day (December 25), New Year's Day (January 1), Independence Day (July 4), Thanksgiving Day, and Labor Day, the holiday rate applicable is the discount rate in E.4. following.

#### E. Rates and Charges

- 1. There is no monthly recurring charge for this service.
- 2. Charges for each eligible message are determined as follows:
  - a. The initial billing increment for telephone connections between all points is thirty seconds. Additional billing increments are in one-tenth minute increments. Initial thirty second and additional one-tenth minute rates for all messages are specified in the Basic Rate Schedule Table in 3. following.
  - b. If any portion of a message occurs in the discount rate period, the Basic Rate Schedule charges are discounted, as specified in 4. following.
  - c. For any Dial Calling Card Station-to-Station, Operator Station-to-Station, or Person-to-Person message, the applicable Billing and Operator Surcharges specified in 5. following are added to the Basic Rate Schedule charge.