TARIFF DISTRIBUTION

FILE PACKAGE NO.: SC-19-0036

DATE: August 26, 2019

STATE: SOUTH CAROLINA

EFFECTIVE DATE: 09/01/2019

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase business Analog Private Line monthly charges

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
H003	8	0021
H003	9	0019
H003	10	0019
H003	11	0016
H003	12	0015

SC-19-0036 EFFECTIVE: September 1, 2019

B3. CHANNELS

B3.4 Rates and Charges

B3.4.1 Local Channels

A. Sub Voice Grade (Obsoleted, See B103.)

				Monthly N				
				Rate	First	Additional	USOC	
В.	Voice							
	Per po	int of termina	ntion					
	1. V	Voice						
		(a)	Type 2230	\$593.00	\$496.80	\$165.60	P2JUX	(I)
		(b)	Type 2231	593.00	496.80	165.60	P2JHX	(I)
		(c)	Type 2432	890.00	561.60	208.80	P2JQX	(I)
		(d)	Type 2434	185.00	237.60	119.52	P2JGX	(I)
		(e)	Type 2435	890.00	532.80	187.20	P2JWX	(I)
		(f)	Type 2261	690.00	835.20	352.80	P2JLX	(I)
		(g)	Type 2462	821.00	813.60	338.40	P2JRX	(I)
	2. I	Data						
		(a)	Type 2260	690.00	597.60	230.40	P2JKX	(I)
		(b)	Type 2463	940.00	597.60	230.40	P2JMX	(I)
		(c)	Type 2464	940.00	590.40	223.20	P2JNX	(I)
C.	Wired	Music						
	1. F	Per point of te	rmination					
		(a)	Type 6210	345.00	806.40	331.20	P6JJX	(I)
		(b)	Type 6211	358.00	806.40	331.20	P6JAX	(I)
		(c)	Type 6212	447.00	928.80	432.00	P6JBX	(I)
		(d)	Type 6213	502.00	950.40	453.60	P6JCX	(I)
		(e)	Type 6214	345.00	806.40	331.20	P6JKX	(I)
		(f)	Type 6215	350.00	806.40	331.20	P6JEX	(I)
		(g)	Type 6216	447.00	928.80	432.00	P6JNX	(I)
		(h)	Type 6217	502.00	950.40	453.60	P6JGX	(I)

B3.4.2 Non-Wire Center Connected Channels (Obsoleted, See Section B103)

Page 8.1 is hereby deleted in its entirety and removed from this Guidebook.

SC-19-0036 EFFECTIVE: September 1, 2019

B3. CHANNELS

B3.4 Rates and Charges (Cont'd) B3.4.3 Interoffice Channels¹

	J 1111	cronnec chai	ilicis					
				Fixed Monthly Rate	Monthly Rate Per Mile	Nonrecurring Charge	USOC	
A.	Fixe	ed and Mileage	Charges applicable, per channel					
	1.	Sub Voice Gr	ade - Series 1000 (Obsoleted, See B	103.)				
	2.	Voice Grade S	Service - Series 2000					
		(a)	1 thru 8 Miles	\$856.00	\$65.00	\$151.20	3LBBS	(I)
		(b)	9 thru 25 Miles	856.00	65.00	151.20	3LBBS	(I)
		(c)	Over 25 Miles	856.00	65.00	151.20	3LBBS	(I)
	3.	Wired Music	- Series 6000 3.0 kHz					
		Types 6210, 6	5211, 6214 and 6215					
		(a)	1 thru 8 Miles	495.00	18.00	119.52	3LBCS	(I)
		(b)	9 thru 25 Miles	495.00	18.00	119.52	3LBCS	(I)
		(c)	Over 25 Miles	495.00	18.00	119.52	3LBCS	(I)
	4.	Wired Music	- Series 6000 5 kHz					
		Types 6212 a:	nd 6216					
		(a)	1 thru 8 Miles	512.00	35.00	108.00	3LBDS	(I)
		(b)	9 thru 25 Miles	512.00	35.00	108.00	3LBDS	(I)
		(c)	Over 25 Miles	512.00	35.00	108.00	3LBDS	(I)
	5.	Wired Music	- Series 6000 8 kHz					(I)
		Types 6213 a	and 6217					
		(a)	1 thru 8 Miles	691.00	57.00	108.00	3LBES	(I)
		(b)	9 thru 25 Miles	691.00	57.00	108.00	3LBES	(I)
		(c)	Over 25 Miles	691.00	57.00	108.00	3LBES	(I)

For method of determining mileage, see B3.3.3.A. Note 1:

Page 9.1 is hereby deleted in its entirety and removed from this Guidebook.

SC-19-0036 EFFECTIVE: September 1, 2019

B3. CHANNELS

B3.4 Rates and Charges (Cont'd)

B3.4.4 Optional Features and Functions

A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

					Nonrecurring Charge	Monthly Rate	USOC	
1.	Vo	ice G	rade E	Bridges (Series 2000)	8			
	a.	Voi	ce Bri	dging				
		(1)	Per	Port				
			(a)	Two-Wire (Type 2230)	\$56.16	\$227.00	BQ9	(I)
			(b)	Four-Wire (Type 2435)	56.16	295.00	BQ9	(I)
	b.	Data	a Brid	ging				
		(1)	Per	Port				
			(a)	Four-Wire (Types 2463 and 2464)	61.92	426.00	BQ9	(I)
	c.	(DE	LETE	ED)				
	d.	(DE	LETE	ED)				
	e.	Tele	metry	and Alarm Bridging - Split Band, Active Bri	dging			
		(1)	Con	nmon Equipment, per central office				
			(a)	First bridging shelf, capacity of 48	365.00	851.00	XW1	(I)
				two-wire connections				
			(b)	Additional bridging shelf, capacity of	330.00	851.00	XW2	(I)
				56 two-wire connections installed				
				subsequent to the first bridging shelf				
			(c)	Additional bridging shelf, capacity of	205.00	431.00	XW8	(I)
				56 two-wire connections installed at the				
				same time as the first bridging shelf				
		(2)		nnel connections, per channel connected	40.00		*****	
			(a)	Remote station channel connection	40.00	35.00	XW3	(I)
			(b)	Mid-link channel connection, first	47.00	85.00	XW4	(I)
				channel	47.00	0.7.00	*****	
			(c)	Mid-link channel connection,	47.00	85.00	XW5	(I)
_				subsequent channels				
2.				Bridges (Series 6000)				
	a.			on Amplifiers				
		(1)	Per		50.40	2.00	a F	
			(a)	Each	50.40	2.88	6LE	

SC-19-0036 EFFECTIVE: September 1, 2019

B3. CHANNELS

B3.4 Rates and Charges (Cont'd) B3.4.4 Optional Features and Functions (Cont'd)

Monthly Nonrecurring Charge **USOC** Rate

Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

Per local channel

CIICII	1101					
		Monthly	Nonrecu	rring Charge		
		Rate	Initial	Subsequent	USOC	
(a)	Ringdown - Manual	\$138.00	\$60.48	\$309.60	SL3	(I)
(b)	Ringdown - Automatic	127.00	21.60	106.56	SL5	(I)
(c)	E & M Type	127.00	61.92	273.60	SLM	(I)
(d)	Type A (0-199 ohms)	75.00	60.48	201.60	SAL	(I)
(e)	Type B (200-899 ohms)	75.00	59.04	201.60	SAU	(I)
(f)	Type C (900 or more ohms)	35.00	15.84	201.60	SAY	(I)

SC-19-0036 EFFECTIVE: September 1, 2019

B3. CHANNELS

B3.4 Rates and Charges (Cont'd)

B3.4.4 Optional Features and Functions (Cont'd)

- C. Conditioning (Voice Grade Services)
 - Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning
 and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation
 distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and
 intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multi-point service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

2. The types and description of the available conditioning options are as follows:

Type Conditioning	Frequency Response Specification	ion Envelope Delay Distortion Specification 1000-2400 Hz, less than 1000 microseconds		
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz, less		
	-2dB to $+6dB$.	than 1000 microseconds		
	1000-2400 Hz,			
	-1dB to $+3$ dB.			
	300-3000 Hz,			
	-3dB to $+12dB$.			
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz, less		
	-2dB to $+6dB$.	than 500 microseconds		
	500-2800 Hz,	600-2600 Hz, less		
	-1dB to $+3$ dB.	than 1500 microseconds		
		500-2800 Hz, less		
		than 3000 microseconds		
		Non-Linear Distortion		
	C-Notched Noise	2nd Order 3rd Order		
		Distortion Distortion		
D1 (two-point)	Noise level 28dB	35dB below 40dB below		
	below signal level	signal level signal level		

- 3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.
- 4. C-Type Conditioning
 - a. C-Type Conditioning is available for Types 2463 and 2464.

	,,	Monthly Rate		ring Charge Subsequent	USOC	
	(1) C-Types of Conditioning per local channel					
	(a) C1-Type	\$35.00	\$14.40	\$122.40	P2W	(I)
	(b) C2-Type	35.00	31.68	135.36	P3W	(I)
5.	D-Type Conditioning					
	a. D-Type Conditioning is available for Types 2463 a	and 2464.				
	(1) D-Type Conditioning per local channel					
	(a) D1-Type	35.00	21.60	128.16	QHA	(I)