
A14. AUXILIARY EQUIPMENT

CONTENTS

A14.1	Network Interface	1	
A14.1.1	General	1	
A14.1.2	Rates and Charges	1	
A14.2	(DELETED)	6.1	
A14.3	Break In Rotary Number Group	7	
A14.3.1	General	7	
A14.3.2	Rates	7	
A14.4	(DELETED)	7	
A14.5	Reserved For Future Use	9	
A14.6	Reserved For Future Use	10	
A14.7	(DELETED)	11	(D)
A14.8	(DELETED)	11	(D)

A14. AUXILIARY EQUIPMENT

A14.1 Network Interface

A14.1.1 General

- A. Service provided on complex wiring must be directly connected to the telecommunications network through Company -installed Network Interfaces as specified in, or authorized, by Part 68 of the FCC Rules and Regulations.

A14.1.2 Rates and Charges

A. Application of Charges

- 1. The Network Interface Charge is a nonrecurring charge based on material and labor costs for a connector provided and installed by the Company for use as the Network Interface.

No discrete charge is appropriate for Miniature Modular Jacks used as a Network Interface for up to four access lines. For five or more access lines the Miniature Ribbon Connector is the typical jack that the Company will install based on the charges specified following.

A Time and Materials Charge is not appropriate for the installation of a jack used as a Network Interface.

When a Network Interface is installed at the customer's request on existing service, a Secondary Service Charge, the Premises Work Charge and the appropriate Network Interface charge will apply.

- 2. The charges shown following are applicable for Company installations only.

B. Standard Voice Network Interfaces

- 1. Miniature Six Position Network Interfaces, each

	Nonrecurring Charge	USOC RJ11C	
(a) Two-wire connection to central office (tip and ring only), baseboard	\$3.00	RJ11C	(R)

A14. AUXILIARY EQUIPMENT

A14.1 Network Interface (Cont'd)

A14.1.2 Rates and Charges (Cont'd)

B. Standard Voice Network Interfaces (Cont'd)

1. Miniature Six Position Network Interfaces, each

- (b) Two-wire connection to central office (tip and ring only), wall

Nonrecurring

Charge
\$3.00

USOC
RJ11W

(R)

A14. AUXILIARY EQUIPMENT

A14.1 Network Interface (Cont'd)

A14.1.2 Rates and Charges (Cont'd)

B. Standard Voice Network Interfaces (Cont'd)

1. Miniature Six Position Network Interfaces, each (Cont'd)

	Nonrecurring Charge	USOC	
(c) Two-line bridged tip and ring, baseboard	<i>3.00</i>	RJ14C	(R)
(d) Two-line bridged tip and ring, wall	<i>3.00</i>	RJ14W	(R)
(e) Two-line T/R, T1/R1 and T2/R2. Sliding cover allows testing of either line	<i>11.00</i>	RJ14X	(R)
(f) Single line T/R for use in hospital critical care areas	<i>6.00</i>	RJ17C	(R)
(g) Single line T/R with make busy (MB and MB1 leads)	<i>6.00</i>	RJ18C	(R)
(h) Single line T/R with make busy (MB and MB1 leads) for wall-mounted equipment	<i>6.00</i>	RJ18W	(R)
(i) Single line, four-wire T/R and T1/R1 exchange access	<i>11.00</i>	RJ1DC	(R)
(j) Three-line bridged tip and ring	<i>3.00</i>	RJ25C	(R)

A14. AUXILIARY EQUIPMENT

A14.1 Network Interface (Cont'd)

A14.1.2 Rates and Charges (Cont'd)

B. Standard Voice Network Interfaces (Cont'd)

2. Miniature Ribbon Connector, each

	Nonrecurring Charge	USOC	
(a) Up to twenty-five line connector (multiple bridged tip and ring)	\$71.75	RJ21X	(R)
(b) Up to 12 lines bridged, 4 wire exchange access with T/R and T1/R1	71.75	RJ2DX	(R)
(c) Up to 12 bridged tie trunks, 2 wire with T/R and E and M Type I signaling	71.75	RJ2EX	(R)
(d) Up to 8 bridged tie trunks, 2 wire with T/R and E and M Type II signaling	71.75	RJ2FX	(R)
(e) Up to 8 bridged tie trunks, 4 wire with T/R and T1/R1 and E and M Type I signaling	71.75	RJ2GX	(R)
(f) Up to 6 bridged tie trunks, 4 wire with T/R, T1/R1 and E and M Type II signaling	71.75	RJ2HX	(R)
(g) Up to twelve lines, two-wire T/R with make busy arrangements (MB and MB1 leads)	17.00	RJ2MB	(R)
3. Marina and Recreational Vehicle Network Interface			
(a) Weatherproof jack for Marine and recreation vehicle use	25.50	RJ15C	(R)
Female weatherproof jack for marinas (3 position)			
4. Miniature Eight Position Network Interface, each			
(a) Up to four lines, T/R	9.00	RJ61X	(R)
(b) Single E&M circuit, type I & II, 2-wire or 4 wire transmission path	9.00	RJ1CX	(R)

A14. AUXILIARY EQUIPMENT

A14.1 Network Interface (Cont'd)

A14.1.2 Rates and Charges (Cont'd)

C. Standard Data Network Interfaces

1. Single Line

	Nonrecurring Charge	USOC	
(a) Universal data jack for single line applications for both fixed loss loop and programmed types of data equipment	\$65.50	RJ41S	(R)

A14. AUXILIARY EQUIPMENT

A14.1 Network Interface (Cont'd)

A14.1.2 Rates and Charges (Cont'd)

C. Standard Data Network Interfaces (Cont'd)

1. Single Line (Cont'd)

	Nonrecurring Charge	USOC	
(b) Programmed data jack for single line applications for the programmable type of modem only	\$55.25	RJ45S	(R)
(c) Miniature eight-position keyed with make-busy leads for use with modems with programmable data	<i>12.00</i>	RJ4MB	(R)

2. Multiple Line

(a) Common Equipment, for up to eight lines	<i>176.25</i>	RJ26X	(R)
(b) Multiple line data jack for programmable data equipment, each	<i>57.00</i>	RJ27X	(R)

A14. AUXILIARY EQUIPMENT

A14.1 Network Interface (Cont'd)

A14.1.2 Rates and Charges (Cont'd)

C. Standard Data Network Interfaces (Cont'd)

3. Multiple-Mounting Apparatus

	Nonrecurring Charge	USOC	
(a) For up to eight single line, universal data, miniature eight position keyed network interfaces	<i>\$110.00</i>	RJ41M	(R)
(b) For up to eight single line, programmed data, miniature eight position keyed network interfaces	<i>110.00</i>	RJ45M	(R)
4. For use with digital services			
(a) Single line T/R, T1/R1, miniature eight position non-keyed network interface for 1.544 Mbps digital service	<i>8.00</i>	RJ48C	(R)
(b) Miniature fifty-position ribbon, for connection of up to twelve four wire 1.544 Mbps digital lines	<i>20.00</i>	RJ48H	(R)
(c) Up to eight lines, eight T/R, eight T1/R1, fifty position miniature ribbon network interface for 1.544 Mbps digital service	<i>17.00</i>	RJ48M	(R)
(d) Two, two-wire T/R line or one, four-wire T/R, T1/R1 line, miniature eight position keyed network interface for local area data channels/subrate digital service	<i>9.00</i>	RJ48S	(R)
(e) Up to twenty-five two-wire T/R, or up to twelve four-wire T/R, T1/R1 lines, fifty position miniature ribbon network interface for local area data channels or subrate digital service	<i>17.00</i>	RJ48T	(R)
(f) Miniature eight-position, with shorting bars for connection of 1.544 Mbps digital lines	<i>7.00</i>	RJ48X	(R)
5. Standard Non-registration			
(a) Connection for single private line of two/four-wire T/R; TR, T1 R1	<i>9.00</i>	JM8	(R)

A14. AUXILIARY EQUIPMENT

A14.2 (DELETED)

(D)

A14. AUXILIARY EQUIPMENT

A14.3 Break In Rotary Number Group

A14.3.1 General

- A. Break in rotary number group is an arrangement whereby certain central office lines or PBX trunks may be temporarily removed from the rotary number group by means of a key and associated equipment at the subscriber's premises which, through the use of a signaling channel, operates control equipment in the central office.

A14.3.2 Rates

- A. The following rates apply for furnishing a break in a rotary number group:
 1. Common equipment in the central office, to effect a break in rotary.

	Installation Charge	Monthly Rate	Basic Termination Charge	USOC BRR BRA
(a) For the first 10 lines ¹ (BTC 60 mo.)	\$-	\$8.70	\$280.00	BRR
(b) For each additional ten lines controlled by the same key (BTC 60 mo.)	-	7.90	200.00	BRA
2. Change in point of break in rotary number group				
(a) Each	20.00	-	-	99N

A14.4 (DELETED)

Note 1: Rates and Charges are applicable for a control channel(s) (Type 1109) as specified in the Private Line *Guidebook* for each group of lines controlled by the same key. (T)

A14. AUXILIARY EQUIPMENT

A14.4 (DELETED) (Cont'd)

(D)

A14. AUXILIARY EQUIPMENT

A14.4 (DELETED) (Cont'd)

(D)

A14.5 Reserved For Future Use

(T)

A14. AUXILIARY EQUIPMENT

A14.6 Reserved For Future Use

(T)

A14. AUXILIARY EQUIPMENT

A14.7 (DELETED)

(D)

A14.8 (DELETED)

(D)

A14. AUXILIARY EQUIPMENT

A14.8 (DELETED) (Cont'd)

(D)

A14. AUXILIARY EQUIPMENT

A14.8 (DELETED) (Cont'd)

(D)

A14. AUXILIARY EQUIPMENT

A14.8 (DELETED) (Cont'd)

(D)

A14. AUXILIARY EQUIPMENT

A14.8 ESSX-1 Customer Premises Attendant Services (Cont'd)

A14.8.2 Data Link Console (Cont'd)

B. Rates and Charges (Cont'd)

- 1. Optional Payment Plan - Noncontract (Cont'd)

		PLAN 2		
		Installation Charge	Monthly Rate	USOC EDPWR
(f)	Power Plant for Console Control Cabinet, with battery reserve	\$1,495.00	\$136.50	

- 2. Central Office Components

Rates and charges for ESSX service apply as appropriate.

- 3. The equipment specified in A14.8.1 and A14.8.2, preceding is considered customer premises equipment under the FCC's decision in CI II (Docket 20828) but has been assigned to the Company under the Modification of Final Judgement (MFJ). Its provision will be subject to the following restrictions:

- a. This equipment will be provided by the Company for use with new or existing service only so long as such equipment is available from Company inventory.
- b. The Company will continue to provide maintenance for this Company-provided equipment subject to the availability of parts and/or equipment.

(T)