## **TARIFF DISTRIBUTION**

FILE PACKAGE NO.: TN-14-0006

DATE: January 2, 2014

STATE: TENNESSEE

EFFECTIVE DATE: 01/02/2014

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase Private Line Channels (APL) service monthly charges.

<b>TARIFF SECTION</b>	PAGE NUMBER	PAGE REVISION
H003	12	0010
H003	13	0010
H003	13.1	0010
H003	14	0010
H003	14.1	0009
H003	15	0007
H003	16	0008
H003	17	0007

#### **B3. CHANNELS**

#### **B3.3 Rate Regulations (Cont'd)**

#### **B3.3.3** Mileage Measurements (Cont'd)

**A.** (Cont'd)

6. Obtain the square root of the result obtained in 5. This is the rate distance in miles (fractional miles being considered as full miles).

EXAMPLE: The rate distance is required between City One and City Two.

	<b>Y</b>	11
City One	7260	2083
City Two	7364	1865
Difference	104	218
Squared	10.816 + 47.524 =	58.340

58,340 divided by 10 = 5834

Square root of 5834 = 76.38 = 77 Airline miles

- **B.** When a private line is furnished over facilities which the Company elects to provide on a direct basis and is not routed through a central office, one two-point channel charge from B3.4.2 will apply. The arrangement is limited to channels not more than one airline mile in length.
- C. For the purpose of applying multipoint charges, the bridging or hubbing locations are determined by that combination of airline distances connecting the serving wire center which will produce the lowest interoffice mileage charges. Bridging charges apply when three or more channels connect at the same location.
- **D.** For Series 1000, 2000 and 6000 channels the customer may specify the sequence in which the service points are to be connected in which case the rate mileage is the shortest airline mileage determined in accordance with C., which will connect the wire centers of the service points in the specified sequence.

#### **B3.4 Rates And Charges**

#### **B3.4.1 Local Channels**

		Nom ccurring				
		Monthly	Ch	arge		
		Rate	First	Additional	USOC	
A.	Sub Voice Grade					
	1. Per point of termination					
	(a) Type 1204	\$ <i>97.00</i>	\$330.00	\$ 224.40	P1JAX	(I)
	(b) Type 1205	89.00	335.50	137.50	P1JHX	(I)
В.	Voice Grade					
	Per point of termination					
	1. Voice					
	(a) Type 2230	259.00	382.80	151.80	P2JUX	(I)
	(b) Type 2231	259.00	382.80	151.80	P2JHX	(I)
	(c) Type 2432	389.00	402.00	174.00	P2JQX	(I)
	(d) Type 2434	83.00	148.50	85.80	P2JGX	(I)
	(e) Type 2435	356.00	341.00	143.00	P2JWX	(I)
	(f) Type 2261	237.00	420.00	276.00	P2JLX	(I)
	(g) Type 2462	297.00	517.00	247.50	P2JRX	(I)

Nonrecurring

EFFECTIVE: January 2, 2014 TN-14-0006

## **B3. CHANNELS**

# B3.4 Rates And Charges (Cont'd) B3.4.1 Local Channels (Cont'd)

		Nonrecurring				
		Monthly	C	harge		
		Rate	First	Additional	USOC	
В.	Voice Grade					
	Per point of termination (Cont'd)					
	2. Data					
	(a) Type 2463	\$415.00	\$462.00	\$204.60	P2JMX	(I)
	(b) Type 2464	415.00	462.00	204.60	P2JNX	(I)
C.	Wired Music					
	<ol> <li>Per point of termination</li> </ol>					
	(a) Type 6211	159.00	484.00	220.00	P6JAX	(I)
	(b) Type 6212	199.00	566.50	291.50	P6JBX	(I)
	(c) Type 6213	222.00	583.00	308.00	P6JCX	(I)
	(d) Type 6215	155.00	484.00	220.00	P6JEX	(I)
	(e) Type 6216	199.00	566.50	291.50	P6JNX	(I)
	(f) Type 6217	222.00	583.00	308.00	P6JGX	(I)

#### **B3. CHANNELS**

## **B3.4 Rates And Charges (Cont'd)**

## B3.4.2 Non-Wire Center Connected Channels (Obsoleted, See Section B103) B3.4.3 Interoffice Channels<sup>1</sup>

A. Fixed and Mileage Charges

			Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurring Charge Per Channel	USOC	
1.	Sub Voice Gra	de - Series 1000 <sup>2</sup>					
	(a)	1 thru 8 Miles	\$121.00	\$ 9.00	-	3LBAS	(I)
	(b)	9 thru 25 Miles	121.00	9.00	-	3LBAS	(I)
	(c)	Over 25 Miles	121.00	9.00	-	3LBAS	(I)
2.	Voice Grade S	ervice - Series 2000					
	(a)	1 thru 8 Miles	302.00	19.00	\$122.75	3LBBS	(I)
	(b)	9 thru 25 Miles	302.00	19.00	122.75	3LBBS	(I)
	(c)	Over 25 Miles	302.00	19.00	122.75	3LBBS	(I)

**Note 1:** For method of determining mileage, see B3.3.3.A.

Note 2: Metallic interoffice channels are no longer available for new installations, moves or transfers. Metallic interoffice facilities are in continually decreasing supply due to modernization programs that replace existing metallic interoffice with non-metallic facilities such as fiber optics.

#### **B3. CHANNELS**

## **B3.4 Rates And Charges (Cont'd)**

#### **B3.4.3** Interoffice Channels<sup>1</sup> (Cont'd)

A. Fixed and Mileage Charges applicable (Cont'd)

		Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurring Charge Per Channel		
3.	Wired Music - Series 6000 3.0 kHz	G				
	Types 6211 and 6215					
	(a) 1 thru 8 Miles	\$148.00	\$ 9.00	\$83.60	3LBCS	(I)
	(b) 9 thru 25 Miles	148.00	9.00	83.60	3LBCS	(I)
	(c) Over 25 Miles	148.00	8.00	83.60	3LBCS	(I)
4.	Wired Music - Series 6000 5 kHz					
	Types 6212 and 6216					
	(a) 1 thru 8 Miles	227.00	18.00	73.70	3LBDS	(I)
	(b) 9 thru 25 Miles	227.00	17.00	73.70	3LBDS	(I)
	(c) Over 25 Miles	227.00	17.00	73.70	3LBDS	(I)
5.	Wired Music - Series 6000 8 kHz					
	Types 6213 and 6217					
	(a) 1 thru 8 Miles	306.00	27.00	73.70	3LBES	(I)
	(b) 9 thru 25 Miles	306.00	27.00	73.70	3LBES	(I)
	(c) Over 25 Miles	306.00	27.00	73.70	3LBES	(I)

**Note 1:** For method of determining mileage, see B3.3.3.A.

#### **B3. CHANNELS**

## **B3.4 Rates And Charges (Cont'd)**

### **B3.4.4 Optional Features And Functions**

#### A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

1. Voice Grade Bridges (Series 2000)

		Monthly I Rate	Nonrecurring Charge	USOC	
a.	Voice Bridging		- · · · · · ·		
	(1) Per Port				
	(a) Two-Wire (Type 2230)	\$101.00	\$40.90	BQ9	<b>(I)</b>
	(b) Four-Wire (Type 2435)	108.00	37.50	BQ9	(I)
b.	Data Bridging				
	(1) Per Port				
	(a) Four-Wire (Types 2463 and 2464)	166.00	41.15	BQ9	(I)

**Note 1:** For method of determining mileage, see B3.3.3.A.

#### **B3. CHANNELS**

## **B3.4 Rates And Charges (Cont'd)**

#### **B3.4.4 Optional Features And Functions (Cont'd)**

- **A.** Bridging (Cont'd)
  - 1. Voice Grade Bridges (Series 2000) (Cont'd)

			Within	Nonrecurring		
			Rate	Charge	USOC	
c.	Datapho	ne Select-A-Station Bridging - Primary Data Station Select	or			
	(1) Sec	quential Arrangement				
	(a)	Common Equipment	\$275.00	\$242.00	DSG++	
	(2) Ad	dressable Arrangement				
	(a)	Common Equipment	275.00	269.50	D7S	
	(3) Ch	annel Connections				
	(a)	Per two-wire connection	5.50	36.30	DSK	
	(b)	Per four-wire connection	16.50	41.80	DSP	
d.	Datapho	ne Select-A-Station Bridging - Secondary Data				
	Station S	Selector				
	(1) Sec	quential Arrangement				
	(a)	Common Equipment	275.00	242.00	DSQ++	
	(2) Ad	dressable Arrangement				
	(a)	Common Equipment	275.00	269.50	D7Y	
	(3) Ch	annel Connections				
	(a)	Per two-wire connection	5.50	36.30	DSR	
	(b)	Per four-wire connection	16.50	41.80	DSZ	
e.	Telemeti	ry and Alarm Bridging - Split Band, Active Bridging				
	(1) Co	mmon Equipment, per central office				
	(a)	First bridging shelf, capacity of 48 two-wire	364.00	365.00	XW1	(I)
		connections				
	(b)	Additional bridging shelf, capacity of 56 two-wire	364.00	325.00	XW2	(I)
		connections installed subsequent to the first bridging				
		shelf				
	(c)	Additional bridging shelf, capacity of 56 two-wire	188.00	205.00	XW8	(I)
		connections installed at the same time as the first				
		bridging shelf				
	(2) Ch	annel connections, per channel connected				
	(a)	Remote station channel connection	15.00	33.00	XW3	(I)
	(b)	Mid-link channel connection, first channel	37.00	41.00	XW4	(I)
	(c)	Mid-link channel connection, subsequent channels	37.00	41.00	XW5	(I)

Monthly

Nonrecurring

#### **B3. CHANNELS**

#### **B3.4 Rates And Charges (Cont'd)**

#### **B3.4.4 Optional Features And Functions (Cont'd)**

- **A.** Bridging (Cont'd)
  - 2. Wired Music Bridges (Series 6000)
    - a. Distribution Amplifiers
      - (1) Per Port

		Monthly	y Nonrecurring	
		Rate	Charge	USOC
(a)	Each	\$ 2.20	\$ 28.60	6LE

**B.** Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

1. Per local channel

		Nonrecurring				
		Monthly Rate	Ch	arge		
			Initial	Subsequent	USOC	
(a)	Ringdown-Manual	\$45.00	\$41.80	\$187.00	SL3	(I)
(b)	Ringdown-Automatic	50.00	17.60	59.40	SL5	(I)
(c)	E & M Type	54.00	48.00	192.00	SLM	(I)
(d)	Type A (0-199 ohms)	26.00	46.80	132.00	SAL	(I)
(e)	Type B (200-899 ohms)	26.00	46.20	145.20	SAU	(I)
(f)	Type C (900 or more ohms)	13.00	15.85	145.20	SAY	(I)

- C. Conditioning (Voice Grade Services)
  - 1. Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multipoint service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

#### **B3. CHANNELS**

## **B3.4 Rates And Charges (Cont'd)**

#### **B3.4.4 Optional Features And Functions (Cont'd)**

C. Conditioning (Voice Grade Services) (Cont'd)

2. The types and description of the available conditioning options are as follows:

Frequency Response Specification

Envelope Delay Distortion

Type Conditioning	Frequency Response Specification	Envelope Delay Specification	Distortion	
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz, le	ess	
	-2dB to $+6dB$ .	than 1000 micros	seconds	
	1000-2400 Hz,			
	-1dB to $+3$ dB.			
	300-3000 Hz,			
	-3dB to $+12dB$ .			
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz, less		
	-2dB to $+6dB$ .	than 500 micros	econds	
	500-2800 Hz,	600-2600 Hz, les	SS	
	-1dB to $+3$ dB.	than 1500 micros	seconds	
		500-2800 Hz, les	SS	
		than 3000 micros	seconds	
		Non-Linear	Distortion	
	C-Notched Noise	2nd Order	3rd Order	
		Distortion	Distortion	
D1 (two-point)	Noise level 28dB	35dB below	40dB below	
	below signal level	signal level	signal level	

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

		Nonrecurring				
		Monthly	Ch	arge		
		Rate	Initial	Subsequent	USOC	
4.	C-Type Conditioning			_		
	a. C-Type Conditioning is available for Types 2463 and 2464.					
	(1) C-Types of Conditioning per local channel					
	(a) C1-Type	\$8.00	\$11.00	\$68.20	P2W	(I)
	(b) C2-Type	8.00	23.10	78.10	P3W	(I)
5.	D-Type Conditioning					
	a. D-Type Conditioning is available for Types 2463 and 2464.					
	(1) D-Type Conditioning per local channel					
	(a) D1-Type	8.00	17.60	72.60	QHA	(I)