### **TARIFF DISTRIBUTION**

FILE PACKAGE NO.: TN-17-0015

DATE: January 4, 2017

STATE: TENNESSEE

EFFECTIVE DATE: 01/04/2017

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase Private Line Channels (APL) monthly charges.

<b>TARIFF SECTION</b>	PAGE NUMBER	<b>PAGE REVISION</b>
H003	12	0014
H003	13	0011
H003	13.1	0014
H003	14	0013
H003	14.1	0012
H003	15	0010
H003	16	0011
H003	17	0012

#### **B3. CHANNELS**

#### B3.3 Application of Rates (Cont'd)

#### **B3.3.3** Mileage Measurements (Cont'd)

**A.** (Cont'd)

6. Obtain the square root of the result obtained in paragraph 5. This is the rate distance in miles (fractional miles being considered as full miles).

EXAMPLE: The rate distance is required between City One and City Two.

	▼	11
City One	7260	2083
City Two	7364	1865
Difference	104	218
Squared	10,816 + 47,524 =	58,340

П

Nonrecurring

58,340 divided by 10 = 5834

Square root of 5834 = 76.38 = 77 Airline miles

- **B.** When a private line is furnished over facilities which the Company elects to provide on a direct basis and is not routed through a central office, one two-point channel charge from B3.4.2 will apply. The arrangement is limited to channels not more than one airline mile in length.
- C. For the purpose of applying multipoint charges, the bridging or hubbing locations are determined by that combination of airline distances connecting the serving wire center which will produce the lowest interoffice mileage charges. Bridging charges apply when three or more channels connect at the same location.
- **D.** For Series 1000, 2000 and 6000 channels the customer may specify the sequence in which the service points are to be connected in which case the rate mileage is the shortest airline mileage determined in accordance with paragraph C, which will connect the wire centers of the service points in the specified sequence.

#### **B3.4 Rates And Charges**

#### **B3.4.1 Local Channels**

			Monthly	Charge			
			Rate	First	Additional	USOC	
A.	Sub Voice Grade						
	1. Per point of te	rmination					
	(a)	Type 1204	\$106.00	\$330.00	\$ 224.40	P1JAX	(I)
	(b)	Type 1205	97.00	335.50	137.50	P1JHX	(I)
В.	Voice Grade						
	Per point of termina	ition					
	1. Voice						
	(a)	Type 2230	288.00	382.80	151.80	P2JUX	(I)
	(b)	Type 2231	288.00	382.80	151.80	P2JHX	(I)
	(c)	Type 2432	432.00	402.00	174.00	P2JQX	(I)
	(d)	Type 2434	91.00	148.50	85.80	P2JGX	(I)
	(e)	Type 2435	432.00	341.00	143.00	P2JWX	(I)
	(f)	Type 2261	335.00	420.00	276.00	P2JLX	(I)
	(g)	Type 2462	399.00	517.00	247.50	P2JRX	(I)

EFFECTIVE: January 4, 2017 TN-17-0015

#### **B3. CHANNELS**

# B3.4 Rates And Charges (Cont'd) B3.4.1 Local Channels (Cont'd)

			Nonrecurring				
		Monthly	C	harge			
		Rate	First	Additional	USOC		
В.	Voice Grade						
	Per point of termination (Cont'd)						
	2. Data						
	(a) Type 2463	\$456.00	\$462.00	\$204.60	P2JMX	(I)	
	(b) Type 2464	456.00	462.00	204.60	P2JNX	(I)	
C.	Wired Music						
	<ol> <li>Per point of termination</li> </ol>						
	(a) Type 6211	174.00	484.00	220.00	P6JAX	(I)	
	(b) Type 6212	218.00	566.50	291.50	P6JBX	(I)	
	(c) Type 6213	244.00	583.00	308.00	P6JCX	(I)	
	(d) Type 6215	170.00	484.00	220.00	P6JEX	(I)	
	(e) Type 6216	218.00	566.50	291.50	P6JNX	(I)	
	(f) Type 6217	244.00	583.00	308.00	P6JGX	(I)	

#### **B3. CHANNELS**

#### **B3.4 Rates And Charges (Cont'd)**

### B3.4.2 Non-Wire Center Connected Channels (Obsoleted, See Section B103) B3.4.3 Interoffice Channels<sup>1</sup>

A. Fixed and Mileage Charges

			Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurring Charge Per Channel	USOC	
1	Sub Voice Gr	ade - Series 1000 <sup>2</sup>	Charge	T CI TVIIIC	Ter chamier	СБОС	
1.	(a)	1 thru 8 Miles	\$133.00	\$ 13.00	-	3LBAS	(I)
	(b)	9 thru 25 Miles	133.00	13.00	-	3LBAS	(I)
	(c)	Over 25 Miles	133.00	13.00	-	3LBAS	(I)
2.	Voice Grade S	Service - Series 2000					
	(a)	1 thru 8 Miles	415.00	33.00	\$122.75	3LBBS	(I)
	(b)	9 thru 25 Miles	415.00	33.00	122.75	3LBBS	(I)
	(c)	Over 25 Miles	415.00	33.00	122.75	3LBBS	(I)

**Note 1:** For method of determining mileage, see B3.3.3.A.

Note 2: Metallic interoffice channels are no longer available for new installations, moves or transfers. Metallic interoffice facilities are in continually decreasing supply due to modernization programs that replace existing metallic interoffice with non-metallic facilities such as fiber optics.

#### **B3. CHANNELS**

## B3.4 Rates And Charges (Cont'd) B3.4.3 Interoffice Channels<sup>1</sup> (Cont'd)

A. Fixed and Mileage Charges applicable (Cont'd)

	Fixed Monthly Charge	Monthly Charge Per Mile	Charge	8	
Wired Music - Series 6000 3.0 kHz					
Types 6211 and 6215					
(a) 1 thru 8 Miles	240.00	\$10.00	\$83.60	3LBCS	(I)
(b) 9 thru 25 Miles	240.00	10.00	83.60	3LBCS	(I)
(c) Over 25 Miles	240.00	10.00	83.60	3LBCS	(I)
Wired Music - Series 6000 5 kHz					
Types 6212 and 6216					
(a) 1 thru 8 Miles	249.00	18.00	73.70	3LBDS	(I)
(b) 9 thru 25 Miles	249.00	18.00	73.70	3LBDS	(I)
(c) Over 25 Miles	249.00	18.00	73.70	3LBDS	(I)
Wired Music - Series 6000 8 kHz					
Types 6213 and 6217					
(a) 1 thru 8 Miles	336.00	29.00	73.70	3LBES	(I)
	336.00	29.00	73.70	3LBES	(I)
(c) Over 25 Miles	336.00	29.00	73.70	3LBES	(I)
	Types 6211 and 6215  (a) 1 thru 8 Miles (b) 9 thru 25 Miles (c) Over 25 Miles Wired Music - Series 6000 5 kHz  Types 6212 and 6216  (a) 1 thru 8 Miles (b) 9 thru 25 Miles (c) Over 25 Miles Wired Music - Series 6000 8 kHz  Types 6213 and 6217  (a) 1 thru 8 Miles (b) 9 thru 25 Miles	Monthly Charge         Wired Music - Series 6000 3.0 kHz         Types 6211 and 6215         (a) 1 thru 8 Miles       240.00         (b) 9 thru 25 Miles       240.00         (c) Over 25 Miles       240.00         Wired Music - Series 6000 5 kHz       Types 6212 and 6216         (a) 1 thru 8 Miles       249.00         (b) 9 thru 25 Miles       249.00         (c) Over 25 Miles       249.00         Wired Music - Series 6000 8 kHz       Types 6213 and 6217         (a) 1 thru 8 Miles       336.00         (b) 9 thru 25 Miles       336.00	Monthly Charge   Per Mile	Monthly   Charge   Per Mile   Per Chame	Monthly   Charge   Per Mile   Per Channel   USOC

**Note 1:** For method of determining mileage, see B3.3.3.A.

#### **B3. CHANNELS**

#### **B3.4 Rates And Charges (Cont'd)**

#### **B3.4.4 Optional Features And Functions**

#### A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

1. Voice Grade Bridges (Series 2000)

		Monthly 1	Nonrecurring		
		Rate	Charge	USOC	
a.	Voice Bridging				
	(1) Per Port				
	(a) Two-Wire (Type 2230)	\$111.00	\$40.90	BQ9	(I)
	(b) Four-Wire (Type 2435)	144.00	37.50	BQ9	(I)
b.	Data Bridging				
	(1) Per Port				
	(a) Four-Wire (Types 2463 and 2464)	207.00	41.15	BQ9	(I)

**Note 1:** For method of determining mileage, see B3.3.3.A.

#### **B3. CHANNELS**

### **B3.4 Rates And Charges (Cont'd)**

#### **B3.4.4 Optional Features And Functions (Cont'd)**

**A.** Bridging (Cont'd)

c. d. e.

1. Voice Grade Bridges (Series 2000) (Cont'd)

	Monthly	Nonrecurring		
	Rate	Charge	USOC	
(DELETED)				
(DELETED)				
Telemetry and Alarm Bridging - Split Band, Active Bridging				
(1) Common Equipment, per central office				
(a) First bridging shelf, capacity of 48 two-wire	\$413.00	\$365.00	XW1	(I)
connections				
(b) Additional bridging shelf, capacity of 56 two-wire	413.00	325.00	XW2	(I)
connections installed subsequent to the first bridging				
shelf				
(c) Additional bridging shelf, capacity of 56 two-wire	209.00	205.00	XW8	(I)
connections installed at the same time as the first				
bridging shelf				
(2) Channel connections, per channel connected				
(a) Remote station channel connection	18.00	33.00	XW3	(I)
(b) Mid-link channel connection, first channel	42.00	41.00	XW4	(I)
(c) Mid-link channel connection, subsequent channels	42.00	41.00	XW5	(I)

#### **B3. CHANNELS**

#### **B3.4 Rates And Charges (Cont'd)**

#### **B3.4.4 Optional Features And Functions (Cont'd)**

- **A.** Bridging (Cont'd)
  - 2. Wired Music Bridges (Series 6000)
    - a. Distribution Amplifiers
      - (1) Per Port

		Monthly	Nonrecurring	
		Rate	Charge	USOC
(a)	Each	\$ 2.20	\$ 28.60	6LE

**B.** Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

1. Per local channel

		Nonrecurring				
		Monthly Rate	Ch	Charge		
			Initial	Subsequent	USOC	
(a)	Ringdown-Manual	\$68.00	\$41.80	\$187.00	SL3	(I)
(b)	Ringdown-Automatic	63.00	17.60	59.40	SL5	(I)
(c)	E & M Type	63.00	48.00	192.00	SLM	(I)
(d)	Type A (0-199 ohms)	37.00	46.80	132.00	SAL	(I)
(e)	Type B (200-899 ohms)	37.00	46.20	145.20	SAU	(I)
(f)	Type C (900 or more ohms)	18.00	15.85	145.20	SAY	(I)

- C. Conditioning (Voice Grade Services)
  - 1. Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multipoint service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

#### **B3. CHANNELS**

#### **B3.4 Rates And Charges (Cont'd)**

#### **B3.4.4 Optional Features And Functions (Cont'd)**

C. Conditioning (Voice Grade Services) (Cont'd)

2. The types and description of the available conditioning options are as follows:

Frequency Response Specification	Envelope Delay Distortion Specification
300-2700 Hz,	1000-2400 Hz, less
-2dB to $+6dB$ .	than 1000 microseconds
1000-2400 Hz,	
-1dB to $+3$ dB.	
300-3000 Hz,	
-3dB to $+12dB$ .	
300-3000 Hz,	1000-2600 Hz, less
-2dB to $+6dB$ .	than 500 microseconds
500-2800 Hz,	600-2600 Hz, less
-1dB to $+3$ dB.	than 1500 microseconds
	500-2800 Hz, less
	than 3000 microseconds
	Non-Linear Distortion
C-Notched Noise	2nd Order 3rd Order
	Distortion Distortion
Noise level 28dB	35dB below 40dB below
below signal level	signal level signal level
	300-2700 Hz, -2dB to +6dB. 1000-2400 Hz, -1dB to +3dB. 300-3000 Hz, -3dB to +12dB. 300-3000 Hz, -2dB to +6dB. 500-2800 Hz, -1dB to +3dB.

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

		Nonrecurring				
		Monthly Charge		arge		
		Rate	Initial	Subsequent	USOC	
4.	C-Type Conditioning			_		
	a. C-Type Conditioning is available for Types 2463 and 2464.					
	(1) C-Types of Conditioning per local channel					
	(a) C1-Type	\$18.00	\$11.00	\$68.20	P2W	(I)
	(b) C2-Type	18.00	23.10	78.10	P3W	(I)
5.	D-Type Conditioning					
	a. D-Type Conditioning is available for Types 2463 and 2464.					
	(1) D-Type Conditioning per local channel					
	(a) D1-Type	18.00	17.60	72.60	QHA	(I)