# **TARIFF DISTRIBUTION**

# FILE PACKAGE NO.: TN-18-0018

DATE:	March 1, 2018
STATE:	TENNESSEE
EFFECTIVE DATE:	03/01/2018
TYPE OF DISTRIBUTION:	Approved

PURPOSE: Increase Private Line Channels (APL) monthly charges.

<b>TARIFF SECTION</b>	PAGE NUMBER	PAGE REVISION
H003	12	0015
H003	13	0012
H003	14	0014
H003	15	0011
H003	16	0012
H003	17	0013

TN-18-0018

### **B3. CHANNELS**

## B3.3 Application of Rates (Cont'd)

### **B3.3.3** Mileage Measurements (Cont'd)

A. (Cont'd)

6. Obtain the square root of the result obtained in paragraph 5. This is the rate distance in miles (fractional miles being considered as full miles).

EXAMPLE: The rate distance is required between City One and City Two.

	V	н
City One	7260	2083
City Two	7364	1865
Difference	104	218
Squared	10,816 + 47,524 =	58,340

58,340 divided by 10 = 5834

Square root of 5834 = 76.38 = 77 Airline miles

- **B.** When a private line is furnished over facilities which the Company elects to provide on a direct basis and is not routed through a central office, one two-point channel charge from B3.4.2 will apply. The arrangement is limited to channels not more than one airline mile in length.
- **C.** For the purpose of applying multipoint charges, the bridging or hubbing locations are determined by that combination of airline distances connecting the serving wire center which will produce the lowest interoffice mileage charges. Bridging charges apply when three or more channels connect at the same location.
- **D.** For Series 1000, 2000 and 6000 channels the customer may specify the sequence in which the service points are to be connected in which case the rate mileage is the shortest airline mileage determined in accordance with paragraph C, which will connect the wire centers of the service points in the specified sequence.

### **B3.4 Rates And Charges**

**B3.4.1 Local Channels** 

			Nonrecurring				
			Monthly	Ch	arge		
			Rate	First	Additional	USOC	
A.	Sub Voice Grade						
	1. Per point of te	ermination					
	(a)	Type 1204	\$121.00	\$330.00	\$ 224.40	P1JAX	(I)
	(b)	Type 1205	111.00	335.50	137.50	P1JHX	(I)
B.	Voice Grade	51					
	Per point of termin	ation					
	1. Voice						
	(a)	Type 2230	331.00	382.80	151.80	P2JUX	(I)
	(b)	Type 2231	331.00	382.80	151.80	P2JHX	(I)
	(c)	Type 2432	496.00	402.00	174.00	P2JQX	(I)
	(d)	Type 2434	104.00	148.50	85.80	P2JGX	(I)
	(e)	Type 2435	496.00	341.00	143.00	P2JWX	(I)
	(f)	Type 2261	385.00	420.00	276.00	P2JLX	(I)
	(g)	Type 2462	458.00	517.00	247.50	P2JRX	(I)
	2. Data						
	(a)	Type 2463	524.00	462.00	204.60	P2JMX	(M)(I)
	(b)	Type 2464	524.00	462.00	204.60	P2JNX	(M)(I)
		51					

Twelfth Revised Page 13

TN-18-0018

EFFECTIVE: March 1, 2018

# **B3. CHANNELS**

# B3.4 Rates And Charges (Cont'd)

**B3.4.1 Local Channels (Cont'd)** 

Derni		(00.000)	Monthly	С	recurring harge		
			Rate	First	Additional	USOC	
C							(M1)
	Wired Music						
	1. Per point of te		4	<b>* *</b> 0 * 00	****		
	(a)	Type 6211	\$200.00	\$484.00	\$220.00	P6JAX	(I)
	(b)	Type 6212	250.00	566.50	291.50	P6JBX	(I)
	(c)	Туре 6213	280.00	583.00	308.00	P6JCX	(I)
	(d)	Type 6215	195.00	484.00	220.00	P6JEX	(I)
	(e)	Type 6216	250.00	566.50	291.50	P6JNX	(I)
	(f)	Type 6217	280.00	583.00	308.00	P6JGX	(I)
B3.4.2		r Connected Channels (Obs	oleted. See Section B103)				(M2)
	Interoffice Chan						(M2)
200100			Fixed	Monthly	Nonrecurring		
			Monthly	Charge	Charge		
			Charge	Per Mile	Per Channel	USOC	
<b>A.</b>	Fixed and Mileage (	Tharges	Charge	i ei mine	i er enumer	6500	(M2)
	U	ade - Series $1000^2$					(M2)
	(a)	1 thru 8 Miles	\$152.00	\$ 14.00	-	<b>3LBAS</b>	(M2)(I)
	(a) (b)	9 thru 25 Miles	152.00	\$ 14.00 14.00		3LBAS	(M2)(I) (M2)(I)
	( )		152.00	14.00	-	3LBAS 3LBAS	
	(c)	Over 25 Miles	132.00	14.00	-	JLDAS	(M2)(I)
		ervice - Series 2000					
	(a)	1 thru 8 Miles	477.00	37.00	\$122.75	3LBBS	(M2)(I)
	(b)	9 thru 25 Miles	477.00	37.00	122.75	3LBBS	(M2)(I)
	(c)	Over 25 Miles	477.00	37.00	122.75	3LBBS	(M2)(I)

**Note 1:** For method of determining mileage, see B3.3.3.A.

**Note 2:** Metallic interoffice channels are no longer available for new installations, moves or transfers. Metallic interoffice facilities are in continually decreasing supply due to modernization programs that replace existing metallic interoffice with non-metallic facilities such as fiber optics.

Page 13.1 is hereby deleted in its entirety and removed from this Guidebook.

.

(N)

(M2)

(M2)

TN-18-0018

EFFECTIVE: March 1, 2018

## **B3. CHANNELS**

## B3.4 Rates And Charges (Cont'd)

**B3.4.3 Interoffice Channels<sup>1</sup> (Cont'd)** 

A. Fixed and Mileage Charges applicable (Cont'd)

			Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurrin Charge Per Channe	8	
3.	Wired Music -	- Series 6000 3.0 kHz	C				
	Types 6211 ar	nd 6215					
	(a)	1 thru 8 Miles	\$276.00	\$11.00	\$83.60	3LBCS	(I)
	(b)	9 thru 25 Miles	276.00	11.00	83.60	3LBCS	(I)
	(c)	Over 25 Miles	276.00	11.00	83.60	3LBCS	(I)
4.	Wired Music	- Series 6000 5 kHz					
	Types 6212 at	nd 6216					
	(a)	1 thru 8 Miles	286.00	20.00	73.70	3LBDS	(I)
	(b)	9 thru 25 Miles	286.00	20.00	73.70	3LBDS	(I)
	(c)	Over 25 Miles	286.00	20.00	73.70	3LBDS	(I)
5.	Wired Music -	- Series 6000 8 kHz					
	Types 6213 at	nd 6217					
	(a)	1 thru 8 Miles	386.00	33.00	73.70	<b>3LBES</b>	(I)
	(b)	9 thru 25 Miles	386.00	33.00	73.70	<b>3LBES</b>	(I)
	(c)	Over 25 Miles	386.00	33.00	73.70	<b>3LBES</b>	(I)
<b>B3.4.4 O</b> p	otional Featur	es And Functions					(M)

#### A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

1. Voice Grade Bridges (Series 2000)

		Monthly 1	Nonrecurring		
		Rate	Charge	USOC	
a.	Voice Bridging				(M)
	(1) Per Port				(M)
	(a) Two-Wire (Type 2230)	\$127.00	\$40.90	BQ9	(M)(I)
	(b) Four-Wire (Type 2435)	165.00	37.50	BQ9	(M)(I)
b.	Data Bridging				(M)
	(1) Per Port				(M)
	(a) Four-Wire (Types 2463 and 2464)	238.00	41.15	BQ9	(M)(I)

**Note 1:** For method of determining mileage, see B3.3.3.A.

#### Page 14.1 is hereby deleted in its entirety and removed from this Guidebook.

(N)

(M)

(M)

(M)

TN-18-0018

EFFECTIVE: March 1, 2018

## **B3. CHANNELS**

# B3.4 Rates And Charges (Cont'd)

**B3.4.4 Optional Features And Functions (Cont'd)** 

A. Bridging (Cont'd)

				Monthly Rate	Nonrecurring Charge	USOC	
	c. (DE	ELETE	D)		onan ge	0.00	
		ELETE	·				
			and Alarm Bridging - Split Band, Active Bridging				
	(1)		nmon Equipment, per central office	¢ 47 4 00	\$265 AA	¥71¥71	
		(a)	First bridging shelf, capacity of 48 two-wire connections	\$474.00	\$365.00	XW1	(I)
		(b)	Additional bridging shelf, capacity of 56 two-wire	474.00	325.00	XW2	(I)
			connections installed subsequent to the first bridging				
			shelf				
		(c)	Additional bridging shelf, capacity of 56 two-wire	240.00	205.00	XW8	(I)
			connections installed at the same time as the first				
			bridging shelf				
	(2)	Chai	nnel connections, per channel connected				
		(a)	Remote station channel connection	20.00	33.00	XW3	(I)
		(b)	Mid-link channel connection, first channel	48.00	41.00	XW4	(I)
		(c)	Mid-link channel connection, subsequent channels	48.00	41.00	XW5	(I)
2.	Wired N	Ausic I	Bridges (Series 6000)				(M)
			on Amplifiers				(M)
	(1)	Per l	-				(M)
	(1)	(a)	Each	2.20	28.60	6LE	(M)

Twelfth Revised Page 16

#### EFFECTIVE: March 1, 2018

### **B3. CHANNELS**

## B3.4 Rates And Charges (Cont'd)

**B3.4.4** Optional Features And Functions (Cont'd)

#### **B.** Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

1. Per local channel

		Nonrecurring				
		Monthly	Ch	Charge		
		Rate	Initial	Subsequent	USOC	
(a)	Ringdown-Manual	\$78.00	\$41.80	\$187.00	SL3	(I)
(b)	Ringdown-Automatic	72.00	17.60	59.40	SL5	(I)
(c)	E & M Type	72.00	48.00	192.00	SLM	(I)
(d)	Type A (0-199 ohms)	42.00	46.80	132.00	SAL	(I)
(e)	Type B (200-899 ohms)	42.00	46.20	145.20	SAU	(I)
(f)	Type C (900 or more ohms)	20.00	15.85	145.20	SAY	(I)
a (Maia	o Grado Sorrigos)					

C. Conditioning (Voice Grade Services)

1. Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multipoint service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

EFFECTIVE: March 1, 2018

TN-18-0018

### **B3. CHANNELS**

# B3.4 Rates And Charges (Cont'd)

## **B3.4.4** Optional Features And Functions (Cont'd)

C. Conditioning (Voice Grade Services) (Cont'd)
2. The types and description of the available c

Type Conditioning	Frequency Response Specification	Envelope Delay Specification	y Distortion
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz,	less
	-2dB to $+6dB$ .	than 1000 micro	oseconds
	1000-2400 Hz,		
	-1dB to $+3$ dB.		
	300-3000 Hz,		
	-3dB to +12dB.		
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz,	less
	-2dB to $+6dB$ .	than 500 micro	seconds
	500-2800 Hz,	600-2600 Hz, le	ess
	-1dB to $+3$ dB.	than 1500 micro	oseconds
		500-2800 Hz, le	ess
		than 3000 micro	oseconds
		Non-Linear	Distortion
	C-Notched Noise	2nd Order	3rd Order
		Distortion	Distortion
D1 (two-point)	Noise level 28dB	35dB below	40dB below
	below signal level	signal level	signal leve

3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

		Nonrecurring				
		Monthly Charge		arge		
		Rate	Initial	Subsequent	USOC	
4.	C-Type Conditioning					
	a. C-Type Conditioning is available for Types 2463 and 2464.					
	(1) C-Types of Conditioning per local channel					
	(a) C1-Type	20.00	\$11.00	\$68.20	P2W	(I)
	(b) C2-Type	20.00	23.10	78.10	P3W	(I)
5.	D-Type Conditioning					
	a. D-Type Conditioning is available for Types 2463 and 2464.					
	(1) D-Type Conditioning per local channel					
	(a) D1-Type	20.00	17.60	72.60	QHA	(I)
	(a) DI-Type	20.00	17.00	72.00	QIIA	(1)