TARIFF DISTRIBUTION

FILE PACKAGE NO.: TN-19-0008

DATE: March 1, 2019

STATE: TENNESSEE

EFFECTIVE DATE: 03/01/2019

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase business Private Line Channels (APL) monthly charges.

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
H003	12	0017
H003	13	0014
H003	14	0016
H003	15	0013
H003	16	0014
H003	17	0015

B3. CHANNELS

B3.3 Application of Rates (Cont'd)

B3.3.3 Mileage Measurements (Cont'd)

A. (Cont'd)

6. Obtain the square root of the result obtained in paragraph 5. This is the rate distance in miles (fractional miles being considered as full miles).

EXAMPLE: The rate distance is required between City One and City Two.

	▼	11
City One	7260	2083
City Two	7364	1865
Difference	104	218
Squared	$10.816 \pm 47.524 =$	58.340

58,340 divided by 10 = 5834

Square root of 5834 = 76.38 = 77 Airline miles

- **B.** When a private line is furnished over facilities which the Company elects to provide on a direct basis and is not routed through a central office, one two-point channel charge from B3.4.2 will apply. The arrangement is limited to channels not more than one airline mile in length.
- C. For the purpose of applying multipoint charges, the bridging or hubbing locations are determined by that combination of airline distances connecting the serving wire center which will produce the lowest interoffice mileage charges. Bridging charges apply when three or more channels connect at the same location.
- **D.** For Series 1000, 2000 and 6000 channels the customer may specify the sequence in which the service points are to be connected in which case the rate mileage is the shortest airline mileage determined in accordance with paragraph C, which will connect the wire centers of the service points in the specified sequence.

B3.4 Rates And Charges

B3.4.1 Local Channels

				Nonrecurring				
				Monthly	Ch	arge		
				Rate	First	Additional	USOC	
A.	Sub Voice C	Grade						
	1. Per po	int of te	ermination					
	•	(a)	Type 1204	\$173.00	\$330.00	\$ 224.40	P1JAX	(I)
		(b)	Type 1205	158.00	335.50	137.50	P1JHX	(I)
В.	Voice Grade	e						
	Per point of	termina	ation					
	1. Voice							
		(a)	Type 2230	475.00	382.80	151.80	P2JUX	(I)
		(b)	Type 2231	475.00	382.80	151.80	P2JHX	(I)
		(c)	Type 2432	712.00	402.00	174.00	P2JQX	(I)
		(d)	Type 2434	148.00	148.50	85.80	P2JGX	(I)
		(e)	Type 2435	712.00	341.00	143.00	P2JWX	(I)
		(f)	Type 2261	552.00	420.00	276.00	P2JLX	(I)
		(g)	Type 2462	657.00	517.00	247.50	P2JRX	(I)
	2. Data							
		(a)	Type 2463	752.00	462.00	204.60	P2JMX	(I)
		(b)	Type 2464	752.00	462.00	204.60	P2JNX	(I)

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.1 Local Channels (Cont'd)

			Nonrecurring				
			Monthly	C	harge		
			Rate	First	Additional	USOC	
C.	Wired Music						
	1. Per point of te	rmination					
	(a)	Type 6211	\$287.00	\$484.00	\$220.00	P6JAX	(I)
	(b)	Type 6212	358.00	566.50	291.50	P6JBX	(I)
	(c)	Type 6213	402.00	583.00	308.00	P6JCX	(I)
	(d)	Type 6215	280.00	484.00	220.00	P6JEX	(I)
	(e)	Type 6216	358.00	566.50	291.50	P6JNX	(I)
	(f)	Type 6217	402.00	583.00	308.00	P6JGX	(I)
B3.4.	.2 Non-Wire Cente	er Connected Channels (Obs	oleted, See Section B103)				
	.3 Interoffice Chan		,				
D 3.10	is interoffice chan		Fixed	Monthly	Nonrecurring		
			Monthly	Charge	Charge		
			Charge	Per Mile	Per Channel	USOC	
Α.	Fixed and Mileage	Charges	Charge	T CI IVINC	Ter chamier	CBGC	
	U	ade - Series 1000 ²					
	(a)	1 thru 8 Miles	\$217.00	\$ 20.00	-	3LBAS	(I)
	(b)	9 thru 25 Miles	217.00	20.00	-	3LBAS	(I)
	(c)	Over 25 Miles	217.00	20.00	-	3LBAS	(I)
	` '	Service - Series 2000					
	(a)	1 thru 8 Miles	685.00	52.00	\$122.75	3LBBS	(I)
	(b)	9 thru 25 Miles	685.00	52.00	122.75	3LBBS	(I)
	(c)	Over 25 Miles	685.00	52.00	122.75	3LBBS	(I)

Note 1: For method of determining mileage, see B3.3.3.A.

Note 2: Metallic interoffice channels are no longer available for new installations, moves or transfers. Metallic interoffice facilities are in continually decreasing supply due to modernization programs that replace existing metallic interoffice with non-metallic facilities such as fiber optics.

Page 13.1 is hereby deleted in its entirety and removed from this Guidebook.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.3 Interoffice Channels¹ (Cont'd)

A. Fixed and Mileage Charges applicable (Cont'd)

		Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurrin Charge Per Channe	0	
3.	Wired Music - Series 6000 3.0 kHz	o.m.g.	2 02 1/210	2 02 0244		
	Types 6211 and 6215					
	(a) 1 thru 8 Miles	\$396.00	\$15.00	\$83.60	3LBCS	(I)
	(b) 9 thru 25 Miles	396.00	15.00	83.60	3LBCS	(I)
	(c) Over 25 Miles	396.00	15.00	83.60	3LBCS	(I)
4.	Wired Music - Series 6000 5 kHz					
	Types 6212 and 6216					
	(a) 1 thru 8 Miles	410.00	28.00	73.70	3LBDS	(I)
	(b) 9 thru 25 Miles	410.00	28.00	73.70	3LBDS	(I)
	(c) Over 25 Miles	410.00	28.00	73.70	3LBDS	(I)
5.	Wired Music - Series 6000 8 kHz					
	Types 6213 and 6217					
	(a) 1 thru 8 Miles	553.00	46.00	73.70	3LBES	(I)
	(b) 9 thru 25 Miles	553.00	46.00	73.70	3LBES	(I)
	(c) Over 25 Miles	553.00	46.00	73.70	3LBES	(I)

B3.4.4 Optional Features And Functions

A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

1. Voice Grade Bridges (Series 2000)

	Rate	Charge	USOC	
Voice Bridging		J		
(1) Per Port				
(a) Two-Wire (Type 2230)	\$182.00	\$40.90	BQ9	(I)
(b) Four-Wire (Type 2435)	236.00	37.50	BQ9	(I)
Data Bridging				
(1) Per Port				
(a) Four-Wire (Types 2463 and 2464)	341.00	41.15	BQ9	(I)
	(1) Per Port (a) Two-Wire (Type 2230) (b) Four-Wire (Type 2435) Data Bridging (1) Per Port	Rate	Voice Bridging (1) Per Port (a) Two-Wire (Type 2230) (b) Four-Wire (Type 2435) Data Bridging (1) Per Port \$182.00 \$40.90 236.00 \$7.50	Rate Charge USOC

Note 1: For method of determining mileage, see B3.3.3.A.

Page 14.1 is hereby deleted in its entirety and removed from this Guidebook.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd) B3.4.4 Optional Features And Functions (Cont'd)

- **A.** Bridging (Cont'd)
 - 1. Voice Grade Bridges (Series 2000) (Cont'd)

			1.1011111	110111100111111111111111111111111111111			
				Rate	Charge	USOC	
	c. (D)	ELETE	ED)				
	d. (D	ELETE	ED)				
	e. Tel	emetry	and Alarm Bridging - Split Band, Active Bridging				
	(1)	Con	nmon Equipment, per central office				
		(a)	First bridging shelf, capacity of 48 two-wire	\$681.00	\$365.00	XW1	(I)
		<i>a</i> .	connections	<01.00	225.00	77770	
		(b)	Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf	681.00	325.00	XW2	(I)
		(c)	Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf	345.00	205.00	XW8	(I)
	(2)	Cha	nnel connections, per channel connected				
	` ′	(a)	Remote station channel connection	28.00	33.00	XW3	(I)
		(b)	Mid-link channel connection, first channel	68.00	41.00	XW4	(I)
		(c)	Mid-link channel connection, subsequent channels	68.00	41.00	XW5	(I)
2.	Wired 1	Music 1	Bridges (Series 6000)				
			on Amplifiers				
	(1)	Per	Port				
	. ,	(a)	Each	2.20	28.60	6LE	

Monthly

Nonrecurring

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

1. Per local channel

	Nonrecurring					
	Monthly	Ch	Charge			
	Rate	Initial	Subsequent	USOC		
Ringdown-Manual	\$111.00	\$41.80	\$187.00	SL3	(I)	
Ringdown-Automatic	102.00	17.60	59.40	SL5	(I)	
E & M Type	102.00	48.00	192.00	SLM	(I)	
Type A (0-199 ohms)	60.00	46.80	132.00	SAL	(I)	
Type B (200-899 ohms)	60.00	46.20	145.20	SAU	(I)	
Type C (900 or more ohms)	28.00	15.85	145.20	SAY	(I)	
	Ringdown-Automatic E & M Type Type A (0-199 ohms) Type B (200-899 ohms)	Rate Rate Ringdown-Manual \$111.00 Ringdown-Automatic 102.00 E & M Type 102.00 Type A (0-199 ohms) 60.00 Type B (200-899 ohms) 60.00	Monthly Ch Rate Initial Ringdown-Manual \$111.00 \$41.80 Ringdown-Automatic 102.00 17.60 E & M Type 102.00 48.00 Type A (0-199 ohms) 60.00 46.80 Type B (200-899 ohms) 60.00 46.20	Rate Initial Subsequent Ringdown-Manual \$111.00 \$41.80 \$187.00 Ringdown-Automatic 102.00 17.60 59.40 E & M Type 102.00 48.00 192.00 Type A (0-199 ohms) 60.00 46.80 132.00 Type B (200-899 ohms) 60.00 46.20 145.20	Monthly Charge Rate Initial Subsequent USOC Ringdown-Manual \$111.00 \$41.80 \$187.00 SL3 Ringdown-Automatic 102.00 17.60 59.40 SL5 E & M Type 102.00 48.00 192.00 SLM Type A (0-199 ohms) 60.00 46.80 132.00 SAL Type B (200-899 ohms) 60.00 46.20 145.20 SAU	

C. Conditioning (Voice Grade Services)

1. Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multipoint service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

B3. CHANNELS

B3.4 Rates And Charges (Cont'd)

B3.4.4 Optional Features And Functions (Cont'd)

C. Conditioning (Voice Grade Services) (Cont'd)

2. The types and description of the available conditioning options are as follows:

Type Conditioning Frequency Response Specification Envelope Delay Distortion

Type Conditioning	Frequency Response Specification	Envelope Delay Dis Specification	stortion	
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz, less		
	-2dB to $+6dB$.	than 1000 microseco	onds	
	1000-2400 Hz,			
	-1dB to $+3$ dB.			
	300-3000 Hz,			
	-3dB to $+12dB$.			
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz, less		
	-2dB to $+6dB$.	than 500 microseco	onds	
	500-2800 Hz,	600-2600 Hz, less		
	-1dB to $+3$ dB.	than 1500 microseco	onds	
		500-2800 Hz, less		
		than 3000 microseco	onds	
		Non-Linear Dis	stortion	
	C-Notched Noise	2nd Order	3rd Order	
		Distortion	Distortion	
D1 (two-point)	Noise level 28dB	35dB below	40dB below	
	below signal level	signal level	signal level	

When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

		Nonrecurring				
		Monthly	Ch	arge		
		Rate	Initial	Subsequent	USOC	
4.	C-Type Conditioning			_		
	a. C-Type Conditioning is available for Types 2463 and 2464.					
	(1) C-Types of Conditioning per local channel					
	(a) C1-Type	28.00	\$11.00	\$68.20	P2W	(I)
	(b) C2-Type	28.00	23.10	78.10	P3W	(I)
5.	D-Type Conditioning					
	a. D-Type Conditioning is available for Types 2463 and 2464.					
	(1) D-Type Conditioning per local channel					
	(a) D1-Type	28.00	17.60	72.60	QHA	(I)