# **TARIFF DISTRIBUTION**

FILE PACKAGE NO.: TN-20-0019

DATE: September 1, 2020

STATE: TENNESSEE

EFFECTIVE DATE: 09/01/2020

TYPE OF DISTRIBUTION: Approved

PURPOSE: Increase Private Line Channels (APL) and SynchroNet (DS0)

Services monthly charges.

TARIFF SECTION	PAGE NUMBER	PAGE REVISION
H003	12	0020
H003	13	0017
H003	14	0019
H003	15	0016
H003	16	0017
H003	17	0018
H007	11	0022

#### **B3. CHANNELS**

# **B3.3 Application of Rates (Cont'd)**

#### **B3.3.3** Mileage Measurements (Cont'd)

**A.** (Cont'd)

6. Obtain the square root of the result obtained in paragraph 5. This is the rate distance in miles (fractional miles being considered as full miles).

EXAMPLE: The rate distance is required between City One and City Two.

	•	
City One	7260	2083
City Two	7364	1865
Difference	104	218
Squared	10,816 + 47,524 =	58,340

58,340 divided by 10 = 5834

Square root of 5834 = 76.38 = 77 Airline miles

- **B.** When a private line is furnished over facilities which the Company elects to provide on a direct basis and is not routed through a central office, one two-point channel charge from B3.4.2 will apply. The arrangement is limited to channels not more than one airline mile in length.
- C. For the purpose of applying multipoint charges, the bridging or hubbing locations are determined by that combination of airline distances connecting the serving wire center which will produce the lowest interoffice mileage charges. Bridging charges apply when three or more channels connect at the same location.
- **D.** For Series 1000, 2000 and 6000 channels the customer may specify the sequence in which the service points are to be connected in which case the rate mileage is the shortest airline mileage determined in accordance with paragraph C, which will connect the wire centers of the service points in the specified sequence.

# **B3.4 Rates And Charges**

#### **B3.4.1 Local Channels**

				Nonrecurring Monthly Charge				
				Rate	First	Additional	USOC	
A.	Sub Voice Gr	rade						
	<ol> <li>Per poir</li> </ol>	nt of te	rmination					
		(a)	Type 1204	\$ 337.00	\$330.00	\$ 224.40	P1JAX	(I)
		(b)	Type 1205	307.00	335.50	137.50	P1JHX	(I)
В.	Voice Grade							
	Per point of t	ermina	ntion					
	1. Voice							
		(a)	Type 2230	926.00	382.80	151.80	P2JUX	(I)
		(b)	Type 2231	926.00	382.80	151.80	P2JHX	(I)
		(c)	Type 2432	1,390.00	402.00	174.00	P2JQX	(I)
		(d)	Type 2434	288.00	148.50	85.80	P2JGX	(I)
		(e)	Type 2435	1,390.00	341.00	143.00	P2JWX	(I)
		(f)	Type 2261	1,077.00	420.00	276.00	P2JLX	(I)
		(g)	Type 2462	1,282.00	517.00	247.50	P2JRX	(I)
	2. Data		• •					
		(a)	Type 2463	1,468.00	462.00	204.60	P2JMX	(I)
		(b)	Type 2464	1,468.00	462.00	204.60	P2JNX	(I)

# **B3. CHANNELS**

# **B3.4 Rates And Charges (Cont'd)**

# **B3.4.1 Local Channels (Cont'd)**

				Non	recurring		
			Monthly	C	harge		
			Rate	First	Additional	USOC	
C.	Wired Music						
	<ol> <li>Per point of te</li> </ol>	ermination					
	(a)	Type 6211	\$558.00	\$484.00	\$220.00	P6JAX	(I)
	(b)	Type 6212	697.00	566.50	291.50	P6JBX	(I)
	(c)	Type 6213	783.00	583.00	308.00	P6JCX	(I)
	(d)	Type 6215	546.00	484.00	220.00	P6JEX	(I)
	(e)	Type 6216	697.00	566.50	291.50	P6JNX	(I)
	(f)	Type 6217	783.00	583.00	308.00	P6JGX	(I)
B3.4.	2 Non-Wire Cente	er Connected Channels (Obs	soleted, See Section B103)				
	3 Interoffice Chan		,				
20	e micromice char		Fixed	Monthly	Nonrecurring		
			Monthly	Charge	Charge		
			Charge	Per Mile	Per Channel	USOC	
Α.	Fixed and Mileage	Charges	- Camago	1 01 1/1110	2 02 02222202		
		ade - Series 1000 <sup>2</sup>					
	(a)	1 thru 8 Miles	\$422.00	\$ 38.00	-	3LBAS	(I)
	(b)	9 thru 25 Miles	422.00	38.00	-	3LBAS	(I)
	(c)	Over 25 Miles	422.00	38.00	-	3LBAS	(I)
	` '	Service - Series 2000					
	(a)	1 thru 8 Miles	1,337.00	101.00	\$122.75	3LBBS	(I)
	(b)	9 thru 25 Miles	1,337.00	101.00	122.75	3LBBS	(I)
	(c)	Over 25 Miles	1,337.00	101.00	122.75	3LBBS	(I)

**Note 1:** For method of determining mileage, see B3.3.3.A.

Note 2: Metallic interoffice channels are no longer available for new installations, moves or transfers. Metallic interoffice facilities are in continually decreasing supply due to modernization programs that replace existing metallic interoffice with non-metallic facilities such as fiber optics.

Page 13.1 is hereby deleted in its entirety and removed from this Guidebook.

### **B3. CHANNELS**

# **B3.4 Rates And Charges (Cont'd)**

#### **B3.4.3** Interoffice Channels<sup>1</sup> (Cont'd)

A. Fixed and Mileage Charges applicable (Cont'd)

		Fixed Monthly Charge	Monthly Charge Per Mile	Nonrecurrin Charge Per Channe	0	
3.	Wired Music - Series 6000 3.0 kHz	C .				
	Types 6211 and 6215					
	(a) 1 thru 8 Miles	\$ 772.00	\$27.00	\$83.60	3LBCS	(I)
	(b) 9 thru 25 Miles	772.00	27.00	83.60	3LBCS	(I)
	(c) Over 25 Miles	772.00	27.00	83.60	3LBCS	(I)
4.	Wired Music - Series 6000 5 kHz					
	Types 6212 and 6216					
	(a) 1 thru 8 Miles	800.00	53.00	73.70	3LBDS	(I)
	(b) 9 thru 25 Miles	800.00	53.00	73.70	3LBDS	(I)
	(c) Over 25 Miles	800.00	53.00	73.70	3LBDS	(I)
5.	Wired Music - Series 6000 8 kHz					
	Types 6213 and 6217					
	(a) 1 thru 8 Miles	1,078.00	88.00	73.70	3LBES	(I)
	(b) 9 thru 25 Miles	1,078.00	88.00	73.70	3LBES	(I)
	(c) Over 25 Miles	1,078.00	88.00	73.70	3LBES	(I)

#### **B3.4.4 Optional Features And Functions**

#### A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

1. Voice Grade Bridges (Series 2000)

	Monthly Rate	Nonrecurring Charge	USOC	
Voice Bridging		J		
(1) Per Port				
(a) Two-Wire (Type 2230)	\$353.00	\$40.90	BQ9	(I)
(b) Four-Wire (Type 2435)	460.00	37.50	BQ9	(I)
Data Bridging				
(1) Per Port				
(a) Four-Wire (Types 2463 and 2464)	665.00	41.15	BQ9	(I)
	(1) Per Port  (a) Two-Wire (Type 2230)  (b) Four-Wire (Type 2435)  Data Bridging  (1) Per Port	Rate   Voice Bridging	Nate   Charge	Nate   Charge   USOC

**Note 1:** For method of determining mileage, see B3.3.3.A.

Page 14.1 is hereby deleted in its entirety and removed from this Guidebook.

# **B3. CHANNELS**

# **B3.4 Rates And Charges (Cont'd) B3.4.4 Optional Features And Functions (Cont'd)**

- **A.** Bridging (Cont'd)
  - 1. Voice Grade Bridges (Series 2000) (Cont'd)

				1.1011111	1 (0111 0001 11119		
				Rate	Charge	USOC	
	c. (D	ELETE	ZD)				
	d. (D	ELETE	ED)				
	e. Te	lemetry	and Alarm Bridging - Split Band, Active Bridging				
	(1)	Con	nmon Equipment, per central office				
		(a)	First bridging shelf, capacity of 48 two-wire connections	\$1,328.00	\$365.00	XW1	(I)
		(b)	Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf	1,328.00	325.00	XW2	(I)
		(c)	Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf	672.00	205.00	XW8	(I)
	(2)	Cha	nnel connections, per channel connected				
		(a)	Remote station channel connection	53.00	33.00	XW3	(I)
		(b)	Mid-link channel connection, first channel	132.00	41.00	XW4	(I)
		(c)	Mid-link channel connection, subsequent channels	132.00	41.00	XW5	(I)
2.	Wired	Music 1	Bridges (Series 6000)				
			on Amplifiers				
	(1)		•				
		(a)	Each	2.20	28.60	6LE	

Monthly

Nonrecurring

#### **B3. CHANNELS**

# **B3.4 Rates And Charges (Cont'd)**

#### **B3.4.4 Optional Features And Functions (Cont'd)**

**B.** Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

Per local channel

		Nonrecurring					
	Monthly	Ch	arge				
	Rate	Initial	Subsequent	USOC			
Ringdown-Manual	\$215.00	\$41.80	\$187.00	SL3	(I)		
Ringdown-Automatic	197.00	17.60	59.40	SL5	(I)		
E & M Type	197.00	48.00	192.00	SLM	(I)		
Type A (0-199 ohms)	116.00	46.80	132.00	SAL	(I)		
Type B (200-899 ohms)	116.00	46.20	145.20	SAU	(I)		
Type C (900 or more ohms)	53.00	15.85	145.20	SAY	(I)		
	Ringdown-Automatic E & M Type Type A (0-199 ohms) Type B (200-899 ohms)	Rate         Ringdown-Manual       \$215.00         Ringdown-Automatic       197.00         E & M Type       197.00         Type A (0-199 ohms)       116.00         Type B (200-899 ohms)       116.00	Monthly         Ch           Rate         Initial           Ringdown-Manual         \$215.00         \$41.80           Ringdown-Automatic         197.00         17.60           E & M Type         197.00         48.00           Type A (0-199 ohms)         116.00         46.80           Type B (200-899 ohms)         116.00         46.20	Monthly RateChargeRingdown-Manual\$215.00\$41.80\$187.00Ringdown-Automatic197.0017.6059.40E & M Type197.0048.00192.00Type A (0-199 ohms)116.0046.80132.00Type B (200-899 ohms)116.0046.20145.20	Rate         Initial         Subsequent         USOC           Ringdown-Manual         \$215.00         \$41.80         \$187.00         SL3           Ringdown-Automatic         197.00         17.60         59.40         SL5           E & M Type         197.00         48.00         192.00         SLM           Type A (0-199 ohms)         116.00         46.80         132.00         SAL           Type B (200-899 ohms)         116.00         46.20         145.20         SAU		

C. Conditioning (Voice Grade Services)

1. Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

Conditioning is charged for on a per Local Channel basis for two-point and multipoint service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

# **B3. CHANNELS**

# **B3.4 Rates And Charges (Cont'd)**

### **B3.4.4 Optional Features And Functions (Cont'd)**

C. Conditioning (Voice Grade Services) (Cont'd)

2. The types and description of the available conditioning options are as follows:

Type Conditioning

Frequency Response Specification

Envelope Delay Distortic

Type Conditioning	Frequency Response Specification	Envelope Delay Distor Specification	rtion
C1 (two-point or multipoint)	300-2700 Hz,	1000-2400 Hz, less	
	-2dB to $+6dB$ .	than 1000 microsecond	ls
	1000-2400 Hz,		
	-1dB to $+3$ dB.		
	300-3000 Hz,		
	-3dB to $+12dB$ .		
C2 (two-point or multipoint)	300-3000 Hz,	1000-2600 Hz, less	
	-2dB to $+6dB$ .	than 500 microseconds	S
	500-2800 Hz,	600-2600 Hz, less	
	-1dB to $+3$ dB.	than 1500 microsecond	ls
		500-2800 Hz, less	
		than 3000 microsecond	ls
		Non-Linear Distor	tion
	C-Notched Noise	2nd Order 31	d Order
		Distortion D	istortion
D1 (two-point)	Noise level 28dB	35dB below 40d	dB below
	below signal level	signal level sig	gnal level

When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

			Nonre	curring		
		Monthly	Ch	arge		
		Rate	Initial	Subsequent	USOC	
4.	C-Type Conditioning					
	a. C-Type Conditioning is available for Types 2463 and 2464.					
	(1) C-Types of Conditioning per local channel					
	(a) C1-Type	\$53.00	\$11.00	\$68.20	P2W	(I)
	(b) C2-Type	53.00	23.10	78.10	P3W	(I)
5.	D-Type Conditioning					
	a. D-Type Conditioning is available for Types 2463 and 2464.					
	(1) D-Type Conditioning per local channel					
	(a) D1-Type	53.00	17.60	72.60	QHA	(I)

#### **B7. DIGITAL NETWORK SERVICE**

# **B7.2 SynchroNet Service (Cont'd)**

#### B7.2.3 Rates and Charges<sup>1</sup>

**A.** Service wholly within the same LATA

	The wholly walled the same Ellin	Nonrecurri	ng Charge	Month to	24 to 42 <sup>2,3</sup>	43 to 60 <sup>2,3</sup>		
		First	Add'l		Months	Months	USOC	
1.	A Digital Local Channel is furnished between a							
	Serving Wire Center and the customer's premises. The							
	Digital Local Channel charges apply per local channel.							
	(a) 2.4 Kbps	\$340.00	\$105.00	\$1,093.00	\$49.00	\$47.00	1RSD2	(I)
	(b) 4.8 Kbps	340.00	105.00	1,093.00	49.00	47.00	1RSD4	(I)
	(c) 9.6 Kbps	340.00	105.00	1,093.00	49.00	47.00	1RSD9	(I)
	(d) 19.2 Kbps	340.00	105.00	1,093.00	49.00	47.00	1RSD3	(I)
	(e) 56.0 Kbps	340.00	105.00	1,582.00	65.00	60.00	1RSD5	(I)
	(f) 64.0 Kbps	340.00	105.00	1,582.00	65.00	60.00	1RSD6	(I)
2.	A Node Channel Termination is required at the							
	Company's Node Central Office. Node Channel							
	Termination per local channel or equivalent, each.							
	(a) 2.4 Kbps	37.00	32.00	252.00	9.75	9.50	2UN24	(I)
	(b) 4.8 Kbps	37.00	32.00	252.00	9.75	9.50	2UN48	(I)
	(c) 9.6 Kbps	37.00	32.00	252.00	9.75	9.50	2UN96	(I)
	(d) 19.2 Kbps	37.00	32.00	252.00	9.75	9.50	2UN19	(I)
	(e) 56.0 Kbps	37.00	32.00	703.00	28.00	26.00	2UN56	(I)
	(f) 64.0 Kbps	37.00	32.00	703.00	28.00	26.00	2UN64	(I)
_					1 0 00			

- 3. A Digital Interoffice Channel is furnished between a serving wire center and the Node Central Office or between Node Central Offices. Digital Interoffice mileage is portrayed in bands. The appropriate mileage band for calculating interoffice mileage rates is determined by the total length in miles of that interoffice channel. A fixed rate and a rate per mile apply to each band¹ for each Digital Interoffice Channel provided.
  - a. Interoffice channel, each channel 0-8 miles

			Nonrecurring	Month to	24 to 42 <sup>2,3</sup>	43 to 60 <sup>2,3</sup>		
			Charge	Month	Months	Months	USOC	
	(1)	Fixed rates applicable						
		(a) 2.4, 4.8, 9.6 and 19.2 Kbps	\$76.00	\$472.00	\$19.50	\$19.00	3LBAA	(I)
		(b) 56.0 and 64.0 Kbps	76.00	957.00	36.00	34.00	3LBAA	(I)
	(2)	Each mile or fraction thereof						
		(a) 2.4, 4.8, 9.6 and 19.2 Kbps	-	38.00	1.90	1.75	3LBBA	(I)
		(b) 56.0 and 64.0 Kbps	-	88.00	3.80	3.50	3LBBA	(I)
b.	Inte	roffice channel, each channel 9-25 miles						
	(1)	Fixed rates applicable						
		(a) 2.4, 4.8, 9.6 and 19.2 Kbps	76.00	472.00	19.50	19.00	3LBCA	(I)
		(b) 56.0 and 64.0 Kbps	76.00	957.00	36.00	34.00	3LBCA	(I)
	(2)	Each mile or fraction thereof						
		(a) 2.4, 4.8, 9.6 and 19.2 Kbps	-	38.00	1.85	1.70	3LBDA	(I)
		(b) 56.0 and 64.0 Kbps	-	88.00	3.70	3.40	3LBDA	(I)
c.	Inte	roffice channel, each channel over 25 miles						
	(1)	Fixed rates applicable						
		(a) 2.4, 4.8, 9.6 and 19.2 Kbps	76.00	472.00	19.50	19.00	3LBEA	(I)
		(b) 56.0 and 64.0 Kbps	76.00	957.00	36.00	34.00	<b>3LBEA</b>	(I)
	(2)	Each mile or fraction thereof						
		(a) 2.4, 4.8, 9.6 and 19.2 Kbps	-	38.00	1.80	1.65	3LBFA	(I)
		(b) 56.0 and 64.0 Kbps	-	88.00	3.60	3.30	3LBFA	(I)
		N 4 4 D C - DOOG 4 C 3						

**Note 1:** Refer to B3.3.3.A for mileage measurement methodology.

**Note 2:** As of October 1, 2013, Contract Terms greater than 36 months are no longer available for new or renewing subscribers.

Note 3: Effective December 31, 2013, customers may not establish new term plans of any length for SynchroNet Service, and existing term plans may not be renewed. For new service, or for existing service after any term plan expires, service will be provided only on a month-to-month basis.